AD 2. AERODROMES

VOCP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOCP - KADAPA AIRPORT, KADAPA

VOCP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	143047N 0784620E 103.83 DEG/875M from physical beginning of RWY 11.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	300 DEG/14 KM from Kadapa Railway Station.	
3	Aerodrome elevation and reference temperature	444 FT / 40.1 DEG C	
4	Magnetic variation, date of information and annual change	1.58 DEG W (2010) /0.0166 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Kadapa Airport, Cuddapah-516003,	
		Telephone:	(91) 856 2220506 220540
		Fax:	(91) 856 2220506 220539
		AFS:	VOCPYHYX
		Email:	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	1. Vertical Datum : EGM 08 2. Licensed for IFR (All Weather Operations)	

VOCP AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Mon-Fri: 0400-1230 UTC (0930-1800 IST) Sat, Sun & Holidays: NIL
2	Custom and immigration	NIL
3	Health and sanitation	As per ATS
4	AIS briefing office	As per ATS
5	ATS reporting office (ARO)	As per ATS
6	MET Briefing office	As per ATS
7	Air Traffic Service	Refer NOTAM for current ATS HR SER
8	Fuelling	NIL
9	Handling	As per ATS
10	Security	As per ATS
11	De-icing	NIL
12	Remarks	NIL

VOCP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	NIL
3	Fuelling facilities and capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VOCP AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city
2	Restaurant(s) at or in the vicinity of aerodrome	In the city
3	Transportation possibilities	Buses, Taxis are available at 1km from terminal building.
4	Medical Facilities	First aid at AD. Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: NIL Post office: NIL
6	Tourist office	NIL
7	Remarks	NIL

VOCP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	One Ambulance
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is ATR72 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, kadapa Airport. Contact No: 9849337655 Email: apdkadapa@aai.aero
4	Remarks	NIL

VOCP AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	AD serviceable during all seasons

VOCP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location : Aircraft Stands 01 to 07 Elevation : 442 FT
4	Location of VOR checkpoints	On TWY A
5	Position of INS checkpoints	NIL
6	Remarks	Isolation Bay: IAPP is south of RWY 11 -29 connected by TWY G (At the beginning of RWY 11) Surface: Concrete Strength:58/R/B/W/T Dimensions: 76 m X 91 m Shoulders: 7.5 m on each side

VOCP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxi Guidance lines, Apron Stand Markings, Nose wheel markings, Apron safety lines.
2	Runway and taxiway markings and lights	RWY Marking: RWY Designation, THR, Aiming point, Centerline, Edge RWY Lighting: Edge, THR, End TWY Marking:Centerline, Edge, Holding Positions TWY Lighting: Edge
3	Stop bars (if any)	NIL
4	Remarks	NIL

VOCP AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
RWY 29/APCH RWY 11/TKOF	TREE	143020.6N 0784717.7E	487 FT	NIL	Tree
RWY 29/APCH RWY 11/TKOF	NATURAL HIGHPOINT	142743.2N 0785445.4E	1225 FT	NIL	Hill
RWY 29/APCH RWY 11/TKOF	NATURAL HIGHPOINT	142824.7N 0785328.9E	1258 FT	NIL	Hill
In circling area and at AD	OTHER	143054.7N 0784557.1E	461 FT	NIL	WDI
In circling area and at AD	TREE	143051.6N 0784544.0E	474 FT	NIL	Met Antenna
In circling area and at AD	OTHER	143040.2N 0784641.9E	456 FT	NIL	W.D.I
In circling area and at AD	OTHER	143034.3N 0784727.0E	553 FT	NIL	Cellphone mast
In circling area and at AD	OTHER	143157.4N 0784352.4E	599 FT	NIL	Cellphone mast
In circling area and at AD	OTHER	142847.8N 0784359.4E	846 FT	NIL	Air Mast
In circling area and at AD	NATURAL HIGHPOINT	142350.2N 0783945.8E	1357 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142424.1N 0784137.8E	1038 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142213.0N 0784212.2E	1314 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142402.0N 0784355.4E	1084 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142512.0N 0785117.3E	1091 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142457.8N 0785339.7E	2052 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142459.4N 0785445.2E	2029 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142657.2N 0785432.8E	1268 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	142647.5N 0785639.8E	1822 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143205.5N 0785534.0E	1806 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143249.7N 0785325.6E	1809 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143325.1N 0785525.6E	2475 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143349.1N 0785319.3E	1780 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143351.4N 0785246.0E	1859 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143339.2N 0785143.7E	1061 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143543.4N 0785507.5E	2492 FT	NIL	Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	143706.8N 0785359.3E	2338 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143536.6N 0785017.1E	1750 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143614.9N 0784920.6E	1563 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143642.8N 0784858.0E	1403 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143702.2N 0785052.3E	1298 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143829.9N 0785333.4E	1941 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143920.1N 0785111.2E	1350 FT	NIL	Hill
In circling area and at AD	NATURAL HIGHPOINT	143922.9N 0784833.2E	1353 FT	NIL	Hill

VOCP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	KADAPA
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Shamsabad(VOHS) 9HR (00-09,03-12,06-15 and 09-18)
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	Provided
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	KADAPA ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	Documentation provided as and when requested.

VOCP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
RWY 11	108.31 DEG	2515 x 45 M	58/F/C/W/T Asphalt	THR: 143058.11N 0784535.77E RWY END: 143032.39N 0784655.47E
RWY 29	288.31 DEG	2515 x 45 M	58/F/C/W/T Asphalt	THR: 143032.39N 0784655.47E RWY END: 143058.11N 0784535.77E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 444.0FT TDZ:	-0.10%	NIL	NIL	2635 x 280 M
THR: 432.0FT TDZ:	0.10%	NIL	NIL	2635 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M			NIL
240M x 90M			NIL

VOCP AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
RWY 11	2515	2515	2515	2515	
RWY 29	2515	2515	2515	2515	

VOCP AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
RWY 11	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	
RWY 29	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2515 M 60 M WHITE/YELLOW LIH	Red		Wing Bar : Not Available
	2515 M 60 M WHITE/YELLOW LIH	Red		Wing Bar : Not Available

VOCP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower building FLG, W&G EV 2 SEC. As ATS
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	50M North of ARP
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	All TWY
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power supply to all lighting at AD. Switch over time 12 Sec.	
5	Remarks	Apron Edge and Flood Lights Available. Wind cone and Signal Area available and lighted.	

VOCP AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VOCP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 143047N 0784620E within a 25NM radius.
2	Vertical limits	FL 95
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	KADAPA TOWER, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	Kadapa Approach Control Unit is combined with Kadapa Aerodrome Control Tower.

VOCP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	KADAPA TOWER	118.350 MHZ	
APP	KADAPA TOWER	120.475 MHZ	
TWR	KADAPA TOWER	118.350 MHZ	
TWR	KADAPA TOWER	120.475 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1.Main 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Backup 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	NIL
	As ATS	Standby

VOCP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	KDP	115.200 MHz CH99X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
143035.3N 0784619.8E	474 FT		

VOCP AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VOCP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOCP AD 2.22 FLIGHT PROCEDURES

NIL

VOCP AD 2.23 ADDITIONAL INFORMATION

1. Commissioning of ADS-B

Freq : 1090MHZ

Coord : 143101N0784615E

Site Elev. : 141M AMSL

Max Range upto : 250NM

VOCP AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking/Docking Chart
3. Aerodrome Obstacle Type-A (Operating Limitations) RWY 11

4. Aerodrome Obstacle Type-A (Operating Limitations) RWY 29
5. Instrument Approach Chart - VOR Procedure RWY 11 (CAT A/B/C) (27 November 2025)
6. Instrument Approach Chart - VOR Procedure RWY 29 (CAT A/B/C) (27 November 2025)
7. Instrument Approach Chart - RNP Z Procedure RWY 11 (CAT A/B/C) (LPV Only)
8. Coding Table 1 - RNP Z Procedure RWY 11
9. Coding Table 2 - RNP Z Procedure RWY 11
10. Instrument Approach Chart - RNP Z Procedure RWY 29 (CAT A/B/C) (LPV Only)
11. Coding Table 1 - RNP Z Procedure RWY 29
12. Coding Table 2 - RNP Z Procedure RWY 29

VOCP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**