AD 2. AERODROMES

VOGB AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOGB - KALABURAGI AIRPORT, KALABURAGI

VOGB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	171835N 0765726E MAG BRG 69.30 DEG/777.71M from physical beginning of RWY 09	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	13 KM East of Kalaburagi city	
3	Aerodrome elevation and reference temperature	1567 FT / 40.0 DEG C	
4	Magnetic variation, date of information and annual change	1.25 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India, Kalaburagi Airport, Karnataka - 585102	
		Telephone:	919482264671
		Fax:	(91) 847 2298776
		AFS:	
		Email:	apd_vogb@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Elevation in EGM 08	

VOGB AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI: 0400-1230 UTC SAT/SUN/HOLIDAY: NIL
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	CONSULT NOTAM for current ATS HR.
8	Fuelling	As ATS
9	Handling	NOT AVAILABLE
10	Security	As ATS
11	De-icing	Not Applicable
12	Remarks	Outside of NOTAM/ATS hours, services are available O/R with 24 HR PN to AD.

VOGB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	BPCL 2 Refuelers: 18000 L (1), 15000 L (1), Preset:700 LPM
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VOGB AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In nearby townships within 5 KM
2	Restaurant(s) at or in the vicinity of aerodrome	In townships within 5 KM
3	Transportation possibilities	Buses, Auto-Rickshaws and Hired Cars.
4	Medical Facilities	First Aid and basic facilities at ESIC Hospital located within 8 Kilometer. For serious & critical cases, District Hospital located in Kalaburagi City about 12 KM away.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Kalaburagi City within 13 KM
6	Tourist office	NIL
7	Remarks	NIL.

VOGB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	Available as per Category
3	Capability for removal of disabled aircraft	1. The critical aircraft for Kalaburagi airport is ATR72-600. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact ‘Aerodrome Coordinator for Disabled Aircraft Removal Operations’ for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Kalaburagi Airport Contact No: 08472-295251 / 6281054983 Email: apd_vogb@aai.aero
4	Remarks	NIL.

VOGB AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VOGB AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking / Docking Charts for Details
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking / Docking Charts for Details
3	Location and elevation of altimeter checkpoints	Location : All aircraft stands on the passenger terminal apron. Elevation : Refer Aircraft Parking/Docking chart
4	Location of VOR checkpoints	Not Available
5	Position of INS checkpoints	Not Available
6	Remarks	1. Isolation bay: Location - End of TWY B facing North. 508.5M from THR RWY 09 and 231M South of runway centre line. Strength - PCN 52 F/C/W/T Dimension - 103.6m X 80m. Suitability - Upto A320. 2. Aircraft Stands' Suitability: Stand No. 1 & 2 - upto AT-72 Stand No. 3 - upto A320 3. FTO Hanger: i. Designation: Hanger Nr 1 (Redbird Flying Training cademy) ii. Size: 25 M X 25 M. iii. Location: End of TWY C facing North. 200 M from THR RWY 09 and 220M South of runway centre line 4. Coordinates of RWY Holding Position: i. TWY A: 171830.21N 0765718.58E/ ELEV - 1556.43 FT ii. TWY B: 171824.36N 0765718.80E/ ELEV - 1556.10 FT iii. TWY C: 171823.75N 0765709.82E/ ELEV - 1564.63 FT 5. Coordinates of RWY & Taxi Intersection: i. TWY A: 171827.28N 0765718.76E ELEV - 1559.71 FT ii. TWY B: 171827.27N 0765718.62E ELEV - 1559.71 FT iii. TWY C: 171826.75N 0765709.63E ELEV - 1565.94 FT 6. Vertical Reference Datum: EGM 08

VOGB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance signs at all the intersection with TWY & RWY and at all holding positions. Guidelines at Apron.
2	Runway and taxiway markings and lights	RWY Markings : RWY Designator, Threshold Markings, Aiming point,Centerline Marking, Touchdown Zone Markings, RWY Side Stripe Marking. Turn Pad Marking RWY Lights : Edge lights. TWY Marking : TWY Side Stripe, Marking, Centerline Marking, RWY Holding Position Marking. TWY Lights : Edge lights.
3	Stop bars (if any)	NIL
4	Remarks	Illuminated signage provided in operational area.

VOGB AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	171829.0N 0765658.8E	1578 FT	NO	Tree
27/TKOF 09/APCH	OTHER	171820.7N 0765655.2E	1588 FT	NO	Mobile Road Traffic (Road Elev. 479.0 M. + Mobile Traffic 5.0m)
27/TKOF 09/APCH	FENCE	171820.6N 0765654.3E	1577 FT	NO	Operational Area Compound Wall
27/TKOF 09/APCH	OTHER	171831.1N 0765654.3E	1577 FT	NO	Mobile Road Traffic (Road Elev. 475.6 M. + Mobile Traffic 5.0m)
27/TKOF 09/APCH	POLE	171820.6N 0765653.5E	1589 FT	NO	Light Pole
27/TKOF 09/APCH	TREE	171829.9N 0765651.6E	1590 FT	NO	Tree
27/TKOF 09/APCH	OTHER	171819.4N 0765648.8E	1594 FT	NO	Mobile Road Traffic (Road Elev. 480.9 M. + Mobile Traffic 5.0m)
27/TKOF 09/APCH	TREE	171819.8N 0765646.0E	1624 FT	NO	Group Of Trees
27/TKOF 09/APCH	TREE	171820.3N 0765644.2E	1610 FT	NO	Group Of Trees
27/TKOF 09/APCH	OTHER	171821.3N 0765644.0E	1596 FT	NO	Hoarding
27/TKOF 09/APCH	POLE	171821.3N 0765643.5E	1598 FT	NO	Electric Pole
27/TKOF 09/APCH	POLE	171820.5N 0765643.1E	1604 FT	NO	Electric Pole
27/TKOF 09/APCH	TREE	171820.3N 0765642.7E	1617 FT	NO	Group Of Trees
27/TKOF 09/APCH	TREE	171820.8N 0765640.0E	1620 FT	NO	Group Of Trees
27/TKOF 09/APCH	TREE	171818.1N 0765638.7E	1617 FT	NO	Group Of Trees
27/TKOF 09/APCH	OTHER	171803.2N 0765517.1E	1739 FT	NO	Sinetx Tank on Building (Building Top= 528.6 M)
27/TKOF 09/APCH	POLE	171801.4N 0765517.0E	1753 FT	NO	Light Pole
27/TKOF 09/APCH	POLE	171800.8N 0765515.0E	1793 FT	NO	Electric Pole on Hill Top
27/TKOF 09/APCH	TREE	171800.5N 0765514.6E	1804 FT	NO	Tree On Hill Top
27/TKOF 09/APCH	POLE	171803.7N 0765514.4E	1755 FT	NO	Light Pole
27/TKOF 09/APCH	FENCE	171800.3N 0765513.8E	1799 FT	NO	Boundary Wall (Bramhakumari's)
27/TKOF 09/APCH	TREE	171802.3N 0765513.7E	1789 FT	NO	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	171800.9N 0765512.9E	1805 FT	NO	Tree On Hill Top
27/TKOF 09/APCH	TREE	171836.6N 0765857.0E	1531 FT	NO	Tree
27/TKOF 09/APCH	TREE	171839.1N 0765904.9E	1542 FT	NO	Group Of Trees
In circling area and at AD	TREE	171830.6N 0765659.3E	1591 FT	NO	Tree
In circling area and at AD	TREE	171817.9N 0765646.4E	1615 FT	NO	Group Of Trees
In circling area and at AD	TREE	171819.0N 0765649.4E	1605 FT	NO	Group Of Trees
In circling area and at AD	POLE	171819.2N 0765652.9E	1601 FT	NO	Electric Pole
In circling area and at AD	POLE	171820.7N 0765654.9E	1588 FT	NO	Light Pole
In circling area and at AD	POLE	171820.7N 0765656.2E	1587 FT	NO	Light Pole
In circling area and at AD	OTHER	171835.8N 0765707.7E	1650 FT	NO	Flood Light Mast
In circling area and at AD	OTHER	171831.6N 0765713.7E	1578 FT	LGTD	Wind Direction Indicator
In circling area and at AD	FENCE	171820.6N 0765655.5E	1579 FT	NO	Operational Area Compound Wall
In circling area and at AD	OTHER	171757.4N 0765605.9E	1728 FT	NO	Cell Phone Mast
In circling area and at AD	FENCE	171759.8N 0765517.2E	1753 FT	NO	Boundary Wall (Bramhakumari's)
In circling area and at AD	TREE	171756.1N 0765516.3E	1822 FT	NO	Group Of Tree on Hill Top
In circling area and at AD	TREE	171759.1N 0765514.3E	1814 FT	NO	Group Of Trees
In circling area and at AD	TREE	171756.1N 0765511.0E	1832 FT	NO	Group Of Tree on Hill Top
In circling area and at AD	TREE	171836.3N 0765847.9E	1527 FT	NO	Tree
In circling area and at AD	OTHER	171839.9N 0765903.0E	1542 FT	NO	Security Hut
In circling area and at AD	TREE	171837.4N 0765850.1E	1531 FT	NO	Tree
In circling area and at AD	POLE	171839.3N 0765845.9E	1546 FT	NO	Light Pole
In circling area and at AD	POLE	171837.7N 0765846.7E	1529 FT	NO	Light Pole
In circling area and at AD	POLE	171837.9N 0765851.8E	1524 FT	NO	Light Pole
In circling area and at AD	POLE	171837.2N 0765837.5E	1527 FT	NO	Light Pole
In circling area and at AD	SIGN	171828.3N 0765716.7E	1563 FT	NO	Sign Board
In circling area and at AD	SIGN	171826.0N 0765716.8E	1564 FT	NO	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	POLE	171833.2N 0765729.3E	1561 FT	NO	Light Pole
In circling area and at AD	OTHER	171838.5N 0765729.5E	1637 FT	NO	Flood Light Mast
In circling area and at AD	POLE	171834.9N 0765755.2E	1564 FT	NO	Light Pole
In circling area and at AD	POLE	171835.2N 0765802.4E	1547 FT	NO	Loudspeaker Pole
In circling area and at AD	BUILDING	171835.7N 0765808.6E	1532 FT	NO	Building
In circling area and at AD	POLE	171836.2N 0765810.0E	1551 FT	NO	Light Pole
In circling area and at AD	TREE	171836.7N 0765816.5E	1544 FT	NO	Tree
In circling area and at AD	TREE	171825.2N 0765817.5E	1541 FT	NO	Group Of Trees
In circling area and at AD	OTHER	171835.5N 0765820.4E	1531 FT	LGTD	Wind Direction Indicator
In circling area and at AD	POLE	171836.2N 0765821.2E	1531 FT	NO	Light Pole
In circling area and at AD	OTHER	171836.9N 0765823.1E	1544 FT	NO	Security Hut
In circling area and at AD	POLE	171837.6N 0765826.2E	1542 FT	NO	Light Pole
In circling area and at AD	BUILDING	171751.5N 0765457.1E	1755 FT	NO	Building
In circling area and at AD	TREE	171755.4N 0765507.9E	1856 FT	NO	Group Of Tree on Hill Top
In circling area and at AD	TREE	171737.1N 0765534.8E	1831 FT	NO	Tree On Hill Top
In circling area and at AD	OTHER	171731.0N 0765555.0E	1790 FT	NO	Hill Top
In circling area and at AD	OTHER	171739.6N 0765603.1E	1717 FT	NO	Temple
In circling area and at AD	OTHER	171736.1N 0765607.5E	1752 FT	NO	Hill Top
In circling area and at AD	BUILDING	171738.3N 0765607.7E	1743 FT	NO	Building
In circling area and at AD	TREE	171739.8N 0765607.9E	1740 FT	NO	Group Of Tree on Hill Top
In circling area and at AD	TREE	171740.8N 0765608.1E	1720 FT	NO	Tree
In circling area and at AD	BUILDING	171737.0N 0765608.1E	1752 FT	NO	Building On Hill Top
In circling area and at AD	BUILDING	171740.1N 0765609.0E	1722 FT	NO	Building
In circling area and at AD	POLE	171740.6N 0765609.2E	1715 FT	NO	Electric Pole
In circling area and at AD	OTHER	171738.9N 0765609.2E	1744 FT	NO	Over Head Water Tank on Hill Top
In circling area and at AD	POLE	171739.5N 0765613.2E	1753 FT	NO	Electric Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	171739.0N 0765613.2E	1744 FT	NO	Building U/C
In circling area and at AD	TREE	171740.0N 0765613.4E	1744 FT	NO	Tree
In circling area and at AD	TREE	171739.5N 0765613.5E	1773 FT	NO	Tree On Hill Top
In circling area and at AD	OTHER	171739.5N 0765613.6E	1748 FT	NO	Temple
In circling area and at AD	OTHER	171655.0N 0765509.0E	1797 FT	NO	Hill Top
In circling area and at AD	TREE	171653.9N 0765509.1E	1830 FT	NO	Group Of Tree on Hill Top

VOGB AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO Bangalore
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As per ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO Bengaluru 9 hours TAF issued every 3 hours 30 hours TAF issued every 6 hours
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend Issued by Tower Met Officer along with METAR/SPECI
5	Information on how briefing and/or consultation is provided	Automated Pre-flight Information System(OLBS) PB and consultation Duty Met Officer is also AVBL
6	Types of flight documentation supplied and language(s) used in flight documentation	WAFC products in respect of upper wind and temperature, Upper air humidity, Geopotential altitude, tropopause level, level of Maximum wind, Sig weather phenomenon, METAR, Met report, TAF , SIGMET English
7	Charts and other information displayed or available for briefing or consultation	As per OLBS
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	IMD Website and radar of Chennai/Hyderabad
9	The air traffic services unit(s) provided with meteorological information	Kalaburagi Tower
10	Additional information, e.g. concerning any limitation of service.	NIL

VOGB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	86.54 DEG	3175 x 45 M	57/F/C/W/T Asphalt	THR: 171826.83N 0765711.06E RWY END: 171832.49N 0765848.50E
27	266.54 DEG	3175 x 45 M	57/F/C/W/T Asphalt	THR: 171832.49N 0765848.50E RWY END: 171826.26N 0765701.19E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1566.0FT TDZ:		NIL	NIL	3295 x 280 M
THR: 1512.0FT TDZ:		NIL	NIL	3295 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M			Vertical Datum: EGM 08
240M x 90M			Vertical Datum: EGM 08

VOGB AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	3175	3175	3175	2883	THR RWY 09 displaced by 292M
27	3175	3175	3175	3175	NIL

VOGB AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09			PAPI LEFT/3.00 DEG	
27			PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	3175 M 60 M White LIH			NIL
	3175 M 60 M White LIH			NIL

VOGB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At tower Building flashing W&G
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	In front of ATC tower
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Available, Switchover time less than 15 Sec	
5	Remarks	Apron high mast lights available	

VOGB AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VOGB AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 174236N 0764949E; 173036N 0765646E; 173108N 0771007E; 172411N 0772254E then along the clockwise arc of a circle of 25NM radius centred on 171835N 0765726E to 165613N 0764536E; 172122N 0764438E; 173422N 0763707E then along the clockwise arc of a circle of 25NM radius centred on 171835N 0765726E to point of origin.
2	Vertical limits	FL 85
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	KALABURAGI TOWER, English
5	Transition altitude	4000 FT
6	Hours of applicability	AS ATS
7	Remarks	Kalaburagi Approach Control Unit is combined with Kalaburagi Aerodrome Control Tower.

VOGB AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Kalaburagi Tower	122.025 MHZ	
APP	Kalaburagi Tower	122.425 MHZ	
TWR	KALABURAGI TOWER	122.025 MHZ	
TWR	KALABURAGI TOWER	122.425 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Main 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Backup 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	MAIN
	AS ATS	STANDBY

VOGB AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	IKLB	108.300 MHz	As ATS
GP 27		334.100 MHz	As ATS
DME ILS 27	IKLB	CH20X	As ATS
DVOR/DME	GGB	116.000 MHz CH107X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
171825.7N 0765650.9E			
171835.8N 0765835.6E			Glide Angle 3 DEG
171835.8N 0765835.6E	1523 FT		Vertical Datum: EGM 08
171822.9N 0765806.5E	1545 FT		1. Vertical Reference System: EGM-08 2. DME Colocated with DVOR

VOGB AD 2.20 LOCAL AERODROME REGULATIONS

1. Only idle power engine run is permitted on aircraft stands, after exercising all necessary ground precautions. For full or partial power run-up, aircraft shall use RWY in coordination with ATC.
2. All Non-Sked flights requiring night parking to coordinate 72Hrs before arrival due shortage of parking space.
3. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VOGB AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOGB AD 2.22 FLIGHT PROCEDURES

NIL

VOGB AD 2.23 ADDITIONAL INFORMATION

NIL

VOGB AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (13 June 2024)
2. Aircraft Parking/Docking Chart
3. Aerodrome Obstacle Chart – Type A (Obstacle Limitations) RWY 09 (13 June 2024)
4. Aerodrome Obstacle Chart – Type A (Obstacle Limitations) RWY 27 (13 June 2024)
5. Instrument Approach Chart - ILS or LOC RWY 27 (CAT A/B/C) (13 June 2024)
6. Instrument Approach Chart - VOR Procedure RWY 27 (CAT A/B/C) (13 June 2024)
7. Instrument Approach Chart - RNP Y Procedure RWY 27 (CAT A/B/C) (08 August 2024)
8. Tabular Description - RNP Y Procedure RWY 27 (08 August 2024)
9. Instrument Approach Chart - VOR Procedure RWY 09 (CAT A/B/C) (17 April 2025)

VOGB AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3