AD 2. AERODROMES

VIGG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VIGG - KANGRA AIRPORT, KANGRA

VIGG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	320953N 0761544E M. Brg. 153.37DEG /664 M from Physical Beginning of RWY 15	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	14 Kms SW of Dharamshala Town.	
3	Aerodrome elevation and reference temperature	2527 FT / 35.0 DEG C	
4	Magnetic variation, date of information and annual change	1.50 DEG E (2010) /0.016 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Kangra Airport, Gaggal (Kangra) - 176209	
		Telephone:	(91) 1892293840 (91) 7650002233
		Fax:	
		AFS:	
		Email:	apd_kangra@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	1. Elevation in EGM 08	

VIGG AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+HOL: - NIL	
2	Custom and immigration	NIL	
3	Health and sanitation	Health - First Aid facility Available Sanitation- as AD Operator HR	
4	AIS briefing office	NIL	
5	ATS reporting office (ARO)	AS ATS	
6	MET Briefing office	As ATS	
7	Air Traffic Service	As per current NOTAM ATS	
8	Fuelling	Avbl	
9	Handling	As ATS	
10	Security	As ATS	
11	De-icing	NIL	
12	Remarks	Outside of ATS Hrs service available O/R. Request to be submitted to AD during ATS HR. 24HR PN required for non-sked ops.	
		ATS approved hourly runway traffic handling capacity	Maximum number of arrival and departure- 04 Maximum number of arrival only – 02 Maximum number of departure only -02

VIGG AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	During watch hrs daily. Availability capacity : 30 KL (Storage tank) 2X6 KL (Refuellers) Mode of storage : Above ground static bunded tank and refuellers (2 nos) Contact Number : 8091005557 Service Provider : Hindustan Petroleum Corporation Limited. (HPCL).
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VIGG AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In Kangra and Dharamshala. a Town 10-14Kms respectively from Airport.
2	Restaurant(s) at or in the vicinity of aerodrome	In Kangra and Dharamshala, a Town 10-14Kms respectively from Airport.
3	Transportation possibilities	Taxis from Gaggal 2Km fm Airport
4	Medical Facilities	First Aid At Aerodrome, Hospitals in town.
5	Bank and post office at or in the vicinity of aerodrome	Banks: At Gaggal , 2kms from Airport Post office: At Gaggal , 2kms from Airport
6	Tourist office	Govt. of HimachalPradesh, TIC at Macleodgang, Upper Dharamshala-176219 Tel :01892-221205, Tele-Fax : 01892-221232
7	Remarks	NIL

VIGG AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is AT-42. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Tel/Mob: 01892- 293840/07650002233 Email: apd_kangra@aai.aero
4	Remarks	NIL

VIGG AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VIGG AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: APRON Surface: Composite of Flexible & Rigid Strength: PCR- 275/F/C/W/T
2	Designation, width, surface and strength of taxiways	Designation: TWY 'A' Width:15M Surface: Flexible/Composite of Flexible & Rigid Strength:PCR 498/F/C/W/T

3	Location and elevation of altimeter checkpoints	Location TWY A : 320956.28N0761540.58E/ Elevation 2499 FT Stand No. 1 : 320956.05N0761537.43E/ Elevation 2499 FT Stand No. 2 : 320953.97N0761538.94E/ Elevation 2498 FT
4	Location of VOR checkpoints	TWY A : 320956.28N 0761540.58E/ ELEV 2499FT
5	Position of INS checkpoints	
6	Remarks	1. Length of TWY A: 114.5M 2. Distance of TWY A: 532M and 90 DEG South of RWY15 and 844 M and 90 DEG North of RWY 33 3.Coordinates of Taxi Holding Position TWY A : 32°09'56.34"N 076°15'40.71"E / ELEV 2499FT 4. Shoulder of TWY A: 5.0 m 5. All Elevation in EGM-08 6. Coordinates of Rwy / Taxiway Intersection point 320957.98552N 0761543.78898E/2503FT 7. PCR value of turning pad at both ends: 285/F/C/W/T

VIGG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Guideline at Apron, nose-in guidance at acft stands. Taxiing guidance sign at intersection with TWY & RWY & holding position.
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, Centerline, Side Strip.
3	Stop bars (if any)	NIL
4	Remarks	NIL

VIGG AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
33/TKOF 15/APCH	NATURAL HIGHPOINT	321014.7N 0761531.8E	2530 FT	NIL	Ground Level
33/APCH 15/TKOF	TREE	320929.9N 0761602.5E	2478 FT	NIL	Group of Tree
In circling area and at AD	TREE	320935.0N 0761606.0E	2556 FT	NIL	Group of Tree
In circling area and at AD	OTHER	321024.9N 0761558.0E	2680 FT	NIL	OHWT
In circling area and at AD	TREE	321013.9N 0761558.4E	2677 FT	NIL	Group of Tree
In circling area and at AD	TREE	320940.5N 0761601.5E	2520 FT	NIL	Group of Tree
In circling area and at AD	TREE	320937.7N 0761603.3E	2519 FT	NIL	Group of Tree
In circling area and at AD	TREE	320931.7N 0761558.5E	2512 FT	NIL	Group of Tree
In circling area and at AD	TREE	320942.6N 0761550.2E	2546 FT	NIL	Group of Tree
In circling area and at AD	TREE	320946.6N 0761600.0E	2573 FT	NIL	Group of Tree
In circling area and at AD	OTHER	320856.8N 0761703.1E	2703 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	320956.2N 0761544.1E	2504 FT	NIL	Sign Board
In circling area and at AD	OTHER	320959.1N 0761541.9E	2509 FT	NIL	Sign Board
In circling area and at AD	TREE	320958.4N 0761550.8E	2595 FT	NIL	Group of Tree
In circling area and at AD	TREE	320953.6N 0761553.5E	2588 FT	NIL	Group of Tree
In circling area and at AD	TREE	320955.4N 0761551.9E	2591 FT	NIL	Group of Tree
In circling area and at AD	NATURAL HIGHPOINT	321338.5N 0761303.3E	3264 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	321406.5N 0761305.7E	3773 FT	NIL	Hill Top
In circling area and at AD	TREE	320912.2N 0761410.9E	2732 FT	NIL	Group of Tree on Hill Top
In circling area and at AD	OTHER	320905.2N 0761407.5E	2766 FT	LGTD	Cell Phone Mast

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	320902.9N 0761406.6E	2776 FT	NIL	Cell Phone Mast
In circling area and at AD	TREE	320756.1N 0761325.8E	3033 FT	NIL	Tree on Hill
In circling area and at AD	OTHER	320404.7N 0762354.4E	3802 FT	NIL	OHWT on Hill
In circling area and at AD	OTHER	320405.9N 0762354.7E	3917 FT	NIL	Mast on Hill

VIGG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMS KANGRA
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Met office IGI Airport, New Delhi NIL
4	Availability of the trend forecast for the aerodrome and interval of issuance	Not Available
5	Information on how briefing and/or consultation is provided	As per requirement
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	Kangra tower
10	Additional information, e.g. concerning any limitation of service.	Class IIA Met Office

VIGG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCR) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
15	147.99 DEG	1376 x 30 M	460/F/C/W/T Asphalt	THR: 321012.60N 0761533.05E RWY END: 320934.73N 0761600.88E
33	327.99 DEG	1376 x 30 M	460/F/C/W/T Asphalt	THR: 320934.73N 0761600.88E RWY END: 321012.60N 0761533.05E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 2527.0FT TDZ: 2527.0FT	1.34%	NIL	NIL	1496 x 150 M
THR: 2466.0FT TDZ: 2485.0FT	1.34%	NIL	NIL	1496 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
	NIL		Gravity Model: EGM-08 PCR Of Turnpad Rwy 15 -285/F/C/W/T
	Sand arrester at Rwy 15 Beginning (15X37M)		Gravity Model: EGM-08 PCR Of Turnpad Rwy 33 -285/F/C/W/T

VIGG AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
15	1376	1376	1376	1376	1:25
33	1376	1376	1376	1376	1:25

VIGG AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
15	NIL	Green	PAPI LEFT/2.96 DEG	NIL
33	NIL	Green	PAPI LEFT/3.02 DEG	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1376 M 60 M White	Red	NIL	NIL
	1376 M 60 M White	Red	NIL	NIL

VIGG AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Top of Fire Watch Tower, FLG W& G 20-22 flashes per minute During watch hour
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	In signal square NW of ARP lighted
		Anemometer	AVBL in Met Observatory
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD. Switch-over time: 20 sec.	
5	Remarks	NIL	

VIGG AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	Not established

VIGG AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centred at 320953N 0761544E within a 12 NM radius excluding the TSA701(B) and VIR 141(B)
2	Vertical limits	10500 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	KANGRA Tower, English
5	Transition altitude	21000 FT
6	Hours of applicability	As per NOTAM
7	Remarks	1. Beyond operational hours the airspace classification is Class G. 2.Kangra Approach Control Unit is combined with Kangra Aerodrome Control Tower.

VIGG AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	KANGRA TOWER	118.050 MHZ	
APP	KANGRA TOWER	120.100 MHZ	
TWR	KANGRA Tower	118.050 MHZ	
TWR	KANGRA Tower	120.100 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1. Backup frequency. 2.Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	1. Main Frequency 2.Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	1. Backup Frequency
	HO	1. Main Frequency

VIGG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	KNG	117.700 MHz CH124X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
321009.0N 0761547.1E	2583 FT		1.ForHomingpurposeonly. 2. DVOR Not Usable between Sector 10 DEG To 70 DEG Due Low Signal Strength. 3. Vertical datum: EGM08 .

VIGG AD 2.20 LOCAL AERODROME REGULATIONS

• Procedure-The aircraft will taxi via Taxiway-A and parked facing south-west.

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VIGG AD 2.21 NOISE ABATEMENT PROCEDURES

VIGG AD 2.22 FLIGHT PROCEDURES

VIGG AD 2.23 ADDITIONAL INFORMATION

VIGG AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (29 October 2026)
2. Aircraft Parking/Docking Chart (29 October 2026)
3. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 15
4. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 33
5. Instrument Approach Chart -RNP Y RWY 33 (29 October 2026
6 Instrument Approach Chart -RNP Y RWY 33 TABULAR DESCRIPTION (29 October 2026

VIGG AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3