AD 2. AERODROMES

VIKG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VIKG - KISHANGARH AIRPORT, KISHANGARH

VIKG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	263528N 0744858E M. Brg 215.75 DEG / 809 M from physical extremity of RWY 23	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	5.0 Km North of Kishangarh city.	
3	Aerodrome elevation and reference temperature	1478 FT / 41.1 DEG C	
4	Magnetic variation, date of information and annual change	0.37 DEG E (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India Kishangarh Airport District Ajmer, Rajasthan, 305801,	
		Telephone:	(91) 7300099983 (91) 1463297107 (91) 1463297101 (91) 7300091444
		Fax:	
		AFS:	
		Email:	apdkishangarh@aai.aero vikg.ats@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	NIL	

VIKG AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON to FRI: 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL : NIL
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AS ATS
7	Air Traffic Service	AS PER NOTAM
8	Fuelling	AVAILABLE (IOSPL)
9	Handling	AVBL with prior coodination with approved GHA.
10	Security	H24
11	De-icing	NIL
12	Remarks	Outside of ATS hours services are available on request with 24-hour prior notice to aerodrome.

VIKG AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	AVAILABLE (IOSPL). STATIC - 35Kl. Mobile - 16Kl x 2
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VIKG AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city.
2	Restaurant(s) at or in the vicinity of aerodrome	In the city.
3	Transportation possibilities	Taxies from Airport to city
4	Medical Facilities	First Aid at Airport. MOU with city Hospitals.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Near Airport and in the city Post office: Near Airport and in the city
6	Tourist office	Office in the city Regional Tourist Office & Tourist Reception Centre, Ajmer:+91-145-2627426, 2621364
7	Remarks	NIL

VIKG AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	Available as Per Category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is [Q400]. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3.The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: [Detail of Aerodrome coordinator :- Airport Director ,Kishangarh Airport] [Contact Nos. -7300099983] [Email- apdkishangarh@aai.aero]
4	Remarks	NIL

VIKG AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VIKG AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: At Aircraft Stand No. 1 and 2. Elevation: 1481 FT
4	Location of VOR checkpoints	Available on Taxiway A & B
5	Position of INS checkpoints	NIL
6	Remarks	**Isolation Bay** Dimension: 65 x 80 M. Surface: Concrete PCN: 24/R/B/W/T

VIKG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiway marking available for the Guidance of parking at stand 1 and stand 2 along with aircraft identification sign boards.
2	Runway and taxiway markings and lights	RWY Marking: Edge, Centreline, Threshold , End, Touch Down Zone and Aiming point RWY Lights: SAPL, PAPI, HIRL Edge, End and Threshold TWY Marking: Edge, Centreline , Holding Point TWY Lights: Edge
3	Stop bars (if any)	NIL
4	Remarks	Apron Edge and Aircraft stand markings available

VIKG AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
23/TKOF 05/APCH	OTHER	263107.8N 0744257.4E	2198 FT	NIL	Prasar Bharati Mast
23/APCH 05/TKOF	OTHER	263811.6N 0745243.7E	2039 FT	LGTD	Hazard Beacon (Hill Top=618.3M)
23/APCH 05/TKOF	OTHER	263859.7N 0745306.4E	2060 FT	LGTD	Hazard Beacon (Hill Top=624.3M)
In circling area and at AD	OTHER	263518.6N 0744827.0E	1492 FT	LGTD	Windsock
In circling area and at AD	OTHER	263506.3N 0744818.6E	1473 FT	NIL	Approach Light
In circling area and at AD	OTHER	263547.9N 0744905.0E	1496 FT	NIL	Windsock
In circling area and at AD	OTHER	263550.9N 0744917.0E	1479 FT	NIL	Approach Light
In circling area and at AD	OTHER	263507.3N 0744832.3E	1513 FT	NIL	L/C Rod (DVOR)
In circling area and at AD	ANTENNA	263539.2N 0744911.0E	1512 FT	NIL	Digital Current Weather Indication System (DCWIS)
In circling area and at AD	OTHER	263632.7N 0745054.6E	1626 FT	NIL	Cell Phone Mast
In circling area and at AD	TREE	263504.9N 0744806.6E	1496 FT	NIL	Group Of Tree
In circling area and at AD	OTHER	263527.3N 0744839.4E	1477 FT	NIL	Landing-T
In circling area and at AD	OTHER	263505.1N 0744634.3E	1633 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263353.3N 0744835.1E	1684 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263410.9N 0744842.3E	1651 FT	NIL	Cell Phone Mast
In circling area and at AD	NATURAL HIGHPOINT	263740.4N 0744851.2E	1710 FT	NIL	Natural High Point
In circling area and at AD	NATURAL HIGHPOINT	263748.2N 0744855.2E	1867 FT	NIL	Natural High Point
In circling area and at AD	NATURAL HIGHPOINT	263802.4N 0744901.3E	2047 FT	NIL	Natural High Point
In circling area and at AD	NATURAL HIGHPOINT	263010.0N 0744903.6E	2438 FT	NIL	Natural High Point
In circling area and at AD	NATURAL HIGHPOINT	263115.6N 0744955.9E	2198 FT	NIL	Natural High Point
In circling area and at AD	OTHER	263530.6N 0745022.3E	1631 FT	NIL	Cell Phone Mast
In circling area and at AD	NATURAL HIGHPOINT	263350.5N 0745035.3E	2100 FT	NIL	Natural High Point
In circling area and at AD	OTHER	263305.9N 0744718.1E	1716 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	263307.1N 0744720.9E	1716 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	263257.2N 0744722.2E	1722 FT	NIL	Pylon Mast

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	263333.9N 0744723.5E	1637 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	263322.5N 0744723.9E	1678 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	263310.0N 0744755.9E	1680 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263321.2N 0744756.9E	1651 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263346.7N 0744843.7E	1646 FT	NIL	Light Stick-on Building
In circling area and at AD	TANK	263748.6N 0744849.0E	1629 FT	NIL	Over Head Water Tank
In circling area and at AD	NATURAL HIGHPOINT	263754.8N 0744857.9E	1993 FT	NIL	Hill Top
In circling area and at AD	OTHER	263403.0N 0744909.5E	1656 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263415.1N 0744929.0E	1628 FT	NIL	Temple
In circling area and at AD	OTHER	263437.7N 0744949.0E	1648 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263405.0N 0744951.3E	1643 FT	NIL	Cell Phone Mast
In circling area and at AD	TANK	263414.9N 0744954.0E	1637 FT	NIL	Over Head Water Tank
In circling area and at AD	TANK	263420.0N 0744959.4E	1631 FT	NIL	Over Head Water Tank
In circling area and at AD	OTHER	263432.9N 0745014.2E	1670 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263438.9N 0745023.9E	1662 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263445.3N 0745028.7E	1652 FT	NIL	Cell Phone Mast
In circling area and at AD	NATURAL HIGHPOINT	263341.2N 0745029.1E	2033 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	263406.2N 0745042.3E	2007 FT	NIL	Hill Top
In circling area and at AD	OTHER	263500.5N 0745051.5E	1629 FT	NIL	Cell Phone Mast
In circling area and at AD	OTHER	263615.7N 0745125.1E	1638 FT	NIL	Cell Phone Mast
In circling area and at AD	TREE	263610.3N 0745411.6E	2000 FT	NIL	Tree On Hill
In circling area and at AD	NATURAL HIGHPOINT	263617.4N 0745417.8E	1986 FT	NIL	Hill Top

VIKG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Kishangarh
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	Available during ATC watch Hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Delhi As Requested

4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	CWIS
9	The air traffic services unit(s) provided with meteorological information	Kishangarh ATC
10	Additional information, e.g. concerning any limitation of service.	MET Officer AVBL during watch hour. DCWIS (Digitalcurrentweatherinstrumentsystem) installed for RWY23 BEG. FSM PWD RVR visibility sensor installed at RWY 23 BEG.

VIKG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
05	49.57 DEG	2000 x 45 M	24/R/B/W/T Concrete	THR: 263507.53N 0744820.29E RWY END:
23	229.57 DEG	2000 x 45 M	24/R/B/W/T Concrete	THR: 263549.68N 0744915.32E RWY END:

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1472.0FT TDZ: 1474.0FT	0.14%	NIL	NIL	2120 x 300 M
THR: 1477.0FT TDZ: 1478.0FT	-0.14%	NIL	NIL	2120 x 300 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M			Slope from beginning of runway 05 till centre of Runway is -0.14% and further centre of Runway to runway end is 0 %

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M			Slope from beginning of RWY 23 till centre of runway is 0% and further centre of runway to runway end is -0.14%.

VIKG AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
05	590	590	590	2000	Hills in Approach path RWY 23
23	2000	2000	2000	2000	

VIKG AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
05	SALS 420 M LIH	Green	PAPI /3.00 DEG MEHT (43.76FT)	
23	SALS 420 M LIH	Green	PAPI /3.00 DEG MEHT (43.76FT)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2000 M 60 M White LIH	Red		NIL
	2000 M 60 M White LIH	Red		NIL

VIKG AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Available Flashing White & Green, 24RPM
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available Lighted
		Anemometer	------
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power Supply to all lighting at AD. Switch over time 15 sec.	
5	Remarks	Apron Edge and Flood Lights Available. Wind cone and Signal Area available and lighted.	

VIKG AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VIKG AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 261024N 0744914E; 262441N 0744756E; 261859N 0742759E then along the clockwise arc of a circle of 25NM radius centred on 263528N 0744858E to point of origin.
2	Vertical limits	FL 80
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Kishangarh Tower, English
5	Transition altitude	6000 FT
6	Hours of applicability	HO
7	Remarks	Kishangarh Approach Control Unit is combined with Kishangarh Aerodrome Control Tower.

VIKG AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Kishangarh Tower	118.200 MHZ	
APP	Kishangarh Tower	118.450 MHZ	
TWR	Kishangarh Tower	118.200 MHZ	
TWR	Kishangarh Tower	118.450 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Main FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1. Backup FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	NIL
	HO	Standby Frequency

VIKG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	KSR	113.200 MHz CH79X	

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
263507.1N 0744832.6E	1505 FT		Vertical datum: EGM08

VIKG AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VIKG AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VIKG AD 2.22 FLIGHT PROCEDURES

Departure on Runway 05 not permitted due to high hills in take-off path.

VIKG AD 2.23 ADDITIONAL INFORMATION

NIL

VIKG AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart (23 January 2025)
2 Aircraft Parking/Docking Chart (23 January 2025)
3 Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 05 (23 January 2025)
4 Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 23 (23 January 2025)
5 Aerodrome Obstacle Chart Type - B (08 August 2024)
6 Instrument Approach Chart - VOR Procedure RWY 05 (CAT A/B/C) (17 April 2025)
7 Instrument Approach Chart - VOR Procedure RWY 23 (CAT A/B/C) (17 April 2025)
8 Instrument Approach Chart - RNP Y Procedure RWY 05 (CAT A/B/C) (27 November 2025)
9 Coding Table - RNP Y Procedure RWY 05
10 FAS Data Block Table - RNP Z Procedure RWY 05
11 Instrument Approach Chart - RNP Y Procedure RWY 23 (CAT A/B/C) (27 November 2025)
12 Coding Table - RNP Y Procedure RWY 23
13 FAS Data Block Table - RNP Z Procedure RWY 23
14 Instrument Approach Chart - RNP Z Procedure RWY 05 (CAT A/B/C) (LPV Only) (17 April 2025)
15 Coding Table - RNP Z Procedure RWY 05
16 Instrument Approach Chart - RNP Z Procedure RWY 23 (CAT A/B/C) (LPV Only) (12 June 2025)
17 Coding Table - RNP Z Procedure RWY 23

VIKG AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3