AD 2. AERODROMES

VAKP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VAKP - KOLHAPUR AIRPORT, KOLHAPUR

VAKP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	163959N 0741726E Mag Brg 264.64 DEG from physical extremity of RWY 25	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	180 DEG / 09KM from Kolhapur city	
3	Aerodrome elevation and reference temperature	2001 FT / 37.0 DEG C	
4	Magnetic variation, date of information and annual change	1.25 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Kolhapur Airport, Ujalaiwadi, Kolhapur, Maharashtra (India), PIN-416004.,	
		Telephone:	(91) 231 2677701
		Fax:	(91) 231 2677355
		AFS:	VAKPYDYX
		Email:	apdkolhapur@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	1. Elevations in EGM08 2. AD is licensed for use in IFR (All Weather) operations.	

VAKP AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON - FRI: 0400-1230 (0930-1800 IST) SAT, SUN+ HOL : Nil
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	NIL
5	ATS reporting office (ARO)	As per ATS
6	MET Briefing office	As per ATS
7	Air Traffic Service	Refer NOTAM for Current Watch Hours
8	Fuelling	Available
9	Handling	NIL
10	Security	Maharashtra State Police/MSSC
11	De-icing	Not Applicable
12	Remarks	The ATS approved hourly RWY traffic handling capacity is as follows: Maximum number of ARR and DEP -12 (The minimum spacing Between two successive ARR shall be more than five minutes) Maximum number of ARR only – 6 Maximum number of DEP only – 10

VAKP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1

3	Fuelling facilities and capacity	Available on prior coordination with oil companies
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VAKP AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city
2	Restaurant(s) at or in the vicinity of aerodrome	In the city
3	Transportation possibilities	In the city
4	Medical Facilities	First Aid at AD. Hospitals in city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the city Post office: In the city
6	Tourist office	In the city
7	Remarks	NIL

VAKP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	Available as per AES Category
3	Capability for removal of disabled aircraft	1.The critical aircraft for the airport is ATR-72 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director Contact number :0231-2677701/2677352 Email-apdkolhapur@aai.aero
4	Remarks	NIL

VAKP AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VAKP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking / Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking / Docking Chart
3	Location and elevation of altimeter checkpoints	Location Elevation (FT) PB1 2007 PB2 2007 PB3 1992 PB4 1991 PB5 1991
4	Location of VOR checkpoints	NIL

5	Position of INS checkpoints	NIL
6	Remarks	1. Dimension of Apron: Old Apron (82 M X 52.4M) New Apron (148.5M x 93.5M) Location: North of RWY 07/25 2. Coordinates of RWY Holding Position & Elevation: TWY A: 163948.69N 0741700.31E, ELEV: 2003 FT TWY B: 163950.85N 0741706.14E, ELEV: 1996 FT TWY C: 163950.23N 0741719.34E, ELEV: 1995 FT 3. Coordinates of RWY & Taxi Intersection: i. TWY A: 163946.41N 0741701.22E, ELEV: 609.7M ii. TWY B: 163948.51N 0741707.05E, ELEV: 609.5M iii. TWY C: 163952.58N 0741718.43E, ELEV: 609.2M 4. Isolation Bay: Dimension: (91 M x 76 M) Location: South of Aerodrome Lightings: Isolation Bay Flood Lights Suitable for : AB 320 Connecting Taxiway: TWY C 5. Vertical datum: EGM 08

VAKP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft stand ID markings. Apron Side Strip Markings and guidelines. Taxiing guidance provided on RT.
2	Runway and taxiway markings and lights	RWY Markings: Runway Designation, Threshold, Aiming Point, Touchdown zone, Centreline, turn pad & Edge. RWY Lights: Threshold light, edge light & Runway end light TWY Marking: Taxiway Center line, Edge, Taxi way-Runway Intersection & Taxiway / Runway Holding Position. TWY Lights: Edge Lights
3	Stop bars (if any)	NIL
4	Remarks	NIL

VAKP AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
25/TKOF 07/APCH	OTHER	163940.5N 0741644.6E	2027 FT	NO	mobile road traffic (road elev. 612.8 m + traffic 5.0 m)
25/TKOF 07/APCH	OTHER	163936.9N 0741651.1E	2017 FT	NO	mobile road traffic (road elev. 609.9 m + traffic 5.0 m)
25/TKOF 07/APCH	POLE	163934.6N 0741605.6E	2105 FT	NO	Electric Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
25/TKOF 07/APCH	TREE	163928.4N 0741602.6E	2132 FT	NO	Group Of Trees
25/TKOF 07/APCH	TREE	163931.4N 0741607.0E	2102 FT	NO	Group Of Trees
25/TKOF 07/APCH	POLE	163934.8N 0741600.0E	2124 FT	NO	Electric Pole
25/TKOF 07/APCH	POLE	163936.9N 0741559.9E	2136 FT	NO	Electric Pole
25/TKOF 07/APCH	SIGN	163935.8N 0741601.4E	2123 FT	NO	Hoarding
25/TKOF 07/APCH	SIGN	163935.2N 0741600.4E	2119 FT	NO	Hoarding
25/TKOF 07/APCH	BUILDING	163928.7N 0741547.0E	2151 FT	NO	Sintex Tank on Building (Building Top 652.2)
25/TKOF 07/APCH	OTHER	163934.2N 0741547.3E	2141 FT	NO	Ground Level
25/TKOF 07/APCH	POLE	163921.8N 0741533.6E	2154 FT	NO	Pipe Top on Building (Building Top 658.1)
25/TKOF 07/APCH	BUILDING	163914.0N 0741510.6E	2202 FT	NO	Over Head Water Tank
25/TKOF 07/APCH	OTHER	163756.5N 0741339.5E	2563 FT	NO	Pylon Mast
25/TKOF 07/APCH	OTHER	163747.1N 0741321.5E	2504 FT	NO	Pylon Mast Without Wire
25/TKOF 07/APCH	OTHER	163943.1N 0741651.9E	2012 FT	NO	Ground Level
25/TKOF 07/APCH	OTHER	163939.2N 0741651.7E	2012 FT	NO	Gate
25/APCH 07/TKOF	OTHER	163939.4N 0741651.6E	2012 FT	NO	Gate
25/APCH 07/TKOF	BUILDING	163938.4N 0741652.4E	2011 FT	NO	Security Hut
25/APCH 07/TKOF	OTHER	163947.0N 0741649.6E	2013 FT	NO	Ground Level
25/APCH 07/TKOF	POLE	163934.6N 0741602.3E	2115 FT	NO	Electric Pole
25/APCH 07/TKOF	OTHER	163927.9N 0741529.5E	2178 FT	LGTD	Flood Light Mast
25/APCH 07/TKOF	OTHER	163927.9N 0741523.7E	2178 FT	LGTD	Flood Light Mast
25/APCH 07/TKOF	OTHER	163929.3N 0741545.6E	2152 FT	LGTD	Obstruction Light
25/APCH 07/TKOF	OTHER	163931.3N 0741552.2E	2143 FT	LGTD	Flood Light Mast
25/APCH 07/TKOF	OTHER	163903.3N 0741457.3E	2203 FT	LGTD	Obstruction Light
25/APCH 07/TKOF	OTHER	163856.4N 0741455.6E	2186 FT	LGTD	Cellphone Mast
25/APCH 07/TKOF	TREE	163917.3N 0741540.0E	2154 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
25/APCH 07/TKOF	BUILDING	163915.0N 0741516.2E	2169 FT	NO	HPCL
25/APCH 07/TKOF	BUILDING	163920.7N 0741525.8E	2175 FT	NO	Hotel 2.0
25/APCH 07/TKOF	BUILDING	163926.6N 0741523.5E	2194 FT	NO	Chitra Nagri
25/APCH 07/TKOF	BUILDING	163929.2N 0741545.3E	2146 FT	NO	Acefit Gym
25/APCH 07/TKOF	BUILDING	163921.9N 0741531.1E	2155 FT	NO	Hotel Turning Point
25/APCH 07/TKOF	BUILDING	163920.0N 0741531.5E	2165 FT	NO	Artistry Building
25/APCH 07/TKOF	BUILDING	163922.0N 0741533.8E	2161 FT	NO	Building
25/APCH 07/TKOF	BUILDING	163921.0N 0741534.6E	2150 FT	NO	Building
25/APCH 07/TKOF	BUILDING	163903.2N 0741455.8E	2199 FT	NO	Bharti Vidya Peeth
25/APCH 07/TKOF	BUILDING	163905.5N 0741505.1E	2166 FT	NO	Building
25/APCH 07/TKOF	BUILDING	163902.2N 0741459.7E	2159 FT	NO	White Building
25/APCH 07/TKOF	BUILDING	163903.3N 0741457.8E	2192 FT	NO	Bharti Vidya Peeth
25/APCH 07/TKOF	BUILDING	163902.3N 0741459.7E	2163 FT	NO	Sintex on Building
25/APCH 07/TKOF	BUILDING	163920.2N 0741534.8E	2152 FT	NO	Sintex on Building
25/APCH 07/TKOF	POLE	163929.3N 0741545.2E	2153 FT	NO	Light Pole
25/APCH 07/TKOF	POLE	163931.3N 0741551.6E	2135 FT	NO	Electric Pole
25/APCH 07/TKOF	POLE	163931.6N 0741550.5E	2140 FT	NO	Electric Pole
25/APCH 07/TKOF	POLE	163931.0N 0741548.5E	2143 FT	NO	Electric Pole
25/APCH 07/APCH	POLE	163930.6N 0741546.9E	2144 FT	NO	Electric Pole
25/APCH 07/TKOF	BUILDING	163921.6N 0741534.4E	2153 FT	NO	Sintex on Building
25/APCH 07/TKOF	BUILDING	163921.9N 0741533.6E	2163 FT	NO	Sintex on Building
25/APCH 07/TKOF	OTHER	163920.9N 0741523.2E	2180 FT	NO	Shed
25/APCH 07/TKOF	POLE	163923.3N 0741532.4E	2151 FT	NIL	Electric Pole
25/APCH 07/TKOF	ANTENNA	163926.7N 0741530.9E	2150 FT	NIL	Electric Pole
25/APCH 07/TKOF	POLE	163923.0N 0741531.4E	2156 FT	NO	Electric Pole
25/APCH 07/TKOF	BUILDING	163920.8N 0741534.3E	2154 FT	NO	Sintex on Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
25/APCH 07/TKOF	OTHER	163747.9N 0741325.9E	2534 FT	NO	Pylon Mast Without Wire
25/APCH 07/TKOF	POLE	163934.8N 0741600.0E	2124 FT	NO	Electric Pole
In circling area and at AD	ANTENNA	163951.8N 0741704.6E	2030 FT	NO	Met Antenna
In circling area and at AD	BUILDING	164005.0N 0741743.9E	1993 FT	NO	Security Hut
In circling area and at AD	POLE	163938.3N 0741600.0E	2124 FT	NO	Electric Pole
In circling area and at AD	OTHER	163954.4N 0741658.8E	2063 FT	NO	Flood Light Mast
In circling area and at AD	OTHER	163954.0N 0741657.6E	2064 FT	NO	Flood Light Mast
In circling area and at AD	BUILDING	163957.9N 0741747.0E	1996 FT	NIL	Security Hut
In circling area and at AD	TREE	163957.7N 0741750.3E	2025 FT	NO	Group Of Trees
In circling area and at AD	OTHER	163953.5N 0741657.9E	2063 FT	NO	Flood Light Mast
In circling area and at AD	OTHER	163953.8N 0741658.9E	2063 FT	NO	Flood Light Mast
In circling area and at AD	FENCE	163952.5N 0741703.5E	2010 FT	NO	Fence
In circling area and at AD	BUILDING	163940.9N 0741554.6E	2184 FT	NO	Sintex Tank on Building (Building Top 664.0)
In circling area and at AD	OTHER	163944.1N 0741548.4E	2229 FT	LGTD	Mast
In circling area and at AD	OTHER	163944.5N 0741547.3E	2214 FT	LGTD	Mast
In circling area and at AD	BUILDING	163942.1N 0741552.3E	2195 FT	NO	Building
In circling area and at AD	POLE	163941.7N 0741555.9E	2160 FT	NO	Electric Pole
In circling area and at AD	BUILDING	163947.1N 0741551.9E	2163 FT	NO	Sintex Tank on Building (Building Top 658.0)
In circling area and at AD	OTHER	163938.9N 0741552.1E	2149 FT	NO	Ground Level
In circling area and at AD	OTHER	163939.6N 0741551.4E	2155 FT	NO	Ground Level
In circling area and at AD	OTHER	163938.0N 0741549.4E	2152 FT	NO	Ground Level
In circling area and at AD	OTHER	163937.4N 0741547.5E	2159 FT	NO	Ground Level
In circling area and at AD	STACK	163836.1N 0741715.2E	2151 FT	NO	Chimney
In circling area and at AD	OTHER	163825.5N 0741657.9E	2165 FT	NO	Mast
In circling area and at AD	BUILDING	163946.8N 0741548.5E	2199 FT	NO	Building on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	163941.7N 0741547.1E	2174 FT	NO	Hill
In circling area and at AD	OTHER	163949.1N 0741554.3E	2158 FT	NO	Mast on Hill
In circling area and at AD	OTHER	163945.2N 0741550.4E	2211 FT	NO	Mast on Hill
In circling area and at AD	TREE	163941.4N 0741552.1E	2199 FT	NO	Group Of Trees
In circling area and at AD	BUILDING	163941.2N 0741545.4E	2179 FT	NO	Building
In circling area and at AD	BUILDING	163941.5N 0741541.4E	2186 FT	NO	Building
In circling area and at AD	BUILDING	163943.2N 0741546.8E	2195 FT	NO	Over Head Water Tank
In circling area and at AD	OTHER	163941.0N 0741544.8E	2163 FT	NO	Ground Level
In circling area and at AD	OTHER	163835.5N 0741510.3E	2197 FT	NO	Mast
In circling area and at AD	NATURAL HIGHPOINT	163739.5N 0741557.3E	2223 FT	NO	Hill Top
In circling area and at AD	OTHER	163750.8N 0741349.9E	2554 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163653.7N 0741303.2E	2639 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163719.9N 0741300.7E	2557 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163717.4N 0741337.0E	2558 FT	NO	Mast
In circling area and at AD	OTHER	163643.9N 0741308.6E	2686 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163652.8N 0741459.0E	2499 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163702.1N 0741448.5E	2529 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163638.2N 0741319.4E	2607 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163736.3N 0741410.1E	2516 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163744.8N 0741400.5E	2516 FT	NO	Pylon Mast
In circling area and at AD	OTHER	163704.3N 0741258.4E	2562 FT	NO	Pylon Mast
In circling area and at AD	NATURAL HIGHPOINT	164709.0N 0742028.0E	2797 FT	NO	Hill Top

VAKP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	IMD Kolhapur
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS

3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	IMD Kolhapur
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	NIL
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	KOLHAPUR ATC
10	Additional information, e.g. concerning any limitation of service.	NIL

VAKP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
07	69.63 DEG	1780 x 45 M	61/F/C/W/T Asphalt	THR: 163944.98N 0741657.21E RWY END: 164005.16N 0741753.55E
25	249.63 DEG	1780 x 45 M	61/F/C/W/T Asphalt	THR: 164005.16N 0741753.55E RWY END: 163944.98N 0741657.21E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 2001.0FT TDZ: 2001.0FT	-0.25%	NIL	NIL	1900 x 280 M
THR: 1986.0FT TDZ: 1991.0FT	0.25%	NIL	NIL	1900 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M	NIL	NIL	All Elevation in EGM 08

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	**12**	**13**	**14**
240M x 90M	NIL	NIL	All Elevation in EGM 08

VAKP AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	**2**	**3**	**4**	**5**	**6**
07	1780	1780	1780	1780	NIL
25	1780	1780	1780	1780	NIL

VAKP AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	**2**	**3**	**4**	**5**
07	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (12.42M)	
25	SALS 300 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (12.41M)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	**7**	**8**	**9**	**10**
	1780 M 60 M White LIH	Red		NIL
	1780 M 60 M White LIH	Red		NIL

VAKP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Flashing Green and White. 30 Flashes per Minute (15RPM).
		IBN	NIL

2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Landing T Provided at distance of X-410 m , Y-193 m from threshold of RWY 07 and Lighted.
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Available. Switchover time within 12 Seconds.	
5	Remarks	Apron and isolation bay flood light available	

VAKP AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VAKP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 161453N 0741733E then along the clockwise arc of a circle of 25NM radius centred on 163959N 0741726E to 162130N 0743502E then along the counter clockwise arc of a circle of 30NM radius centred on 155130N 0743704E to point of origin.
2	Vertical limits	FL 85
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	KOLHAPUR TOWER, English
5	Transition altitude	6000 FT
6	Hours of applicability	HO
7	Remarks	Kolhapur Approach Control Unit is combined with Kolhapur Aerodrome Control Tower.

VAKP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Kolhapur Tower	118.550 MHZ	
APP	Kolhapur Tower	124.300 MHZ	
TWR	KOLHAPUR TOWER	118.550 MHZ	
TWR	KOLHAPUR TOWER	124.300 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1.Main FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	As ATS	1. Main Frequency
	As ATS	1.Backup Frequency

VAKP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	KLP	115.300 MHz CH100X	HO
NDB	KP	334 kHz	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
163933.1N 0741634.0E	2034 FT		1. Vertical datum: EGM08 2. DME colocated with DVOR
163949.3N 0741636.4E			

VAKP AD 2.20 LOCAL AERODROME REGULATIONS

1. Taxiing procedure: All the aircraft stands are power in/ power out, more precaution required during taxiing.

2. Wing Tip Marsheller mandatory to be available during movement of aircraft at apron & abeam apron.

3. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VAKP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VAKP AD 2.22 FLIGHT PROCEDURES

NIL

VAKP AD 2.23 ADDITIONAL INFORMATION

1. 180 DEG turn (Lock Turn) on RWY 07/25 not permitted.

VAKP AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart
2 Aircraft Parking / Docking Chart
3 Aerodrome Obstacle Chart Type - A (Operating Limitations) RWY 07/25
4 Aerodrome Obstacle Chart Type - B
5 NDB Procedure RWY 25 (CAT A/B & C)
6 Instrument Approach Chart - RNP Procedure RWY 25 (CAT A/B/C) (08 August 2024)
7 Tabular Description - RNP Procedure RWY 25 (CAT A/B/C) (08 August 2024)
8 FAS Data Block Table - RNP Procedure RWY 25 (08 August 2024)

VAKP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3