AD 2. AERODROMES

VEKU AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEKU - KUMBHIRGRAM AIRPORT, SILCHAR

VEKU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	245450N 0925840E Northwest of runway close to middle marker and 141 M from runway edge	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	Kumbhirgram Airport is situated at 27 KM NE of Silchar city.	
3	Aerodrome elevation and reference temperature	355 FT / 39.1 DEG C	
4	Magnetic variation, date of information and annual change	0.00 DEG (2021) /1 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Senior Air Traffic Control Officer Air Force Station, Kumbhirgram District – Cachar, Silchar, Assam - 788109,	
		Telephone:	91 3841 282194
		Fax:	91 3841 282125
		AFS:	VEKUYMYX
		Email:	kutower-76@gov.in
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	NIL	

VEKU AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0030 to 1030 UTC
2	Custom and immigration	NIL
3	Health and sanitation	H24, MI Room
4	AIS briefing office	0030 to 1030 UTC
5	ATS reporting office (ARO)	0030 to 1030 UTC
6	MET Briefing office	H24
7	Air Traffic Service	0030 to 1030 UTC
8	Fuelling	0030 to 1030 UTC with prior coordination with AAI, Kumbhirgram
9	Handling	0030 to 1030 UTC with prior coordination with AAI, Kumbhirgram
10	Security	HJ,CISF
11	De-icing	NIL
12	Remarks	3 Hours prior notice required for operations outside notified operational hours.

VEKU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	Bulk supply / 420 K Litre (Tank, IOC) 4 Refueller of 16KL, 11KL, 9KL and 6KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Not Available
6	Repair facilities for visiting aircraft	Not Available

7	Remarks	NIL

VEKU AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in Silchar city.
2	Restaurant(s) at or in the vicinity of aerodrome	Cafeteria available inside Airport
3	Transportation possibilities	Taxi facilities available outside Airport
4	Medical Facilities	Hospital available at 03 Km (Salganga)
5	Bank and post office at or in the vicinity of aerodrome	Banks: ATM available at Airport, Bank available outside Airport Post office: Available outside Airport
6	Tourist office	Not available at Airport
7	Remarks	NIL

VEKU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	Not Available
4	Remarks	NIL

VEKU AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	All season

VEKU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designation-Civil Dispersal Surface-Concrete and Asphalt Concrete Portion: 71/R/C/X/T Asphalt Portion: 48/F/C/X/T
2	Designation, width, surface and strength of taxiways	Designator: A Width: 23 M Surface: Asphalt Strength: Designator: B Width: 23 M Surface: Asphalt Strength: PCN 90/F/C/X/T
3	Location and elevation of altimeter checkpoints	NIL
4	Location of VOR checkpoints	NIL
5	Position of INS checkpoints	NIL
6	Remarks	STRENGTH OF TWY A: Very low/F/C/X/T

VEKU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxi guidance provided on RT

2	Runway and taxiway markings and lights	RWY Markings- Threshold, Designation, Aiming Point, Touchdown zone, side stripe and Centreline RWY Lights- RWY Edge, Threshold, Touchdown, Approach for 06 and 24, Lead in lights for 06 only, Turn pad TWY Marking- Centre line and Taxi holding Position Lights -Taxiway Edge light
3	Stop bars (if any)	NIL
4	Remarks	NIL

VEKU AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
24/APCH 06/TKOF	TREE	245513.0N 0925922.0E	417 FT	NO	Group of Trees
24/APCH 06/TKOF	BUILDING	245516.0N 0925931.0E	391 FT	LGTD	Hut
24/APCH 06/TKOF	TREE	245519.0N 0925933.0E	469 FT	NO	Group of Trees
24/APCH 06/TKOF	TREE	245516.0N 0925935.0E	409 FT	NO	Group of Trees
24/APCH 06/TKOF	BUILDING	245511.0N 0925930.0E	362 FT	LGTD	Hut
24/TKOF 06/APCH	TREE	245416.0N 0925756.0E	364 FT	NO	Group of Trees
24/TKOF 06/APCH	TREE	245421.0N 0925758.0E	332 FT	NO	Group of Trees
24/TKOF 06/APCH	TREE	245417.0N 0925802.0E	368 FT	NO	Group of Trees
24/TKOF 06/APCH	TREE	245416.0N 0925804.0E	376 FT	NO	Group of Trees
In circling area and at AD	BUILDING	245443.0N 0925859.0E	402 FT	LGTD	Building
In circling area and at AD	OTHER	245443.0N 0925850.0E	370 FT	LGTD	Mast
In circling area and at AD	OTHER	245415.0N 0925929.0E	406 FT	LGTD	Mast
In circling area and at AD	OTHER	245415.0N 0925827.0E	407 FT	LGTD	Mast
In circling area and at AD	OTHER	245450.0N 0925906.0E	370 FT	LGTD	Mast
In circling area and at AD	OTHER	245448.0N 0925839.0E	357 FT	LGTD	Mast
In circling area and at AD	OTHER	245429.0N 0925822.0E	377 FT	LGTD	Mast
In circling area and at AD	ANTENNA	245434.0N 0925817.0E	334 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245510.0N 0925915.0E	377 FT	LGTD	Antenna
In circling area and at AD	POLE	245439.0N 0925826.0E	345 FT	LGTD	POLE
In circling area and at AD	POLE	245451.0N 0925859.0E	365 FT	LGTD	POLE
In circling area and at AD	POLE	245455.0N 0925851.0E	365 FT	LGTD	POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	245431.0N 0925812.0E	341 FT	LGTD	Building
In circling area and at AD	BUILDING	245504.0N 0925918.0E	374 FT	LGTD	Building
In circling area and at AD	TREE	245510.0N 0925914.0E	414 FT	NIL	Group of Trees
In circling area and at AD	TREE	245456.0N 0925910.0E	414 FT	NO	Group of Tree
In circling area and at AD	POLE	245458.0N 0925853.0E	404 FT	LGTD	POLE
In circling area and at AD	TREE	245506.0N 0925908.0E	420 FT	NO	Group of Tree
In circling area and at AD	TREE	245438.0N 0925821.0E	390 FT	NO	Group of Tree
In circling area and at AD	TREE	245417.0N 0925816.0E	401 FT	NO	Group of Tree
In circling area and at AD	POLE	245428.0N 0925827.0E	370 FT	LGTD	POLE
In circling area and at AD	BUILDING	245440.0N 0925847.0E	372 FT	LGTD	Building
In circling area and at AD	BUILDING	245439.0N 0925848.0E	361 FT	LGTD	Building
In circling area and at AD	OTHER	245455.0N 0925843.0E	387 FT	LGTD	Light Mast
In circling area and at AD	OTHER	245456.0N 0925845.0E	407 FT	LGTD	Light Mast
In circling area and at AD	OTHER	245457.0N 0925847.0E	407 FT	LGTD	Light Mast
In circling area and at AD	OTHER	245457.0N 0925846.0E	395 FT	LGTD	Other
In circling area and at AD	BUILDING	245438.0N 0925843.0E	370 FT	LGTD	Building
In circling area and at AD	ANTENNA	245439.0N 0925902.0E	457 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245458.0N 0925757.0E	328 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245511.0N 0925720.0E	246 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245520.0N 0925848.0E	505 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245548.0N 0925938.0E	596 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245636.0N 0925954.0E	591 FT	LGTD	Antenna
In circling area and at AD	ANTENNA	245517.0N 0925747.0E	328 FT	LGTD	MWT
In circling area and at AD	ANTENNA	245502.0N 0925703.0E	213 FT	LGTD	MWT
In circling area and at AD	ANTENNA	245517.0N 0925747.0E	328 FT	LGTD	MWT
In circling area and at AD	ANTENNA	245159.0N 0925200.0E	197 FT	LGTD	MWT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	ANTENNA	245427.0N 0925443.0E	197 FT	LGTD	MWT
In circling area and at AD	ANTENNA	245057.0N 0930315.0E	249 FT	LGTD	MWT
In circling area and at AD	ANTENNA	245258.0N 0925247.0E	207 FT	LGTD	MWT
In circling area and at AD	ANTENNA	245245.0N 0925254.0E	236 FT	LGTD	MWT
In circling area and at AD	ANTENNA	244942.0N 0925914.0E	187 FT	LGTD	MWT

VEKU AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Air Force Station, Kumbhirgram
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	24 Hrs. Observation & 18 Hrs. Forecast
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Met Office, Air Force Station Kumbhirgram12 Hrs.
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend 30 Min HJ and 01 Hr outside HJ
5	Information on how briefing and/or consultation is provided	Available
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	Surface chart, Upper Air Chart, Satellite imagery, NWP output
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	AWS & AFNET
9	The air traffic services unit(s) provided with meteorological information	ATC Kumbhirgram
10	Additional information, e.g. concerning any limitation of service.	NIL

VEKU AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
06	57.00 DEG	2286 x 45 M	70/F/C/X/T Flexible	THR: 245427.00N 0925811.00E RWY END: 245508.00N 0925919.00E
24	237.00 DEG	2286 x 45 M	70/F/C/X/T Flexible	THR: 245508.00N 0925919.00E RWY END: 245427.00N 0925811.00E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 324.0FT TDZ: 322.0FT		60 x 45 M	60 x 150	2525 x 150 M
THR: 355.0FT TDZ: 354.0FT		60 x 45 M	60 x 150	2525 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
			NIL
			NIL

VEKU AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
06	2286	2346	2346	2286	
24	2286	2346	2346	2286	

VEKU AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
06	CAT II 240 M LIH	Red GREEN	PAPI LEFT/3.00 DEG	900 M
24	SALS 360 M LIH	Red GREEN	PAPI RIGHT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
2286 M 15 M LIH White	2286 M 60 M White LIH	Red	Red	NIL
2286 M 15 M LIH White	2286 M 60 M White LIH	Red	Red	NIL

VEKU AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	On top of ATC tower 24 FPM / APR Type – AB1000F
		IBN	Not Available

2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	South of runway, in front of ATC / lighted
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Single aspect blue light, Spacing 60 M
		Centre Line	
4	Secondary power supply including switch-over time;	Available Switch over time within 12 Seconds	
5	Remarks	NIL	

VEKU AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	TWY A and TWY B on runway and Z helipad (on request from Pilot)

VEKU AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 245448N 0925839E within a 25NM radius.
2	Vertical limits	FL 200
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Kumbhirgram Tower / Kumbhirgram Approach, English
5	Transition altitude	9000 FT
6	Hours of applicability	H24
7	Remarks	NIL

VEKU AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Kumbhirgram Approach	123.500 MHZ	
TWR	Kumbhirgram Tower	122.700 MHZ	
ATIS	Kumbhirgram Information	117.000 MHZ	
RADAR	Kumbhirgram Radar	132.000 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	As ATS	NIL
	As ATS	NIL
	As ATS	NIL
	As ATS	NIL

VEKU AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 06 CAT II	ISLC	108.500 MHz	As ATS
GP 06		329.900 MHz	As ATS
DME ILS 06	ISLC	CH22X	As ATS
DVOR/DME	KKU	117.000 MHz CH117X	0030-1030 UTC
NDB	KU	351 kHz	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
245513.7N 0925929.2E			1. Controlling Authority: Indian Air Force
245430.6N 0925824.4E			1. Controlling Authority: Indian Air Force 2. Glide Angle 3 Degree
245431.0N 0925824.8E	344 FT		1. Controlling Authority: Indian Air Force 2. Collocated with GP 06
245452.6N 0925904.8E	345 FT		1. Controlling Authority: Indian Air Force 2. DME Collocated with DVOR 3. Power Output - 400 W
245415.0N 0925827.0E			1. Controlling Authority: Indian Air Force

VEKU AD 2.20 LOCAL AERODROME REGULATIONS

1. All aircraft to turn 180 DEG at end of runway only.

VEKU AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEKU AD 2.22 FLIGHT PROCEDURES

NIL

VEKU AD 2.23 ADDITIONAL INFORMATION

1. All civil operators are to submit a requisition of proposed aircraft movement with pilot minima and obtain positive clearance on TEL: +91-3841-282125 prior to operations. Flights without prior clearance shall not be accepted.
2. All civil operators to coordinate with Airport Incharge, Civil Terminal for parking, refuelling, and allied services on TEL: +91-3841-282293/+91-9435700587.
3. Other significant obstacles within 25NM of the airfield

Area	Obstacle type	Coordinates	Elevation (FT)	Marking/ LGHT	Obstacle type
Within 25 NM	Antenna	243035N 0924606E	669	Lighted	MWT
Within 25 NM	Antenna	245002N 0924316E	659	Lighted	Antenna
Within 25 NM	Antenna	244431N 0925134E	174	Lighted	MWT
Within 25 NM	Antenna	243947N 0923525E	194	Lighted	MWT
Within 25 NM	Antenna	245247N 0923751E	230	Lighted	MWT
Within 25 NM	Antenna	245108N 0924558E	184	Lighted	MWT
Within 25 NM	Antenna	245139N 0923130E	184	Lighted	MWT
Within 25 NM	Antenna	245643N 0924039E	164	Lighted	MWT
Within 25 NM	Antenna	244357N 0925323E	253	Lighted	MWT
Within 25 NM	Antenna	244526N 0925000E	223	Lighted	MWT
Within 25 NM	Antenna	244308N 0924638E	217	Lighted	MWT
Within 25 NM	Antenna	245248N 0923515E	187	Lighted	MWT
Within 25 NM	Antenna	245210N 0923523E	623	Lighted	MWT
Within 25 NM	Antenna	244132N 0924248E	289	Lighted	MWT
Within 25 NM	Antenna	245019N 0924945E	203	Lighted	MWT
Within 25 NM	Antenna	244238N 0925800E	184	Lighted	MWT
Within 25 NM	Antenna	244956N 0924543E	226	Lighted	MWT
Within 25 NM	Antenna	245045N 0924640E	184	Lighted	MWT
Within 25 NM	Pylon	245029N 0924023E	453	Unlighted	Pylon
Within 25 NM	Pylon	245050N 0924032E	453	Unlighted	Pylon
Within 25 NM	Pylon	245759N 0923016E	217	Unlighted	Pylon
Within 25 NM	Pylon	244804N 0924438E	230	Unlighted	Pylon
Within 25 NM	Pylon	244608N 0924516E	236	Unlighted	Pylon
Within 25 NM	Pylon	244502N 0924734E	233	Unlighted	Pylon
Within 25 NM	Pylon	244343N 0924856E	236	Unlighted	Pylon
Within 25 NM	Natural Highpoint	245056N 0923500E	682	Unlighted	Hill top
Within 25 NM	Pylon	245742N 0923109E	233	Unlighted	Pylon
Within 25 NM	Antenna	245623N 0924339E	184	Lighted	MWT
Within 25 NM	Antenna	243815N 0925038E	213	Lighted	MWT
Within 25 NM	Antenna	243946N 0925307E	240	Lighted	MWT
Within 25 NM	Antenna	244123N 0925035E	194	Lighted	MWT
Within 25 NM	Antenna	245534N 0922952E	184	Lighted	MWT
Within 25 NM	Antenna	245724N 0923555E	203	Lighted	MWT

Within 25 NM	**Antenna**	**243947N 0925147E**	**197**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245322N 0923724E**	**167**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243843N 0925744E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Mast**	**244901N 0924018E**	**308**	**Lighted**	**Mast**
Within 25 NM	**Antenna**	**244448N 0924006E**	**262**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245718N 0923503E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243439N 0925703E**	**220**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243848N 0923647E**	**210**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244258N 0925850E**	**285**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243754N 0923958E**	**348**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244955N 0924402E**	**299**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245247N 0924411E**	**190**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245837N 0923202E**	**180**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245241N 0923406E**	**180**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245248N 0923250E**	**154**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244959N 0923756E**	**217**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**250023N 0923006E**	**249**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245806N 0923417E**	**226**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243933N 0925551E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244037N 0925611E**	**230**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245410N 0924220E**	**207**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245632N 0924240E**	**164**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244937N 0923551E**	**220**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244106N 0923356E**	**226**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245843N 0923110E**	**203**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245204N 0924130E**	**174**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243813N 0924242E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244715N 0924104E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243703N 0925454E**	**180**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243430N 0925020E**	**207**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244703N 0924841E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243525N 0925026E**	**233**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244417N 0924035E**	**236**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244944N 0924749E**	**459**	**Lighted**	**Tower**
Within 25 NM	**Antenna**	**244359N 0923502E**	**190**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245725N 0923824E**	**170**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245712N 0923923E**	**282**	**Lighted**	**MWT**
Within 25 NM	**Pylon**	**245624N 0923447E**	**220**	**Lighted**	**Pylon**
Within 25 NM	**Antenna**	**245511N 0923934E**	**187**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243238N 0924958E**	**233**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**243619N 0925730E**	**200**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244928N 0923854E**	**213**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244014N 0924345E**	**308**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245215N 0923021E**	**174**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244325N 0925527E**	**200**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244535N 0923541E**	**190**	**Lighted**	**MWT**

Within 25 NM	**Antenna**	**245221N 0923418E**	**207**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244818N 0930703E**	**282**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**250928N 0930107E**	**2241**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**244811N 0930714E**	**269**	**Lighted**	**MWT**
Within 25 NM	**Antenna**	**245022N 0925009E**	**190**	**Lighted**	**MWT**

VEKU AD 2.24 CHARTS RELATED TO AN AERODROME

1. Instrument Approach Chart – ILS Z RWY 06 (16 APRIL 2026)
2. Instrument Approach Chart – ILS Y RWY 06 (16 APRIL 2026)
3. Instrument Approach Chart – CAT II ILS RWY 06 (16 APRIL 2026)
4. Instrument Approach Chart – VOR Z RWY 06 (16 APRIL 2026)
5. Instrument Approach Chart – VOR Y RWY 06 (16 APRIL 2026)
6. Instrument Approach Chart – NDB RWY 06 (16 APRIL 2026)

VEKU AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**