AD 2. AERODROMES

VELP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VELP - LENGPUI AIRPORT, LENGPUI

VELP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	235020N 0923725E MAG. BRG. 12.57 DEG / 1046 M From Physical extremity of RWY 35.	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	320 DEG/ 9 NM from Aizwal City.	
3	Aerodrome elevation and reference temperature	1406 FT / 27.0 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.00	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	GAD,AVIATION WING,GOVERNMENT OF MIZORAM TREASURY SQUARE, OPPOSITE RAJ BHAWAN, OLD SECRETARIAT BUILDING BLOCK-B, AIZWAL-796001,MIZORAM,	
		Telephone:	(91) 389 2323582
		Fax:	(91) 3892322748
		AFS:	VELPYDYX
		Email:	aviationmizoram@gmail.com
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Geoid Model: EGM-08	

VELP AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN & HOL: Nil
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult NOTAM for current ATS HR.
8	Fuelling	Within ATC watch hour
9	Handling	Available with local Airline operator
10	Security	As ATS
11	De-icing	NIL
12	Remarks	NIL

VELP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Available with local Airline operator
2	Fuel and Oil types	ATF WM MIX (45.55)/MJO-II
3	Fuelling facilities and capacity	Mobile refueling available as provided by IOC LTD.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Nil

6	Repair facilities for visiting aircraft	Nil
7	Remarks	NIL

VELP AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city.
2	Restaurant(s) at or in the vicinity of aerodrome	At the Airport and in the city.
3	Transportation possibilities	Taxis available at the time of SKED FLTS
4	Medical Facilities	State Govt Community health center available.
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the city. Post office: in terminal building
6	Tourist office	NIL
7	Remarks	NIL

VELP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	2 Ambulance
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A320/B737-800 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Principal Consultant & Airport Director,Lengpui Airport, General Administration Department (Aviation Wing), Govt. of Mizoram Contact Numbers: 0389-2325282 (Office), 0389-2322763 (Fax), 8119841583 (Mobile) Email: aviationmizoram@gmail.co
4	Remarks	NIL

VELP AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VELP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	AT Apron (Centre point) 1378FT
4	Location of VOR checkpoints	Location: On TWY A Coordinates: 235018.38N 0923716.44E Elevation: 1401 FT
5	Position of INS checkpoints	

6	Remarks	1. Dimension of apron: 125X90M 2. Elevation of apron: 1404 FT 3.Coordinates/Elev. of RWY Holding Position: TWY A: 235018.28N 0923715.71E/1400 FT 4.Coordinates/Elev. of RWY/Taxi Intersection: 235017.838N 0923712.484E/1399 FT 5. Geoid Model: EGM08

VELP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T
2	Runway and taxiway markings and lights	RWY Markings: Designation, Threshold, Centerline, Aiming point, Touchdown zone RWY Lights: THR, RWY Edge, RWY End TWY Marking: Centerline, Holding Positions TWY Lights: Edge
3	Stop bars (if any)	NIL
4	Remarks	NIL

VELP AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
35/TKOF 17/APCH	BUILDING	235109.3N 0923659.3E	1400 FT	NO	Security Hut
35/TKOF 17/APCH	TREE	235109.8N 0923701.3E	1405 FT	NO	Group of Trees
35/TKOF 17/APCH	TREE	235114.5N 0923658.8E	1438 FT	NO	Group of Trees
35/TKOF 17/APCH	TREE	235553.8N 0923529.8E	2728 FT	NO	Group of Trees on Hill
35/TKOF 17/APCH	TREE	235604.2N 0923537.8E	2568 FT	NO	Group of Trees on Hill
35/APCH 17/TKOF	POLE	234944.6N 0923720.5E	1414 FT	NO	Light Pole
35/APCH 17/TKOF	BUILDING	234944.5N 0923720.5E	1404 FT	NO	LOC Hut
35/APCH 17/TKOF	TREE	234943.6N 0923714.9E	1425 FT	NO	Group of Trees
35/APCH 17/TKOF	TREE	234944.0N 0923720.6E	1421 FT	NO	Group of Trees
35/APCH 17/TKOF	POLE	234943.4N 0923715.8E	1406 FT	NO	Iron Pole
35/APCH 17/TKOF	OTHER	234943.2N 0923718.2E	1410 FT	LGTD	LOC Antenna
35/APCH 17/TKOF	POLE	234943.1N 0923718.0E	1417 FT	NO	L/A Pole
35/APCH 17/TKOF	TREE	234943.2N 0923719.9E	1419 FT	NO	Group of Trees
35/APCH 17/TKOF	TREE	234942.4N 0923717.0E	1429 FT	NO	Group of Trees
35/APCH 17/TKOF	TREE	234940.1N 0923718.8E	1427 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
35/APCH 17/TKOF	TREE	234936.2N 0923719.1E	1437 FT	NO	Group of Trees
35/APCH 17/TKOF	TREE	234932.8N 0923719.0E	1453 FT	NO	Group of Trees
In circling area and at AD	OTHER	234430.2N 0923853.0E	2085 FT	NO	Ground Level
In circling area and at AD	TREE	235052.8N 0923702.2E	1448 FT	NO	Group of Trees
In circling area and at AD	BUILDING	235055.8N 0923709.1E	1407 FT	NO	Security Hut
In circling area and at AD	TREE	235055.0N 0923700.5E	1471 FT	NO	Group of Trees
In circling area and at AD	BUILDING	235058.2N 0923708.5E	1387 FT	NO	Security Hut
In circling area and at AD	OTHER	235058.6N 0923708.4E	1396 FT	LGTD	DME Glide Path
In circling area and at AD	OTHER	235058.5N 0923708.5E	1390 FT	NO	Glide Path Hut
In circling area and at AD	OTHER	235058.7N 0923708.4E	1426 FT	LGTD	Glide Path Main Antenna
In circling area and at AD	BUILDING	235058.2N 0923659.5E	1442 FT	NO	Security Hut
In circling area and at AD	OTHER	235101.3N 0923708.0E	1396 FT	LGTD	Glide Path Monitor Antenna
In circling area and at AD	TREE	235100.8N 0923700.1E	1454 FT	NO	Group of Trees
In circling area and at AD	TREE	235102.7N 0923702.0E	1415 FT	NO	Group of Trees
In circling area and at AD	TREE	235102.6N 0923655.0E	1521 FT	NO	Group of Trees
In circling area and at AD	TREE	235104.8N 0923701.2E	1410 FT	NO	Group of Trees
In circling area and at AD	TREE	235106.0N 0923701.1E	1413 FT	NO	Group of Trees
In circling area and at AD	TREE	235104.7N 0923650.9E	1537 FT	NO	Group of Trees
In circling area and at AD	TREE	235107.6N 0923707.5E	1396 FT	NO	Group of Trees
In circling area and at AD	TREE	235107.6N 0923701.3E	1417 FT	NO	Group of Trees
In circling area and at AD	TREE	235106.7N 0923652.8E	1512 FT	NO	Group of Trees
In circling area and at AD	TREE	235108.9N 0923706.8E	1402 FT	NO	Group of Trees
In circling area and at AD	TREE	235108.8N 0923653.9E	1503 FT	NO	Group of Trees
In circling area and at AD	TREE	235112.3N 0923654.7E	1466 FT	NO	Group of Trees
In circling area and at AD	BUILDING	235244.1N 0923505.7E	3225 FT	NO	DVOR Hut
In circling area and at AD	OTHER	235247.5N 0923506.4E	3217 FT	NO	DVOR Monitor Antenna Pillar U/C
In circling area and at AD	TREE	235316.5N 0923545.1E	2512 FT	NO	Group of Trees on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	235318.0N 0923503.8E	3345 FT	NO	Group of Trees on Hill
In circling area and at AD	TREE	235331.3N 0923459.6E	3404 FT	NO	Group of Trees on Hill
In circling area and at AD	TREE	235341.5N 0923553.5E	1960 FT	NO	Group of Trees on Hill
In circling area and at AD	TREE	235443.8N 0923509.4E	3338 FT	NO	Group of Trees on Hill
In circling area and at AD	TREE	235523.3N 0923512.8E	3302 FT	NO	Group of Trees on Hill
In circling area and at AD	TREE	235544.9N 0923516.2E	3098 FT	NO	Group of Trees on Hill
In circling area and at AD	OTHER	235638.6N 0923505.9E	2966 FT	NO	Hill
In circling area and at AD	BUILDING	234950.4N 0923713.6E	1423 FT	NO	Security Hut
In circling area and at AD	TREE	234950.0N 0923721.9E	1448 FT	NO	Group of Trees
In circling area and at AD	TREE	234949.7N 0923720.8E	1432 FT	NO	Group of Trees
In circling area and at AD	OTHER	234949.8N 0923724.8E	1459 FT	LGTD	DME DVOR
In circling area and at AD	POLE	234949.1N 0923721.3E	1427 FT	NO	Light Pole
In circling area and at AD	OTHER	234949.4N 0923724.8E	1449 FT	LGTD	DVOR Main Antenna
In circling area and at AD	TREE	234948.7N 0923720.7E	1433 FT	NO	Group of Trees
In circling area and at AD	TREE	234947.6N 0923713.1E	1451 FT	NO	Group of Trees
In circling area and at AD	POLE	234948.9N 0923724.7E	1460 FT	NO	L/A Pole
In circling area and at AD	TREE	234947.7N 0923722.7E	1447 FT	NO	Group of Trees
In circling area and at AD	TREE	234947.1N 0923720.7E	1423 FT	NO	Group of Trees
In circling area and at AD	TREE	234945.8N 0923712.6E	1444 FT	NO	Group of Trees
In circling area and at AD	TREE	234947.0N 0923722.1E	1433 FT	NO	Group of Trees
In circling area and at AD	BUILDING	234945.3N 0923712.8E	1423 FT	NO	Security Hut
In circling area and at AD	OTHER	234946.0N 0923724.6E	1453 FT	LGTD	DVOR Monitor Antenna
In circling area and at AD	TREE	234945.0N 0923721.8E	1427 FT	NO	Group of Trees
In circling area and at AD	TREE	234945.0N 0923721.8E	1428 FT	NO	Group of Trees
In circling area and at AD	TREE	234943.9N 0923723.5E	1461 FT	NO	Group of Trees
In circling area and at AD	TREE	234828.4N 0923706.1E	1729 FT	NO	Group Of Trees on Hill
In circling area and at AD	TREE	234824.1N 0923646.3E	1976 FT	NO	Group Of Trees on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	234825.0N 0923652.3E	1864 FT	NO	Group Of Trees on Hill
In circling area and at AD	TREE	234824.9N 0923656.5E	1971 FT	NO	Group Of Trees on Hill
In circling area and at AD	TREE	234822.3N 0923639.2E	2119 FT	NO	Group Of Trees on Hill
In circling area and at AD	OTHER	234818.5N 0923632.7E	2146 FT	NO	Hill
In circling area and at AD	TREE	235050.3N 0923700.1E	1504 FT	NO	Group of Trees
In circling area and at AD	TREE	235049.1N 0923703.7E	1447 FT	NO	Group of Trees
In circling area and at AD	TREE	235047.2N 0923702.5E	1468 FT	NO	Group of Trees
In circling area and at AD	TREE	235045.9N 0923710.9E	1416 FT	NO	Group of Trees
In circling area and at AD	TREE	235045.9N 0923702.3E	1482 FT	NO	Group of Trees
In circling area and at AD	TREE	235045.3N 0923705.3E	1430 FT	NO	Group of Trees
In circling area and at AD	BUILDING	235044.3N 0923702.8E	1439 FT	NO	Security Hut
In circling area and at AD	TREE	235042.5N 0923705.6E	1435 FT	NO	Group of Trees
In circling area and at AD	TREE	235037.5N 0923714.0E	1429 FT	NO	Group of Trees
In circling area and at AD	TREE	235037.1N 0923705.1E	1457 FT	NO	Group of Trees
In circling area and at AD	TREE	235036.4N 0923704.2E	1475 FT	NO	Group of Trees
In circling area and at AD	BUILDING	235035.9N 0923714.9E	1431 FT	NO	Security Hut
In circling area and at AD	POLE	235035.7N 0923714.1E	1426 FT	NO	Light Pole
In circling area and at AD	TREE	235034.5N 0923659.9E	1536 FT	NO	Group of Trees
In circling area and at AD	TREE	235033.4N 0923714.0E	1426 FT	NO	Group of Trees
In circling area and at AD	TREE	235033.3N 0923716.3E	1446 FT	NO	Group of Trees
In circling area and at AD	TREE	235031.5N 0923704.3E	1494 FT	NO	Group of Trees
In circling area and at AD	TREE	235029.9N 0923702.2E	1535 FT	NO	Group of Trees
In circling area and at AD	BUILDING	235028.4N 0923704.5E	1459 FT	NO	Security Hut
In circling area and at AD	POLE	235028.2N 0923715.3E	1423 FT	NO	Light Pole
In circling area and at AD	TREE	235028.1N 0923707.2E	1446 FT	NO	Group of Trees
In circling area and at AD	TREE	235025.2N 0923703.5E	1540 FT	NO	Group of Trees
In circling area and at AD	TREE	235024.4N 0923705.2E	1509 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	235022.6N 0923707.7E	1457 FT	NO	Group of Trees
In circling area and at AD	OTHER	235017.6N 0923710.2E	1410 FT	LGTD	W. D. I.
In circling area and at AD	TREE	235008.6N 0923709.0E	1464 FT	NO	Group of Trees
In circling area and at AD	TREE	235007.6N 0923711.1E	1447 FT	NO	Group of Trees
In circling area and at AD	TREE	235007.0N 0923709.8E	1464 FT	NO	Group of Trees
In circling area and at AD	POLE	235006.6N 0923722.4E	1456 FT	LGTD	NDB Pole
In circling area and at AD	OTHER	235005.7N 0923722.1E	1442 FT	NO	NDB Cage Aerial
In circling area and at AD	POLE	235004.8N 0923721.7E	1458 FT	LGTD	NDB Pole
In circling area and at AD	TREE	235003.0N 0923722.6E	1455 FT	NO	Group of Trees
In circling area and at AD	TREE	235002.7N 0923711.1E	1449 FT	NO	Group of Trees
In circling area and at AD	TREE	235001.5N 0923711.0E	1460 FT	NO	Group of Trees
In circling area and at AD	TREE	235000.6N 0923712.3E	1444 FT	NO	Group of Trees
In circling area and at AD	TREE	235000.4N 0923722.5E	1463 FT	NO	Group of Trees
In circling area and at AD	TREE	234958.9N 0923722.2E	1470 FT	NO	Group of Trees
In circling area and at AD	BUILDING	234958.7N 0923721.6E	1451 FT	NO	Security Hut
In circling area and at AD	POLE	234958.6N 0923721.5E	1452 FT	NO	Light Pole
In circling area and at AD	TREE	234958.2N 0923723.2E	1473 FT	NO	Group of Trees
In circling area and at AD	OTHER	235629.7N 0924150.2E	2634 FT	NO	Hill
In circling area and at AD	OTHER	235348.5N 0924422.2E	3865 FT	NO	Hill
In circling area and at AD	TREE	235157.7N 0924424.9E	5009 FT	NO	Group of Trees on Hill
In circling area and at AD	TREE	235045.7N 0923458.4E	3497 FT	NO	Group of Trees on Hill
In circling area and at AD	OTHER	235017.3N 0924426.7E	4721 FT	NO	Hill
In circling area and at AD	OTHER	234953.4N 0923459.1E	3317 FT	NO	Hill
In circling area and at AD	OTHER	234927.6N 0922905.7E	3957 FT	NO	Hill
In circling area and at AD	OTHER	234909.0N 0924403.6E	4373 FT	LGTD	Cellphone Mast on Hill
In circling area and at AD	OTHER	234846.3N 0924531.5E	3940 FT	NO	Hill
In circling area and at AD	OTHER	234819.3N 0922924.8E	3898 FT	NO	Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	234810.4N 0923459.6E	3173 FT	NO	Hill
In circling area and at AD	OTHER	234741.3N 0924337.3E	4449 FT	NO	Hill
In circling area and at AD	OTHER	234738.2N 0923339.9E	3087 FT	NO	Hill
In circling area and at AD	OTHER	234726.4N 0924340.0E	4588 FT	LGTD	Cellphone Mast on Hill
In circling area and at AD	OTHER	234616.4N 0923338.8E	3025 FT	NO	Hill
In circling area and at AD	OTHER	234612.2N 0923423.7E	3110 FT	NO	Hill
In circling area and at AD	TOWER	234558.7N 0924417.4E	4654 FT	LGTD	TV Tower on Hill Top
In circling area and at AD	OTHER	234508.1N 0923400.8E	3314 FT	NO	Hill
In circling area and at AD	OTHER	234434.3N 0924311.5E	3888 FT	NO	Hill
In circling area and at AD	OTHER	234332.2N 0923644.0E	2838 FT	NO	Hill
In circling area and at AD	OTHER	234328.1N 0923407.2E	3396 FT	NO	Hill
In circling area and at AD	OTHER	234318.1N 0923312.1E	3323 FT	NO	Hill
In circling area and at AD	OTHER	234246.3N 0923404.9E	3789 FT	NO	Hill

See AD2.23

VELP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Aizwal, M.O. Lengpui Airport.
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	MON TO SUN: 0230-1230 UTC (0800-1800 IST)
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	R.M.C. Guwahati 0300-1200 UTC.
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	To outgoing and incoming flights by VEGT, VECC, VEAT, VEIM etc.
6	Types of flight documentation supplied and language(s) used in flight documentation	NIL
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	VELP ATC Tower

10	Additional information, e.g. concerning any limitation of service.	NIL

VELP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
17	171.39 DEG	2440 x 45 M	36/F/C/W/U Asphalt	THR: 235106.66N 0923704.45E RWY END: 234948.36N 0923717.34E
35	351.39 DEG	2440 x 45 M	36/F/C/W/U Asphalt	THR: 234948.36N 0923717.34E RWY END: 235106.66N 0923704.45E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1375.0FT TDZ: 1399.0FT		NIL	NIL	2560 x 150 M
THR: 1399.0FT TDZ: 1406.0FT		NIL	NIL	2560 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M		---	Geoid Model: EGM-08
90M x 90M		---	Geoid Model: EGM-08

VELP AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
17	NIL	NIL	NIL	2440	TORA,TODA,ASDA NOT USABLE. RUNWAY AVAILABLE ONLY FOR LANDING
35	2440	2440	2440	NIL	LDA NOT USABLE. RUNWAY AVAILABLE ONLY FOR TAKE-OFF

VELP AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	**2**	**3**	**4**	**5**
17		Green	PAPI /3.50 DEG MEHT (60.30FT)	NIL
35			NIL	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	**7**	**8**	**9**	**10**
				Distance from THR 282 M
				NIL

VELP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, FLG W&G EV 2 SEC. As ATS HO
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Provided in the signal area/ Not Lighted
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Lighted
		Centre Line	----
4	Secondary power supply including switch-over time;	Avbl, Two D.G. set of capacity 350 KVA Switch-over time: 30 second	
5	Remarks	----	

VELP AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VELP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 234949N 0923725E within a 20NM radius.
2	Vertical limits	FL 150
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Lengpui TWR, English
5	Transition altitude	9000 FT
6	Hours of applicability	HO
7	Remarks	1. Left hand circuit RWY 17 restricted to maximum lateral distance of 2.5NM from aerodrome. Right hand circuit RWY17 prohibited due to obstacle environment. 2. Lengpui Approach Control Unit is combined with Lengpui Aerodrome Control Tower.

VELP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	LENGPUI TOWER	118.150 MHZ	
APP	LENGPUI TOWER	122.250 MHZ	
TWR	Lengpui TWR	118.150 MHZ	
TWR	Lengpui TWR	122.250 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
		1. Backup Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
		1. Main Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	SDBY FREQ
	AS ATS	NIL

VELP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	**2**	**3**	**4**
LOC 17 CAT I	ILNP	108.300 MHz	AS ATS
GP 17	ILNP	334.100 MHz	AS ATS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
DME ILS 17	ILNP	CH20X	AS ATS
DVOR/DME	LLP	114.200 MHz CH89X	AS ATS
DVOR/DME	LPU	113.800 MHz CH85X	AS ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
234943.2N 0923718.2E			LOC AZIMUTH COVERAGE RESTRICTED TO 9.2 DEGREE RIGHT ON APPROACH 150 HZ SIDE AT 17NM AT 4500FT.
235058.7N 0923708.4E			
235058.5N 0923708.4E	1396 FT		1. Collocated with Glide Path 2. Geoid Model EGM08
234949.4N 0923724.8E	1459 FT		1. Collocated with DVOR 2. Geoid Model EGM08
235244.1N 0923505.7E	3245 FT		1. Collocated with DVOR 2. Geoid Model EGM08

VELP AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VELP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VELP AD 2.22 FLIGHT PROCEDURES

NIL

VELP AD 2.23 ADDITIONAL INFORMATION

1. Obstacles:

Sl. No	Name of Hill	Top Elevation (FT)	Bearing (Degrees/NM)	Distance	Remark
1	Zotlang	4100	261	7.5	Not Lighted
2	Reiek Tlang	4668	183	9.5	Not Lighted
3	Durtlang	4654	125	9.5	Not Lighted
4	Melruk Tlang	4518	113	6	Not Lighted
5	Sakawrhmuituai	5037	75	6.6	Not Lighted
6	Neihbawi Tlang	4725	91	6.5	Not Lighted
7	Nisapui Tlang	4215	50	10.4	Not Lighted
8	Hnawmphiah	3451	282	2.2	Not Lighted

2. Details regarding parking stands and its limitations/restrictions are as follows :

Stand No.	Coordinates	Critical Aircraft
1	235019N 0923723E	A320
2	235018.3N 0923722E	A320
3	235020.1N 0923721.8E	A320
4	235020N 0923723E	A320

3. Limitations and restrictions of parking stands:
i. All parking stands are Power - In /power - Out Operations.
ii. When bay number 2 is occupied by any aircraft, other aircraft cannot taxi into bay number 1.
iii. When bay number 3 is occupied by any aircraft, other aircraft cannot taxi into bay number 4.
iv. No restrictions for taxi-in for bay number 2 and 3.
v. Simultaneous parking of two A319/A320/B737 on adjacent bays i.e. either 1 and 2 or 3 and 4 is prohibited due non availability of wing tip clearence between these stands for such aircraft.Such aircraft shall be parked opposite to each other i.e.either 1 and 4, 2 and 3, 1 and 3 or 2 and 4. However such aircraft can be parked adjacent to ATR or DH8 aircraft which have shorter wingspan.

VELP AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (08 August 2024)
2. Aircraft Parking / Docking Chart (08 August 2024)
3. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 17/35 (08 August 2024)
4. Instrument Approach Chart - ILS or LOC RWY 17 (CAT A/B/C) (08 August 2024)

VELP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration

1	2	3