AD 2. AERODROMES

VELR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VELR - LILABARI AIRPORT, NORTH LAKHIMPUR

VELR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	271728N 0940537E MAG BRG. 50.00 DEG/ 550M from physical extremity of RWY 04	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	7 KMS north-west of north Lakhimpur Railway Station, bearing 320 DEG.	
3	Aerodrome elevation and reference temperature	331 FT / 31.6 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.016 DEG W	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, North Lakhimpur, Lilabari Airport, Assam - 787051	
		Telephone:	(91) 3752234179
		Fax:	(91) 375 2234831
		AFS:	
		Email:	apdlbr.aai@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Vertical Datum: EGM 08	

VELR AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0330-1130 UTC (0900-1700 IST)
2	Custom and immigration	Not Abvl
3	Health and sanitation	Not Avbl
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult current NOTAM
8	Fuelling	AS ATS
9	Handling	Not AVBL.
10	Security	As ATS
11	De-icing	Not Applicable.
12	Remarks	Night landing facility available. 24 Hours prior notice required for all non-scheduled flights and 2 Hours prior notice required for extension of watch for scheduled flights outside of ATS hours, service available O/R with 24 HR PN to AD.

VELR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	IOCL/Total Tank (Mobile) - 30KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VELR AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city
2	Restaurant(s) at or in the vicinity of aerodrome	In the city
3	Transportation possibilities	Taxi / Auto Rickshaws
4	Medical Facilities	First aid at AD. Hospitals in city
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the city Post office: In the city
6	Tourist office	NIL
7	Remarks	NIL

VELR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	AVBL. as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft (Disabled) for the airport is ATR 72-600 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact ‘Aerodrome Coordinator for disabled Aircraft Removal Operations’ for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for disabled Aircraft Removal Operations: 03752-234179, 9435385804
4	Remarks	NIL

VELR AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VELR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: At Apron Elevation: 328FT/99.9744M
4	Location of VOR checkpoints	On TWY L: 271719.94 N0940529.25E, ELEV : 329 FT
5	Position of INS checkpoints	NIL

6	Remarks	1. Coordinates of Taxi Holding Positions: TWY L: 271720.24679N 0940528.88239E/ ELEV: 329FT TWY U: 271723.53183N 0940532.15554E/ ELEV: 329FT TWY M:271717.00960N 0940529.58115E/ ELEV: 328FT 2. Coordinates of Runway & Taxiway Intersection point: TWY L: 271721.91800N 0940526.85400E /ELEV: 331FT TWY U: 271725.15124N 0940530.17831E /ELEV: 331FT 3. All Elevation in EGM 08

VELR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	TWY guidance signal at all the intersection with TWY and RWY and at all holding position guide lines at apron
2	Runway and taxiway markings and lights	RWY Markings:Designator, Centre Line, THR, TDZ, Side Stripe RWY Lighting: THR, End, Turning pad RWY guards lights AVBL at TWY L. TWY Markings:Central line, Taxi holding position. TWY Lighting: Edge. Turn pad Centerline Lights inset fitting on both sides of runway 04/ 22.
3	Stop bars (if any)	NIL
4	Remarks	Other Lights: Aerodrome Beacon, Landing T, Apron Flood Lights. The Operational Guidance System, Mandatory Instruction Signage and Illuminated Wind Cone are provided.

VELR AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
22/TKOF 04/APCH	FENCE	271712.0N 0940523.6E	336 FT	NO	Boundary Wall with Fencing on Top
22/TKOF 04/APCH	BUILDING	271710.7N 0940521.4E	344 FT	NO	Building
22/TKOF 04/APCH	TREE	271706.3N 0940516.3E	376 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271708.8N 0940518.3E	385 FT	NO	Group of Trees
22/TKOF 04/APCH	BUILDING	271709.6N 0940518.9E	341 FT	NO	Building
22/TKOF 04/APCH	TREE	271708.0N 0940520.2E	399 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271707.1N 0940518.4E	376 FT	NO	Group of Trees
22/TKOF 04/APCH	POLE	271704.6N 0940516.1E	352 FT	NO	Electric Pole
22/TKOF 04/APCH	TREE	271704.6N 0940514.6E	388 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271706.3N 0940512.8E	379 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271706.1N 0940510.7E	387 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271658.6N 0940504.0E	400 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
22/TKOF 04/APCH	TREE	271656.8N 0940502.1E	402 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271702.9N 0940457.0E	411 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271700.8N 0940502.3E	409 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271702.0N 0940500.8E	397 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271703.6N 0940500.5E	411 FT	NO	Tree
22/TKOF 04/APCH	TREE	271709.2N 0940504.3E	381 FT	NO	Tree
22/TKOF 04/APCH	TREE	271707.9N 0940509.0E	400 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271708.9N 0940510.2E	388 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271709.7N 0940509.3E	402 FT	NO	Tree
22/TKOF 04/APCH	TREE	271710.9N 0940506.5E	401 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271712.5N 0940511.2E	379 FT	NO	Group of Trees
22/TKOF 04/APCH	BUILDING	271712.9N 0940512.0E	345 FT	NO	Building
22/TKOF 04/APCH	TREE	271713.9N 0940511.6E	400 FT	NO	Group of Trees
22/TKOF 04/APCH	FENCE	271716.2N 0940513.2E	338 FT	NO	Boundary Wall with Fencing on Top
22/TKOF 04/APCH	OTHER	271716.3N 0940513.3E	344 FT	NO	Mobile Road Traffic (Road elev. 99.8m+5.0m Mobile Traffic Ht.)
22/TKOF 04/APCH	OTHER	271713.6N 0940509.8E	349 FT	NO	Mobile Road Traffic (Road elev. 101.3m+5.0m Mobile Traffic Ht.)
22/TKOF 04/APCH	OTHER	271707.1N 0940519.6E	346 FT	NO	Mobile Road Traffic (Road elev. 100.5m+5.0m Mobile Traffic Ht.)
22/TKOF 04/APCH	TREE	271703.8N 0940515.8E	396 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271706.4N 0940518.1E	365 FT	NO	Group of Trees
22/TKOF 04/APCH	OTHER	271706.8N 0940512.8E	355 FT	NO	Temple Flag -Top
22/TKOF 04/APCH	TREE	271705.6N 0940511.3E	401 FT	NO	Group of Trees
22/TKOF 04/APCH	TREE	271714.1N 0940512.4E	379 FT	NO	Group of Trees
22/APCH 04/TKOF	POLE	271815.4N 0940617.0E	347 FT	NO	Electric Pole
22/APCH 04/TKOF	FENCE	271815.9N 0940617.7E	337 FT	NO	Boundary Wall with Fencing on Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
22/APCH 04/TKOF	POLE	271817.0N 0940618.6E	345 FT	NO	Electric Pole
22/APCH 04/TKOF	POLE	271818.2N 0940619.8E	343 FT	NO	Electric Pole
22/APCH 04/TKOF	TREE	271825.2N 0940626.9E	397 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271825.0N 0940631.8E	379 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271827.7N 0940630.5E	399 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271830.2N 0940630.5E	406 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271829.8N 0940632.6E	379 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271828.3N 0940633.2E	387 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271827.6N 0940634.1E	381 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271828.9N 0940636.0E	400 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271826.3N 0940634.2E	388 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271823.3N 0940633.8E	377 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271823.4N 0940636.2E	401 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271821.8N 0940636.8E	431 FT	NO	Tree (Bamboo)
22/APCH 04/TKOF	TREE	271822.3N 0940634.6E	383 FT	NO	Group of Trees
22/APCH 04/TKOF	POLE	271817.0N 0940628.9E	348 FT	NO	Electric Pole
22/APCH 04/TKOF	FENCE	271812.2N 0940623.6E	336 FT	NO	Boundary Wall with Fencing on Top
22/APCH 04/TKOF	POLE	271812.1N 0940623.4E	337 FT	NO	Boundary Wall Light Pole
22/APCH 04/TKOF	POLE	271811.4N 0940622.6E	334 FT	NO	Boundary Wall Light Pole
22/APCH 04/TKOF	TREE	271817.4N 0940633.4E	402 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271826.3N 0940623.7E	406 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271825.4N 0940640.6E	383 FT	NO	Group of Trees
22/APCH 04/TKOF	TREE	271835.5N 0940631.9E	388 FT	NO	Group of Trees
22/APCH 04/TKOF	OTHER	271810.7N 0940621.7E	345 FT	NO	Mobile Road Traffic (Road elev.100.2m + 5.0m Traffic Ht.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
22/APCH 04/TKOF	OTHER	271814.7N 0940616.8E	345 FT	NO	Mobile Road Traffic (Road elev. 100.2m+5.0m Mobile Traffic Ht.)
In circling area and at AD	BUILDING	271724.8N 0940537.8E	343 FT	NO	Building
In circling area and at AD	BUILDING	271725.5N 0940538.2E	342 FT	NO	Barrack
In circling area and at AD	POLE	271725.9N 0940537.4E	338 FT	NO	Boundary Wall Light Pole
In circling area and at AD	TREE	271724.9N 0940537.5E	362 FT	NO	Group of Trees
In circling area and at AD	OTHER	271717.9N 0940536.6E	409 FT	NO	LC Rod Top (ATC Building Top121.6m, ATC Beacon Top 122.7m, ATC Ant. Top 124.5m)
In circling area and at AD	OTHER	271717.0N 0940534.4E	397 FT	NO	Flood Light Mast
In circling area and at AD	POLE	271721.5N 0940532.1E	349 FT	NO	WDI
In circling area and at AD	OTHER	271715.6N 0940532.9E	397 FT	NO	Flood Light Mast
In circling area and at AD	TREE	271706.6N 0940526.8E	423 FT	NO	Group of Trees
In circling area and at AD	TREE	271714.1N 0940528.7E	375 FT	NO	Group of Trees
In circling area and at AD	TANK	271714.0N 0940527.3E	361 FT	NO	OHWT
In circling area and at AD	TREE	271714.7N 0940526.2E	361 FT	NO	Group of Trees
In circling area and at AD	BUILDING	271714.4N 0940526.0E	345 FT	NO	Old Terminal Building
In circling area and at AD	BUILDING	271714.1N 0940525.6E	379 FT	LGTD	Old ATC (LGT)
In circling area and at AD	BUILDING	271714.0N 0940525.4E	342 FT	NO	Old ATC
In circling area and at AD	OTHER	271713.9N 0940524.6E	344 FT	NO	Mobile Road Traffic (Road Elev. 99.9m+5.0m Mobile Traffic Ht.)
In circling area and at AD	BUILDING	271713.3N 0940524.0E	351 FT	NO	Old MT Pool (Disused)
In circling area and at AD	BUILDING	271713.4N 0940524.8E	348 FT	NO	Old MT Pool (Disused)
In circling area and at AD	BUILDING	271713.0N 0940524.6E	344 FT	NO	Old MT Pool (Disused)
In circling area and at AD	TREE	271713.2N 0940525.5E	389 FT	NO	Group of Trees
In circling area and at AD	TREE	271712.6N 0940524.7E	380 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TANK	271711.6N 0940524.6E	381 FT	NO	OHWT
In circling area and at AD	TREE	271711.2N 0940526.6E	393 FT	NO	Group of Trees
In circling area and at AD	TREE	271712.3N 0940528.1E	400 FT	NO	Group of Trees
In circling area and at AD	TREE	271709.6N 0940526.6E	412 FT	NO	Group of Trees
In circling area and at AD	TANK	271711.1N 0940524.4E	390 FT	LGTD	OHWT (LGT)
In circling area and at AD	BUILDING	271710.8N 0940523.9E	346 FT	NO	Building
In circling area and at AD	TREE	271710.0N 0940522.2E	383 FT	NO	Group of Trees
In circling area and at AD	TREE	271707.0N 0940520.2E	411 FT	NO	Group of Trees
In circling area and at AD	TREE	271713.2N 0940508.7E	400 FT	NO	Group of Trees
In circling area and at AD	TREE	271720.3N 0940514.6E	385 FT	NO	Group of Trees
In circling area and at AD	TREE	271722.7N 0940516.7E	406 FT	NO	Group of Trees
In circling area and at AD	TREE	271724.0N 0940519.6E	389 FT	NO	Group of Trees
In circling area and at AD	TREE	271726.5N 0940520.3E	401 FT	NO	Group of Trees
In circling area and at AD	TREE	271731.5N 0940522.7E	406 FT	NO	Group of Trees
In circling area and at AD	FENCE	271713.3N 0940524.4E	339 FT	NO	Wire Fence-Top
In circling area and at AD	TREE	271708.6N 0940526.2E	412 FT	NO	Group of Trees
In circling area and at AD	TREE	271723.7N 0940517.9E	381 FT	NO	Group of Trees
In circling area and at AD	OTHER	271723.2N 0940534.9E	362 FT	NO	Automated Weather Observing System
In circling area and at AD	TREE	271726.2N 0940537.9E	349 FT	NO	Group of Trees
In circling area and at AD	POLE	271809.8N 0940611.6E	338 FT	NO	Boundary Wall Light Pole
In circling area and at AD	FENCE	271810.1N 0940611.8E	339 FT	NO	Boundary Wall with Fencing on Top
In circling area and at AD	POLE	271811.7N 0940613.3E	349 FT	NO	Electric Pole
In circling area and at AD	POLE	271813.0N 0940614.6E	351 FT	NO	Electric Pole
In circling area and at AD	POLE	271814.1N 0940615.9E	337 FT	NO	Boundary Wall Light Pole
In circling area and at AD	POLE	271814.3N 0940615.8E	348 FT	NO	Electric Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	271808.1N 0940623.9E	407 FT	NO	Group of Trees
In circling area and at AD	FENCE	271807.3N 0940618.4E	335 FT	NO	Boundary Wall with Fencing on Top
In circling area and at AD	POLE	271804.1N 0940615.2E	330 FT	NO	Boundary Wall Light Pole
In circling area and at AD	TREE	271801.2N 0940614.8E	398 FT	NO	Group of Trees
In circling area and at AD	TREE	271757.8N 0940613.1E	400 FT	NO	Group of Trees
In circling area and at AD	POLE	271759.8N 0940610.7E	332 FT	NO	Boundary Wall Light Pole
In circling area and at AD	BUILDING	271759.7N 0940610.5E	339 FT	NO	Security Hut
In circling area and at AD	TREE	271810.5N 0940629.3E	416 FT	NO	Group of Trees
In circling area and at AD	TREE	271812.9N 0940629.2E	385 FT	NO	Group of Trees
In circling area and at AD	TREE	271815.7N 0940612.5E	380 FT	NO	Group of Trees
In circling area and at AD	TREE	271813.8N 0940612.6E	404 FT	NO	Group of Trees
In circling area and at AD	TREE	271814.1N 0940611.3E	392 FT	NO	Group of Trees
In circling area and at AD	BUILDING	271747.9N 0940548.7E	346 FT	NO	Security Hut
In circling area and at AD	TREE	271751.0N 0940552.4E	348 FT	NO	Group of Trees
In circling area and at AD	POLE	271802.7N 0940604.2E	335 FT	NO	Boundary Wall Light Pole
In circling area and at AD	POLE	271757.9N 0940609.9E	349 FT	NO	WDI
In circling area and at AD	TREE	271753.3N 0940606.1E	339 FT	NO	Group of Trees
In circling area and at AD	TREE	271741.7N 0940559.8E	413 FT	NO	Group of Trees
In circling area and at AD	TREE	271744.7N 0940557.0E	371 FT	NO	Group of Trees
In circling area and at AD	TREE	271742.7N 0940554.9E	365 FT	NO	Group of Trees
In circling area and at AD	POLE	271740.5N 0940552.6E	336 FT	NO	Boundary Wall Light Pole
In circling area and at AD	BUILDING	271739.6N 0940551.4E	344 FT	NO	Security Hut
In circling area and at AD	TREE	271738.7N 0940556.8E	403 FT	NO	Group of Trees
In circling area and at AD	OTHER	271737.3N 0940552.1E	359 FT	NO	LC Rod On New DVOR Antenna

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	271736.6N 0940551.3E	356 FT	NO	Old DVOR Monitor Antenna
In circling area and at AD	POLE	271734.4N 0940546.3E	333 FT	NO	Boundary Wall Light Pole
In circling area and at AD	POLE	271730.7N 0940543.6E	342 FT	NO	Electric Pole
In circling area and at AD	POLE	271728.7N 0940540.4E	334 FT	NO	Boundary Wall Light Pole
In circling area and at AD	TREE	271726.9N 0940539.4E	367 FT	NO	Group of Trees
In circling area and at AD	OTHER	271725.3N 0940541.3E	380 FT	LGTD	Assam Police Barracks (LGT)
In circling area and at AD	TREE	271745.2N 0940557.3E	373 FT	NO	Group of Trees
In circling area and at AD	OTHER	271844.5N 0935547.9E	2310 FT	NO	Hill
In circling area and at AD	OTHER	272030.6N 0935531.9E	2329 FT	NO	Hill
In circling area and at AD	OTHER	272255.8N 0935639.0E	4833 FT	NO	Hill
In circling area and at AD	OTHER	272428.9N 0935917.7E	5331 FT	NO	Hill
In circling area and at AD	OTHER	272013.9N 0935816.1E	2077 FT	NO	Hill
In circling area and at AD	OTHER	272051.9N 0940017.7E	1453 FT	NO	Hill
In circling area and at AD	OTHER	272237.1N 0940003.1E	1991 FT	NO	Hill
In circling area and at AD	OTHER	272300.1N 0940226.2E	1670 FT	NO	Hill
In circling area and at AD	OTHER	272140.7N 0940300.3E	915 FT	NO	Hill

VELR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	MO North Lakhimpur
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	RMC Guwahati 9HR
4	Availability of the trend forecast for the aerodrome and interval of issuance	Met Report provided on 30 min PN
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Available
9	The air traffic services unit(s) provided with meteorological information	LilabariTower
10	Additional information, e.g. concerning any limitation of service.	Class C met office.

VELR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
04	42.67 DEG	2281 x 45 M	46/F/B/X/T Asphalt	THR: 271719.53N 0940524.38E RWY END: 271811.28N 0940617.78E
22	222.67 DEG	2281 x 45 M	46/F/B/X/T Asphalt	THR: 271811.28N 0940617.78E RWY END: 271716.77N 0940521.53E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 331.0FT TDZ: 331.0FT				2401 x 150 M
THR: 330.0FT TDZ: 330.0FT				2401 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M			1. Slope of RWY and Associated Stopway : -0.004% 2. 48/R/B/W/T (From Beginning to 305M Rigid Portion) Concrete 46/F/B/W/T (From 305M to 1640.5M Flexible Portion) Asphalt 45/R/B/W/T (From 1640.5M To 2281M Rigid Portion) Concrete 3. Vertical Datum: EGM 08
90M x 90M			1. Slope of RWY and Associated Stopway : 0.004% 2. 45/R/B/W/T (From Beginning to 640.5M Rigid Portion) Concrete 46/F/B/W/T (From 640.5M to 1976M Flexible Portion) Asphalt 48/R/B/W/T (From 1976M To 2281M Rigid Portion) Concrete 3. Vertical Datum: EGM 08

VELR AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
04	2281	2281	2281	2161	
22	2281	2281	2281	2281	

VELR AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
04	SALS 420 M LIH	WBAR	PAPI LEFT/3.00 DEG MEHT (16.25M)	
22			PAPI LEFT/3.00 DEG MEHT (16.25M)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2281 M 60 M White LIH	Red		Only upto 1st Cross Bar
	2281 M 60 M White LIH	Red		NIL

VELR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Located on top of the control Tower FLG W & G every 3 SEC.
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Approximately 70M east of Link TWY and south of RWY, Lighted
		Anemometer	Located on top of the control Tower.
3	Taxiway edge and taxiway centre line lights;	Edge	Lighted
		Centre Line	
4	Secondary power supply including switch-over time;	Switch over time: 15 sec.	
5	Remarks	NIL	

VELR AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	NIL
2	TLOF and/or FATO area elevation:	NIL
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	NIL
4	True bearings of FATO;	NIL
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	NIL

VELR AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: 1) ATZ: Circular area of radius 5 NM centered at 271728N 0940537E. Upper Limit : 3000 FT AMSL Class D airspace 2) CTR: Circular area of radius 15 NM centred at 271728N 0940537E, excluding Lilabari ATZ and portion of VER87(B) [Tezpur-II]. Upper Limit : 10500 FT AMSL Class D Airspace Controlling Auhority: • Jorhat ATC, during operational hours of Jorhat ATC. • Lilabari TWR, outside operational hours of Jorhat ATC.
2	Vertical limits	
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Lilabari TWR, English
5	Transition altitude	12000 FT
6	Hours of applicability	HO

7	Remarks	1. Civil aircraft operating at Lilabari airport may be subject to certain delays due to IAF aircraft operations in VED201 [Dulland Mukh]. 2. ATC Frequencies: a) Jorhat TWR: 123.500 MHz b) Jorhat APP: 121.300 MHz c) Lilabari TWR: 118.650 MHz 124.300 MHz 3. Lilabari Approach Control Unit is combined with Lilabari Aerodrome Control Tower.

VELR AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	LILABARI TOWER	118.650 MHZ	
APP	LILABARI TOWER	124.300 MHZ	
TWR	Lilabari TWR	118.650 MHZ	
TWR	Lilabari TWR	124.300 MHZ	
ATIS	LILABARI INFORMATION	128.600 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
		1. Main Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
		1. Backup Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	As ATS	NIL
	AS ATS	BACKUP FREQ.
	AS ATS	NIL

VELR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	LBR	116.500 MHz CH112X	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
271737.0N 0940552.5E	353 FT		Vertical datum: EGM08

VELR AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage. All fixed wing ACFT to make 180 deg turn only at designated RWY turnpad using turnpad marking.

VELR AD 2.21 NOISE ABATEMENT PROCEDURES

VELR AD 2.22 FLIGHT PROCEDURES

VELR AD 2.23 ADDITIONAL INFORMATION

Link Taxiway "U" commissioned from Runway 04-22 to UAV Hangar for exclusive use by Indian Army with following details:

a) Length: 250 M.

b) Markings: Taxiway Edge and Taxi Holding Position.

VELR AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (12 June 2025)
2. Aircraft Parking/Docking Chart (12 June 2025)
3. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 04 (12 June 2025)
4. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 22 (12 June 2025)
5. Aerodrome Obstacle Chart Type B (12 June 2025)
6. VOR Procedure RWY 22

7 VOR Procedure RWY 04(19 MAR 2026)

VELR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3
VOR RWY 04	**OCA(OCH) 730(399)**	**A) GROUP OF TREES LCA: 271713.8670N 0940511.5650E ELEV: 399.93 FT B) TREE LCA: 271709.7250N 0940509.2870E ELEV: 402.23 FT C) GROUP OF TREES LCA: 271708.8110N 0940518.2750E ELEV: 384.84 FT D) GROUP OF TREES LCA: 271705.5850N 0940511.3090E ELEV: 401.25 FT E) GROUP OF TREES LCA: 271707.9120N 0940508.9590E ELEV: 400.26 FT F) GROUP OF TREES LCA: 271708.8490N 0940510.1640E ELEV: 388.12 FT G) GROUP OF TREES LCA: 271704.5500N 0940514.5810E ELEV: 388.45 FT H) GROUP OF TREES LCA: 271706.0720N 0940510.6660E ELEV: 387.47 FT I) TREE LCA: 271703.6190N 0940500.4800E ELEV: 411.09 FT**
VOR RWY 22	**OCA(OCH) 730(399)**	**A) GROUP OF TREES LCA: 271825.2140N 0940626.8960E ELEV: 396.65 FT B) GROUP OF TREES LCA: 271823.4090N 0940636.2390E ELEV: 401.25 FT C) GROUP OF TREES LCA: 271830.1600N 0940630.5030E ELEV: 405.51 FT D) GROUP OF TREES LCA: 271827.7010N 0940630.5310E ELEV: 399.28 FT**