AD 2. AERODROMES

VILD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VILD - LUDHIANA AIRPORT, LUDHIANA

VILD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	305121N 0755702E M. BRG. 113.15 DEG/502M from Physical extremity of Runway 12.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	15Km South East of Ludhiana city	
3	Aerodrome elevation and reference temperature	834 FT / 41.0 DEG C	
4	Magnetic variation, date of information and annual change	1.25 DEG E (2010) /0.0333 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director, Civil Aerodrome, Sahnewal, Ludhiana - 141120	
		Telephone:	(91) 161 2844904 (91) 9815555772
		Fax:	(91) 161 2845014
		AFS:	
		Email:	apdludhiana@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Coordinates of designated geographical location at Ludhiana airport located on centerline of runway at 548.6m from the physical beginning of RWY30: 305109.3N 0755724.0E	

VILD AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN + HOLIDAY: NIL	
2	Custom and immigration	NOT AVBL	
3	Health and sanitation	Health- Nil , Sanitation Avbl with AD HR.	
4	AIS briefing office	available in ATC Tower as AD Administration	
5	ATS reporting office (ARO)	As AD Administration	
6	MET Briefing office	Available between 0045 UTC to Sunset	
7	Air Traffic Service	As Per Watch Hour NOTAM	
8	Fuelling	AVBL	
9	Handling	NOT AVBL	
10	Security	H24	
11	De-icing	Not available	
12	Remarks	Services outside ATC watch hours are available on request. Request to be submitted to General Manager (Aero), Northern Region, Airports Authority of India, Operational Complex, Gurgaon Road, Rangpuri, New Delhi110037 at least 24 hours before the flight.	
		ATS approved hourly runway traffic handling capacity	Maximum number of arrival and departure- 12 (the minimum spacing between two successive arrival shall be more than 5 min) Maximum number of arrival only - 06 Maximum number of departure only -10

VILD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1 OTHER:AVIA
3	Fuelling facilities and capacity	CAPACITY- 35 KL STORAGE TANK AND ONE AVIATION REFUELLER VECHILE OF CAPACITY 16 KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	Contact No. of Ludhiana Aviation Fuel STN (IOCL): +91-9646304845 (Mobile)

VILD AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City
2	Restaurant(s) at or in the vicinity of aerodrome	In the City
3	Transportation possibilities	Private Taxis available
4	Medical Facilities	First Aid at AD/ Hospitals in City
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available at Sahnewal Village Post office: Available at Sahnewal Village
6	Tourist office	
7	Remarks	NIL

VILD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	Available as per category.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is AT-72. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Tel/Mob: 0161-2844904 /09815555772 Email: apdludhiana@aai.aero
4	Remarks	NIL

VILD AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VILD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart
3	Location and elevation of altimeter checkpoints	Location: On Apron Bay-1 Elevation: 833FT

4	Location of VOR checkpoints	At RWY Holding Position on TWY A, Radial / DME-287 DEG / 0.3NM
5	Position of INS checkpoints	
6	Remarks	i. Coordinates of Taxiway Holding Position: TWY A: 305103.77N 0755729.62/ELEV: 833FT ii. Isolation Bay- Dumbbell RWY30 is designated as Isolation Bay

VILD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T, Taxi guideline available
2	Runway and taxiway markings and lights	RWY Markings: Designation, Threshold Centreline, Edge TWY Markings: Centreline, holding position RWY Lightings: Edge, THR and END TWY Lightings: Edge
3	Stop bars (if any)	NIL
4	Remarks	NIL

VILD AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
30/TKOF 12/APCH	OTHER	305129.0N 0755642.2E	836 FT	NIL	APP Light
30/TKOF 12/APCH	POLE	305132.1N 0755638.9E	849 FT	NIL	Electric Pole
30/TKOF 12/APCH	OTHER	305130.9N 0755638.3E	848 FT	NIL	Mobile Road Traffic (Road Elev. 253.6 M + Traffic Ht. 5 M)
30/TKOF 12/APCH	OTHER	305132.2N 0755639.6E	848 FT	NIL	Mobile Road Traffic (Road Elev. 253.6 M + Traffic Ht. 5 M)
30/TKOF 12/APCH	POLE	305132.6N 0755639.8E	848 FT	NIL	Electric Pole
30/TKOF 12/APCH	OTHER	305133.0N 0755640.4E	846 FT	NIL	Security Hut
30/TKOF 12/APCH	OTHER	305133.4N 0755640.5E	853 FT	NIL	Mobile Road Traffic (Road Elev. 254.9 M + Traffic Ht. 5 M)
30/TKOF 12/APCH	POLE	305133.2N 0755639.9E	855 FT	NIL	Electric Pole
30/TKOF 12/APCH	TREE	305133.8N 0755639.7E	893 FT	NIL	Group of Trees
30/TKOF 12/APCH	OTHER	305132.6N 0755638.9E	858 FT	NIL	Rod On Building (Building Top 260.0 M)
30/TKOF 12/APCH	OTHER	305130.9N 0755637.8E	852 FT	NIL	Mobile Road Traffic (Road Elev. 254.7 M + Traffic Ht. 5 M)
30/TKOF 12/APCH	POLE	305129.8N 0755636.7E	854 FT	NIL	Electric Pole
30/TKOF 12/APCH	BUILDING	305129.4N 0755635.8E	852 FT	NIL	Building
30/TKOF 12/APCH	POLE	305128.8N 0755635.6E	857 FT	NIL	Electric Pole
30/TKOF 12/APCH	OTHER	305131.4N 0755643.5E	848 FT	NIL	Mobile Road Traffic (Road Elev. 253.5 M + Traffic Ht. 5 M)
30/TKOF 12/APCH	TREE	305133.8N 0755638.1E	868 FT	NIL	Tree
30/TKOF 12/APCH	BUILDING	305130.9N 0755634.7E	862 FT	NIL	Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
30/TKOF 12/APCH	BUILDING	305130.1N 0755634.8E	863 FT	NIL	House
30/TKOF 12/APCH	BUILDING	305131.3N 0755627.8E	865 FT	NIL	Building
30/TKOF 12/APCH	BUILDING	305134.1N 0755634.5E	867 FT	NIL	House
30/TKOF 12/APCH	BUILDING	305134.6N 0755634.8E	865 FT	NIL	House
30/TKOF 12/APCH	BUILDING	305135.4N 0755634.7E	863 FT	NIL	Building
30/TKOF 12/APCH	BUILDING	305137.0N 0755634.7E	868 FT	NIL	Building
30/TKOF 12/APCH	BUILDING	305136.7N 0755628.8E	867 FT	NIL	Building
30/TKOF 12/APCH	TREE	305132.4N 0755625.5E	934 FT	NIL	Group of Trees
30/TKOF 12/APCH	OTHER	305146.0N 0755543.3E	943 FT	NIL	Pylon Mast
30/TKOF 12/APCH	OTHER	305140.9N 0755557.7E	933 FT	NIL	Mast
30/TKOF 12/APCH	OTHER	305128.1N 0755644.2E	836 FT	NIL	APP Light
30/TKOF 12/APCH	OTHER	305128.6N 0755643.2E	836 FT	NIL	APP Light
30/APCH 12/TKOF	OTHER	305103.7N 0755735.7E	849 FT	NIL	Mobile Road Traffic (Road Elev. 253.7 M + Traffic Ht. 5 M)
30/APCH 12/TKOF	FENCE	305103.6N 0755735.9E	841 FT	NIL	Airport Boundary Wall with Fencing on Top
30/APCH 12/TKOF	TREE	305103.3N 0755735.7E	846 FT	NIL	Group of Trees
30/APCH 12/TKOF	TREE	305101.7N 0755741.5E	874 FT	NIL	Group of Trees
30/APCH 12/TKOF	TREE	305053.1N 0755750.6E	880 FT	NIL	Group of Trees
30/APCH 12/TKOF	NAVAID	305057.0N 0755746.2E	860 FT	NIL	DVOR Monitor Antenna
30/APCH 12/TKOF	NAVAID	305058.3N 0755749.0E	865 FT	LGTD	DVOR/DME Antenna (LT)
In circling area and at AD	BUILDING	305133.6N 0755642.1E	864 FT	NIL	Building
In circling area and at AD	BUILDING	305128.1N 0755632.5E	869 FT	NIL	Factory Shed
In circling area and at AD	TREE	305126.6N 0755633.5E	884 FT	NIL	Tree (Pipal)
In circling area and at AD	TREE	305126.8N 0755636.5E	870 FT	NIL	Tree (Pipal)
In circling area and at AD	TREE	305127.0N 0755654.8E	866 FT	NIL	Tree
In circling area and at AD	TREE	305129.0N 0755651.2E	881 FT	NIL	Tree
In circling area and at AD	TREE	305130.2N 0755646.8E	862 FT	NIL	Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	305131.5N 0755646.9E	858 FT	NIL	Building
In circling area and at AD	BUILDING	305134.6N 0755638.7E	873 FT	NIL	School Building
In circling area and at AD	TREE	305129.7N 0755628.0E	939 FT	NIL	Group of Trees
In circling area and at AD	BUILDING	305130.2N 0755627.0E	875 FT	NIL	Temple
In circling area and at AD	BUILDING	305141.0N 0755633.1E	938 FT	NIL	Factory Shed
In circling area and at AD	OTHER	305126.3N 0755625.1E	951 FT	NIL	Mast
In circling area and at AD	OTHER	305125.0N 0755629.2E	956 FT	NIL	Chimney
In circling area and at AD	OTHER	305126.8N 0755629.0E	907 FT	NIL	Chimney
In circling area and at AD	OTHER	305130.4N 0755645.9E	847 FT	NIL	Security Hut
In circling area and at AD	OTHER	305127.6N 0755651.9E	846 FT	NIL	Security Hut
In circling area and at AD	OTHER	305106.1N 0755737.7E	844 FT	NIL	Security Hut
In circling area and at AD	OTHER	305106.0N 0755737.0E	849 FT	NIL	Mobile Road Traffic (Road Elev. 253.8 M + Traffic Ht. 5 M)
In circling area and at AD	TREE	305056.4N 0755732.1E	933 FT	NIL	Group of Trees
In circling area and at AD	TREE	305100.2N 0755724.7E	932 FT	NIL	Group of Trees
In circling area and at AD	TREE	305104.7N 0755741.0E	872 FT	NIL	Group of Trees
In circling area and at AD	POLE	305056.6N 0755741.5E	855 FT	NIL	Electric Pole
In circling area and at AD	TREE	305056.5N 0755739.2E	875 FT	NIL	Group of Trees
In circling area and at AD	TREE	305053.2N 0755738.1E	926 FT	NIL	Group of Trees
In circling area and at AD	OTHER	305105.6N 0755933.2E	1013 FT	NIL	Chimney (Bricklin)
In circling area and at AD	TREE	305117.0N 0755652.7E	933 FT	NIL	Group of Trees
In circling area and at AD	TREE	305112.1N 0755702.2E	915 FT	NIL	Group of Trees

VILD AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Ludhiana Aerodrome
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	Dawn to Dusk
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	NIL
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	Self-Briefing
6	Types of flight documentation supplied and language(s) used in flight documentation	Only METAR available. English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	VILD Ludhiana TWR
10	Additional information, e.g. concerning any limitation of service.	NIL

VILD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
12	118.77 DEG	1460 x 30 M	Asphalt	THR: 305125.74N 0755649.16E RWY END: 305104.80N 0755733.37E
30	298.77 DEG	1460 x 30 M	Asphalt	THR: 305106.44N 0755729.92E RWY END: 305127.62N 0755645.19E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 834.0FT TDZ: 834.0FT				1580 x 150 M
THR: 833.0FT TDZ: 833.0FT				1580 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
60M x 90M			NIL
60M x 90M			NIL

VILD AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
12	1370	1370	1370	1250	
30	1370	1370	1370	1266	

VILD AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
12	SALS 180 M LIH	Green	PAPI LEFT/3.00 DEG	
30		Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1460 M 60 M White LIH	Red		NIL
	1460 M 60 M White LIH	Red		NIL

VILD AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	ATC Building As ATS
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available, Unlighted
		Anemometer	NIL

3	Taxiway edge and taxiway centre line lights;	Edge	AVBL
		Centre Line	
4	Secondary power supply including switch-over time;	Available / 15 SEC	
5	Remarks	NIL	

VILD AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VILD AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	ATZ: Circular area centered on 305109N 0755724E within a 5NM radius.
2	Vertical limits	3000 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Ludhiana TWR, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	NIL

VILD AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
TWR	Ludhiana TWR	119.450 MHZ	
TWR	Ludhiana TWR	124.300 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	Same as ATS	NIL
	AS ATS	BACKUP FREQ.

VILD AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	LNA	113.500 MHz CH82X	AS ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
305058.1N 0755749.4E	865 FT		

VILD AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VILD AD 2.21 NOISE ABATEMENT PROCEDURES

VILD AD 2.22 FLIGHT PROCEDURES

VILD AD 2.23 ADDITIONAL INFORMATION

VILD AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Praking/Docking Chart
3. Aerodrome Obstacle Chart Type A (operating Limitation) RWY 12
4. Aerodrome Obstacle Chart Type A (operating Limitation) RWY 30
5. VOR Procedure RWY 12
6. VOR Procedure RWY 30

VILD AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3