AD 2. AERODROMES

VOMD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOMD - MADURAI AIRPORT, MADURAI

VOMD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	095006N 0780519E MAG. BRG. 82.51 DEG 856M from physical extremity of RWY 09	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	195 DEG, 9 KM from Madurai Railway Station	
3	Aerodrome elevation and reference temperature	466 FT / 38.0 DEG C	
4	Magnetic variation, date of information and annual change	2.25 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Madurai Airport, Madurai - 625022	
		Telephone:	(91) 452 2690717 (91) 452 2690633 (91) 9442541413
		Fax:	(91) 4522690151 (91) 4522690305
		AFS:	VOMDYHYX
		Email:	apdmadurai@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM 08	

VOMD AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) Sat, Sun & Holidays : - NIL
2	Custom and immigration	AVBL
3	Health and sanitation	Available on demand
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	H24
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	As ATS
11	De-icing	NIL
12	Remarks	The ATS approved hourly RWY traffic handling capacity as follows: Maximum number of arrivals and departures -12 Maximum number of arrivals only -06 Maximum number of departures only -10

VOMD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Common User Domestic Cargo Terminal Available
2	Fuel and Oil types	ATF, K-50 NIL

3	Fuelling facilities and capacity	Indian oil corporation: 3 Bowsers (16000L, 11000L & 10000L) Reliance: 4 Bowsers (6000L, 6000L, 11000L & 18000L)
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VOMD AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city
2	Restaurant(s) at or in the vicinity of aerodrome	In the city
3	Transportation possibilities	Buses, Taxis during scheduled operations.
4	Medical Facilities	First aid at AD . Hospital in the city
5	Bank and post office at or in the vicinity of aerodrome	Banks: Bank at AD. from 0400 to 1230 UTC daily except Saturday, Sunday and Holiday. 24 HRS INDIAN BANK ATM in the Terminal Building. Post office: Airport Road, Perungudi Village, 1 KM from Airport.
6	Tourist office	Available
7	Remarks	NIL

VOMD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	CFT – 3 (Rosen Bauer) Ambulance - 3
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A320/B738. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3.The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome Coordinator: Airport Director, Madurai Contact: +91-9442541413, Email-apdmadurai@aai.aero
4	Remarks	NIL

VOMD AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	AD serviceable during all seasons.

VOMD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart

3	Location and elevation of altimeter checkpoints	Location At Aircraft Stands Elevation Stand No. Elevation 01-02 447 FT 03-07 444 FT
4	Location of VOR checkpoints	AT TWY A 095007.00N 0780526.62E Elevation: 449 FT Elevation in EGM 08
5	Position of INS checkpoints	NIL
6	Remarks	1. Coordinates of Taxi Holding Position i. TWY A: Coordinates: 095007.05174N 0780526.63143E ELEV: 449FT ii. TWY B: Coordinates: 095006.92606N 0780521.86239E ELEV: 449FT iii. TWY C: Coordinates: 095000.39798N 0780530.87025E ELEV: 449FT 2. Coordinates of RWY & Taxi Intersection i. TWY A: Coordinates: 095003.95520N 0780525.86500E ELEV: 452FT ii. TWY B & C: Coordinates: 095003.96240N 0780525.95500E ELEV: 452FT 3. Isolation Bay: Dimensions: 91MX76M PCN: 46 R/B/W/T Coordinates: 094958.08N 0780531.77E 4. All elevations in EGM08

VOMD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	TAXI Guidance lines, APRON Stand Markings, Nose wheel markings, Apron safety lines. PAX Boarding Bridge (PBB) and Advanced Visual Docking Guidance System (A-VDGS) available for PRKG stands 1 and 2.
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, Aiming point, Centreline, Edge Lights: Edge, THR and End. TWY Marking:Centreline, EDGE, Holding Positions Lights: Edge.
3	Stop bars (if any)	NIL
4	Remarks	NIL

VOMD AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	094956.6N 0780446.0E	496 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	094956.6N 0780444.6E	487 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094956.8N 0780443.9E	490 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	095004.8N 0780443.1E	480 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	095005.8N 0780442.7E	484 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094957.4N 0780443.1E	478 FT	NO	Group of Trees
27/TKOF 09/APCH	POLE	094957.0N 0780442.6E	477 FT	NO	Electric Pole
27/TKOF 09/APCH	TREE	094957.3N 0780442.1E	489 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094955.7N 0780441.8E	490 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094957.1N 0780441.1E	486 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	095003.3N 0780439.8E	504 FT	NO	Group of Coconut Trees
27/TKOF 09/APCH	BUILDING	094956.5N 0780440.6E	483 FT	NO	Building Top
27/TKOF 09/APCH	TREE	094955.8N 0780437.8E	510 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094956.2N 0780436.4E	504 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094957.2N 0780431.1E	501 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094957.0N 0780428.6E	511 FT	NO	Group of Trees
27/TKOF 09/APCH	OTHER	094956.0N 0780428.4E	505 FT	NO	Overhead Water Tank
27/TKOF 09/APCH	TREE	094957.1N 0780439.9E	486 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	095006.3N 0780432.7E	502 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	095004.8N 0780447.5E	476 FT	NO	Tree
27/TKOF 09/APCH	TREE	094956.8N 0780446.1E	480 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094957.2N 0780444.8E	482 FT	NO	Group of Trees
27/TKOF 09/APCH	OTHER	095004.4N 0780446.4E	467 FT	NO	Mobile Road Traffic (Road Elev. 137.263m+ 5.0m Mobile Traffic)
27/TKOF 09/APCH	POLE	094956.8N 0780444.3E	476 FT	NO	Electric Pole
27/TKOF 09/APCH	TREE	094956.6N 0780443.6E	487 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	094955.8N 0780440.3E	508 FT	NO	Building, Antenna Top: 154.70m, Sintex Tank Top: 145.03m, Building Top: 143.61m.
27/TKOF 09/APCH	TREE	094955.2N 0780439.7E	494 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094954.4N 0780438.4E	495 FT	NO	Tree
27/TKOF 09/APCH	POLE	094954.3N 0780438.1E	487 FT	NO	Pole Top
27/TKOF 09/APCH	TREE	094954.3N 0780436.9E	498 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	094955.2N 0780429.7E	509 FT	NO	Group of Coconut Trees
27/APCH 09/TKOF	OTHER	095002.1N 0780613.2E	448 FT	NO	Mobile Road Traffic (Road Elev. 131.7m + 5.0m Mobile Traffic)
27/APCH 09/TKOF	OTHER	095012.7N 0780613.3E	444 FT	NO	Mobile Road Traffic (Road Elev. 130.4m + 5.0m Mobile Traffic)
27/APCH 09/TKOF	OTHER	095007.5N 0780613.8E	445 FT	NO	Mobile Road Traffic (Road Elev. 130.6m + 5.0m Mobile Traffic)
27/APCH 09/TKOF	OTHER	095012.9N 0780614.4E	448 FT	NO	Mobile Road Traffic (Road Elev. 131.4m + 5.0m Mobile Traffic)
27/APCH 09/TKOF	OTHER	095002.0N 0780615.4E	451 FT	NO	Mobile Road Traffic (Road Elev 132.5m + 5.0m Mobile Traffic)
27/APCH 09/TKOF	TREE	095004.3N 0780617.2E	459 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095006.5N 0780617.4E	458 FT	NO	Tree
27/APCH 09/TKOF	TREE	095005.2N 0780617.6E	458 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095002.8N 0780618.4E	486 FT	NO	Group of Coconut Trees
27/APCH 09/TKOF	TREE	095004.0N 0780618.6E	462 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095002.9N 0780618.7E	487 FT	NO	Group of Coconut Trees
27/APCH 09/TKOF	TREE	095002.9N 0780619.7E	493 FT	NO	Coconut Tree
27/APCH 09/TKOF	TREE	095002.0N 0780620.0E	493 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095011.2N 0780632.7E	491 FT	NO	Group of Coconut Trees
27/APCH 09/TKOF	TREE	095012.3N 0780632.9E	491 FT	NO	Group of Coconut Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	095002.2N 0780614.0E	449 FT	NO	Security Hut No.01
27/APCH 09/TKOF	TREE	095003.2N 0780621.8E	480 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095002.5N 0780620.9E	489 FT	NO	Group of Coconut Trees
27/APCH 09/TKOF	TREE	095001.8N 0780618.2E	477 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095003.3N 0780614.6E	448 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095003.8N 0780614.6E	446 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095003.4N 0780616.9E	453 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095006.3N 0780620.2E	460 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	095012.3N 0780613.9E	446 FT	NO	Tree
27/APCH 09/TKOF	OTHER	095011.4N 0780610.2E	444 FT	NO	Mobile Road Traffic (Road Elev 130.41m + 5.0m Mobile Traffic)
27/APCH 09/TKOF	TREE	095013.0N 0780633.3E	489 FT	NO	Group of Coconut Trees
In circling area and at AD	BUILDING	094959.1N 0780503.9E	470 FT	NO	Security Hut
In circling area and at AD	TREE	094958.5N 0780501.2E	476 FT	NO	Group of Trees
In circling area and at AD	TREE	094957.9N 0780452.7E	464 FT	NO	Group of Trees
In circling area and at AD	ANTENNA	094958.5N 0780503.9E	496 FT	LGTD	DCWIS (MET Antenna), Lightning Arrester Top: 151.32m Obstruction Light Top: 150.47m Antenna Top: 150.26m.
In circling area and at AD	OTHER	094958.6N 0780503.5E	492 FT	NO	Mobile Road Traffic (Road Elev 144.87m + 5.0m Mobile Traffic)
In circling area and at AD	FENCE	094958.8N 0780503.5E	470 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	OTHER	094959.0N 0780503.3E	476 FT	NO	Mobile Road Traffic (Road Elev 140.14m + 5.0m Mobile Traffic)
In circling area and at AD	TREE	094958.3N 0780502.8E	480 FT	NO	Tree
In circling area and at AD	OTHER	094958.6N 0780456.1E	472 FT	NO	Mobile Road Traffic (Road Elev 138.79m + 5.0m Mobile Traffic)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	095006.2N 0780503.1E	475 FT	NO	Mobile Road Traffic (Road Elev 139.70m + 5.0m Mobile Traffic)
In circling area and at AD	FENCE	095005.8N 0780502.9E	468 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	OTHER	095005.6N 0780502.7E	476 FT	NO	Mobile Road Traffic (Road Elev 139.95m + 5.0m Mobile Traffic)
In circling area and at AD	TREE	095005.9N 0780501.3E	475 FT	NO	Group of Trees
In circling area and at AD	TREE	095006.0N 0780458.7E	485 FT	NO	Group of Trees
In circling area and at AD	TREE	095006.3N 0780456.9E	482 FT	NO	Group of Trees
In circling area and at AD	TREE	095005.6N 0780454.5E	476 FT	NO	Group of Trees
In circling area and at AD	OTHER	095004.7N 0780450.4E	466 FT	NO	Mobile Road Traffic (Road Elev 137.06m + 5.0m Mobile Traffic)
In circling area and at AD	TREE	094956.8N 0780503.3E	489 FT	NO	Tree
In circling area and at AD	TREE	095008.8N 0780501.9E	501 FT	NO	Group of Trees
In circling area and at AD	TREE	095006.6N 0780447.6E	496 FT	NO	Group of Trees
In circling area and at AD	TREE	095006.3N 0780445.0E	476 FT	NO	Group of Trees
In circling area and at AD	TREE	095007.1N 0780449.7E	498 FT	NO	Group of Trees
In circling area and at AD	TREE	094957.1N 0780457.8E	481 FT	NO	Group of Trees
In circling area and at AD	TREE	094957.0N 0780454.2E	484 FT	NO	Group of Trees
In circling area and at AD	TREE	094956.3N 0780448.2E	479 FT	NO	Group of Trees
In circling area and at AD	TREE	095006.2N 0780451.8E	477 FT	NO	Group of Trees
In circling area and at AD	OTHER	095002.0N 0780554.9E	451 FT	NO	GP DME Antenna Top
In circling area and at AD	OTHER	095002.1N 0780555.0E	488 FT	LGTD	GP Antenna, Lightning Arrester Top: 148.86m Obstruction Light Top: 148.69m Antenna Top: 148.48m.
In circling area and at AD	OTHER	095002.5N 0780557.3E	453 FT	NO	GP Monitor Antenna

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	ANTENNA	095009.8N 0780553.7E	468 FT	LGTD	DCWIS (Met Antenna), Lightning Arrester Top: 142.84m Obstruction Light Top:132.06m DGPS Top: 141.58m, Antenna Top: 141.32m.
In circling area and at AD	BUILDING	095001.9N 0780554.8E	450 FT	NO	New GP Hut
In circling area and at AD	TREE	094959.3N 0780607.0E	497 FT	NO	Group of Trees
In circling area and at AD	TREE	094959.8N 0780607.7E	507 FT	NO	Group of Trees
In circling area and at AD	TREE	095000.5N 0780609.1E	491 FT	NO	Group of Trees
In circling area and at AD	TREE	095001.4N 0780613.1E	463 FT	NO	Group of Trees
In circling area and at AD	TREE	094959.5N 0780619.9E	493 FT	NO	Group of Trees
In circling area and at AD	OTHER	095001.8N 0780612.2E	448 FT	NO	Mobile Road Traffic (Road Elev. 131.7m + 5.0m Mobile Traffic)
In circling area and at AD	TREE	095001.0N 0780618.2E	480 FT	NO	Group of Trees
In circling area and at AD	OTHER	095000.3N 0780554.5E	455 FT	NO	Mobile Road Traffic (Road Elev. 133.79m + 5.0m Mobile Traffic)
In circling area and at AD	TREE	094959.6N 0780555.6E	465 FT	NO	Tree
In circling area and at AD	OTHER	095000.5N 0780558.0E	455 FT	NO	Mobile Road Traffic (Road Elev. 133.63m + 5.0m Mobile Traffic)
In circling area and at AD	TREE	094959.9N 0780558.2E	464 FT	NO	Tree
In circling area and at AD	TREE	095000.6N 0780608.5E	492 FT	NO	Group of Trees
In circling area and at AD	TREE	094959.9N 0780609.5E	485 FT	NO	Group of Trees
In circling area and at AD	OTHER	095000.2N 0780525.0E	480 FT	NO	WDI (LGT.)
In circling area and at AD	OTHER	095006.2N 0780505.1E	466 FT	NO	Bird Scarcer Hut
In circling area and at AD	TREE	095005.2N 0780452.8E	468 FT	NO	Group of Trees
In circling area and at AD	TREE	095005.4N 0780455.7E	469 FT	NO	Group of Trees
In circling area and at AD	TREE	094958.3N 0780454.8E	479 FT	NO	Group of Trees
In circling area and at AD	SIGN	095004.9N 0780521.0E	457 FT	NO	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	095002.4N 0780521.2E	457 FT	NO	Sign Board
In circling area and at AD	SIGN	095000.5N 0780521.8E	463 FT	NO	Sign Board (Stop)
In circling area and at AD	SIGN	095001.4N 0780531.5E	451 FT	NO	Sign Board
In circling area and at AD	OTHER	095000.3N 0780532.8E	453 FT	NO	Apron Light
In circling area and at AD	OTHER	095013.5N 0780527.6E	548 FT	NO	Flood Light
In circling area and at AD	TREE	095007.0N 0780456.8E	487 FT	NO	Group of Trees
In circling area and at AD	TREE	094957.1N 0780513.2E	489 FT	NO	Tree
In circling area and at AD	OTHER	094959.7N 0780533.7E	454 FT	NO	Apron Light
In circling area and at AD	TREE	094959.2N 0780545.9E	469 FT	NO	Group of Trees
In circling area and at AD	TOWER	095142.9N 0780338.9E	623 FT	NO	Cell Phone Mast
In circling area and at AD	OTHER	095235.2N 0780408.6E	1088 FT	NO	Tree on Hill
In circling area and at AD	BUILDING	095235.2N 0780408.8E	1085 FT	NO	Mosque on Hill
In circling area and at AD	BUILDING	095235.6N 0780409.1E	1101 FT	NO	Watch Tower on Hill
In circling area and at AD	ANTENNA	095237.1N 0780409.4E	1077 FT	NO	Antenna on Hill
In circling area and at AD	OTHER	095646.9N 0780135.9E	1257 FT	NO	Tree on Hill

VOMD AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Madurai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	HO Aerodrome Meteorological Station - Madurai
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Chennai (VOMM) 9HR (00-09,03-12,06-15 and 09-18 UTC)
4	Availability of the trend forecast for the aerodrome and interval of issuance	Appended to METAR/SPECI
5	Information on how briefing and/or consultation is provided	Provided
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	AVBL.
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	VOMD Aerodrome Control and Approach Control

10	Additional information, e.g. concerning any limitation of service.	Documentation provided as and when requested (A/R).

VOMD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	85.80 DEG	2285 x 45 M	73/F/A/W/T Asphalt	THR: 095001.42N 0780451.03E RWY END: 095006.86N 0780605.80E
27	265.80 DEG	2285 x 45 M	73/F/A/W/T Asphalt	THR: 095006.70N 0780603.77E RWY END: 095001.42N 0780451.03E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 462.0FT TDZ: 466.0FT	-0.40%	60 x 45 M	247 x 150	2525 x 150 M
THR: 433.0FT TDZ: 441.0FT	0.40%	60 x 45 M	589 x 150	2525 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
150M x 90M			i. PCN from RWY 09 beginning to 460M: 94/F/A/ W/T and rest 1825M: 73/F/A/W/T. ii. All Elevation in EGM 08
150M x 90M			i. PCN from RWY27 beginning to 1825M: 73/F/A/ W/ T and rest 460M: 94/F/A/W/T ii. All Elevation in EGM 08

VOMD AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	2285	2532	2345	2285	

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
27	2285	2874	2345	2223	

VOMD AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (49.00FT)	
27	SALS 300 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (49.00FT)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2285 M 60 M White LIH	Red	Red 60 M	Cross Bar 30m
	2285 M 60 M White LIH	Red	Red 60 M	Cross Bar 30m

VOMD AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building FLG W&G EV 2 SEC As ATS HR
		IBN	----
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	One lighted,250M south from the point of intersection of RWY & TWY A.
		Anemometer	At tower building, Unlighted
3	Taxiway edge and taxiway centre line lights;	Edge	ALL TWY
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power supply to all lighting at AD. Switch over time 15 Sec.	
5	Remarks	NIL	

VOMD AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	
2	TLOF and/or FATO area elevation:	
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	
4	True bearings of FATO;	
5	Declared distances available	
6	Approach and FATO lighting;	
7	Remarks	Not established

VOMD AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 095006N 0780519E within a 13NM radius.
2	Vertical limits	5500 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	MADURAI TOWER, English
5	Transition altitude	6000 FT
6	Hours of applicability	HO
7	Remarks	Madurai Approach Control Unit is combined with Madurai Aerodrome Control Tower.

VOMD AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Madurai Tower	118.450 MHZ	
APP	Madurai Tower	122.800 MHZ	
TWR	MADURAI TOWER	118.450 MHZ	
TWR	MADURAI TOWER	122.800 MHZ	
ATIS	MADURAI INFO	128.850 MHZ	
ALRS	EMERG FREQ	121.500 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1.Back up 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Main 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	Alternate Frequency

Logon address, as appropriate	Hours of operation	Remarks
	AS ATS	NIL
	AS ATS	NIL
	As ATS	NIL

VOMD AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	IMDR	110.500 MHz	AS ATS
GP 27	IMDR	329.600 MHz	As ATS
DME ILS 27	IMDR	CH42X	AS ATS
DVOR/DME	MDI	116.100 MHz CH108X	H24
NDB	MD	400 kHz	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
095000.7N 0780441.0E			
095002.1N 0780555.0E			
095001.9N 0780554.9E	453 FT		i. Collocated with GP 27 ii. Elevation in EGM08
094951.5N 0780524.5E	500 FT		(I) CONTROLLING AUTHORITY: AIRPORTS AUTHORITYOFINDIA (II) GRAVITY MODEL: EGM-08 (III) DME COLOCATED WITH DVOR.
095031.8N 0780559.5E			

VOMD AD 2.20 LOCAL AERODROME REGULATIONS

1. PUSHBACK PROCEDURES

a. Pushback from Stand No. 1, 2 and 3:

i. Aircraft parked on stand no. 1, 2 and 3 shall be pushed back facing east onto apron taxilane 'A2', nose abeam stand no.9, to taxi out via TWY B1, TWY B.

ii. While aircraft is pushed back abeam stand 9, aircraft parked on stands 01, 02, 03 shall not be permitted to pushback facing east.

iii. Alternatively, aircraft parked on stand no 1 and 2 can be pushed back onto apron taxilane 'A2' facing west to taxi out via TWY B. Aircraft on Stand no. 3 will be allowed to pushback facing east only.

iv. Taxi clearance shall be given by the controller on completion of start-up based on prevailing traffic conditions. Any delay and departure sequence will be notified to aircraft by SMC.

b. Pushback from Stand No. 9,10,11:

i. Aircraft parked on stand no. 9, 10 and 11 shall be pushed back onto apron taxilane A2 facing east or west to taxi out via TWY A2, TWY B1,TWY B/TWY A2, TWY B.

ii. Nose facing direction shall be instructed by controller subject to prevailing traffic.

c. Pushback from Stand No.12:

i. Aircraft parked on Stand no.12 shall be pushed back onto TWY B facing southeast direction or west to taxi out via TWY B.

2. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VOMD AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOMD AD 2.22 FLIGHT PROCEDURES

NIL

VOMD AD 2.23 ADDITIONAL INFORMATION

a. Taxilane behind aircraft stands 12 to 9 and 1 to 3 is designated as TWY A2.

b. Taxilane behind aircraft parking stands 8 to 4 is designated as TWY A1.

c. Taxilane parallel to stand 8 and connecting taxilanes A2 and A1 is designated as TWY B1.

d. **Temporary Exemption Granted by DGCA:** DGCA India has granted temporary exemption vide Ref. No: AV.20025/34/2006-AL dated 29.12.2023 for non-compliant width of runway strip for RWY09/27 against provisions in CAR Section 4, Series B, Part I, Para 3.4.3 for the period up to 31.03.2025.

e. Runway Turn Pads, capable of handling B777-300 ER type of aircraft, provided at both ends of Runway for Special Operations with prior permission.

VOMD AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (13 June 2024)
2. Aircraft Parking/Docking Chart (13 June 2024)
3. Aerodrome Obstacle Chart Type – A (Operating Limitations) RWY 09 (03 October 2024)

4. Aerodrome Obstacle Chart Type – A (Operating Limitations) RWY 27 (03 October 2024)
5. VOR Procedure RWY 09 (17 April 2025)
6. VOR procedure RWY 27 (CAT A/B/C) (17 April 2025)
7. RNP Y Procedure RWY 09 (17 April 2025)
8. Coding Table - RNP Y Procedure RWY 09(17 April 2025)
9. RNP Procedure RWY 27 (17 April 2025)
10. Coding Table - RNP Procedure RWY 27(17 April 2025)

VOMD AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**