AD 2. AERODROMES

VOML AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOML - MANGALURU INTERNATIONAL AIRPORT, MANGALURU

VOML AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	125743N 0745323E MAG. BRG. 289.3DEG /697 M from physical extremity of RWY 24.	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	022 DEG, 13KM from Mangaluru	
3	Aerodrome elevation and reference temperature	318 FT / 34.8 DEG C	
4	Magnetic variation, date of information and annual change	1.86 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Chief Airport Officer, Mangaluru International Airport Limited, Kenjar, Bajpe P.O, Mangaluru - 574142,	
		Telephone:	(91) 824-2220400
		Fax:	91 8242254175
		AFS:	VOMLYHYX
		Email:	cao.mangaluruairport@adani.com
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	i.Aerodrome located on hilltop. Valleys 200 FT to 250 FT immediately beyond Runway End Safety Area. ii. Elevation in EGM08 iii. https://www.adani.com/mangaluru-airport	

VOML AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1300 UTC (0930-1830 IST), Sat 0400-0830 (0930-1400 IST) Sun/Holiday: Nil
2	Custom and immigration	H24
3	Health and sanitation	H-24 Doctor available on call basis & First Aid/ Medication Inspection Room available In terminal Building
4	AIS briefing office	Available during Watch Hrs of TWR
5	ATS reporting office (ARO)	Available during Watch Hrs of TWR
6	MET Briefing office	H24
7	Air Traffic Service	As per NOTAM
8	Fuelling	H24
9	Handling	Air India SATS and Bird GSEC
10	Security	H24
11	De-icing	NIL

12	Remarks	1. Non-sked flights to obtain positive clearance prior to departure due limited parking stands 2. The ATS APV hourly RWY TFC handling capacity is as FLW: MAX NR of ARR and DEP-18 MAX NR of ARR only -09 MAX NR of DEP only -12

VOML AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	1. Facilities: Integrated Cargo Terminal, Cold Storage Facility, Dangerous Goods Storage, Valuable & Vulnerable Cargo Storage, 24x7 Security. 2. Handling Equipment: Forklift (3T), Weighing Scales (30kg/2T/5T/10T), Hydraulic Pallet Trucks, Truck Docks, Dock Levelers, 4 Wheel Trolleys, Multilevel Racking Systems. 3. IT- Cargo application
2	Fuel and Oil types	JET A1 (ATF-K50)
3	Fuelling facilities and capacity	MgIAL: 04 Refuelers of capacity 16 KL each and 03 Refuelers of capacity 18 KL each. Fuel storage tank capacity 970 KL; 02 nos. of Above Ground Tank of 250 KL each, 02 nos. Semi Buried Tank of 200 KL each and 01 nos. of Underground Tank of 70 KL. Contact: +91 8050082358
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VOML AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city. Nearest at 4.5 km.
2	Restaurant(s) at or in the vicinity of aerodrome	At AD and in the city.
3	Transportation possibilities	Buses, Taxis and Car hire availble.
4	Medical Facilities	First aid at AD. Hospitals in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Union Bank of India, ATM and Foreign Exchange available 24 HR Post office: available
6	Tourist office	Nil
7	Remarks	NIL

VOML AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category.
3	Capability for removal of disabled aircraft	1. The critical Aircraft for the Airport is B767-400 2. Primary responsibility for removal of disabled aircraft removal rests with the concerned airline. 3. The airlines may contact ‘Aerodrome Coordinator for Disabled Aircraft Removal Operations’ for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Mr. Srikanth Tata, Head Operations +91 6359922151 email: srikanth.tata@adani.com
4	Remarks	Fire and Rescue CAT VIII AVBL with 1 HR PN

VOML AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	Manual sweeping
2	Clearance priorities	High Priority-available 24x7
3	Remarks	NIL

VOML AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

<table>
<tr><td>1</td><td>Designation, surface and strength of aprons</td><td colspan="3">Refer Aircraft Parking/Docking Chart</td></tr>
<tr><td>2</td><td>Designation, width, surface and strength of taxiways</td><td colspan="3">Refer Aircraft Parking/Docking Chart</td></tr>
<tr><td>3</td><td>Location and elevation of altimeter checkpoints</td><td colspan="3">Old Apron Elevation : 334.645 FT
New Apron Elevation : 288.713 FT</td></tr>
<tr><td>4</td><td>Location of VOR checkpoints</td><td colspan="3">S.No. Location Coordinates Elevation (FT)
1. TWY A 125744.54N 0745325.19E 337
2. TWY C 125739.79N 0745344.36E 310
3. TWY G9 125700.056N 0745237.850E 304</td></tr>
<tr><td>5</td><td>Position of INS checkpoints</td><td colspan="3">NIL</td></tr>
<tr><td>6</td><td>Remarks</td><td colspan="3">I. Coordinates of RWY Holding Position</td></tr>
<tr><td></td><td></td><td>TWY</td><td>Coordinates</td><td>Elevation (FT)</td></tr>
<tr><td></td><td></td><td>TWY C</td><td>125739.627N 0745344.368E</td><td>309</td></tr>
<tr><td></td><td></td><td>TWY D</td><td>125728.945N 0745325.495E</td><td>321</td></tr>
<tr><td></td><td></td><td>TWY G1</td><td>125706.184N 0745249.264E</td><td>305</td></tr>
<tr><td></td><td></td><td>TWY G9</td><td>125659.766N 0745238.032E</td><td>305</td></tr>
<tr><td></td><td></td><td colspan="3">II. Coordinates of RWY & Taxi Intersection</td></tr>
</table>

		TWY	**Coordinates**	**Elevation (FT)**
		TWY C	125736.035N 0745344.419E	310
		TWY D	125724.664N 0745325.583E	316
		TWY G1	125703.690N 0745250.835E	309
		TWY G9	125657.013N 0745239.764E	310
		III. Coordinates of Intermediate Holding Position		
		TWY	**Coordinates**	**Elevation (FT)**
		Intermediate Holding Position on TWY A	125743.681N 0745325.214E	338
		Intermediate Holding Position on TWY B	125743.772N 0745328.864E	335
		Intermediate Holding Position on TWY F	125741.889N 0745333.363E	328
		Intermediate Holding Position on TWY H	125744.148N 0745318.999E	334
		Intermediate Holding Position on TWY E	125659.219N 0745228.402E	295
		Intermediate Holding Position on TWY D	125739.323N 0745325.299E	336
		Intermediate Holding Position on TWY G	125703.866N 0745239.561E	300
		Intermediate Holding Position on TWY J	125733.436N 0745328.527E	323
		IV. Elevations in EGM08		

VOML AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Illuminated stand identification boards displaying stand number and stand co-ordinates are available in new apron for stands 5 to 16. Parking stand number 13 does not exist; along with the ground markings. AVDGS is available for Stand 5, 6, 7, 8, 9 and 10. Aircraft stands 1 to 4 in old apron are provided with the ground markings. Taxiway signs are provided on all TWY intersections and straight sections.
2	Runway and taxiway markings and lights	RWY Markings: Designator, THR, TDZ, Aiming point, Centreline, Transverse strip, RWY 24 Turn Pad Marking. Side Stripe. Lights: THR, EDGE (Except TWY H) and END, Runway 24 Threshold Identification Lights; Runway Centreline Lights TWY Marking: Centreline, RWY holding position, Intermediate holding position Edge and Enhanced TWY Centreline marking. Lights: Edge (Except TWY H)
3	Stop bars (if any)	NIL

4	Remarks	i. Configuration A Runway guard lights are available at Runway holding position on TWY G1,G9, C and D. ii. Aircraft to the Isolation Bay, (located at the end of TWY P) will be positioned only with the Follow me assistance.

VOML AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
24/APCH 06/TKOF	POLE	125824.6N 0745543.4E	466 FT	NIL	Electric Pole
24/APCH 06/TKOF	POLE	125825.3N 0745546.3E	468 FT	NIL	Electric Pole
24/APCH 06/TKOF	POLE	125824.5N 0745547.7E	473 FT	NIL	Electric Pole
24/APCH 06/TKOF	POLE	125824.2N 0745549.2E	471 FT	NIL	Electric Pole
24/TKOF 06/APCH	TREE	125649.9N 0745234.1E	322 FT	NIL	Group of trees
24/TKOF 06/APCH	TREE	125650.0N 0745234.4E	322 FT	NIL	Group of trees
24/TKOF 06/APCH	TREE	125649.9N 0745235.0E	326 FT	NIL	Group of trees
24/APCH 06/TKOF	TREE	125735.7N 0745351.3E	330 FT	NIL	Group of Trees (Reduced)
24/APCH 06/TKOF	TREE	125735.4N 0745350.9E	330 FT	NIL	Group of Trees
24/APCH 06/TKOF	OTHER	125823.8N 0745548.7E	474 FT	NIL	Water Tank
24/TKOF 06/APCH	OTHER	125650.5N 0745233.9E	325 FT	NIL	Mobile Road Traffic (Road Elev.=94.18 M + 5m Mobile Traffic)
24/TKOF 06/APCH	OTHER	125650.4N 0745235.3E	324 FT	NIL	Mobile Road Traffic (Road Elev.=93.88 M + 5m Mobile Traffic)
24/APCH 06/TKOF	TREE	125822.0N 0745545.0E	467 FT	NIL	Group Of Trees
24/APCH 06/TKOF	TREE	125824.4N 0745548.1E	476 FT	NIL	Tree
24/APCH 06/TKOF	TREE	125746.0N 0745350.1E	336 FT	NIL	Group Of Trees
24/APCH 06/TKOF	TREE	125734.9N 0745350.5E	315 FT	NIL	Group Of Trees
24/TKOF 06/APCH	TREE	125649.7N 0745235.6E	320 FT	NIL	Group Of Trees
24/TKOF 06/APCH	TREE	125650.0N 0745235.4E	324 FT	NIL	Group Of Trees
24/TKOF 06/APCH	TREE	125650.1N 0745235.2E	324 FT	NIL	Group Of Trees
24/TKOF 06/APCH	TREE	125650.2N 0745234.1E	323 FT	NIL	Group Of Trees
24/TKOF 06/APCH	TREE	125650.2N 0745233.8E	325 FT	NIL	Group of trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
24/APCH 06/TKOF	POLE	125823.6N 0745548.6E	481 FT	NIL	Electric pole
24/APCH 06/TKOF	TREE	125826.5N 0745536.8E	482 FT	NIL	Group Of Tree
24/APCH 06/TKOF	TREE	125826.8N 0745543.4E	476 FT	NIL	Group Of Tree
In circling area and at AD	BUILDING	125721.6N 0745327.2E	328 FT	NIL	Building Top
In circling area and at AD	BUILDING	125732.0N 0745344.5E	316 FT	NIL	Building Top
In circling area and at AD	BUILDING	125721.2N 0745326.3E	328 FT	NIL	Building Top
In circling area and at AD	BUILDING	125741.9N 0745601.9E	489 FT	NIL	Building, Lightning Arrester Top - 148.98 M, Sintex Tank Top - 147.81 M, Staircase Room Top - 146.00 M, Building Top - 143.61 M.
In circling area and at AD	BUILDING	125823.6N 0745551.4E	482 FT	LGTD	Building, Obstruction Light Top - 146.97 M, Pillar Top - 145.28 M, Building Top - 144.63 M.
In circling area and at AD	BUILDING	125740.7N 0745606.9E	513 FT	NIL	Boat Flat, Shed Top - 156.35 M, Design Top - 154.39 M, Building Top - 152.11 M.
In circling area and at AD	OTHER	125727.1N 0745545.0E	554 FT	NIL	Cellphone Mast(Airtel), Lightning Arrester Top - 168.73 M, Cellphone Mast Top - 167.20 M. (Reduced)
In circling area and at AD	TRANSMISSION LINE	125534.5N 0745325.2E	471 FT	NIL	Pylon Mast
In circling area and at AD	POLE	125823.7N 0745549.2E	476 FT	NIL	Electric Pole
In circling area and at AD	TREE	125721.1N 0745325.6E	346 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125721.0N 0745325.8E	355 FT	NIL	Tree
In circling area and at AD	TREE	125720.9N 0745326.2E	349 FT	NIL	Group of trees
In circling area and at AD	TREE	125721.1N 0745326.9E	363 FT	NIL	Tree
In circling area and at AD	TREE	125721.5N 0745326.6E	352 FT	NIL	Group of trees
In circling area and at AD	TREE	125722.1N 0745327.5E	366 FT	NIL	Group of trees
In circling area and at AD	TREE	125722.4N 0745328.4E	384 FT	NIL	Group of trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	125722.9N 0745328.9E	379 FT	NIL	Group of trees
In circling area and at AD	TREE	125723.6N 0745329.2E	363 FT	NIL	Group of trees
In circling area and at AD	TREE	125722.8N 0745328.3E	362 FT	NIL	Group of Trees
In circling area and at AD	TREE	125722.3N 0745327.6E	352 FT	NIL	Group of trees
In circling area and at AD	TREE	125703.7N 0745303.9E	351 FT	NIL	Group of trees
In circling area and at AD	TREE	125702.3N 0745301.4E	348 FT	NIL	Group of Trees
In circling area and at AD	TREE	125702.4N 0745300.3E	345 FT	NIL	Group of Trees
In circling area and at AD	TREE	125701.6N 0745259.8E	347 FT	NIL	Group of Trees
In circling area and at AD	TREE	125702.3N 0745259.7E	330 FT	NIL	Group of Trees
In circling area and at AD	TREE	125701.8N 0745259.4E	343 FT	NIL	Group of Trees
In circling area and at AD	TREE	125701.6N 0745259.5E	341 FT	NIL	Group of trees
In circling area and at AD	TREE	125745.6N 0745347.5E	342 FT	NIL	Tree
In circling area and at AD	TREE	125724.7N 0745331.8E	354 FT	NIL	Group of Trees
In circling area and at AD	TREE	125725.0N 0745332.1E	338 FT	NIL	Group of Trees
In circling area and at AD	TREE	125725.4N 0745332.6E	346 FT	NIL	Group of Trees
In circling area and at AD	TREE	125725.3N 0745332.8E	350 FT	NIL	Group of Trees
In circling area and at AD	TREE	125725.5N 0745333.2E	341 FT	NIL	Group of Trees
In circling area and at AD	TREE	125725.8N 0745333.4E	334 FT	NIL	Group of Trees (Reduced)
In circling area and at AD	TREE	125726.5N 0745334.8E	346 FT	NIL	Group of trees
In circling area and at AD	TREE	125726.4N 0745335.1E	351 FT	NIL	Group of trees
In circling area and at AD	TREE	125726.6N 0745335.0E	348 FT	NIL	Group of Trees
In circling area and at AD	TREE	125728.7N 0745338.5E	356 FT	NIL	Group of trees
In circling area and at AD	TREE	125732.0N 0745345.6E	352 FT	NIL	Group of trees
In circling area and at AD	TREE	125733.5N 0745347.0E	331 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125733.0N 0745346.9E	336 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125732.1N 0745346.5E	332 FT	NIL	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	125731.8N 0745347.0E	351 FT	NIL	Group of trees
In circling area and at AD	TREE	125731.8N 0745348.5E	347 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125731.4N 0745349.8E	349 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125733.1N 0745346.2E	329 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125732.2N 0745345.8E	343 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125732.0N 0745345.4E	353 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125732.4N 0745344.9E	333 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125731.6N 0745344.7E	352 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125732.1N 0745344.4E	341 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125729.3N 0745342.5E	361 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125728.9N 0745341.7E	358 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125718.7N 0745322.9E	345 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125719.1N 0745322.5E	339 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125718.6N 0745321.9E	352 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125718.5N 0745321.5E	338 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125717.3N 0745320.1E	325 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125717.1N 0745319.6E	316 FT	NIL	Group Of Trees (Reduced)
In circling area and at AD	TREE	125822.2N 0745547.7E	470 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125821.8N 0745545.7E	473 FT	NIL	Group Of Trees
In circling area and at AD	STACK	130935.0N 0744800.0E	991 FT	NIL	Chimney
In circling area and at AD	OTHER	125523.1N 0745402.7E	571 FT	NIL	Doordarshan Tower
In circling area and at AD	SIGN	125742.1N 0745345.1E	313 FT	NIL	Sign Board
In circling area and at AD	SIGN	125739.6N 0745343.5E	312 FT	NIL	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	125732.0N 0745314.9E	428 FT	LGTD	ATC Tower, Lightning Arrester Top - 130.39 M, Obstruction Light Top - 127.89 M, Obstruction Light Top - 127.87 M, Antenna Top - 126.90 M, Antenna Top - 126.90 M, ATC Tower Top - 124.93 M.
In circling area and at AD	OTHER	125733.5N 0745333.8E	339 FT	LGTD	Wind Sock, Obstruction Light Top - 103.29 M, Wind Sock Top - 102.93 M.
In circling area and at AD	OTHER	125733.4N 0745332.8E	326 FT	NIL	Transmissometer
In circling area and at AD	OTHER	125733.9N 0745333.6E	326 FT	NIL	Transmissometer
In circling area and at AD	OTHER	125733.8N 0745333.1E	349 FT	NIL	Lightning Arrester Top
In circling area and at AD	NAVAID	125735.0N 0745334.9E	368 FT	NIL	GP Antenna, Lightning Arrester Top - 112.20 M, GP Antenna Top - 110.89 M
In circling area and at AD	OTHER	125734.9N 0745334.2E	326 FT	NIL	Bird Watcher Hut
In circling area and at AD	BUILDING	125735.2N 0745334.7E	333 FT	NIL	GP Hut, Antenna Top - 101.51 M, Hut Top - 99.75 M.
In circling area and at AD	NAVAID	125736.2N 0745336.9E	331 FT	NIL	GP Monitor Antenna Top
In circling area and at AD	ANTENNA	125733.9N 0745333.6E	339 FT	NIL	Met Antenna, Wind Speed Indicator - 103.48 M, Wind Direction Indicator - 103.43 M, Antenna Top - 103.25 M.
In circling area and at AD	SIGN	125732.6N 0745329.0E	325 FT	NIL	Sign Board
In circling area and at AD	SIGN	125727.6N 0745328.1E	320 FT	NIL	Sign Board
In circling area and at AD	SIGN	125729.1N 0745326.3E	323 FT	NIL	Sign Board
In circling area and at AD	SIGN	125729.1N 0745324.4E	323 FT	NIL	Sign Board
In circling area and at AD	SIGN	125728.9N 0745324.5E	323 FT	NIL	Sign Board
In circling area and at AD	SIGN	125723.9N 0745321.9E	316 FT	NIL	Sign Board
In circling area and at AD	SIGN	125711.1N 0745306.1E	311 FT	NIL	Sign Board
In circling area and at AD	SIGN	125705.9N 0745257.5E	312 FT	NIL	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	125711.8N 0745301.4E	311 FT	NIL	Sign Board
In circling area and at AD	SIGN	125717.0N 0745310.0E	311 FT	NIL	Sign Board
In circling area and at AD	SIGN	125706.3N 0745252.9E	311 FT	NIL	Sign Board
In circling area and at AD	OTHER	125714.6N 0745314.5E	317 FT	NIL	Bird Scarer Hut
In circling area and at AD	OTHER	125714.4N 0745314.0E	312 FT	NIL	Spot Elevation
In circling area and at AD	OTHER	125711.8N 0745316.2E	335 FT	NIL	Watch Tower
In circling area and at AD	SIGN	125657.7N 0745238.6E	311 FT	NIL	Sign Board
In circling area and at AD	OTHER	125654.9N 0745241.8E	326 FT	LGTD	Wind Sock, Obstruction Light Top - 99.51 M, Wind Sock Top - 99.20 M.
In circling area and at AD	OTHER	125654.8N 0745242.4E	311 FT	NIL	Bird Scarer Hut
In circling area and at AD	SIGN	125655.5N 0745240.2E	312 FT	NIL	Sign Board
In circling area and at AD	SIGN	125701.4N 0745244.2E	311 FT	NIL	Sign Board
In circling area and at AD	SIGN	125700.7N 0745248.9E	313 FT	NIL	Sign Board
In circling area and at AD	SIGN	125721.1N 0745325.1E	318 FT	NIL	Sign Board
In circling area and at AD	GATE	125720.4N 0745324.1E	320 FT	NIL	Gate
In circling area and at AD	FENCE	125720.3N 0745324.0E	320 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	FENCE	125721.5N 0745326.1E	326 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	FENCE	125723.4N 0745329.2E	327 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	FENCE	125727.6N 0745336.7E	319 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	OTHER	125725.5N 0745332.7E	325 FT	NIL	Bird Watcher Hut
In circling area and at AD	OTHER	125723.5N 0745329.2E	327 FT	NIL	Security Hut
In circling area and at AD	NAVAID	125735.1N 0745334.9E	331 FT	NIL	GP DME Antenna Top
In circling area and at AD	OTHER	125701.5N 0745257.6E	325 FT	NIL	Mobile Road Traffic (Road Elev.=94.16 M + 5m Mobile Traffic)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	125714.4N 0745314.3E	326 FT	NIL	Mobile Road Traffic (Road Elev.=94.37 M + 5m Mobile Traffic)
In circling area and at AD	OTHER	125721.3N 0745325.4E	330 FT	NIL	Mobile Road Traffic (Road Elev.=95.59 M + 5m Mobile Traffic)
In circling area and at AD	OTHER	125723.7N 0745329.2E	335 FT	NIL	Mobile Road Traffic (Road Elev.=97.08 M + 5m Mobile Traffic)
In circling area and at AD	OTHER	125725.8N 0745332.8E	335 FT	NIL	Mobile Road Traffic (Road Elev.=97.03 M + 5m Mobile Traffic)
In circling area and at AD	SIGN	125727.3N 0745335.9E	317 FT	NIL	Sign Board
In circling area and at AD	GATE	125714.7N 0745315.1E	313 FT	NIL	Gate - 06
In circling area and at AD	FENCE	125719.7N 0745323.1E	315 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	OTHER	125727.2N 0745321.8E	317 FT	NIL	Landing-T Top
In circling area and at AD	OTHER	125730.5N 0745337.7E	316 FT	NIL	PAPI
In circling area and at AD	OTHER	125730.3N 0745337.8E	316 FT	NIL	PAPI
In circling area and at AD	OTHER	125730.0N 0745338.0E	316 FT	NIL	PAPI
In circling area and at AD	OTHER	125729.8N 0745338.2E	316 FT	NIL	PAPI
In circling area and at AD	OTHER	125703.1N 0745247.5E	311 FT	NIL	PAPI
In circling area and at AD	OTHER	125703.4N 0745247.4E	311 FT	NIL	PAPI
In circling area and at AD	OTHER	125703.6N 0745247.2E	311 FT	NIL	PAPI
In circling area and at AD	OTHER	125703.9N 0745247.1E	311 FT	NIL	PAPI
In circling area and at AD	ANTENNA	125734.0N 0745333.3E	339 FT	NIL	Met Antenna, Lightning Arrester Top - 103.32 M, Antenna Top - 102.48 M.
In circling area and at AD	BUILDING	125729.8N 0745540.1E	483 FT	NIL	Our Lady Of Pompei Church, Lightning Arrester Top - 147.07 M, Cross Top - 145.94 M, Chruch Top - 142.95.
In circling area and at AD	BUILDING	125723.1N 0745329.7E	337 FT	NIL	Building, Sintex Tank Top - 102.72 M, Building Top - 101.22 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	125722.1N 0745328.4E	333 FT	NIL	Building Top
In circling area and at AD	STACK	125751.8N 0745601.8E	490 FT	NIL	Ganesh Tiles Work, Chimney
In circling area and at AD	OTHER	125742.4N 0745603.1E	516 FT	NIL	Cellphone Mast(Vi) Top
In circling area and at AD	POLE	125822.2N 0745548.4E	467 FT	NIL	Electric Pole
In circling area and at AD	POLE	125822.2N 0745548.7E	470 FT	NIL	Electric Pole
In circling area and at AD	POLE	125822.4N 0745549.6E	470 FT	NIL	Electric Pole
In circling area and at AD	OTHER	125823.3N 0745551.0E	474 FT	NIL	Electric Transformer
In circling area and at AD	POLE	125719.7N 0745324.6E	321 FT	NIL	Electric Pole
In circling area and at AD	SIGN	125729.1N 0745326.5E	322 FT	NIL	Sign Board
In circling area and at AD	SIGN	125739.6N 0745343.5E	311 FT	NIL	Sign Board
In circling area and at AD	SIGN	125739.6N 0745343.4E	312 FT	NIL	Sign Board
In circling area and at AD	SIGN	125736.1N 0745341.4E	313 FT	NIL	Sign Board
In circling area and at AD	ANTENNA	125734.1N 0745333.6E	323 FT	NIL	Met Antenna Top
In circling area and at AD	FENCE	125726.9N 0745335.1E	323 FT	NIL	Airport Boundary Wall With Fencing Top
In circling area and at AD	FENCE	125724.9N 0745331.6E	326 FT	NIL	Airport Boundary Wall With Fencing Top
In circling area and at AD	OTHER	125735.6N 0745346.0E	312 FT	NIL	Electrical Junction Box
In circling area and at AD	OTHER	125735.6N 0745346.0E	312 FT	NIL	Electrical Junction Box
In circling area and at AD	FENCE	125731.0N 0745342.3E	314 FT	NIL	Safety Sheet Boundary Wall With Fencing On Top
In circling area and at AD	FENCE	125730.0N 0745340.4E	315 FT	NIL	Safety Sheet Boundary Wall With Fencing On Top
In circling area and at AD	FENCE	125720.6N 0745324.5E	323 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	SIGN	125731.9N 0745340.5E	315 FT	NIL	Sign Board
In circling area and at AD	SIGN	125726.7N 0745331.9E	320 FT	NIL	Sign Board
In circling area and at AD	SIGN	125721.5N 0745323.3E	316 FT	NIL	Sign Board
In circling area and at AD	SIGN	125716.3N 0745314.7E	311 FT	NIL	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	125732.6N 0745335.8E	316 FT	NIL	Sign Board
In circling area and at AD	SIGN	125727.4N 0745327.2E	320 FT	NIL	Sign Board
In circling area and at AD	SIGN	125722.2N 0745318.6E	314 FT	NIL	Sign Board
In circling area and at AD	SIGN	125706.6N 0745252.8E	311 FT	NIL	Sign Board
In circling area and at AD	SIGN	125703.1N 0745247.6E	312 FT	NIL	Sign Board
In circling area and at AD	FENCE	125714.6N 0745314.8E	316 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	FENCE	125712.3N 0745315.9E	325 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	ANTENNA	125712.9N 0745312.8E	312 FT	NIL	RVR Antenna Top
In circling area and at AD	OTHER	125705.4N 0745304.0E	328 FT	NIL	Mobile Road Traffic (Road Elev.=94.88 M + 5m Mobile Traffic)
In circling area and at AD	OTHER	125707.8N 0745309.5E	336 FT	NIL	Mobile Road Traffic (Road Elev.=97.32 M + 5m Mobile Traffic)
In circling area and at AD	ANTENNA	125656.5N 0745245.8E	337 FT	LGTD	Met Antenna, Lightning Arrester Top - 102.79 M, Antenna Top - 102.06 M, Obstruction Light Top - 101.98 M.
In circling area and at AD	SIGN	125714.2N 0745314.6E	314 FT	NIL	Sign Board
In circling area and at AD	TREE	125724.9N 0745545.8E	484 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125724.5N 0745545.9E	472 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125724.8N 0745546.0E	473 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125726.5N 0745544.3E	483 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125725.5N 0745543.9E	467 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125727.5N 0745542.7E	489 FT	NIL	Group Of Coconut Trees
In circling area and at AD	TREE	125728.7N 0745542.0E	490 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125725.2N 0745545.7E	478 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125727.8N 0745544.2E	500 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125821.3N 0745549.9E	482 FT	NIL	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	125822.1N 0745549.6E	479 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125823.7N 0745550.1E	473 FT	NIL	Mango Tree
In circling area and at AD	TREE	125821.9N 0745551.7E	482 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125822.3N 0745553.1E	486 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125820.3N 0745549.2E	486 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125728.4N 0745540.2E	481 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125727.7N 0745540.2E	470 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125745.6N 0745348.5E	339 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125728.6N 0745338.9E	369 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125728.4N 0745340.6E	368 FT	NIL	Group Of Coconut Trees
In circling area and at AD	TREE	125729.2N 0745340.0E	356 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125728.9N 0745341.2E	359 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125730.8N 0745345.5E	359 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125727.2N 0745336.6E	357 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125727.1N 0745336.0E	356 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125726.8N 0745335.3E	337 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125726.2N 0745335.6E	353 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125726.1N 0745333.8E	331 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125724.6N 0745331.6E	358 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125734.1N 0745351.5E	340 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125731.6N 0745347.6E	353 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125729.4N 0745346.7E	364 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125731.0N 0745346.0E	355 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125730.0N 0745346.0E	359 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125729.4N 0745346.7E	364 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125731.8N 0745344.3E	351 FT	NIL	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	125724.9N 0745332.0E	347 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125722.4N 0745330.5E	372 FT	NIL	Coconut Tree
In circling area and at AD	TREE	125723.2N 0745329.0E	370 FT	NIL	Mango Tree
In circling area and at AD	TREE	125719.5N 0745323.2E	331 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125719.1N 0745323.5E	334 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125719.1N 0745323.8E	337 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125721.1N 0745325.9E	356 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125732.1N 0745346.2E	338 FT	NIL	Group Of Trees
In circling area and at AD	POLE	125823.5N 0745549.8E	475 FT	NIL	Electric Pole
In circling area and at AD	POLE	125823.3N 0745550.7E	474 FT	NIL	Electric Pole
In circling area and at AD	TREE	125821.5N 0745548.9E	494 FT	NIL	Group Of Trees
In circling area and at AD	TREE	125821.5N 0745548.5E	489 FT	NIL	Group Of Trees
In circling area and at AD	BUILDING	125748.1N 0745548.8E	473 FT	NIL	Building
In circling area and at AD	BUILDING	125748.6N 0745556.0E	467 FT	NIL	Sintex On Building (Building Top 140.7m)
In circling area and at AD	TREE	125726.0N 0745543.6E	474 FT	NIL	Group Of Tree
In circling area and at AD	BUILDING	125722.8N 0745330.1E	334 FT	NIL	BUILDING TOP
In circling area and at AD	OTHER	125723.0N 0745328.9E	328 FT	NIL	HUT
In circling area and at AD	BUILDING	125722.8N 0745328.6E	335 FT	NIL	BUILDING TOP
In circling area and at AD	SIGN	125723.9N 0745321.9E	316 FT	NIL	Sign Board

VOML AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMS MANGALURU
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	BENGALURU 30 Hrs [06-12, 12-18, 18-24, 00-06] 09 Hrs [03-12, 06-15, 09-18, 12-21, 15-24, 18-03, 21-06, 00-09]
4	Availability of the trend forecast for the aerodrome and interval of issuance	H24 Half Hourly

5	Information on how briefing and/or consultation is provided	OLBS
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	1. Climatological Table (1971 - 2000) 2. Aeronautical Climatological Tables (2015 - 2019) 3. Normal dates of Onset and Withdrawal of SW Monsoon 4. INSAT picture 5. Local forecast VOML 6. Daily weather data 7. Digital Display System for Met Briefing
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	A) DRISHTI Transmissometer for RVR, AWOS, DCWIS METLOG 4A for Current Weather Data and LASER Ceilometer for Cloud Ceiling Data at RWY 24 TDZ B) Forward Scatter Meter (FSM) for RVR at RWY 24 MID C) Forward Scatter Meter (FSM) for RVR and DCWIS METLOG 4A for Current Weather Data at RWY 24 END.
9	The air traffic services unit(s) provided with meteorological information	Mangaluru ATC and CNS
10	Additional information, e.g. concerning any limitation of service.	Instantaneous RVR available for RWY 24 TDZ, RWY 06/24 MID and RWY 24 END (RWY 06 Beginning). Head wind, Tail wind and Cross wind components available for both end of the Runway 06/24. INSTR RVR for RWY06 (RWY24 END) And MID RWY24/06 AVBL for OPS. in ADDN for RWY06 (RWY24 END) digital current WX INSTR system data is AVBL for OPS

VOML AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCR) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
06	58.39 DEG	2330 x 45 M	833/F/B/W/T Asphalt	THR: 125656.80N 0745239.42E RWY END: 125736.55N 0745345.27E
24	238.39 DEG	2330 x 45 M	833/F/B/W/T Asphalt	THR: 125736.55N 0745345.27E RWY END: 125656.80N 0745239.42E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 309.0FT TDZ: 309.0FT	0.00%	NIL	NIL	2450 x 150 M
THR: 310.0FT TDZ: 312.0FT	0.00%	NIL	NIL	2450 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M		NIL	i. Runway Longitudinal Slope 0-583M: 0.407% 560M-1175M: 0.383% 1175M - 2330M; 0.024% ii. Vertical Datum: EGM 08
240M x 90M		NIL	i. Runway Longitudinal Slope 0-1165M: 0.005% 1165M-1747M: 0.432% 1747M - 2330M: 0.407% ii. Vertical Datum: EGM 08

VOML AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
06	2330	2330	2330	2330	
24	2330	2330	2330	2330	NIL

VOML AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
06	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (50.44FT)	NIL
24	CAT I 914 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (49.96FT)	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
2330 M 30 M LIH White	2330 M 60 M White LIH	Red		i. RWY Edge Lights from threshold to the point 600M from RWY END - Variable White; Last 600M - Yellow. ii. RWY Centreline Light White, Last 300M Red, Between last 300 M to Last 900 M alternate Red and White iii. Wing Bars - Not Available.
2330 M 30 M LIH White	2330 M 60 M White LIH	Red		i. RWY Edge Lights from threshold to the point 600M from RWY END - Variable White; Last 600M - Yellow. ii. RWY Centerline Light White, Last 300M Red, between last 300 M to Last 900 M alternate Red and White iii. RWY Turn pad edge lights and flashing Runway Threshold Identification Lights (RTIL) are provided iv. Wing Bars - Not Available.

VOML AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	TOP OF CTL TWR WITH GREEN AND WHITE FLASHES. TOTAL 28 FLASHES PER MIN.
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	in front of ATC TWR Lighted
		Anemometer	Located at MET park near TDZ RWY 24
3	Taxiway edge and taxiway centre line lights;	Edge	All TWY (Except TWY H)
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Secondary Power supply to all lighting at AD. Secondary Power supply switchover time less than one sec for both Primary and Secondary circuits of RWY24/06 THR/Edge/End light, PAPI 24 and PAPI 06, SALS RWY24 and RWY06, TWY light C and D	
5	Remarks	DG power Supply for other circuits with Switch over of 15 sec	

VOML AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VOML AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 125743N 0745323E within a 12NM radius.
2	Vertical limits	5500 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Mangaluru Tower / Mangaluru Approach, English
5	Transition altitude	9000 FT
6	Hours of applicability	H24
7	Remarks	NIL

VOML AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Mangaluru Approach	122.100 MHZ	
APP	Mangaluru Approach	123.850 MHZ	
APP	Mangaluru Approach	125.050 MHZ	
TWR	Mangaluru Tower	118.750 MHZ	
TWR	Mangaluru Tower	122.100 MHZ	
ATIS	Mangaluru Information	126.250 MHZ	
RADAR	Mangaluru Radar	127.550 MHZ	
RADAR	Mangaluru Radar	128.700 MHZ	
SMC	---	121.600 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	As ATS	NIL
	As ATS	STANDBY
	AS ATS	NIL
	AS ATS	STAND BY
	As ATS	Emergency Frequency121.5 MHz

Logon address, as appropriate	Hours of operation	Remarks
	AS ATS	NIL
	As ATS	NIL
	As ATS	(Stand by freq.)
	As ATS	NIL

VOML AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 24 CAT I	IMNG	110.100 MHz	H24
GP 24		334.400 MHz	H24
DME ILS 24	IMNG	CH38X	H24
DVOR/DME	MML	114.200 MHz CH89X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
125650.7N 0745229.4E			
125735.0N 0745334.9E			GP ANGLE 3 DEG
125735.2N 0745334.9E	331 FT		i. Collocated with GP ii. Elevations in EGM08
125705.8N 0745307.7E	333 FT		

VOML AD 2.20 LOCAL AERODROME REGULATIONS

1. New Apron is not visible from Tower. Pilots should exercise caution when manoeuvring on the Apron due to the proximity of other aircraft, ground staff and equipment. Engine power should be restricted to the minimum required, to reduce the adverse effect of jet blast.
2. Entry into parking stands 5 to 16 will be through TWY 'E' and these stands are power in pushback. Parking stand number 13 does not exist.
3. Stands 8, 9, 10 are Mars-Multiple Aircraft Ramp System-type and the pattern of Taxi lead in lines require nose wheel steering while taxi into stand.
4. Advanced Visual Docking Guidance System (AVDGS) is available for stands 5, 6, 7, 8, 9 and 10. For all other stands marshalling service will be provided by operator/ ground handling agency.
5. Non-standard parking not allowed. No aircraft shall be parked beyond clear lines.
6. Only Idle Power Engine run is permitted on parking stands agency shall exercise all necessary ground precautions.
7. Simultaneous Push-back from adjacent Stands not permitted.
8. For Traffic planning requirements the estimated time for completion of pushback is 4 min and for engine start 2 min. Any delay shall be communicated to ATC.
9. Code D aircraft from stand 8 shall not push back beyond stop line near stand 7.
10. All aircraft proceeding to stands 5 to 16 to follow appropriate Stand lead-in lines from aircraft stand taxi lane. Parking stand number 13 does not exist.
11. Code D aircraft is not permitted on aircraft stand taxi lane west of stop line near Stand 7.
12. Code C aircrafts (A320, A321, B737 and Turbo prop) pushing back from Stand 5 and 6 shall be pulled forward abeam Stand 7 tow bar disconnection point for startup and thereafter TWY “E”.
13. Single engine run up on Idle power at stand will be permitted based on the request from the pilot and confirmation of adherence to all required ground safety measures by the aircraft operator. Overall responsibility rests with Aircraft operator.
14. Except Turboprop aircraft landing and Takeoff for aircraft code C & code D is not permitted on RWY 06/24 during RWY surface condition and Cross Windspeed condition mentioned below.
    a. Dry RWY Surface : Cross Windspeed of 15 KT or more.
    b. Any one third or more part of RWY surface is in WET conditions : Cross Windspeed of 10KT or more.

    Details of Windspeed may be obtained from ATC on RT or from ATIS broadcast. Pilots of turboprop aircraft to exercise caution during landing and Takeoff for Cross Windspeed of more than 10KT, when RWY surface WET and 15KT, when RWY surface DRY.

VOML AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOML AD 2.22 FLIGHT PROCEDURES

ADS-B/PSR/MSSR based ATS Surveillance services are provided to suitably equipped aircraft BTN 0200-1400 UTC or AS PER NOTAM within the coverage area of Mangaluru Approach Control.

SSR Transponder/ADS-B equipped aircraft flying within Mangaluru Approach Control to comply with relevant provisions.

VOML AD 2.23 ADDITIONAL INFORMATION

1. At old apron 04 (four) power in power out stands are available to cater for aircraft type Code A, B and Code C (turboprop aircraft only) and helicopters.
2. TWY G9: Angle of turn-90 degrees connected to Runway 06 Threshold, Radius of exit curve -45M, Type of ACFT permitted-up to B767 – 400ER Marking and Lighting available.
3. New Apron: Location- North -West of RWY 06 beginning.
4. Ramp Equipment Area: 2100 sq. M on west side of new Apron and 810 sq. meters on East side of Apron.
5. WDI: Two (lighted)
   (i)Beginning of RWY 24
   (ii)Beginning of RWY 06
6. RWY 24 RESA 240X90M includes the existing paved area of 60 M
7. Bird activity in the vicinity of aerodrome. Pilots to exercise caution.
8. Fixed distance To Go markers (DTGM) for RWY 24 and RWY 06 are available on left side of RWY.
9. Pilots to identify RWY in use 24/06 positively before landing.
10. Remote controlled A/G FAC FREQ 127.55MHZ (Main) and 128.7MHZ (SDBY) VOML-VOHB is commissioned and AVBL for OPS.
11. ADS-B FREQ 1090 MHZ comissioned
    LAT: 12DEG 57MIN 32.7SEC N
    LONG: 74DEG 53MIN 15.2SEC E
12. **Exemptions Granted by DGCA:**

DGCA vide Ref. No. 2025/ASD/Exemption/0000003809 dated 11 Feb 2026, has granted Temporary Exemption to Mangaluru International Airport (MgIA) valid up to 30 Sep 2027 for the following:

1.Non-compliance of Runway Strip width of 150 M instead of 280 M.

2.Presence of group of trees located on southern side of RWY 06/24 infringing the Transitional Surface..

VOML AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (11 June 2026)
2. Aircraft Parking/Docking Chart (13 June 2024)
3. Aerodrome Obstacle Chart Type – A (Operating Limitations) RWY 06 (02 October 2025)
4. Aerodrome Obstacle Chart Type – A (Operating Limitations) RWY 24 (02 October 2025)
5. Aerodrome Obstacle Chart - Type B (02 October 2025)
6. ILS (Z) Procedure RWY 24
7. VOR Procedure RWY 06
8. VOR Procedure RWY 24
9. ATC Surveillance Minimum Altitude Chart(16 APR 2026)
10. RNP Y Procedure RWY 06
11. Coding Table - RNP Y Procedure RWY 06
12. RNP Y Procedure RWY 24
13. Coding Table - RNP Y Procedure RWY 24

VOML AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3