AD 2. AERODROMES

VABB AD 2.1 AERODROME LOCATION INDICATOR AND NAME
VABB - CHHATRAPATI SHIVAJI MAHARAJ INTERNATIONAL AIRPORT, MUMBAI

VABB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	190530N 0725158E 328.97 DEG/368.7 M from intersection of RWYs.	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	021.5 DEG, 14Km from Mumbai Central Railway station	
3	Aerodrome elevation and reference temperature	40 FT / 34.6 DEG C	
4	Magnetic variation, date of information and annual change	0.75 DEG W (2010) /0.0333 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Mumbai International Airport Limited, 1st Floor, Terminal – 1, Chhatrapati Shivaji Maharaj International Airport, MUMBAI - 400099.,	
		Telephone:	91 22 66850900 91-22-66850901
		Fax:	91 22 66852059
		AFS:	---
		Email:	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Non Scheduled Aircraft operators are required to file their slot request with aocc.planning@adani.com for clearance.All non scheduled/General Aviation movements will be subject to positive approval from Airport Operations Control Centre(AOCC). 1.1 Request for International movement must be forwarded at least 72hrs in advance. 1.2 Request for Domestic movement must be forwarded at least 12hrs in advance. 2. Aerodrome Reference is Code 4F.	

VABB AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-SAT 0330-1200 UTC (0900-1730 IST) 2nd & 4th SAT and all SUN-NIL
2	Custom and immigration	H24
3	Health and sanitation	H24
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET Briefing office	H24
7	Air Traffic Service	H24
8	Fuelling	H24
9	Handling	H24
10	Security	H24
11	De-icing	NIL

12	Remarks	Between 0230-0430 and 1130-1400 UTC daily, General Aviation and Military aircraft including helicopters are not permitted to operate. Only VIP and Scheduled flights are permitted. All civil helicopters shall use Juhu Airport for operations instead of Mumbai International Airport except helicopters carrying VVIP, Ministers in Union Government,Chief Ministers,Deputy Chief Minister,Governors,Ambulance helicopters or any person notified as VIP by government of Maharashtra.Suitable equipped IFR helicopter flights may operate through Mumbai International Airport during night time for embarking/ disembarking purpose only.Night flying shall be subject to other restrictions applicable for the operation of non-scheduled flights at Mumbai International Airport.	
		Hourly runway traffic handling capacity	Peak Capacity for RWY 27 (0800 to 1000 IST) and (1700-1930 1ST): Maximum no.of Arrival & Departure------ 44 (Balanced NR of ARR and DEP) Maximum no.of Arrival Only----------29 Maximum no.of Departure Only---------- 35 Peak Capacity for RWY 27 (In remaining hours): Maximum no.of Arrival & Departure-----42 (Bala.nced NR of ARR and DEP) Maximum no.of Arrival Only----------29 Maximum no.of Departure Only----------35 Peak Capacity for RWY 09 (0800 to 1000 IST & 1700 to 1930 1ST): Maximum no.of Arrival & Departure------ 43 (Balanced NR of ARR and DEP) Maximum no.of Arrival Only----------29 Maximum no.of Departure Only----------35 Peak Capacity for RWY 09 (In remaining hours): Maximum no.of Arrival & Departure------ 42 (Balanced NR of ARR and DEP) Maximum no.of Arrival Only----------29 Maximum no.of Departure Only----------35 Peak Capacity for RWY 14/32: Maximum no.of Arrival & Departure------ 36 (When either Taxiway W5, W6 or W7 is not available)

			Maximum no.of Arrival & Departure------ 38 (When either Taxiway W5, W6 or W7 is available) Maximum no.of Arrival Only----------26 Maximum no.of Departure Only----------31 Note: 1. The Capacity proposed reflects total Aircraft Movements from Air Traffic Management (ATM) perspective only including the General Aviation, Military and Medical Flights etc. 2. The peak traffic handling capacity proposed above is given considering balanced, code 'C' aircraft movements. In case of movements of higher code i.e. code 'E' and 'F' one movement should be treated as 1.5 normal movements. 3. The peak traffic handling capacity proposed above is not sustainable throughout the 24-hour period. Hence a profiled scheduling must be implemented wherein there should be a 10% reduction from the peak in the hour preceding and following the peak hour. 4. For the period of monsoon (15th June to 15th Sept) there should be a 05% reduction in the peak handling capacity stated above.

VABB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	1) Facilities: Export Perishable Terminal, Import Cold Zone, Export Unitization Zone, Export Heavy and Bonded Cargo Terminal, Cold Storage Facilities, Dangerous Goods Storage, Valuable & Vulnerable Cargo Storage. 2) Handling Equipment: Forklifts (10T/5T/3T), Weighing Scales (30T/5T/3T/1T), Hydraulic Pallet Trucks, Truck Docks, Dock Levelers, Platform Trolleys, Work stations for ULD Buildup, Multilevel Racking Systems. 3) IT/Systems: Dedicated Cargo Management System, Air Cargo Community Portal (GMAX), Cargo Mobile Application.
2	Fuel and Oil types	Jet A1 , AV Gas (Handled by IOCL Only Barrels,) WMM , JP 5 handled by IOCL , IOCL is operating a separate facility to handle JP5 for defense (Navy) inside the Airside premises.
3	Fuelling facilities and capacity	Storage for Jet is total of 47,500 KL. A1 T2 refueling is carried out through Hydrant Refuelling System (HRS)), Dispensers: 35 (IOSL 19, BSSPL 16) Refuellers: 15,000 Litres - 11, 27,000 Litres - 7
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	At Air India and AIESL subject to availability.

6	Repair facilities for visiting aircraft	Available for all types with Air India and AIESL. For details contact Air India: Shift I/C: +91 9266766807, +91 9266766806 Email: lmd.engg-sic@airindia.in AIESL Shift I/C: +91 8850259627. AIESL Shift Coordinator: +91 7977808324 Email: lmd.engg-sic@aiesl.in
7	Remarks	NIL

VABB AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Near the AD and in the city.
2	Restaurant(s) at or in the vicinity of aerodrome	At AD and in the city.
3	Transportation possibilities	Buses, taxies and car hire.
4	Medical Facilities	First aid at AD. Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: ATMs at AD H24 Post office: At terminal T2-H24
6	Tourist office	NA
7	Remarks	NIL

VABB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-10
2	Rescue equipment	Available as per category.
3	Capability for removal of disabled aircraft	1. The critical aircraft identified for Rescue and Fire Fighting is A-380. In case A-380 is disabled at Mumbai (VABB), the affected airline will make arrangements for airlifting the disabled aircraft removal kit. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3.The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: [Detail of Aerodrome coordinator] Head- Airside Operations – Mr. Rajesh Jadhav [Contact Nos. M-9833301441 Land Line:02266850263] [Email: rajesh.jadhav1@adani.com]]
4	Remarks	The critical aircraft identified for Rescue and Fire Fighting is A-380. In case A-380 is disabled at Mumbai (VABB), the affected airline will make arrangements for airlifting the disabled aircraft removal kit.

VABB AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	FOD Mat, Mechanical Sweeper, Flipper machine
2	Clearance priorities	High Priority-available 24x7
3	Remarks	NIL

VABB AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designation: Refer Aerodrome chart Surface : Refer Parking-Docking chart. Strength : Refer AD 2.23.
2	Designation, width, surface and strength of taxiways	Refer AD 2.23
3	Location and elevation of altimeter checkpoints	Location On all Parking stands APRON ELEVATION (FT.) Apron A 22 Apron C 33 Apron G 31 Apron K 26 Apron J 21 Apron R 29 Apron S 27 Apron V 31
4	Location of VOR checkpoints	i. On TXL W7 short of RWY 14 HLDG POINT ii. On TWY N1 short of RWY 27 HLDG POINT iii. On TWY N short of TWY N11.
5	Position of INS checkpoints	
6	Remarks	1. Primary isolation bay (when RWY in use 09/27): TWY E9 2. Secondary isolation bay (when RWY in use 14/32): At the end of RWY 27 BTN TWY N11 and abandoned pavement ABM THR marking of RWY 09. ACFT shall be parked facing S only. ACFT to be taken to isolation bay under follow me service.

VABB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	i. Aircraft stand identification sign has been provided for all contact aircraft parking Stands. ii. On all non – contact (remote) aircraft stands pole mounted stand identification Sign has been provided on Apron A, Apron C (Except C10, C11, C12, C13, C14, C15, C16, C17, C20,C21, C22, C23, C24, C25, C26, C29 and C80), G, K, J (Except J9, J10), S, and R along with associated ground marking. iii. Advanced Visual Docking Guidance System (AVDGS) provided on contact stands: A1 TO A8, V4 TO V32 (including Multiple Aircraft Receiving Stands (MARS) L and R). iv. Advanced Visual Docking Guidance System (AVDGS) provided on remote stands: A9, A10, A11, A12, G1, G2, G3, G4L, G4, G4R, G5L, G5, G5R, K1, K2, K3L, K3R, K4L, K4R, K5L, K5R, K6L, K6R, S1, S1L, S2, S2R, S3, R1, R2, V3L and V3R. v. Advanced Visual Docking Guidance System (AVDGS) not provided on remote stands: C10 TO C33, C80 to C88, K3, K4, K5, K6, R1L, R1R, R2L, R2R, R3, R4, R5, S3L, S3R, J1 to J10. Note: Common AVDGS units serving two stands are: 1) S1 & S1L, 2) S2 & S2R, 3) V18 & V18R, 4) V21 & V21R, 5) V26 & V26R, 6) V27 & V27R.

2	Runway and taxiway markings and lights	RWY Marking Designation, Centerline, Transverse strip, Threshold, Displaced Threshold, TDZ, Side Stripes, Aiming point. Lighting THR, Centerline, Edge, End, TDZ (TDZ Only for RWY 27) TWY Marking Centerline, Holding position,Intermediate Holding Position, Edge. (Enhanced RWY holding position are marked on all TWYs connected with RWYs) Lighted Centerline, Holding position, Intermediate Holding Position, Edge.
3	Stop bars (if any)	Refer AD 2.20 (Local Aerodrome Regulations), Para IV for complete details of Stopbars and No-entry bars
4	Remarks	**Note:** i. 'Configuration 'A' RWY Guard Lights provided at locations on TWY N, N1, E10, E9, E8, E7, E5, E3, E4, E1, W6, W7, W4, F5, F4 and W1 on RWY 09/27 East and West of Intersection of RWYs for RWY 14/32 on TWY N, N1, N3, N4, N5, N6, N8, N9, N10, N11, W, Q, E, E1, D1, F1, M and on RWY 14 North & South of intersection for RWY 09/27. ii. RWY Guard Lights 'Configuration B' provided on RWY 14 short of intersection of RWYs. iii. A-VDGS is operational H24 in all-weather/ visibility conditions on the above mentioned aircraft parking stands. NOTAM is promulgated whenever A-VDGS is unserviceable.

VABB AD 2.10 AERODROME OBSTACLES (For latest AD 2.10 data refer AIP SUP 136/2024)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190513.2N 0725045.8E	47 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190513.2N 0725045.8E	41 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190513.5N 0725045.2E	40 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190513.6N 0725045.1E	46 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190514.0N 0725044.6E	43 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190514.0N 0725043.9E	33 FT	NIL	TREE(T)
27/TKOF 09/APCH	BUILDING	190514.2N 0725043.2E	40 FT	NIL	HUTMENT, DISH ANTENNA TOP - 12.20 M, HUTMENT TOP - 10.88 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190514.0N 0725042.5E	42 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190515.0N 0725043.3E	31 FT	NIL	TREE(T)
27/TKOF 09/APCH	BUILDING	190515.1N 0725042.8E	36 FT	NIL	PUCCA HOUSE
27/TKOF 09/APCH	TREE	190514.3N 0725042.1E	44 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190515.6N 0725041.9E	37 FT	NIL	HUT
27/TKOF 09/APCH	TREE	190515.6N 0725041.8E	48 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190515.6N 0725041.1E	49 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190516.4N 0725040.5E	48 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190516.2N 0725040.0E	42 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190515.7N 0725040.4E	52 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190515.4N 0725039.5E	48 FT	NIL	TREE(T)
27/TKOF 09/APCH	TREE	190514.9N 0725039.6E	45 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190514.5N 0725040.3E	38 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190514.5N 0725040.4E	44 FT	NIL	DISH ANTENNA ON TOP OF BUILDING (BUILDING TOP - 12.376)
27/TKOF 09/APCH	POLE	190513.9N 0725040.2E	51 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	POLE	190513.5N 0725039.7E	51 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	POLE	190512.5N 0725039.8E	53 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	BUILDING	190512.3N 0725038.2E	54 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190513.6N 0725037.9E	52 FT	NIL	BUILDING
27/TKOF 09/APCH	BUILDING	190514.2N 0725037.6E	43 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	TREE	190521.1N 0725037.4E	44 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190522.1N 0725037.5E	47 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190524.1N 0725035.4E	51 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	190524.2N 0725035.7E	57 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190523.4N 0725036.0E	48 FT	NIL	PUCCA HOUSE, DISH ANTENNA TOP - 14.52 M, PUCCA HOUSE TOP - 13.63 M
27/TKOF 09/APCH	BUILDING	190523.6N 0725035.1E	50 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	190522.8N 0725034.7E	50 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	OTHER	190523.3N 0725033.2E	50 FT	NIL	MOBILE RAIL TRAFFIC(TRACK ELEV - 7.064 M + 7.6 M)
27/TKOF 09/APCH	OTHER	190522.6N 0725033.9E	52 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	BUILDING	190522.6N 0725035.8E	45 FT	NIL	PUCCA HOUSE
27/TKOF 09/APCH	BUILDING	190522.5N 0725035.8E	45 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190522.3N 0725035.1E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	TREE	190522.1N 0725034.6E	58 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.3N 0725034.6E	58 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190520.4N 0725035.7E	47 FT	NIL	BUILDING, STAIRCASE ROOM TOP - 14.17 M, BUILDING TOP -12.51 M
27/TKOF 09/APCH	OTHER	190520.0N 0725033.9E	54 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	BUILDING	190519.4N 0725034.8E	53 FT	NIL	BUILDING
27/TKOF 09/APCH	BUILDING	190519.4N 0725034.8E	55 FT	NIL	BUILDING
27/TKOF 09/APCH	BUILDING	190519.6N 0725035.6E	45 FT	NIL	PUCCA HOUSE
27/TKOF 09/APCH	TREE	190519.5N 0725036.3E	50 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190518.8N 0725036.4E	45 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190518.2N 0725035.7E	52 FT	NIL	TREE
27/TKOF 09/APCH	POLE	190517.8N 0725035.8E	45 FT	NIL	POLE TOP
27/TKOF 09/APCH	TREE	190517.2N 0725035.8E	57 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190517.3N 0725035.9E	65 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190517.0N 0725036.2E	50 FT	NIL	TOP OF HUSAINI COFFEE SHOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190516.6N 0725036.1E	55 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190516.6N 0725036.2E	48 FT	NIL	DISH ON BUILDING(BUILDING TOP - 13.340)
27/TKOF 09/APCH	BUILDING	190516.4N 0725036.4E	44 FT	NIL	PUCCA HOUSE
27/TKOF 09/APCH	TREE	190516.0N 0725036.1E	53 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190515.5N 0725036.4E	46 FT	NIL	PUCCA HOUSE
27/TKOF 09/APCH	TREE	190514.8N 0725036.7E	60 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190514.7N 0725036.6E	61 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190515.0N 0725035.2E	69 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190515.0N 0725036.3E	55 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	OTHER	190516.1N 0725035.5E	57 FT	NIL	HOARDING STRUCTURE
27/TKOF 09/APCH	OTHER	190515.5N 0725033.1E	56 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	OTHER	190516.3N 0725032.7E	52 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	OTHER	190516.4N 0725033.1E	54 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	OTHER	190517.1N 0725033.5E	53 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	TREE	190517.8N 0725034.5E	58 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.1N 0725034.1E	53 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.1N 0725034.3E	58 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	OTHER	190518.3N 0725033.7E	54 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	BUILDING	190517.6N 0725031.3E	63 FT	LGTD	HOTEL MILAN INTERNATIONAL, OBSTRUCTION LIGHT TOP - 19.12 M, SINTEX TANK TOP - 17.68 M, DISH ANTENNA TOP - 17.53 M, STAIRCASE ROOM TOP - 17.07 M, BUILDING TOP - 15.83 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190517.5N 0725029.5E	60 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190516.9N 0725029.0E	59 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190516.8N 0725029.1E	73 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190516.6N 0725028.2E	76 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190517.1N 0725028.8E	71 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190517.8N 0725029.6E	61 FT	NIL	RADHA KISHNA BAVAN, DISH ANTENNA TOP - 18.60 M, STAIRCASE TOP - 17.37 M, STAIRCASE TOP - 17.34 M, PIPE TOP - 17.25 M, BUILDING TOP - 15.98 M
27/TKOF 09/APCH	TREE	190519.1N 0725029.4E	59 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190518.5N 0725029.7E	56 FT	NIL	DHANANJAY, STAIRCASE ROOM TOP - 17.17 M, BUILDING TOP - 16.66 M
27/TKOF 09/APCH	TREE	190519.0N 0725030.2E	60 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190518.6N 0725031.2E	54 FT	NIL	JEEVAN JYOT, DISH ANTENNA TOP - 16.35 M, WATER TANK TOP - 15.98 M, STAIRCASE TOP - 15.96 M, BUILDING TOP - 15.53 M.
27/TKOF 09/APCH	BUILDING	190519.5N 0725031.4E	57 FT	NIL	SATYA PRAKASH, SHED TOP - 17.33 M, BUILDING TOP - 15.51 M.
27/TKOF 09/APCH	TREE	190519.7N 0725032.2E	71 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.1N 0725032.1E	71 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.0N 0725030.7E	57 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190519.8N 0725029.8E	59 FT	NIL	NIRMAN, STAIRCASE TOP - 18.12 M, BUILDING TOP - 16.03 M
27/TKOF 09/APCH	TREE	190519.8N 0725029.5E	72 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.0N 0725029.2E	61 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190520.2N 0725029.5E	63 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190520.5N 0725029.9E	58 FT	NIL	ARADHANA CHS, DISH ANTENNA TOP - 17.75 M, STAIRCASE ROOM TOP - 16.82 M, BUILDING TOP (PARAPET WALL) - 15.23 M.
27/TKOF 09/APCH	TREE	190520.8N 0725030.9E	54 FT	NIL	TREE(T)
27/TKOF 09/APCH	BRIDGE	190521.1N 0725031.6E	63 FT	NIL	SADHANA, ANTENNA TOP - 19.29 M, PIPE TOP - 16.57 M, STAIRCASE ROOM TOP - 16.51 M, BUILDING TOP - 15.40 M.
27/TKOF 09/APCH	TREE	190521.2N 0725029.4E	77 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.3N 0725029.4E	70 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190521.6N 0725030.6E	59 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.9N 0725030.9E	68 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190522.7N 0725032.6E	56 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190523.2N 0725031.9E	65 FT	NIL	AKASH DEEP, PIPE TOP - 19.90 M, BUILDING TOP(PARAPET WALL) - 18.73 M.
27/TKOF 09/APCH	TREE	190523.5N 0725032.5E	74 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190523.8N 0725031.8E	61 FT	NIL	ARVASU CHS, DISH ANTENNA TOP - 18.65 M, STAIRCASE ROOM TOP - 17.69 M, PIPE TOP - 17.32 M, BUILDING TOP(PARAPET WALL) - 15.08 M.
27/TKOF 09/APCH	TREE	190524.5N 0725031.2E	69 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190525.1N 0725029.6E	66 FT	NIL	OPTIONS COMMERCIAL CENTER, STAIRCASE ROOM TOP - 19.97 M, BUILDING TOP - 17.70 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190525.4N 0725030.7E	58 FT	NIL	SAHAJANAND CHS, LIGHT POLE TOP - 17.67 M, ANTENNA TOP - 17.27 M, BUILDING TOP - 14.84 M
27/TKOF 09/APCH	BUILDING	190525.9N 0725026.6E	72 FT	LGTD	ANU APARTMENT, DISH TOP - 22.01 M, OBSTRUCTION LIGHT TOP - 21.56 M, STAIRCASE ROOM TOP - 21.10 M, PIPE TOP - 20.60 M, BUILDING TOP - 19.83 M
27/TKOF 09/APCH	TREE	190525.2N 0725028.0E	69 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190524.8N 0725028.3E	75 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190524.8N 0725027.8E	66 FT	NIL	ANAND MILAN APARTMENTS A-BLOCK, DISH ANTENNA TOP - 20.18 M, BUILDING TOP - 18.87 M
27/TKOF 09/APCH	BUILDING	190524.3N 0725028.3E	67 FT	NIL	ANAND MILAN APARTMENTS B-BLOCK, DISH ANTENNA TOP - 20.45 M, STAIRCASE TOP - 19.12 M, BUILDING TOP - 17.70 M
27/TKOF 09/APCH	TREE	190523.6N 0725028.9E	79 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190523.1N 0725029.1E	67 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190522.4N 0725029.3E	65 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190523.0N 0725028.5E	79 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190522.2N 0725025.1E	84 FT	LGTD	CLASSIC POWER RESIDENCY, SINTEX TANK TOP - 21.25 M, STAIRCASE TOP - 21.12 M, LMR - 20.96 M, CELLPHONE MAST TOP - 20.92 M, BUILDING TOP - 19.56 M.
27/TKOF 09/APCH	TREE	190522.4N 0725025.2E	79 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190522.2N 0725026.2E	67 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190522.2N 0725026.8E	67 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.9N 0725027.2E	70 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190522.2N 0725028.7E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190521.9N 0725028.9E	81 FT	NIL	Group of Trees
27/TKOF 09/APCH	BUILDING	190521.5N 0725028.9E	60 FT	NIL	ATHIKARI NIWAS BUILDING, DISH ANTENNA TOP - 18.22 M, SHED TOP - 17.78 M, BUILDING TOP - 15.33 M
27/TKOF 09/APCH	TREE	190521.0N 0725028.2E	63 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.8N 0725027.9E	81 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.5N 0725027.1E	74 FT	NIL	COTTON TREE
27/TKOF 09/APCH	TREE	190520.4N 0725027.2E	75 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190520.3N 0725026.8E	79 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190519.4N 0725027.4E	67 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190519.0N 0725027.4E	61 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.2N 0725027.0E	64 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.5N 0725025.4E	72 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.4N 0725025.4E	77 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	TREE	190520.5N 0725024.8E	73 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.3N 0725024.2E	72 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190520.4N 0725024.3E	85 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190520.2N 0725023.7E	75 FT	NIL	SHREE SAI CHS, SINTEX TANK TOP - 23.05 M, STAIRCASE ROOM TOP - 22.28 M, DISH ANTENNA TOP - 22.33 M, BUILDING TOP - 21.02 M.
27/TKOF 09/APCH	BUILDING	190520.1N 0725023.9E	76 FT	NIL	BUILDING SINTEX TANK TOP (CONC. TOP-20.5M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190520.1N 0725023.9E	90 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190517.5N 0725330.6E	129 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	BUILDING	190519.1N 0725023.3E	73 FT	LGTD	RAMAS PLAZA, CAMERA POLE TOP - 22.23 M, STAIRCASE ROOM TOP - 21.81 M, STAIRCASE ROOM TOP - 21.64 M, WATER TANK TOP - 21.63 M, CELLPHONE MAST TOP - 21.59 M, CELLPHONE MAST TOP - 21.51 M, BUILDING TOP (PARAPET WALL) - 19.31 M
27/TKOF 09/APCH	TREE	190518.4N 0725023.6E	80 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190512.9N 0725027.2E	81 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190511.3N 0725030.9E	80 FT	NIL	SRA QUARTERS, SINTEX TANK TOP - 24.28 M, BUILDING TOP - 22.82 M.
27/TKOF 09/APCH	BUILDING	190510.7N 0725029.6E	74 FT	NIL	BUILDING(U/C) TOP
27/TKOF 09/APCH	TREE	190510.2N 0725027.0E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190510.2N 0725026.9E	70 FT	NIL	SUNITA BUILDING, PIPE TOP - 21.23 M, SINTEX TANK TOP - 20.87 M, BUILDING TOP - 19.28 M.
27/TKOF 09/APCH	TREE	190509.8N 0725025.3E	89 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190511.2N 0725026.3E	77 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190509.0N 0725019.0E	79 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190509.5N 0725019.6E	93 FT	NIL	GANGA VIHAR, ANTENNA TOP - 28.29 M, GRILL TOP - 27.22 M, STAIRCASE ROOM TOP - 26.29 M, BUILDING TOP(PARAPET WALL) - 23.24 M
27/TKOF 09/APCH	TREE	190510.2N 0725019.8E	98 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190509.7N 0725020.7E	92 FT	NIL	GANGA VIHAR(A - WING), DISH ANTENNA TOP - 27.91 M, STAIRCASE ROOM TOP - 26.74 M, BUILDING TOP - 26.12 M.
27/TKOF 09/APCH	BUILDING	190510.5N 0725020.3E	85 FT	NIL	SANTACRUZ RAMESHWAR SOCIETY, PIPE TOP - 25.92 M, WATER TANK TOP - 24.82 M, BUILDING TOP - 23.87 M.
27/TKOF 09/APCH	BUILDING	190511.2N 0725019.5E	85 FT	NIL	SANTACRUZ RAMESHWAR SOCIETY, PIPE TOP - 25.76 M, GRILL TOP - 25.41 M, WATER TANK TOP - 24.83 M, BUILDING TOP - 23.95 M.
27/TKOF 09/APCH	BUILDING	190511.2N 0725018.6E	86 FT	LGTD	RAMESHWAR SOCIETY, PIPE TOP - 26.28 M, OBSTRUCTION LIGHT TOP - 25.47 M, WATER TANK TOP - 25.17 M, BUILDING TOP - 23.86 M
27/TKOF 09/APCH	BUILDING	190508.3N 0725013.6E	91 FT	NIL	FAIRWINDS, DISH ANTENNA TOP - 27.57 M, STAIRCASE ROOM TOP - 26.57 M, BUILDING TOP - 25.17 M.
27/TKOF 09/APCH	BUILDING	190508.8N 0725015.2E	93 FT	LGTD	SURYA HOSPITAL, OBSTRUCTION LIGHT TOP - 28.40 M, PIPE TOP - 28.12 M, SINTEX TANK TOP - 26.99 M, STAIRCASE ROOM TOP - 25.28 M, BUILDING TOP - 23.67 M
27/TKOF 09/APCH	BUILDING	190508.9N 0725014.4E	91 FT	NIL	JUHU BREEZE BUILDING, STAIRCASE ROOM TOP - 27.61 M, PIPE TOP - 27.59 M, BUILDING TOP - 26.90 M
27/TKOF 09/APCH	BUILDING	190509.3N 0725013.5E	89 FT	NIL	PARADISE, LIGHT POLE TOP - 27.20 M, BUILDING TOP - 26.24 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190508.6N 0725011.6E	94 FT	NIL	OMEEZ, STAIRCASE ROOM TOP - 28.56 M, BUILDING TOP - 27.33 M.
27/TKOF 09/APCH	BUILDING	190509.7N 0725012.6E	97 FT	NIL	GEETHA RESIDENCY, STAIRCASE ROOM TOP - 29.48 M, BUILDING TOP - 28.20 M.
27/TKOF 09/APCH	BUILDING	190507.3N 0725008.1E	117 FT	NIL	VARUN APARTMENT, ANTENNA TOP - 35.56 M, WATER TANK TOP - 34.19 M, BUILDING TOP - 30.25 M
27/TKOF 09/APCH	BUILDING	190507.9N 0725005.7E	111 FT	NIL	SAVOY CHAMBERS, IRON ROD TOP - 33.75 M, POLE TOP - 33.26 M, LIGHT POLE TOP - 33.07 M, BUILDING TOP(PARAPET WALL) - 31.31 M.
27/TKOF 09/APCH	BUILDING	190509.6N 0725006.9E	101 FT	NIL	SWARNA, STAIRCASE ROOM TOP - 30.68 M, BUILDING TOP - 29.40 M.
27/TKOF 09/APCH	BUILDING	190509.9N 0725006.1E	110 FT	NIL	MILAN SOCIETY, LIGHTNING ARRESTER TOP - 33.61 M, BUILDING TOP - 31.86 M.
27/TKOF 09/APCH	BUILDING	190510.8N 0725007.2E	100 FT	NIL	GOKUL ANAND BUILDING, STAIRCASE ROOM TOP - 30.47 M, BUILDING TOP - 28.89 M
27/TKOF 09/APCH	BUILDING	190510.8N 0725008.9E	102 FT	LGTD	MAHESH APARTMENT, OBSTRUCTION LIGHT TOP - 31.20 M, STAIRCASE ROOM TOP - 29.26 M, BUILDING TOP - 28.61 M
27/TKOF 09/APCH	BUILDING	190511.2N 0725010.1E	103 FT	LGTD	SHANKAR DEEP, OBSTRUCTION LIGHT TOP - 31.50 M, SINTEX TANK TOP - 30.35 M, STAIRCASE ROOM TOP - 30.03 M, BUILDING TOP - 28.68 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190510.9N 0725012.5E	106 FT	LGTD	SHALIMAR CHS, CELLPHONE MAST TOP - 32.20 M, STAIRCASE ROOM TOP - 25.70 M, BUILDING TOP - 22.42 M.
27/TKOF 09/APCH	BUILDING	190510.7N 0725012.9E	107 FT	NIL	CHAMUNDA NIWAS, DISH ANTENNA TOP - 32.49 M, STAIRCASE TOP - 335 M, BUILDING TOP - 27.35 M.
27/TKOF 09/APCH	TREE	190510.6N 0725014.2E	91 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190511.1N 0725015.8E	93 FT	NIL	KAMLA SPACES, ANTENNA TOP - 25.32 M, CHIMNEY TOP - 28.14 M, IRON ROD TOP - 27.94 M, DISH ANTENNA TOP - 27.69 M, ANTENNA TOP - 27.63 M, STAIRCASE ROOM TOP - 26.67 M, STAIRCASE ROOM TOP - 26.54 M, BUILDING TOP - 23.11 M.
27/TKOF 09/APCH	TREE	190513.0N 0725015.6E	96 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190517.1N 0725016.9E	87 FT	LGTD	CHHEDA ARCADE, OBSTRUCTION LIGHT TOP - 26.41 M, STAIRCASE ROOM TOP - 26.27, HOARDING TOP - 25.27 M, ANTENNA TOP - 25.10 M, BUILDING TOP - 23.99 M.
27/TKOF 09/APCH	TREE	190518.5N 0725019.8E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190522.0N 0725021.9E	83 FT	LGTD	MILAN GARMENT HUB, IRON ROD TOP - 25.35 M, STAIRCASE ROOM TOP - 22.91 M, STAIRCASE ROOM TOP - 22.48 M, OBSTRUCTION LIGHT TOP - 22.45 M, BUILDING TOP - 21.84 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190520.8N 0725018.8E	80 FT	NIL	DHRAMBANDAN CHS, ANTENNA TOP - 24.37 M, STAIRCASE ROOM TOP - 20.59 M, BUILDING TOP - 18.31 M.
27/TKOF 09/APCH	BUILDING	190521.4N 0725018.6E	87 FT	LGTD	RIZVI NAGAR CHS, OBSTRUCTION LIGHT TOP - 26.42 M, IRON ROD TOP - 25.19 M, BUILDING TOP - 24.21 M.
27/TKOF 09/APCH	BUILDING	190520.8N 0725016.8E	87 FT	NIL	RIZVI PARK CHS LTD, STAIRCASE ROOM TOP - 26.46 M, STAIRCASE ROOM TOP - 26.43 M, BUILDING TOP - 24.43 M.
27/TKOF 09/APCH	BUILDING	190519.7N 0725013.7E	91 FT	NIL	ACME MALL, ANTENNA TOP - 27.66 M, CHIMNEY TOP - 27.22 M, GRILL TOP - 24.83 M, STAIRCASE ROOM TOP - 24.63 M, DISH ANTENNA TOP - 24.21 M, STAIRCASE ROOM TOP - 23.33 M, ANTENNA TOP - 22.37 M, ANTENNA TOP - 22.23 M, SHED TOP - 21.56 M, BUILDING TOP - 21.51 M
27/TKOF 09/APCH	BUILDING	190522.4N 0725018.6E	93 FT	NIL	LIGHTENING ARRESTOR ON RIZVI NAGAR(BUILDING TOP - 23.68 M)
27/TKOF 09/APCH	BUILDING	190524.1N 0725018.8E	83 FT	NIL	SIMAC HOUSE, SPEAKER POLE TOP - 25.20 M, STAIRCASE ROOM TOP - 24.24 M, ANTENNA TOP - 24.06 M, BUILDING TOP - 20.07 M, BUILDING TOP - 18.18 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190524.1N 0725015.1E	93 FT	LGTD	DHEERAJ HERITAGE, IRON ROD TOP - 28.38 M, STAIRCASE ROOM TOP - 27.41 M, IRON ROD TOP - 26.64 M, DISH ANTENNA TOP - 26.34 M, OBSTRUCTION LIGHT TOP - 26.32 M, BUILDING TOP - 25.58 M.
27/TKOF 09/APCH	BUILDING	190520.9N 0725011.1E	92 FT	NIL	PIONEER HERITAGE RESIDENCY - II, SHED TOP - 28.11 M, STAIRCASE ROOM TOP - 27.74 M, BUILDING TOP - 26.74 M.
27/TKOF 09/APCH	BUILDING	190521.7N 0725011.2E	92 FT	NIL	PIONEER HERITAGE RESIDENCY - II, SHED TOP - 28.07 M, STAIRCASE ROOM TOP - 27.91 M, BUILDING TOP - 26.81 M.
27/TKOF 09/APCH	BUILDING	190523.4N 0725011.1E	97 FT	NIL	PIONEER HERITAGE RESIDENCY - I, EXHAUSTER TOP - 29.72 M, LADDER TOP - 28.19 M, WATER TANK TOP - 27.64 M, BUILDING TOP(PARAPET WALL) - 26.84 M.
27/TKOF 09/APCH	BUILDING	190524.6N 0725011.1E	93 FT	NIL	PIONEER HERITAGE RESIDENCY - I, IRON LADDER TOP - 28.19 M, WATER TANK TOP - 27.77 M, BUILDING TOP - 26.74 M.
27/TKOF 09/APCH	BUILDING	190526.4N 0725010.9E	98 FT	NIL	GREEN PARK CHS, ANTENNA TOP - 30.04 M, ANTENNA TOP - 29.72 M, STAIRCASE ROOM TOP - 27.03 M, BUILDING TOP - 25.68 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190528.5N 0725005.7E	104 FT	NIL	S.R.A(A1) SAI SHRADHA SOCIETY, DISH ANTENNA TOP - 31.72 M, STAIRCASE ROOM TOP - 30.56 M, BUILDING TOP - 28.44 M.
27/TKOF 09/APCH	BUILDING	190524.9N 0725003.4E	112 FT	LGTD	DEERAJ HERITAGE RESIDENCY - II, CELLPHONE MAST TOP - 34.13 M, CELLPHONE MAST TOP - 31.13 M, CELLPHONE MAST TOP - 31.10 M, STAIRCASE ROOM TOP - 30.94 M, BUILDING TOP - 28.48 M.
27/TKOF 09/APCH	BUILDING	190520.3N 0725007.9E	102 FT	NIL	RIDDHI SIDDHI, IRON LADDER TOP - 31.22 M, WATER TANK TOP - 30.93 M, DISH ANTENNA TOP - 30.32 M, BUILDING TOP - 29.36 M.
27/TKOF 09/APCH	BUILDING	190519.9N 0725008.6E	102 FT	NIL	RIDDHI SIDDHI, POLE TOP - 31.16 M, WATER TANK TOP - 30.95 M, DISH ANTENNA TOP - 30.29 M, BUILDING TOP - 29.36 M.
27/TKOF 09/APCH	ANTENNA	190518.4N 0724956.5E	124 FT	LGTD	M4 BUILDING,CELLPHONE MAST TOP - 37.84 M, STAIRCASE ROOM TOP - 31.52 M, BUILDING TOP - 28.10 M
27/TKOF 09/APCH	BUILDING	190526.2N 0724942.1E	151 FT	NIL	UDAI, SHED TOP-46.14M, PIPE TOP-45.52M, BUILDING TOP(SLAB) - 45.15M, PARKING TOWER CONCRETE PORTION - 45.13M
27/TKOF 09/APCH	BUILDING	190524.6N 0724938.1E	162 FT	NIL	SOHO HOUSE BUILDING, DISH TOP - 49.41 M, STAIRCASE ROOM TOP - 47.81 M, BUILDING TOP - 46.12 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190509.8N 0724934.4E	176 FT	LGTD	MITTAL HOUSE, LIGHTNING ARRESTER TOP - 53.53 M, OBSTRUCTION LIGHT TOP - 51.25 M, ANTENNA TOP - 50.16 M, STAIRCASE ROOM TOP - 48.46 M, BUILDING TOP(PARAPET WALL) - 48.64 M.
27/TKOF 09/APCH	BUILDING	190507.4N 0724935.6E	162 FT	NIL	TANDON BEACH HOUSE, ROD TOP - 49.37 M, STAIRCASE ROOM TOP - 48.62 M, BUILDING TOP - 45.98 M
27/TKOF 09/APCH	TREE	190519.1N 0725037.6E	43 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190511.4N 0725030.4E	80 FT	NIL	SRA CHS, SINTEX TANK TOP - 24.37 M, BUILDING TOP(PARAPET WALL) - 23.10 M.
27/TKOF 09/APCH	BUILDING	190518.4N 0725031.4E	56 FT	NIL	JEEVAN JYOT, DISH ANTENNA TOP - 17.07 M, WATER TANK TOP - 16.38 M, BUILDING TOP(PARAPET WALL) - 15.94 M.
27/TKOF 09/APCH	TREE	190523.5N 0725028.1E	74 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190510.3N 0725015.6E	84 FT	NIL	REGAL APARTMENT, ANTENNA TOP - 25.59 M, PIPE TOP - 25.57 M, WATER TANK TOP - 24.93 M, BUILDING TOP(PARAPET WALL) - 24.35 M
27/TKOF 09/APCH	BUILDING	190524.9N 0725013.9E	90 FT	NIL	MASJID ANSAR, MOON TOP - 27.44 M, LIGHTNING ARRESTER TOP - 26.98 M, MINAR TOP - 26.56 M, MOSQUE TOP - 26.07 M, STAIRCASE ROOM TOP(PARAPET WALL) - 25.95 M, SOLAR PANEL TOP - 23.82 M, BUILDING(PARAPET WALL) - 22.46 M, BUILDING TOP - 21.08 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190519.4N 0725013.1E	91 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	BUILDING	190521.1N 0725010.0E	94 FT	NIL	PIONEER HERITAGE RESIDENCY - II, PIPE TOP - 28.76 M, STAIRCASE ROOM TOP - 27.74 M, BUILDING TOP(PARAPET WALL) - 26.72 M.
27/TKOF 09/APCH	BUILDING	190520.9N 0725011.2E	92 FT	NIL	PIONEER HERITAGE RESIDENCY - II, SHED TOP - 28.05 M, WATER TANK TOP - 27.65 M, BUILDING TOP(PARAPET WALL) - 26.82 M.
27/TKOF 09/APCH	BUILDING	190520.1N 0725008.2E	102 FT	NIL	RIDDHI SIDDHI, LADDER TOP - 31.22 M, WATER TANK TOP - 30.82 M, BUILDING TOP(PARAPET WALL) - 29.36 M.
27/TKOF 09/APCH	OTHER	190518.4N 0725050.1E	19 FT	NIL	APPROACH LIGHT
27/TKOF 09/APCH	OTHER	190518.4N 0725050.1E	19 FT	NIL	APPROACH LIGHT
27/TKOF 09/APCH	OTHER	190518.3N 0725050.1E	19 FT	NIL	APPROACH LIGHT
27/TKOF 09/APCH	OTHER	190518.3N 0725050.1E	19 FT	NIL	APPROACH LIGHT
27/TKOF 09/APCH	OTHER	190520.1N 0725040.9E	41 FT	LGTD	MLAT - S07 (RX) ANTENNA, OBSTRUCTION LIGHT TOP - 12.38 M, LIGHTNING ARRESTER TOP - 12.37 M, ANTENNA TOP - 11.13 M, STRUCTURE TOP - 11.86 M.
27/TKOF 09/APCH	BUILDING	190513.0N 0725045.1E	49 FT	LGTD	HUTMENT, CELLPHONE MAST TOP - 15.00 M, HUTMENT - 10.85 M.
27/TKOF 09/APCH	TREE	190513.5N 0725045.0E	49 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190513.7N 0725044.5E	47 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190513.1N 0725044.2E	34 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190513.5N 0725044.0E	35 FT	NIL	HUTMENT, DISH ANTENNA TOP - 10.69 M, HUTMENT TOP - 9.76 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190514.2N 0725043.8E	30 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	TREE	190514.6N 0725043.7E	31 FT	NIL	TREE(T)
27/TKOF 09/APCH	BUILDING	190514.2N 0725043.4E	33 FT	NIL	HUTMENT, DISH ANTENNA TOP - 10.02 M, HUTMENT TOP - 9.10 M.
27/TKOF 09/APCH	TREE	190513.9N 0725043.5E	37 FT	NIL	HUTMENT, DISH ANTENNA TOP - 11.43 M, HUTMENT TOP - 10.47 M.
27/TKOF 09/APCH	BUILDING	190512.7N 0725042.2E	35 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190513.6N 0725042.8E	40 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BRIDGE	190514.7N 0725043.2E	36 FT	NO	HUTMENT, ANTENNA TOP - 11.07 M, DISH ANTENNA TOP - 9.95 M, HUTMENT TOP - 9.01 M.
27/TKOF 09/APCH	BUILDING	190514.8N 0725043.1E	32 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190514.8N 0725042.9E	33 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	FENCE	190515.4N 0725043.0E	32 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/TKOF 09/APCH	OTHER	190515.6N 0725042.6E	32 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/TKOF 09/APCH	BUILDING	190515.1N 0725042.5E	40 FT	NIL	HUTMENT, DISH ANTENNA TOP - 12.15 M, HUTMENT TOP - 11.54 M.
27/TKOF 09/APCH	BUILDING	190515.3N 0725042.3E	42 FT	NIL	HUTMENT, DISH ANTENNA TOP - 12.87 M, HUTMENT TOP - 12.11 M.
27/TKOF 09/APCH	BUILDING	190515.5N 0725042.4E	38 FT	NIL	HUTMENT
27/TKOF 09/APCH	TREE	190515.7N 0725042.4E	39 FT	NIL	TREE
27/TKOF 09/APCH	ANTENNA	190515.9N 0725042.4E	35 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/TKOF 09/APCH	TREE	190515.8N 0725042.3E	42 FT	NIL	PAPAYA TREE
27/TKOF 09/APCH	TREE	190515.9N 0725042.2E	37 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	FENCE	190516.0N 0725042.1E	35 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/TKOF 09/APCH	FENCE	190516.1N 0725041.7E	35 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/TKOF 09/APCH	ANTENNA	190514.1N 0725042.0E	45 FT	NIL	COMMUNICATIO N ANTENNNA, POLE TOP
27/TKOF 09/APCH	BUILDING	190514.2N 0725041.8E	40 FT	NIL	HUTMENT, ELEVATION WALL TOP
27/TKOF 09/APCH	BUILDING	190513.6N 0725041.4E	51 FT	NIL	HUTMENT, FLAG TOP - 15.53 M, HUTMENT - 10.29 M.
27/TKOF 09/APCH	BUILDING	190512.9N 0725041.6E	35 FT	NIL	HUTMENT, DISH ANTENNA TOP - 10.60 M, HUTMENT - 9.62 M.
27/TKOF 09/APCH	POLE	190512.5N 0725041.3E	52 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	OTHER	190512.4N 0725041.2E	37 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV 6.44 M + 5 M MOBILE ROAD TRAFFIC) - FIRST IMPACT
27/TKOF 09/APCH	OTHER	190512.7N 0725039.7E	52 FT	NIL	HOARDING, ANTENNA TOP - 15.73 M, HOARDING TOP - 14.59 M.
27/TKOF 09/APCH	POLE	190512.9N 0725040.3E	57 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	POLE	190513.2N 0725040.7E	52 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	BUILDING	190515.2N 0725041.0E	47 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190515.4N 0725041.0E	45 FT	NIL	HUTMENT
27/TKOF 09/APCH	OTHER	190515.9N 0725041.3E	42 FT	NIL	SOLAR PANEL TOP
27/TKOF 09/APCH	OTHER	190515.9N 0725041.1E	38 FT	NIL	TEMPLE, SHED TOP
27/TKOF 09/APCH	TREE	190516.3N 0725041.1E	38 FT	NIL	TREE
27/TKOF 09/APCH	FENCE	190516.6N 0725040.8E	35 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/TKOF 09/APCH	BUILDING	190516.5N 0725040.7E	43 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	OTHER	190517.3N 0725039.7E	38 FT	NO	MOBILE ROAD TRAFFIC(ROAD ELEV - 6.51 M + 5M MOBILE TRAFFIC)
27/TKOF 09/APCH	TREE	190516.6N 0725039.2E	52 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190516.6N 0725039.7E	39 FT	NIL	HUTMENT, DISH ANTENNA TOP - 12.04 M, HUTMENT TOP - 11.15 M.
27/TKOF 09/APCH	BUILDING	190516.7N 0725040.0E	37 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	TREE	190516.3N 0725039.8E	48 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190516.3N 0725040.1E	50 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190515.5N 0725039.6E	44 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	TREE	190515.4N 0725039.0E	40 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	POLE	190513.1N 0725039.3E	54 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	BUILDING	190512.7N 0725038.8E	44 FT	NIL	HOARDING ON HUTMENT
27/TKOF 09/APCH	TREE	190511.9N 0725038.0E	70 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190512.5N 0725038.3E	55 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190512.9N 0725038.5E	54 FT	LGTD	HUTMENT, CELLPHONE MAST TOP - 16.41 M, HUTMENT - 10.04 M.
27/TKOF 09/APCH	BUILDING	190514.1N 0725037.7E	50 FT	NIL	HUTMENT
27/TKOF 09/APCH	TREE	190513.9N 0725037.5E	60 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190513.3N 0725037.1E	61 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190514.5N 0725037.3E	50 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190514.4N 0725037.0E	52 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190512.7N 0725036.5E	60 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190513.5N 0725036.2E	65 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190514.4N 0725036.3E	60 FT	NIL	HUTMENT
27/TKOF 09/APCH	OTHER	190517.3N 0725036.7E	52 FT	NIL	HOARDING, ANTENNA TOP - 15.89 M, HOARDING TOP - 14.81 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190516.1N 0725036.0E	48 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190514.2N 0725034.8E	66 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190514.4N 0725034.7E	65 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190514.7N 0725034.2E	57 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	OTHER	190514.1N 0725033.1E	56 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	OTHER	190516.8N 0725033.6E	50 FT	NIL	MOBILE RAIL TRAFFIC (TRACK ELEVATION - 7.61 M + MOBILE TRAFFIC - 7.6 M)
27/TKOF 09/APCH	TREE	190516.8N 0725034.3E	62 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190517.2N 0725034.2E	55 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190517.7N 0725034.3E	58 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190517.8N 0725035.1E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190517.3N 0725035.5E	51 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190518.1N 0725035.8E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	TREE	190518.3N 0725036.1E	48 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190518.5N 0725034.6E	52 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190519.8N 0725034.7E	50 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190520.0N 0725034.9E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190520.4N 0725035.2E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190520.5N 0725035.3E	47 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190521.6N 0725035.6E	46 FT	NIL	HUTMENT
27/TKOF 09/APCH	TREE	190523.1N 0725036.5E	45 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190523.7N 0725038.0E	41 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190523.9N 0725036.3E	44 FT	NIL	HUTMENT TOP
27/TKOF 09/APCH	BUILDING	190523.0N 0725035.2E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190522.7N 0725035.2E	53 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190522.6N 0725035.2E	52 FT	NIL	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190522.6N 0725034.8E	60 FT	NIL	TREE
27/TKOF 09/APCH	BUILDING	190522.2N 0725035.0E	51 FT	NIL	HUTMENT
27/TKOF 09/APCH	BUILDING	190522.0N 0725035.0E	48 FT	NIL	HUTMENT
27/TKOF 09/APCH	OTHER	190521.0N 0725034.2E	50 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	TREE	190511.9N 0725035.1E	68 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190511.9N 0725034.1E	72 FT	NIL	HUTMENT, FLAG TOP - 21.78 M, HUTMENT TOP - 20.50 M
27/TKOF 09/APCH	TREE	190512.8N 0725033.6E	79 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	OTHER	190511.9N 0725032.5E	55 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	TREE	190512.0N 0725030.2E	78 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190512.1N 0725028.8E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190510.5N 0725025.4E	85 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	BUILDING	190515.3N 0725030.1E	61 FT	NIL	TRANSCON PLAZA(U/C), LIFT TOP - 18.72 M, BUILDING TOP(SLAB) - 15.87 M.
27/TKOF 09/APCH	BUILDING	190516.7N 0725029.4E	58 FT	NIL	ALOK BUILDING, SHED TOP - 17.58 M, BUILDING TOP(PARAPET WALL) - 16.14 M.
27/TKOF 09/APCH	TREE	190516.8N 0725030.4E	74 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190517.2N 0725031.2E	57 FT	NIL	TREE(T)
27/TKOF 09/APCH	BUILDING	190516.8N 0725031.4E	58 FT	NIL	RADHE GOPE, DISH ANTENNA TOP - 17.69 M, STAIRCASE ROOM TOP - 16.75 M, BUILDING TOP(PARAPET WALL) - 16.20 M.
27/TKOF 09/APCH	TREE	190517.8N 0725027.9E	66 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.4N 0725029.3E	70 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.1N 0725029.9E	73 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190518.3N 0725030.2E	61 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.1N 0725032.0E	65 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190519.3N 0725031.3E	55 FT	NIL	PUSHPANJALI, SHED TOP - 16.87 M, BUILDING TOP(PARAPET WALL) - 14.30 M.
27/TKOF 09/APCH	TREE	190519.4N 0725029.2E	58 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190519.4N 0725030.3E	78 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190519.8N 0725030.4E	64 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190519.7N 0725030.6E	55 FT	NIL	GROUP OF TREES (T)
27/TKOF 09/APCH	BUILDING	190520.2N 0725030.9E	69 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.7N 0725031.7E	58 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.0N 0725031.9E	71 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190522.2N 0725032.1E	59 FT	NIL	TREE (PRUNED)
27/TKOF 09/APCH	BUILDING	190522.6N 0725032.2E	58 FT	NIL	JEEVAN SANGEET, SHED TOP - 17.72 M, SHED TOP - 16.79 M, WATER TANK TOP - 16.46 M, STAIRCASE ROOM TOP - 16.29 M, BUILDING(PARAPET WALL) - 14.72 M
27/TKOF 09/APCH	TREE	190522.4N 0725032.3E	56 FT	NIL	TREE
27/TKOF 09/APCH	OTHER	190521.8N 0725033.7E	54 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	OTHER	190523.4N 0725034.3E	54 FT	NIL	ELECTRIC TRACTION OVERHEAD FRAME
27/TKOF 09/APCH	TREE	190524.9N 0725033.1E	78 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190524.3N 0725032.6E	64 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190523.5N 0725032.8E	67 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	TREE	190524.8N 0725031.7E	70 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190524.9N 0725031.1E	70 FT	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190525.4N 0725030.2E	61 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190525.0N 0725030.3E	60 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190524.4N 0725031.4E	53 FT	NIL	ARVASU BUILDING, SHED TOP - 16.24 M, BUILDING TOP(PARAPET WALL) - 16.09 M.
27/TKOF 09/APCH	TREE	190524.0N 0725031.3E	68 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190524.1N 0725031.1E	62 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190523.9N 0725030.8E	65 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190524.4N 0725030.2E	63 FT	NIL	MILAN COMMERCIAL COMPLEX, ANTENNA TOP - 19.33 M, STAIRCASE ROOM TOP - 18.34 M, A/C VENT TOP - 17.82 M, BUILDING TOP(SLAB) - 16.56 M.
27/TKOF 09/APCH	TREE	190523.7N 0725029.8E	57 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190523.0N 0725030.9E	56 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190522.8N 0725030.7E	58 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190522.6N 0725030.9E	61 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190522.4N 0725031.1E	68 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190520.9N 0725031.1E	54 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190521.3N 0725029.8E	73 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190522.7N 0725030.0E	61 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190522.8N 0725029.5E	58 FT	NIL	MESB BUILDING, DISH ANTENNA TOP - 17.83 M, SHED TOP - 16.25 M, BUILDING TOP(PARAPET WALL) - 15.25 M.
27/TKOF 09/APCH	TREE	190522.8N 0725028.5E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190521.7N 0725027.3E	61 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190519.2N 0725026.4E	69 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	190518.9N 0725025.9E	70 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190521.7N 0725025.6E	71 FT	NIL	DEV MOHAN CHS, IRON ROD TOP - 21.53 M, SINTEX TANK TOP - 21.33 M, BUILDING TOP - 19.49 M
27/TKOF 09/APCH	TREE	190521.5N 0725024.9E	80 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190521.1N 0725024.8E	66 FT	NIL	BUILDING, SHED TOP - 20.21 M, BUILDING TOP(SLAB) - 20.00 M.
27/TKOF 09/APCH	TREE	190522.1N 0725023.9E	72 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190525.8N 0725024.9E	87 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190525.9N 0725024.2E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190526.2N 0725023.4E	81 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190526.1N 0725022.4E	82 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190526.4N 0725020.3E	89 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190523.8N 0725020.1E	77 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190518.9N 0725021.6E	93 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190516.5N 0725024.5E	83 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190515.7N 0725024.1E	85 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190516.2N 0725025.8E	75 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	TREE	190514.7N 0725025.6E	83 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	TREE	190510.1N 0725024.0E	83 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	190510.2N 0725022.2E	85 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190511.1N 0725022.5E	91 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	TREE	190511.3N 0725021.7E	88 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190511.0N 0725021.0E	92 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	190509.8N 0725020.3E	89 FT	NIL	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	190509.3N 0725020.6E	89 FT	NIL	GANGA VIHAR 'A' WING 1, STAIRCASE ROOM TOP - 27.24 M, BUILDING TOP(PARAPET WALL) - 23.81 M.
27/TKOF 09/APCH	TREE	190509.3N 0725016.0E	86 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	TREE	190510.1N 0725012.8E	96 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	BUILDING	190509.9N 0725011.9E	93 FT	NIL	BUILDING, PIPE TOP - 28.27 M, BUILDING TOP(PARAPET WALL) - 27.29 M.
27/TKOF 09/APCH	TREE	190513.8N 0725018.6E	87 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190515.6N 0725016.7E	88 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190514.9N 0725016.2E	90 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	190513.5N 0725015.8E	91 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190513.8N 0725013.6E	93 FT	NIL	GROUP OF COCONUT TREES
27/TKOF 09/APCH	TREE	190513.1N 0725012.6E	91 FT	NIL	COCONUT TREE
27/TKOF 09/APCH	BUILDING	190515.9N 0725007.6E	102 FT	NIL	REHAB BUILDING(PLOT - C,U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 30.96 M, BUILDING (U/C) TOP(PARAPET WALL) - 26.82 M.
27/TKOF 09/APCH	TREE	190520.1N 0725015.9E	88 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	190520.2N 0725031.7E	59 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	190523.7N 0725026.7E	80 FT	NIL	PIPAL
27/TKOF 09/APCH	TREE	190522.1N 0725028.0E	82 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	190513.9N 0725042.2E	48 FT	NIL	TREE
27/TKOF 09/APCH	TREE	190515.2N 0725043.1E	39 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190524.8N 0725256.7E	69 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190524.8N 0725256.0E	63 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.7N 0725253.5E	76 FT	NIL	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190524.7N 0725253.7E	77 FT	NIL	HUT
27/APCH 09/TKOF	TREE	190524.5N 0725253.4E	77 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190524.5N 0725253.6E	71 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190524.5N 0725253.8E	78 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190524.3N 0725253.7E	68 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190524.2N 0725253.4E	78 FT	NIL	TREE
27/APCH 09/TKOF	NATURAL HIGHPOINT	190524.1N 0725253.6E	71 FT	NIL	HILL TOP
27/APCH 09/TKOF	BUILDING	190524.1N 0725254.0E	66 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	TREE	190524.1N 0725255.1E	75 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190523.6N 0725254.9E	62 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.5N 0725254.6E	64 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190523.5N 0725254.0E	50 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	BUILDING	190523.3N 0725254.7E	60 FT	NIL	HUTMENT, DISH ANTENNA TOP - 18.38 M, HUTMENT TOP - 17.45 M.
27/APCH 09/TKOF	BUILDING	190523.7N 0725255.8E	71 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.0N 0725256.1E	72 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.9N 0725256.6E	76 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190523.3N 0725255.9E	77 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.0N 0725259.0E	75 FT	NIL	MOSQUE
27/APCH 09/TKOF	BUILDING	190524.8N 0725259.1E	88 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190525.0N 0725259.1E	87 FT	NIL	HUT
27/APCH 09/TKOF	OTHER	190526.3N 0725303.6E	75 FT	NIL	SHED TOP
27/APCH 09/TKOF	OTHER	190525.7N 0725302.7E	81 FT	NIL	SHED TOP
27/APCH 09/TKOF	OTHER	190525.4N 0725303.0E	80 FT	NIL	SHED TOP
27/APCH 09/TKOF	OTHER	190525.3N 0725303.8E	77 FT	NIL	SHED TOP
27/APCH 09/TKOF	TREE	190526.3N 0725304.2E	95 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190526.4N 0725305.6E	62 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.1N 0725306.1E	66 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190525.9N 0725306.0E	67 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190525.8N 0725306.2E	78 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190525.3N 0725305.8E	66 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190525.9N 0725307.0E	71 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.4N 0725306.6E	69 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.0N 0725309.1E	70 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.7N 0725308.6E	83 FT	NIL	HUTMENT
27/APCH 09/TKOF	BUILDING	190524.2N 0725306.9E	76 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, STAIRCASE ROOM TOP - 23.08 M, BUILDING TOP - 21.64 M.
27/APCH 09/TKOF	BUILDING	190524.1N 0725306.8E	74 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.3N 0725306.1E	76 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, STAIRCASE ROOM TOP - 23.32 M, BUILDING TOP - 22.08 M.
27/APCH 09/TKOF	BUILDING	190524.3N 0725305.7E	65 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.5N 0725304.3E	62 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 19.12 M, BUILDING TOP - 18.33 M.
27/APCH 09/TKOF	BUILDING	190522.8N 0725304.2E	60 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190522.5N 0725304.1E	61 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	OTHER	190522.6N 0725306.7E	75 FT	NIL	SHED TOP
27/APCH 09/TKOF	BUILDING	190522.5N 0725306.9E	74 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190520.3N 0725305.4E	64 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190520.6N 0725305.3E	65 FT	NIL	BUILDING TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190520.8N 0725305.4E	67 FT	NIL	HUTMENT
27/APCH 09/TKOF	NAVAID	190521.3N 0725303.8E	63 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190521.3N 0725303.3E	65 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190521.1N 0725302.5E	69 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190521.0N 0725304.9E	64 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	TREE	190520.9N 0725301.5E	71 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190521.2N 0725301.1E	74 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	OTHER	190520.1N 0725300.5E	55 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	TREE	190520.3N 0725259.6E	69 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190521.2N 0725300.1E	71 FT	NIL	SHED TOP
27/APCH 09/TKOF	OTHER	190521.2N 0725259.9E	69 FT	NIL	SHED TOP
27/APCH 09/TKOF	OTHER	190521.4N 0725259.2E	75 FT	NIL	SHED TOP
27/APCH 09/TKOF	BUILDING	190521.5N 0725258.5E	83 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190521.5N 0725257.8E	80 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	TREE	190520.5N 0725257.6E	70 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190520.9N 0725257.1E	67 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190520.9N 0725256.1E	61 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190520.4N 0725256.0E	53 FT	NIL	TREE
27/APCH 09/TKOF	OTHER	190520.0N 0725255.4E	54 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	TREE	190520.7N 0725255.6E	58 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190520.8N 0725255.5E	79 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190521.0N 0725255.0E	62 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190520.7N 0725254.9E	60 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190520.9N 0725254.5E	66 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190520.9N 0725254.3E	62 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	TREE	190521.2N 0725255.0E	62 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190521.5N 0725254.8E	62 FT	NIL	SPEAKER WITH POLE TOP
27/APCH 09/TKOF	TREE	190521.7N 0725256.2E	81 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190521.6N 0725255.7E	76 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190521.5N 0725255.6E	72 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190522.0N 0725255.3E	75 FT	NIL	COCONUT TREE
27/APCH 09/TKOF	TREE	190522.0N 0725255.3E	77 FT	NIL	COCONUT TREE
27/APCH 09/TKOF	BUILDING	190522.6N 0725255.4E	63 FT	NIL	Pucca House
27/APCH 09/TKOF	TREE	190521.8N 0725254.6E	59 FT	NIL	TREE
27/APCH 09/TKOF	OTHER	190521.6N 0725253.9E	53 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV - 11.13 M + MOBILE TRAFFIC - 5 M)
27/APCH 09/TKOF	OTHER	190522.2N 0725253.0E	50 FT	NIL	ASMGCS MLAT ANTENNA
27/APCH 09/TKOF	OTHER	190521.4N 0725253.3E	49 FT	NIL	CRASH GATE, FENCING TOP - 14.85 M, GATE TOP - 13.82 M.
27/APCH 09/TKOF	FENCE	190521.3N 0725253.5E	48 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	OTHER	190520.9N 0725253.5E	53 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV - 11.15 M + 5 M MOBILE TRAFFIC)
27/APCH 09/TKOF	BUILDING	190520.1N 0725253.9E	51 FT	NIL	SECURITY HUT INSIDE APPROACH LIGHT'S COMPOUND
27/APCH 09/TKOF	OTHER	190520.1N 0725253.7E	51 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	190519.9N 0725253.6E	47 FT	NIL	GATE
27/APCH 09/TKOF	FENCE	190519.8N 0725253.6E	48 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	OTHER	190519.9N 0725253.5E	55 FT	NIL	MOBILE ROAD TRAFFIC
27/APCH 09/TKOF	OTHER	190520.1N 0725253.2E	52 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV - 10.72 M + MOBILE TRAFFIC - 5 M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	OTHER	190520.1N 0725253.2E	52 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV - 11.04 M + 5 M MOBILE TRAFFIC)
27/APCH 09/TKOF	OTHER	190520.0N 0725253.0E	55 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV - 11.87 M + 5 M MOBILE TRAFFIC)
27/APCH 09/TKOF	FENCE	190519.8N 0725253.0E	46 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	TOWER	190515.9N 0725252.8E	74 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.2N 0725252.9E	70 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190516.3N 0725253.2E	92 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.3N 0725253.3E	94 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.7N 0725253.4E	71 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190516.9N 0725252.7E	71 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190517.2N 0725252.7E	59 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190517.2N 0725252.8E	59 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190518.1N 0725253.0E	68 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190518.0N 0725254.8E	68 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190518.5N 0725254.5E	63 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 19.12 M, BUILDING TOP - 18.33 M.
27/APCH 09/TKOF	TREE	190518.7N 0725254.0E	71 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190518.8N 0725253.4E	54 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	OTHER	190519.4N 0725252.9E	52 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV - 10.90 M + 5 M MOBILE TRAFFIC)
27/APCH 09/TKOF	BUILDING	190519.0N 0725253.6E	56 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.0N 0725253.7E	59 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.1N 0725253.9E	52 FT	NIL	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190519.0N 0725253.9E	54 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.1N 0725255.3E	57 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190519.0N 0725254.5E	61 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190519.1N 0725254.8E	62 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190518.8N 0725255.0E	66 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190518.9N 0725255.2E	64 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190518.9N 0725255.6E	63 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190519.0N 0725255.3E	63 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 19.12 M, BUILDING TOP - 17.84 M.
27/APCH 09/TKOF	BUILDING	190518.3N 0725259.4E	59 FT	NIL	DISH ANTENNA TOP ON BUILDING (BUILDING TOP - 17.27 M)
27/APCH 09/TKOF	BUILDING	190519.0N 0725255.8E	66 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190518.9N 0725256.1E	63 FT	NIL	SINTEX TANK TOP ON BUILDING (BUILDING TOP - 18.41 M)
27/APCH 09/TKOF	BUILDING	190518.3N 0725255.7E	71 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190517.6N 0725255.6E	67 FT	NIL	HUTMENT
27/APCH 09/TKOF	TREE	190517.5N 0725256.3E	89 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190518.5N 0725257.2E	63 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190518.0N 0725258.9E	66 FT	NIL	SPEAKER ON MOSQUE (BUILDING TOP - 18.48 M)
27/APCH 09/TKOF	BUILDING	190518.1N 0725300.9E	65 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190518.0N 0725300.2E	68 FT	NIL	DISH ANTENNA TOP ON BUILDING (BUILDING TOP - 20.03 M)
27/APCH 09/TKOF	BUILDING	190517.7N 0725302.0E	75 FT	NIL	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190517.9N 0725300.8E	74 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, DISH ANTENNA TOP - 22.60 M, BUILDING TOP - 21.19 M.
27/APCH 09/TKOF	BUILDING	190517.6N 0725301.3E	71 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190517.7N 0725301.4E	67 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190517.9N 0725302.2E	69 FT	NIL	HUTMENT
27/APCH 09/TKOF	BUILDING	190518.0N 0725302.1E	74 FT	NIL	HUTMENT
27/APCH 09/TKOF	BUILDING	190517.8N 0725302.9E	59 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	BUILDING	190521.0N 0725302.1E	66 FT	NIL	HUTMENT, SINTEX TANK TOP - 20.11 M, HUTMENT TOP - 19.66 M.
27/APCH 09/TKOF	BUILDING	190517.5N 0725302.9E	64 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190517.0N 0725302.7E	61 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190516.3N 0725302.6E	71 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190515.7N 0725302.6E	54 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190514.8N 0725302.4E	52 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190517.5N 0725309.0E	86 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190518.1N 0725307.8E	80 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190521.4N 0725308.6E	78 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190523.0N 0725311.0E	89 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	ANTENNA	190523.1N 0725311.3E	85 FT	LGTD	CELLPHONE MAST
27/APCH 09/TKOF	BUILDING	190525.2N 0725310.6E	70 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.5N 0725311.6E	102 FT	NIL	TEMPLE, POLE TOP - 30.96 M, TEMPLE TOP - 28.40 M.
27/APCH 09/TKOF	ANTENNA	190526.6N 0725311.9E	89 FT	LGTD	CELLPHONE MAST TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	POLE	190527.2N 0725312.5E	87 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190527.5N 0725311.6E	87 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.7N 0725315.4E	114 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190525.9N 0725314.6E	91 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190525.8N 0725315.9E	127 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190525.0N 0725315.3E	114 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190526.2N 0725317.4E	134 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.4N 0725317.5E	136 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.4N 0725317.5E	131 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.5N 0725317.6E	127 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.6N 0725317.5E	134 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190527.1N 0725316.9E	145 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190527.8N 0725315.5E	126 FT	LGTD	HUTMENT, CELLPHONE MAST TOP - 38.43 M, HUTMENT TOP - 33.92 M.
27/APCH 09/TKOF	BUILDING	190525.9N 0725322.0E	139 FT	NIL	MASJID
27/APCH 09/TKOF	BUILDING	190528.5N 0725317.8E	169 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190527.3N 0725317.6E	147 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.9N 0725318.0E	148 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.7N 0725318.2E	147 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190526.4N 0725318.3E	143 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190525.9N 0725318.4E	127 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190525.7N 0725319.0E	129 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.6N 0725319.1E	127 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.9N 0725318.8E	127 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190525.0N 0725318.8E	129 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190525.5N 0725318.6E	156 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190525.2N 0725317.6E	107 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.9N 0725317.7E	107 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190524.5N 0725317.3E	114 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190524.3N 0725316.6E	106 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 32.33 M, BUILDING TOP - 29.20 M.
27/APCH 09/TKOF	TREE	190524.2N 0725315.9E	121 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190523.6N 0725316.9E	98 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.0N 0725317.8E	113 FT	NIL	HUTMENT, ANTENNA TOP - 34.45, HUTMENT TOP - 31.99 M.
27/APCH 09/TKOF	TREE	190523.4N 0725318.2E	120 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190523.4N 0725318.5E	110 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 33.62 M, BUILDING TOP - 32.13 M.
27/APCH 09/TKOF	BUILDING	190523.9N 0725319.0E	116 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.8N 0725319.2E	117 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.4N 0725319.1E	113 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.5N 0725319.3E	117 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.4N 0725319.4E	121 FT	NIL	HUTMENT
27/APCH 09/TKOF	BUILDING	190523.3N 0725319.7E	125 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.0N 0725319.0E	107 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.0N 0725319.0E	101 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190522.9N 0725319.1E	101 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.0N 0725317.0E	94 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190522.7N 0725315.6E	96 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, STAIRCASE ROOM TOP - 29.19 M, BUILDING TOP - 27.80 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	TREE	190521.6N 0725315.0E	97 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190521.9N 0725317.1E	91 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190522.0N 0725317.3E	91 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190521.4N 0725318.3E	101 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190521.8N 0725318.6E	90 FT	NIL	SHIVAI MAHAJAN HIGH SCHOOL
27/APCH 09/TKOF	BUILDING	190522.0N 0725319.2E	100 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190521.8N 0725319.8E	117 FT	NIL	HUTMENT, PIPE TOP - 35.56 M, SINTEX TANK TOP - 35.36 M, HUTMENT TOP - 34.65 M.
27/APCH 09/TKOF	BUILDING	190521.4N 0725320.1E	121 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190521.2N 0725319.6E	114 FT	NIL	HUTMENT, GRILL TOP - 34.56 M, HUTMENT TOP - 32.75 M.
27/APCH 09/TKOF	BUILDING	190521.3N 0725319.3E	100 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190521.2N 0725319.3E	100 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190520.9N 0725319.4E	99 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190520.9N 0725319.6E	116 FT	LGTD	BUILDING, CELLPHONE MAST TOP - 35.31 M, BUILDING TOP - 31.39 M.
27/APCH 09/TKOF	BUILDING	190520.6N 0725319.7E	112 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED TOP
27/APCH 09/TKOF	BUILDING	190520.6N 0725319.9E	118 FT	NIL	CELL PHONE MAST TOP ON PUCCA HOUSE (BUILDING TOP-33.98 M)
27/APCH 09/TKOF	BUILDING	190519.3N 0725318.5E	93 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	TREE	190520.2N 0725316.4E	93 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190519.0N 0725312.0E	73 FT	NIL	FACTORY (IRFAN SONTEX PVT. LTD.)
27/APCH 09/TKOF	BUILDING	190518.5N 0725314.3E	75 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190517.9N 0725319.0E	112 FT	NIL	TEMPLE TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190517.5N 0725318.3E	85 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.5N 0725320.9E	112 FT	NIL	HUTMENT, DISH ANTENNA TOP - 34.15 M, HUTMENT TOP - 33.39 M.
27/APCH 09/TKOF	TREE	190516.5N 0725318.3E	108 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.4N 0725316.5E	98 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190516.2N 0725313.8E	79 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 24.13 M, STAIRCASE ROOM TOP - 22.61 M, BUILDING TOP - 19.99 M.
27/APCH 09/TKOF	TREE	190515.8N 0725313.6E	103 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190515.9N 0725315.0E	101 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.2N 0725315.2E	98 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190515.6N 0725315.0E	93 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190515.2N 0725316.0E	99 FT	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190515.0N 0725314.1E	75 FT	NIL	AAISHA MANZIL, STAIRCASE ROOM TOP - 23.01 M, BUILDING TOP - 22.41 M.
27/APCH 09/TKOF	TREE	190513.8N 0725313.0E	89 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190513.5N 0725315.0E	86 FT	NIL	BUILDING, STAIRCASE ROOM TOP - 26.26 M, BUILDING TOP(PARAPET WALL) - 23.35 M.
27/APCH 09/TKOF	TREE	190512.8N 0725314.7E	100 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190514.4N 0725331.1E	142 FT	NIL	BUILDING - WATER TANK TOP - 43.32 M,BUILDING TOP-41.37 M
27/APCH 09/TKOF	BUILDING	190515.0N 0725320.0E	106 FT	NIL	HUT ON HILL LOCK
32/TKOF 14/APCH	BUILDING	190603.8N 0725108.2E	116 FT	NIL	HUT ON HILL LOCK
27/APCH 09/TKOF	TREE	190516.4N 0725319.8E	122 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190516.5N 0725320.0E	106 FT	NIL	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190516.4N 0725320.3E	118 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190516.5N 0725320.3E	122 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190516.8N 0725320.4E	121 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190516.9N 0725320.3E	125 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190517.6N 0725320.8E	142 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190519.9N 0725321.9E	95 FT	NIL	CHAND TARA SWEETS
27/APCH 09/TKOF	BUILDING	190517.7N 0725322.4E	125 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190517.3N 0725322.3E	127 FT	NIL	MOSQUE , PIPE - 38.73 M, MOSQUE TOP - 38.13 M.
27/APCH 09/TKOF	BUILDING	190515.3N 0725321.9E	118 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190515.1N 0725322.8E	130 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190514.6N 0725322.5E	145 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190515.2N 0725323.4E	126 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190516.0N 0725323.5E	130 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190517.0N 0725323.5E	130 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190517.3N 0725324.6E	109 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190517.7N 0725325.4E	108 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190515.4N 0725324.9E	117 FT	NIL	MOSQUE TOP/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190515.4N 0725325.5E	105 FT	NIL	SEMI STRUCTURED BUILDING, SINTEX TANK TOP - 31.89 M, BUILDING TOP - 30.64 M.
27/APCH 09/TKOF	BUILDING	190514.9N 0725325.9E	106 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190515.4N 0725326.6E	108 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190515.8N 0725327.3E	112 FT	NIL	SEMI STRUCTURED BUILDING, SINTEX TANK TOP - 34.15 M, BUILDING TOP - 32.91 M.
27/APCH 09/TKOF	BUILDING	190517.2N 0725328.4E	136 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190517.8N 0725329.0E	138 FT	NIL	HUT ON HILL
27/APCH 09/TKOF	BUILDING	190517.8N 0725328.4E	135 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190519.2N 0725327.9E	121 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190518.7N 0725328.7E	136 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190519.1N 0725329.8E	119 FT	NIL	GROUPS OF TREES
27/APCH 09/TKOF	BUILDING	190515.1N 0725330.1E	116 FT	NIL	JANTA STORE TOP
27/APCH 09/TKOF	BUILDING	190518.5N 0725329.9E	137 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, FLAG TOP - 41.77 M, BUILDING TOP - 39.52 M.
27/APCH 09/TKOF	BUILDING	190518.6N 0725330.3E	147 FT	NIL	BUILDING-CELL PHONE MAST-44.68 M,GENERATOR TOP-43.44 M,BUILDING TOP-41.83 M
27/APCH 09/TKOF	BUILDING	190520.4N 0725334.3E	138 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 41.97 M, BUILDING TOP - 40.05 M.
27/APCH 09/TKOF	BUILDING	190520.0N 0725332.5E	129 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.9N 0725332.1E	128 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.0N 0725332.1E	124 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	190519.7N 0725331.9E	147 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 44.88 M, BUILDING TOP - 44.19 M.
27/APCH 09/TKOF	TREE	190519.4N 0725330.6E	142 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190519.5N 0725329.2E	131 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.9N 0725328.8E	127 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190520.8N 0725328.7E	123 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190521.0N 0725328.7E	124 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, DISH ANTENNA TOP - 37.88 M, BUILDING TOP - 36.86 M.
27/APCH 09/TKOF	BUILDING	190521.0N 0725328.4E	125 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	TREE	190521.1N 0725328.2E	152 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190521.2N 0725328.4E	122 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190521.0N 0725328.0E	127 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 38.56 M, BUILDING TOP - 37.68 M.
27/APCH 09/TKOF	TREE	190521.7N 0725327.9E	142 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190521.3N 0725326.7E	130 FT	NO	GROUP OF TREES
27/APCH 09/TKOF	TREE	190521.4N 0725325.2E	124 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190521.7N 0725327.7E	134 FT	NIL	MOSQUE, FLAG TOP - 40.82 M, SPEAKER TOP - 39.16 M, MOSQUE TOP - 38.43 M
27/APCH 09/TKOF	TREE	190522.2N 0725328.4E	130 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190522.0N 0725329.7E	142 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190522.4N 0725328.3E	114 FT	NIL	MOSQUE
27/APCH 09/TKOF	POLE	190522.4N 0725327.7E	114 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	TREE	190522.4N 0725327.6E	109 FT	NIL	TREE
27/APCH 09/TKOF	OTHER	190522.2N 0725326.6E	125 FT	NIL	SHED TOP
27/APCH 09/TKOF	BUILDING	190522.2N 0725326.3E	124 FT	NIL	HUTMENT
27/APCH 09/TKOF	BUILDING	190522.5N 0725325.2E	122 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, FLAG TOP - 37.21 M, BUILDING TOP - 35.61 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190522.8N 0725325.2E	120 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190523.3N 0725325.5E	122 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	TREE	190523.5N 0725323.6E	147 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190524.2N 0725325.2E	132 FT	NIL	MOSQUE, SPEAKER TOP - 40.20 M, MOSQUE TOP - 39.23 M.
27/APCH 09/TKOF	BUILDING	190523.9N 0725326.2E	122 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190524.7N 0725326.6E	124 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	ANTENNA	190525.0N 0725326.2E	137 FT	LGTD	CELLPHONE MAST
27/APCH 09/TKOF	TREE	190525.4N 0725327.2E	135 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190525.8N 0725326.6E	137 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190525.8N 0725326.9E	123 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.2N 0725324.8E	136 FT	NIL	HUT ON HILL
27/APCH 09/TKOF	BUILDING	190526.4N 0725324.8E	145 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 44.20 M, BUILDING TOP - 43.74 M.
27/APCH 09/TKOF	BUILDING	190527.7N 0725326.0E	146 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190527.4N 0725326.3E	139 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190527.6N 0725326.6E	141 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190526.5N 0725327.4E	129 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	TREE	190526.7N 0725327.8E	145 FT	NIL	Group of Trees
27/APCH 09/TKOF	BUILDING	190525.6N 0725328.5E	127 FT	NIL	HOME GUARD BUILDING TOP
27/APCH 09/TKOF	TREE	190525.2N 0725331.0E	157 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190524.2N 0725334.4E	140 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190525.4N 0725336.3E	122 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190526.7N 0725332.0E	151 FT	NIL	Group of Trees
27/APCH 09/TKOF	TREE	190528.2N 0725331.3E	166 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190529.0N 0725333.4E	164 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	TREE	190530.3N 0725332.3E	172 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190529.9N 0725329.5E	136 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190525.3N 0725327.1E	137 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190528.9N 0725328.4E	133 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190529.3N 0725328.2E	158 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190529.1N 0725328.0E	144 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190529.7N 0725327.1E	147 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190530.1N 0725328.7E	153 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190531.3N 0725337.6E	147 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190529.9N 0725337.2E	153 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190529.2N 0725337.8E	148 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190528.6N 0725336.0E	159 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190527.2N 0725335.1E	142 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190527.6N 0725335.8E	146 FT	NIL	TREE (COCONUT)
27/APCH 09/TKOF	TREE	190528.3N 0725337.3E	146 FT	NIL	TREE (COCONUT)
27/APCH 09/TKOF	TREE	190528.8N 0725340.0E	147 FT	NIL	GROUP OF TREES (COCONUT)
27/APCH 09/TKOF	TREE	190530.0N 0725341.5E	201 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190530.1N 0725340.2E	161 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190530.7N 0725340.1E	173 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190532.1N 0725341.6E	179 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.7N 0725344.4E	206 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190531.8N 0725344.3E	207 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190530.8N 0725343.2E	175 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190530.5N 0725343.5E	171 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190528.3N 0725343.5E	137 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190526.0N 0725341.4E	137 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190525.3N 0725340.9E	141 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, ANTENNA TOP - 42.91 M, STAIRCASE ROOM TOP - 30.33 M, BUILDING TOP - 27.31 M.
27/APCH 09/TKOF	BUILDING	190523.9N 0725341.3E	128 FT	LGTD	BUILDING, CELLPHONE MAST TOP - 39.09 M, STAIRCASE ROOM TOP - 38.54 M, BUILDING TOP - 34.66 M.
27/APCH 09/TKOF	TREE	190524.0N 0725338.4E	138 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190523.7N 0725338.3E	139 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190523.2N 0725338.5E	126 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190522.7N 0725338.3E	126 FT	NIL	HUTMENT ON HILL
27/APCH 09/TKOF	BUILDING	190521.8N 0725338.0E	129 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190520.3N 0725336.9E	135 FT	NIL	HUT TOP
27/APCH 09/TKOF	TREE	190520.4N 0725335.8E	168 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190520.6N 0725337.4E	145 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED, STAIRCASE ROOM TOP - 44.28 M, BUILDING TOP - 43.09 M.
27/APCH 09/TKOF	BUILDING	190520.7N 0725338.1E	126 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190520.4N 0725338.6E	139 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190519.8N 0725337.9E	128 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.5N 0725338.0E	124 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190519.3N 0725337.8E	128 FT	NIL	Pucca House
27/APCH 09/TKOF	BUILDING	190518.0N 0725337.2E	127 FT	NIL	HUT TOP
27/APCH 09/TKOF	BUILDING	190517.8N 0725334.0E	150 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190517.6N 0725332.0E	143 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	190517.0N 0725330.0E	129 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	190516.9N 0725330.4E	142 FT	NIL	HUTMENT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190516.3N 0725328.5E	131 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	OTHER	190514.8N 0725329.2E	127 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190515.3N 0725330.3E	126 FT	NIL	SALMAN SWEET CORNER TOP
27/APCH 09/TKOF	BUILDING	190518.9N 0725330.0E	133 FT	NIL	BUILDING-SHED TOP-40.38 M,BUILDING TOP-38.42 M
27/APCH 09/TKOF	TREE	190515.9N 0725330.5E	157 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190515.9N 0725331.0E	160 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190515.3N 0725331.6E	165 FT	NIL	MOSQUE TOP
27/APCH 09/TKOF	BUILDING	190514.6N 0725331.7E	144 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	BUILDING	190515.4N 0725330.0E	121 FT	NIL	MOSQUE
27/APCH 09/TKOF	BUILDING	190514.1N 0725331.4E	143 FT	NO	BUILDING - STAIRCASE TOP - 43.71 M,BUILDING TOP - 41.83 M
27/APCH 09/TKOF	BUILDING	190513.9N 0725332.0E	151 FT	NIL	PUCCA HOUSE/ SEMI STRUCTURED
27/APCH 09/TKOF	TREE	190513.5N 0725330.8E	143 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190511.4N 0725332.3E	133 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190511.2N 0725334.8E	128 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190511.4N 0725334.6E	130 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190511.6N 0725335.2E	163 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190515.4N 0725335.0E	160 FT	LGTD	PUCCA HOUSE/ SEMI STRUCTURED, CELLPHONE MAST TOP - 48.74 M, BUILDING TOP - 43.21 M.
27/APCH 09/TKOF	BUILDING	190515.7N 0725336.8E	135 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190515.0N 0725337.6E	125 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190515.4N 0725340.6E	135 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190521.7N 0725327.7E	135 FT	NIL	MOSQUE-POLE TOP-41.04 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190515.2N 0725351.5E	156 FT	LGTD	ALPHA PARK 'A' WING, CELLPHONE MAST TOP - 47.52 M, STAIRCASE ROOM TOP - 41.07 M, BUILDING TOP - 38.05 M.
27/APCH 09/TKOF	BUILDING	190515.9N 0725352.3E	155 FT	LGTD	RANI RESIDENCY, CELLPHONE MAST TOP - 47.13 M, STAIRCASE ROOM TOP - 41.78 M, BUILDING TOP - 38.80 M.
27/APCH 09/TKOF	BUILDING	190516.0N 0725352.0E	155 FT	NIL	BUILDING RANI RESIDENCY MAST TOP (BUILDING TOP = 41.0M)
27/APCH 09/TKOF	BUILDING	190516.4N 0725352.5E	160 FT	LGTD	V.M.K CHS LTD, CELLPHONE MAST TOP - 48.83 M, STAIRCASE ROOM TOP - 41.64 M, BUILDING TOP - 41.64 M.
27/APCH 09/TKOF	BUILDING	190516.5N 0725352.1E	159 FT	NIL	ANTENNA TOP ON VMK CHSL (SRA) BUILDING (BUILDING TOP - 39.81 M, GENERATOR ROOM TOP - 42.46 M, STAIRCASE ROOM TOP - 41.69 M)
27/APCH 09/TKOF	BUILDING	190524.0N 0725350.3E	147 FT	NIL	BUILDING(U/C) TOP
27/APCH 09/TKOF	BUILDING	190527.9N 0725346.0E	143 FT	NIL	MOSQUE TOP
27/APCH 09/TKOF	BUILDING	190530.7N 0725350.7E	151 FT	NIL	ANJUMAN RAZA-E-HABIB MADARSA,MOSQUE TOP
27/APCH 09/TKOF	BUILDING	190532.8N 0725348.5E	200 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.1N 0725348.7E	202 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190533.0N 0725349.7E	199 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.6N 0725351.1E	194 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190533.2N 0725352.0E	227 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190532.9N 0725352.7E	221 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.7N 0725353.1E	223 FT	NIL	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190532.6N 0725353.2E	220 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.8N 0725353.3E	224 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190532.6N 0725354.1E	252 FT	NIL	Group of Trees
27/APCH 09/TKOF	BUILDING	190532.0N 0725355.6E	166 FT	NIL	PUCCA HOUSE,DISH ANTENNA TOP - 50.50 M, PUCCA HOUSE TOP - 49.55 M.
27/APCH 09/TKOF	BUILDING	190531.7N 0725356.9E	162 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190531.6N 0725357.5E	161 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190531.1N 0725402.5E	185 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190528.9N 0725406.6E	182 FT	LGTD	PARASAMANI CHS, CELLPHONE MAST TOP - 55.36 M, STAIRCASE ROOM TOP - 48.32 M, BUILDING TOP - 46.46 M.
27/APCH 09/TKOF	BUILDING	190536.0N 0725409.4E	205 FT	LGTD	DNS TOWER, CELLPHONE MAST - 62.49 M, STAIRCASE ROOM TOP - 56.09 M, BUILDING TOP(PARAPET WALL) - 54.07 M.
27/APCH 09/TKOF	BUILDING	190534.2N 0725413.6E	211 FT	NIL	VEDANT CENTRAL HOSPITAL, IRON ROD TOP - 64.30 M, STAIRCASE ROOM TOP - 61.68 M, BUILDING TOP(PARAPET WALL) - 57.91 M.
27/APCH 09/TKOF	BUILDING	190535.1N 0725415.8E	188 FT	NIL	TEMPLE TOP
27/APCH 09/TKOF	BUILDING	190537.7N 0725418.8E	226 FT	NIL	HUTMENT, STAIRCASE ROOM TOP - 68.88 M, HUTMENT TOP - 67.49 M.
27/APCH 09/TKOF	BUILDING	190537.4N 0725418.7E	217 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190537.3N 0725419.1E	227 FT	NIL	HUTMENT, STAIRCASE ROOM TOP - 69.20 M, HUTMENT TOP - 67.89 M.
27/APCH 09/TKOF	BUILDING	190536.9N 0725418.3E	213 FT	NIL	WATER TANK ON BUILDING (BUILDING TOP 62.18 M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190536.9N 0725419.0E	220 FT	NIL	HUT
27/APCH 09/TKOF	BUILDING	190536.4N 0725419.1E	218 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190536.1N 0725418.7E	203 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190535.6N 0725419.0E	197 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190535.3N 0725418.9E	199 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190535.2N 0725418.9E	204 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190535.2N 0725419.2E	206 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190534.7N 0725418.2E	221 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190534.7N 0725419.6E	211 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190534.4N 0725418.7E	225 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190534.2N 0725418.8E	228 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190534.0N 0725418.9E	228 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.7N 0725418.8E	231 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.5N 0725418.7E	234 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.5N 0725418.4E	226 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.5N 0725418.1E	219 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.2N 0725418.1E	228 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.0N 0725418.1E	229 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.1N 0725418.5E	237 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.4N 0725418.8E	237 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.5N 0725419.3E	238 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.7N 0725419.2E	234 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.8N 0725419.4E	226 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190534.0N 0725420.2E	195 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.3N 0725419.7E	222 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190533.0N 0725419.7E	234 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.7N 0725418.8E	240 FT	NIL	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190532.6N 0725419.0E	243 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.6N 0725419.0E	245 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.4N 0725419.0E	244 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.4N 0725418.6E	257 FT	NIL	HUTMENT, FLAG TOP - 78.24 M, HUTMENT TOP - 73.61 M.
27/APCH 09/TKOF	TREE	190532.3N 0725417.9E	266 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190532.1N 0725418.3E	242 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190531.9N 0725418.3E	243 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190531.6N 0725418.0E	239 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	NATURAL HIGHPOINT	190531.1N 0725417.2E	223 FT	NIL	HILL TOP
27/APCH 09/TKOF	BUILDING	190531.0N 0725418.0E	234 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190531.4N 0725418.3E	238 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	TREE	190531.4N 0725418.3E	269 FT	NIL	GROUP OF TREES (COCONUT)
27/APCH 09/TKOF	TREE	190531.4N 0725418.9E	267 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	TREE	190531.5N 0725419.5E	268 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	TREE	190532.2N 0725419.7E	260 FT	NIL	PUCCA HOUSE ON HILL, ANTENNA TOP - 79.20 M, PUCCA HOUSE ON HILL TOP - 75.05 M
27/APCH 09/TKOF	BUILDING	190532.1N 0725419.9E	240 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190532.0N 0725420.2E	233 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190531.9N 0725420.1E	231 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190531.2N 0725419.8E	234 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190531.5N 0725420.4E	214 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190531.7N 0725420.5E	231 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	TREE	190532.2N 0725421.7E	213 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190531.4N 0725420.8E	202 FT	NIL	HUTMENT TOP
27/APCH 09/TKOF	BUILDING	190530.3N 0725420.0E	208 FT	NIL	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190529.9N 0725417.9E	223 FT	NIL	PUCCA HOUSE ON HILL
27/APCH 09/TKOF	BUILDING	190529.8N 0725418.2E	214 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190529.6N 0725418.3E	208 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190529.7N 0725418.4E	202 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190529.5N 0725418.5E	197 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	BUILDING	190529.5N 0725417.9E	216 FT	NIL	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190530.0N 0725417.4E	228 FT	NIL	GROUP OF TREES ON HILL
27/APCH 09/TKOF	OTHER	190524.3N 0725408.2E	195 FT	LGTD	KK APARTMENT, CELLPHONE MAST TOP - 59.29 M, STAIRCASE ROOM TOP - 52.99 M, BUILDING TOP - 50.66 M
27/APCH 09/TKOF	BUILDING	190518.7N 0725417.2E	188 FT	NIL	BUILDING, LADDER TOP - 57.32 M, STAIRCASE ROOM TOP - 56.58 M, BUILDING TOP - 53.17 M
27/APCH 09/TKOF	BUILDING	190516.1N 0725410.0E	197 FT	NIL	BUILDING U/C
27/APCH 09/TKOF	BUILDING	190509.0N 0725413.6E	190 FT	NIL	KK RESIDENCY, DISH TOP - 57.90 M, STAIRCASE ROOM TOP - 57.08 M, BUILDING TOP - 55.56 M
27/APCH 09/TKOF	BUILDING	190511.9N 0725418.0E	188 FT	NIL	ANAND BHAVAN, WATER TANK TOP - 57.17 M, BUILDING TOP - 52.48 M
27/APCH 09/TKOF	BUILDING	190519.3N 0725423.3E	195 FT	LGTD	ZYNOVA SHALBY HOSPITAL, OBSTRUCTION LIGHT TOP - 59.34 M, SHED TOP - 57.84 M, WATER TANK TOP - 57.13 M, BUILDING TOP(PARAPET WALL) - 53.71M.
27/APCH 09/TKOF	POLE	190528.9N 0725430.1E	190 FT	NIL	JAI SANTHOSHI MATA SRA, DISH ANTENNA TOP - 57.85 M, BUILDING TOP(PARAPET WALL) - 56.87 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190527.6N 0725431.5E	194 FT	LGTD	JAMNADAS TOWER, LIGHTNING ARRESTER TOP - 59.07, OBSTRUCTION LIGHT TOP - 57.95 , WATER TANK TOP - 56.34 , SOLAR PANEL TOP - 56.47 , BUILDING TOP - 55.20M
27/APCH 09/TKOF	BUILDING	190528.0N 0725434.0E	220 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	190538.0N 0725445.2E	212 FT	NIL	OLD SHREYAS CIMAS, CRANE TOP - 64.53 M, BUILDING TOP - 45.12 M.
27/APCH 09/TKOF	BUILDING	190534.2N 0725447.5E	210 FT	NIL	NEELKANTH ENCLAVE, DISH ANTENNA TOP - 63.97 M, BUILDING TOP(PARAPET WALL) - 62.32 M.
27/APCH 09/TKOF	BUILDING	190533.8N 0725448.5E	224 FT	LGTD	NEELKANTH ENCLAVE, OBSTRUCTION LIGHT TOP - 68.30 M, STAIRCASE ROOM TOP - 66.51 M, BUILDING TOP(PARAPET WALL) - 64.78 M.
27/APCH 09/TKOF	BUILDING	190534.7N 0725450.5E	189 FT	NIL	SWASTIK BUILDING, HOARDING TOP - 57.68 M, STAIRCASE ROOM TOP - 57.45 M, BUILDING TOP - 56.99
27/APCH 09/TKOF	BUILDING	190535.5N 0725452.5E	200 FT	NIL	SWASTIK, ANTENNA TOP - 60.91 M, BUILDING TOP(PARAPET WALL) - 57.54 M.
27/APCH 09/TKOF	BUILDING	190540.9N 0725452.0E	196 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	190545.2N 0725504.5E	249 FT	LGTD	KALPATARU AURA, OBSTRUCTION LIGHT TOP - 76.05 M, PIPE TOP - 75.52 M, WATER TANK TOP - 74.81 M, BUILDING TOP (PARAPET WALL) - 73.91 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190545.4N 0725505.4E	241 FT	NIL	KALPATARU AURA, PIPE TOP - 73.53 M, WATER TANK TOP - 73.22 M, BUILDING TOP - 72.38 M.
27/APCH 09/TKOF	BUILDING	190535.7N 0725510.9E	216 FT	NIL	GODREJ - THE TREES, LADDER TOP - 65.70 M, WATER TANK TOP - 64.77 M, BUILDING TOP(PARAPET WALL) - 63.31 M.
27/APCH 09/TKOF	BUILDING	190533.3N 0725511.9E	216 FT	NIL	GODREJ - THE TREES, LADDER TOP - 65.81 M, WATER TANK TOP - 64.78 M, BUILDING TOP(PARAPET WALL) - 63.25 M.
27/APCH 09/TKOF	BUILDING	190527.6N 0725459.5E	202 FT	LGTD	DAMJI SHAMJI CORPORATE SQUARE, OBSTRUCTION LIGHT TOP - 61.68 M, STAIRCASE ROOM TOP - 61.102 M, BUILDING TOP - 56.98M
27/APCH 09/TKOF	BUILDING	190525.9N 0725500.0E	208 FT	LGTD	SHIV PRASAD CO.OP. HSG. SOCIETY LTD, LIGHTNING ARRESTER TOP - 63.33 M, OBSTRUCTION LIGHT TOP - 60.84 M, GRILL TOP - 60.10 M, STAIRCASE ROOM TOP - 59.31 M, BUILDING TOP - 55.98 M
27/APCH 09/TKOF	BUILDING	190524.9N 0725459.3E	194 FT	LGTD	SAI SIDDHI TOWER, OBSTRUCTION LIGHT TOP - 59.15 M, GRILL TOP - 58.883 M, STAIRCASE ROOM TOP - 57.77 M, BUILDING TOP - 55.96
27/APCH 09/TKOF	BUILDING	190524.8N 0725500.8E	213 FT	NIL	SWAROOP BUILDING (U/C), LIFT TOP - 64.79 M, BUILDING (U/C) TOP - 57.48 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190518.4N 0725453.3E	190 FT	NIL	RAYAL ORCHID, STAIRCASE ROOM TOP - 57.75 M, BUILDING TOP - 52.95 M,
27/APCH 09/TKOF	BUILDING	190510.8N 0725447.0E	211 FT	LGTD	CELLPHONE MAST ON BUILDING
27/APCH 09/TKOF	BUILDING	190506.8N 0725450.0E	191 FT	NIL	DRUSHTI EMBASSY, LIGHTNING ARRESTER TOP - 58.08 M, CAMERA POLE TOP - 57.92 M, STAIRCASE ROOM TOP - 57.31 M, BUILDING TOP(PARAPET WALL) - 56.92 M.
27/APCH 09/TKOF	BUILDING	190504.4N 0725450.7E	189 FT	NIL	VARUN APARTMENT, WATER TANK TOP - 57.75 M, BUILDING TOP - 57.16 M.
27/APCH 09/TKOF	BUILDING	190506.0N 0725445.0E	205 FT	NIL	MAST ON BULDING
27/APCH 09/TKOF	BUILDING	190508.0N 0725442.1E	193 FT	LGTD	SHUBHAM ATRIA BUILDING, OBSTRUCTION LIGHT TOP - 58.65 M, STAIRCASE ROOM TOP - 56.80 M, BUILDING TOP - 55.48 M
27/APCH 09/TKOF	BUILDING	190504.7N 0725440.0E	192 FT	NIL	NEELKANTH REGENT - CRYSTAL BUILDING, LIGHTNING ARRESTER TOP - 58.61 M, DISH ANTENNA TOP - 56.80 M, BUILDING TOP - 55.91 M,
27/APCH 09/TKOF	BUILDING	190507.0N 0725431.0E	202 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	190503.6N 0725436.9E	194 FT	LGTD	JAI AMBEDHAM CHS BUILDING, OBSTRUCTION LIGHT TOP - 59.23 M, BUILDING TOP - 56.72 M.
27/APCH 09/TKOF	BUILDING	190502.6N 0725434.8E	198 FT	NIL	AKSHTA VINAYAK BUILDING TOP
27/APCH 09/TKOF	TREE	190517.2N 0725254.9E	73 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190518.6N 0725254.6E	63 FT	NIL	HUTMENT, DISH ANTENNA TOP - 19.27 M, HUTMENT TOP - 18.31 M.
27/APCH 09/TKOF	BUILDING	190519.2N 0725254.1E	57 FT	NIL	HUTMENT, DISH ANTENNA TOP - 17.48 M, HUTMENT TOP - 16.51 M.
27/APCH 09/TKOF	OTHER	190519.8N 0725253.1E	52 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV - 10.74 M + 5M MOBILE TRAFFIC)
27/APCH 09/TKOF	OTHER	190521.2N 0725253.7E	48 FT	NIL	SIGN BOARD (NO PARKING)
27/APCH 09/TKOF	BUILDING	190525.3N 0725305.4E	72 FT	NIL	HUTMENT, STAIRCASE ROOM TOP - 22.04 M, HUTMENT TOP - 20.77 M.
27/APCH 09/TKOF	BUILDING	190525.5N 0725306.3E	83 FT	NIL	HUTMENT, SINTEX TANK TOP - 25.26 M, HUTMENT TOP - 23.96 M.
27/APCH 09/TKOF	BUILDING	190525.4N 0725306.3E	77 FT	NIL	HUTMENT, SINTEX TANK TOP - 23.50 M, STAIRCASE ROOM TOP - 23.13 M, HUTMENT TOP - 21.82 M.
27/APCH 09/TKOF	BUILDING	190525.2N 0725307.2E	99 FT	NIL	MASJID, MINAR TOP - 30.11 M, BUILDING TOP(PARAPET WALL) - 28.83 M.
27/APCH 09/TKOF	BUILDING	190523.9N 0725307.4E	80 FT	NIL	HUTMENT, SINTEX TANK TOP - 24.44 M, STAIRCASE ROOM TOP - 24.02 M, HUTMENT TOP - 23.62 M.
27/APCH 09/TKOF	OTHER	190520.0N 0725252.7E	51 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV - 10.42 M + 5M MOBILE TRAFFIC) (FIRST IMPACT)
27/APCH 09/TKOF	FENCE	190521.3N 0725253.6E	47 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	FENCE	190521.3N 0725253.6E	44 FT	NIL	PIDS FENCING
27/APCH 09/TKOF	FENCE	190521.4N 0725253.3E	44 FT	NIL	PIDS FENCING
27/APCH 09/TKOF	TREE	190524.2N 0725315.2E	100 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	TREE	190529.6N 0725329.3E	155 FT	NIL	COCONUT TREE
27/APCH 09/TKOF	TREE	190530.2N 0725329.8E	165 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190528.7N 0725335.2E	165 FT	NIL	GROUP OF COCONUT TREES
27/APCH 09/TKOF	TREE	190525.4N 0725330.1E	149 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190521.6N 0725324.6E	126 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190520.7N 0725329.5E	152 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190520.5N 0725330.2E	145 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	OTHER	190522.2N 0725252.9E	49 FT	NIL	MLAT - S11 (RX) ANTENNA TOP - 15.02 M, STRUCTURE TOP - 14.95 M.
27/APCH 09/TKOF	OTHER	190522.3N 0725252.9E	40 FT	NIL	SOLAR PANEL TOP
27/APCH 09/TKOF	ANTENNA	190522.5N 0725252.9E	46 FT	NIL	ANTENNA TOP
27/APCH 09/TKOF	BUILDING	190521.2N 0725400.4E	164 FT	NIL	BUILDING(U/C)(SLAB) TOP
27/APCH 09/TKOF	BUILDING	190522.7N 0725253.0E	48 FT	LGTD	LLZ HUT, LIGHTNING ARRESTER TOP - 14.70 M, LIGHTNING ARRESTER TOP - 14.65 M, ANTENNA TOP - 14.65 M, OBSTRUCTION LIGHT TOP - 14.26 M, OBSTRUCTION LIGHT TOP - 14.91 M, HUT TOP - 13.84 M.
27/APCH 09/TKOF	OTHER	190516.8N 0725410.0E	183 FT	NIL	SILVER POINT, ANTENNA TOP - 55.66 M, BUILDING TOP(PARAPET WALL) - 54.49 M.
27/APCH 09/TKOF	TREE	190531.1N 0725416.8E	238 FT	NIL	GROUP OF TREES ON HILL
27/APCH 09/TKOF	OTHER	190523.4N 0725253.7E	49 FT	NIL	CISF SECURITY CABIN
27/APCH 09/TKOF	BUILDING	190527.7N 0725429.4E	196 FT	NIL	GARDEN VIEW (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 59.78 M, BUILDING TOP(PARAPET WALL) - 57.27 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190524.4N 0725430.0E	189 FT	NIL	INTEGRATED BHOOMI, ANTENNA TOP - 57.73 M, WATER TANK TOP - 56.04 M, BUILDING TOP(PARAPET WALL) - 55.65 M.
27/APCH 09/TKOF	BUILDING	190507.5N 0725433.5E	194 FT	LGTD	TERRAFORM DWARKA, TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 59.06 M, OBSTRUCTION LIGHT TOP - 57.57 M, STAIRCASE ROOM TOP - 57.52 M, BUILDING TOP(PARAPET WALL) - 56.43 M.
27/APCH 09/TKOF	BRIDGE	190512.2N 0725440.8E	199 FT	LGTD	KESAR SCION, LIGHTNING ARRESTER TOP - 60.62 M, OBSTRUCTION LIGHT TOP - 60.00 M, BUILDING TOP(PARAPET WALL) - 56.60 M.
27/APCH 09/TKOF	BUILDING	190509.7N 0725447.3E	188 FT	NIL	RAJSHREE ORCHID, WATER TANK TOP - 57.30 M, HOARDING TOP - 57.20 M, BUILDING TOP(PARAPET WALL) - 56.75 M.
27/APCH 09/TKOF	BUILDING	190523.5N 0725253.0E	50 FT	NIL	CAMERA POLE
27/APCH 09/TKOF	BUILDING	190502.6N 0725458.4E	219 FT	NIL	GHATKOPAR AVENUE BY MICL(U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 66.64 M, BUILDING TOP(SLAB) - 56.83 M.
27/APCH 09/TKOF	FENCE	190523.6N 0725253.0E	51 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	BUILDING	190524.1N 0725447.5E	193 FT	NIL	TRIMURTI SRA, IRON ROD TOP - 58.79 M, WATER TANK TOP - 56.96 M, BUILDING TOP(PARAPET WALL) - 55.10 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190530.6N 0725433.2E	191 FT	LGTD	CRYSTAL A-WING, GRILL TOP - 58.33 M, OBSTRUCTION LIGHT TOP - 57.17 M, WATER TANK TOP - 57.36 M, BUILDING TOP(PARAPET WALL) - 54.40 M.
27/APCH 09/TKOF	BUILDING	190536.3N 0725458.6E	222 FT	NIL	CODENAME - GOLDCHIP(U/C),TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 67.80 M, BUILDING TOP(PARAPET WALL) - 57.51 M.
27/APCH 09/TKOF	BUILDING	190533.3N 0725511.2E	214 FT	NIL	GODREJ - THE TREES, LADDER TOP - 65.07 M, WATER TANK TOP - 64.81 M, BUILDING TOP(PARAPET WALL) - 63.23 M.
27/APCH 09/TKOF	BUILDING	190526.1N 0725502.8E	190 FT	NIL	SAWALI CHS, LIGHTNING ARRESTER TOP - 57.85 M, WATER TANK TOP - 56.33 M, BUILDING TOP(PARAPET WALL) - 52.73 M.
27/APCH 09/TKOF	NATURAL HIGHPOINT	190524.1N 0725253.5E	66 FT	NIL	JARIMARI HILL TOP
27/APCH 09/TKOF	BUILDING	190528.8N 0725501.9E	188 FT	LGTD	CENTROID BY KASHISH PARK, GRILL TOP - 57.38 M, OBSTRUCTION LIGHT TOP - 57.33 M, WATER TANK TOP - 56.47 M, BUILDING TOP(PARAPET WALL) - 53.89 M.
27/APCH 09/TKOF	TREE	190517.9N 0725256.7E	77 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190518.1N 0725256.5E	76 FT	NIL	TREE
27/APCH 09/TKOF	TREE	190518.6N 0725254.2E	73 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190518.1N 0725253.2E	68 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	POLE	190518.6N 0725253.0E	51 FT	NIL	Light Pole
27/APCH 09/TKOF	POLE	190519.3N 0725253.4E	52 FT	NIL	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	FENCE	190519.4N 0725253.4E	49 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	OTHER	190520.0N 0725253.1E	46 FT	NIL	SIGN BOARD (NO PARKING)
27/APCH 09/TKOF	OTHER	190520.6N 0725253.4E	47 FT	NIL	SIGN BOARD (NO PARKING)
27/APCH 09/APCH	OTHER	190520.1N 0725253.7E	52 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	FENCE	190520.3N 0725253.7E	49 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	OTHER	190520.1N 0725254.4E	52 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	POLE	190520.1N 0725256.1E	51 FT	NIL	POLE TOP
27/APCH 09/TKOF	OTHER	190520.1N 0725256.4E	52 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	TREE	190520.3N 0725255.8E	61 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190520.9N 0725255.2E	65 FT	NIL	TREE
27/APCH 09/TKOF	BUILDING	190521.5N 0725254.5E	56 FT	NIL	MUSLIM KABRISTAN, STAIRCASE ROOM TOP - 17.13 M, MINAR TOP - 16.55 M, BUILDING TOP - 15.79 M, BUILDING TOP - 15.67 M.
27/APCH 09/TKOF	POLE	190521.8N 0725254.5E	54 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	190522.1N 0725254.6E	60 FT	NIL	CAMERA POLE
27/APCH 09/TKOF	OTHER	190522.2N 0725254.1E	49 FT	NIL	SIGN BOARD (NO PARKING)
27/APCH 09/TKOF	FENCE	190523.1N 0725254.5E	54 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	TREE	190526.3N 0725304.4E	76 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190526.2N 0725304.0E	79 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190525.8N 0725304.5E	62 FT	NIL	BUILDING TOP
27/APCH 09/TKOF	TREE	190523.1N 0725301.2E	100 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190522.6N 0725300.9E	95 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190523.0N 0725300.4E	95 FT	NIL	TEMPLE, POLE TOP - 28.92 M, TEMPLE TOP - 26.75 M.
27/APCH 09/TKOF	BUILDING	190522.2N 0725300.2E	90 FT	LGTD	CELLPHONE MAST ON BUILDING
27/APCH 09/TKOF	TREE	190521.0N 0725257.7E	80 FT	NIL	TREE
27/APCH 09/TKOF	OTHER	190520.1N 0725257.5E	54 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	190520.1N 0725258.5E	54 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	190520.2N 0725259.8E	53 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	TREE	190520.0N 0725300.8E	57 FT	NIL	TREE
27/APCH 09/TKOF	OTHER	190520.2N 0725301.6E	54 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	190520.2N 0725302.6E	54 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	190520.2N 0725303.5E	57 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	BUILDING	190515.0N 0725321.7E	136 FT	LGTD	CELLPHONE MAST ON BUILDING
27/APCH 09/TKOF	TREE	190514.8N 0725318.5E	114 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190514.7N 0725316.6E	105 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190515.1N 0725316.5E	91 FT	NIL	GROUP OF COCONUT TREES
27/APCH 09/TKOF	TREE	190515.5N 0725316.5E	96 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.0N 0725319.8E	130 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190517.7N 0725320.5E	135 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190519.2N 0725315.8E	91 FT	NIL	TEMPLE TOP
27/APCH 09/TKOF	TREE	190516.5N 0725313.7E	101 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190515.4N 0725312.1E	97 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.4N 0725310.2E	88 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190516.0N 0725309.4E	95 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190518.8N 0725311.4E	94 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190519.6N 0725314.3E	86 FT	NIL	Group of Trees
27/APCH 09/TKOF	TREE	190520.1N 0725313.4E	78 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	TREE	190520.1N 0725312.5E	87 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190519.8N 0725311.7E	79 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190519.4N 0725309.8E	99 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190519.1N 0725308.5E	81 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190523.4N 0725311.1E	87 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190520.7N 0725320.2E	118 FT	NIL	OXFORD HIGH SCHOOL, SHED TOP - 36.08 M, BUILDING TOP(SLAB) - 33.50 M.
27/APCH 09/TKOF	TREE	190528.4N 0725336.6E	156 FT	NIL	GROUP OF COCONUT TREES
27/APCH 09/TKOF	TREE	190527.7N 0725332.7E	157 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190520.9N 0725330.0E	142 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190520.3N 0725331.4E	147 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190521.0N 0725332.6E	133 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190521.3N 0725335.9E	156 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	ANTENNA	190515.6N 0725340.6E	139 FT	NIL	COMMUNICATIO N ANTENNA TOP
27/APCH 09/TKOF	TREE	190529.8N 0725338.4E	155 FT	NIL	GROUP OF COCONUT TREES
27/APCH 09/TKOF	TREE	190531.9N 0725339.3E	166 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190529.7N 0725342.4E	194 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190530.2N 0725343.2E	191 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	TREE	190531.9N 0725344.4E	208 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	190524.9N 0725417.2E	202 FT	NIL	BUILDING (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.48 M, BUILDING TOP(PARAPET WALL) - 57.02 M.
27/APCH 09/TKOF	BUILDING	190532.7N 0725450.7E	206 FT	NIL	BUILDING(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 62.68 M, BUILDING(U/C) TOP(SLAB) - 54.56 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190526.8N 0725449.3E	192 FT	LGTD	NEELYOG VEYDAANTA, OBSTRUCTION LIGHT TOP - 58.47 M, LIGHTNING ARRESTER TOP - 58.15 M, WATER TANK TOP - 57.00 M, SOLAR PANEL TOP - 56.93 M, BUILDING TOP(PARAPET WALL) - 55.57 M.
27/APCH 09/TKOF	BUILDING	190525.5N 0725449.1E	191 FT	LGTD	SADBHAWANA CHS, OBSTRUCTION LIGHT TOP - 58.21 M, WATER TANK TOP - 56.42 M, BUILDING TOP(PARAPET WALL) - 55.08 M.
27/APCH 09/TKOF	BUILDING	190522.1N 0725454.0E	188 FT	NIL	LABHAM RESIDENCY, WATER TANK TOP - 57.25 M, BUILDING TOP(PARAPET WALL) - 56.82 M.
27/APCH 09/TKOF	BUILDING	190516.1N 0725457.2E	191 FT	NO	HAWARE IPSA(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 58.19 M, BUILDING(U/C) TOP(SLAB) - 53.78 M.
27/APCH 09/TKOF	BUILDING	190513.9N 0725455.8E	190 FT	NO	YASH PARK, SHED TOP - 57.96 M, BUILDING TOP(PARAPET WALL) - 56.69 M.
27/APCH 09/TKOF	BUILDING	190513.1N 0725454.8E	191 FT	NO	GURUKRUPA REALCON, SHED TOP - 58.14 M, WATER TANK TOP - 57.33 M, BUILDING TOP(PARAPET WALL) - 56.96 M.
27/APCH 09/TKOF	BUILDING	190501.3N 0725457.5E	199 FT	LGTD	GHATKOPAR AVENUE BY MICL(U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 60.74 M, BUILDING TOP(SLAB) - 56.15 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190507.5N 0725448.8E	191 FT	LGTD	DRUSHTI EMBASSY, LIGHTNING ARRESTER TOP - 58.17 M, WATER TANK TOP - 56.96 M, STAIRCASE ROOM TOP - 56.95 M, BUILDING TOP(PARAPET WALL) - 55.50 M.
27/APCH 09/TKOF	BUILDING	190510.1N 0725448.4E	198 FT	LGTD	GURUKRUPA GNANSHYAM, TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 60.39 M, BUILDING (U/C) (SLAB) TOP - 55.44 M
27/APCH 09/TKOF	BUILDING	190515.2N 0725447.0E	199 FT	LGTD	TRIVENI GEETANJALI(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 60.77 M, BUILDING(U/C) TOP(SLAB) - 54.77 M.
27/APCH 09/TKOF	BUILDING	190510.3N 0725445.8E	189 FT	LGTD	UMIYA PATIJAT, LIGHTNING ARRESTER TOP - 57.63 M, OBSTRUCTION LIGHT TOP - 57.57 M, WATER TANK TOP - 56.41 M, BUILDING TOP(PARAPET WALL) - 53.64 M.
27/APCH 09/TKOF	BUILDING	190508.3N 0725445.9E	188 FT	NO	OM SHYADRI HEIGHTS, WATER TANK TOP - 57.22 M, BUILDING TOP(PARAPET WALL) - 56.13 M.
27/APCH 09/TKOF	BUILDING	190510.8N 0725444.0E	193 FT	LGTD	VISHAL SAGAR, OBSTRUCTION LIGHT TOP - 58.67 M, LADDER TOP - 57.59 M, WATER TANK TOP - 56.88 M, BUILDING TOP(PARAPET WALL) - 56.21 M.
27/APCH 09/TKOF	BUILDING	190509.0N 0725443.7E	192 FT	LGTD	VISHAL SHILP, PIPE TOP - 58.51 M, OBSTRUCTION LIGHT TOP - 57.88 M, BUILDING TOP(SLAB) - 57.63 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190509.9N 0725442.5E	195 FT	LGTD	SUBHAM AURA, LIGHTNING ARRESTER TOP - 59.33 M, OBSTRUCTION LIGHT TOP - 58.81 M, WATER TANK TOP - 56.78 M, BUILDING TOP(PARAPET WALL) - 56.16 M.
27/APCH 09/TKOF	BUILDING	190508.9N 0725442.8E	190 FT	NO	BUILDING, LADDER TOP - 57.92 M, BUILDING TOP(PARAPET WALL) - 56.92 M
27/APCH 09/TKOF	BUILDING	190505.5N 0725443.6E	195 FT	LGTD	SHUBHAM ALASKA, LIGHTNING ARRESTER TOP - 59.44 M, OBSTRUCTION LIGHT TOP - 58.98 M, STAIRCASE ROOM TOP - 56.92 M, BUILDING TOP(PARAPET WALL) - 55.66 M.
27/APCH 09/TKOF	BUILDING	190506.1N 0725440.2E	188 FT	NO	NEELKANTH REGENT, PLANTATION TOP - 57.31 M, GRILL TOP - 56.35 M, BUILDING TOP(SLAB) - 54.95 M.
27/APCH 09/TKOF	BUILDING	190506.5N 0725439.4E	194 FT	LGTD	NEELKANTH REGENT, PLANTATION TOP - 59.13 M, OBSTRUCTION LIGHT TOP - 57.02 M, GRILL TOP - 56.94 M, BUILDING TOP(SLAB) - 56.31 M.
27/APCH 09/TKOF	BUILDING	190505.2N 0725436.3E	199 FT	LGTD	AMBE BHAWAN, OBSTRUCTION LIGHT TOP - 60.61 SHED TOP - 60.15 M, GRILL TOP - 57.89 M, BUILDING TOP(PARAPET WALL) - 57.41 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	190502.8N 0725432.2E	195 FT	NO	INTEGRATED ARCADE - SRA SCHEME(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 59.49 M, BUILDING TOP(SLAB) - 55.70 M
27/APCH 09/TKOF	NATURAL HIGHPOINT	190532.7N 0725344.4E	206 FT	NO	HILL TOP
27/APCH 09/TKOF	BUILDING	190517.6N 0725332.8E	143 FT	NO	BUILDING
27/APCH 09/TKOF	OTHER	190506.5N 0725445.7E	205 FT	NO	MAST ON BULDING
27/APCH 09/TKOF	BUILDING	190523.9N 0725255.0E	60 FT	NO	BUILDING
27/APCH 09/TKOF	BUILDING	190524.2N 0725255.2E	57 FT	NO	PUCCA HOUSE
27/APCH 09/TKOF	TREE	190521.8N 0725255.3E	69 FT	NO	TREE
27/APCH 09/TKOF	TREE	190518.4N 0725254.7E	67 FT	NO	TREE
27/APCH 09/TKOF	BUILDING	190510.2N 0725450.1E	190 FT	NIL	RAILING ON OHT - 58.00 M, OHT TOP - 56.96 M
32/TKOF 14/APCH	TREE	190553.6N 0725121.1E	80 FT	NO	TREE
32/TKOF 14/APCH	BUILDING	190553.1N 0725120.8E	51 FT	NO	HUT
32/TKOF 14/APCH	TREE	190553.1N 0725120.6E	91 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190553.7N 0725120.7E	88 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190554.1N 0725120.2E	68 FT	NO	TREE
32/TKOF 14/APCH	TREE	190554.6N 0725119.8E	78 FT	NO	TREE
32/TKOF 14/APCH	TREE	190554.8N 0725119.3E	66 FT	NO	TREE
32/TKOF 14/APCH	TREE	190555.3N 0725118.7E	73 FT	NO	TREE
32/TKOF 14/APCH	TREE	190555.1N 0725118.8E	84 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190556.3N 0725118.1E	67 FT	NO	TREE
32/TKOF 14/APCH	BUILDING	190554.8N 0725118.7E	52 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190554.4N 0725118.9E	52 FT	NO	HUT
32/TKOF 14/APCH	BUILDING	190554.3N 0725119.1E	57 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190555.1N 0725117.9E	54 FT	NO	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190555.5N 0725117.3E	69 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190556.4N 0725117.7E	54 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	TREE	190557.4N 0725118.4E	63 FT	NO	TREE
32/TKOF 14/APCH	BUILDING	190557.5N 0725117.9E	55 FT	NO	DISH ON HUT
32/TKOF 14/APCH	BUILDING	190558.0N 0725117.8E	53 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	TREE	190558.2N 0725117.5E	76 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190558.8N 0725118.3E	56 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	OTHER	190558.8N 0725118.7E	56 FT	NO	DISH ON HUT
32/TKOF 14/APCH	TREE	190559.0N 0725119.1E	70 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190559.0N 0725119.2E	77 FT	NO	TREE
32/TKOF 14/APCH	TREE	190559.3N 0725119.3E	64 FT	NO	TREE
32/TKOF 14/APCH	BUILDING	190600.0N 0725117.7E	59 FT	NO	DISH ANTENNA ON BUILDING
32/TKOF 14/APCH	BUILDING	190602.1N 0725117.3E	60 FT	NO	BUILDING (TOILETS)
32/TKOF 14/APCH	POLE	190602.2N 0725120.0E	60 FT	NO	PUCCA HOUSE, DISH ANTENNA TOP - 18.40 M, PUCCA HOUSE TOP - 17.64 M.
32/TKOF 14/APCH	TREE	190602.8N 0725119.4E	86 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.8N 0725119.6E	80 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190603.0N 0725119.7E	56 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190602.8N 0725120.4E	58 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	OTHER	190603.4N 0725120.3E	59 FT	LGTD	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190603.9N 0725120.0E	59 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190603.3N 0725121.5E	59 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	TREE	190603.7N 0725122.4E	78 FT	NO	TREE
32/TKOF 14/APCH	BUILDING	190604.1N 0725122.8E	58 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190603.7N 0725122.9E	57 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190603.6N 0725123.1E	58 FT	NO	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190603.3N 0725123.4E	60 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	TREE	190603.0N 0725123.5E	81 FT	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.8N 0725124.1E	90 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190603.3N 0725124.0E	61 FT	NIL	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190603.2N 0725124.1E	62 FT	NIL	PUCCA HOUSE
32/TKOF 14/APCH	TREE	190602.2N 0725124.8E	72 FT	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.0N 0725125.1E	78 FT	NIL	TREE
32/TKOF 14/APCH	OTHER	190601.8N 0725124.8E	55 FT	NIL	PUBLIC TOILET
32/TKOF 14/APCH	TREE	190601.8N 0725125.5E	86 FT	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190601.6N 0725125.8E	61 FT	NIL	PUCCA HOUSE- DISH ANTENNA TOP-18.53 M
32/TKOF 14/APCH	OTHER	190601.4N 0725125.7E	58 FT	NIL	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190601.3N 0725125.9E	60 FT	NIL	PUCCA HOUSE- DISH ANTENNA TOP-18.38 M
32/TKOF 14/APCH	BUILDING	190601.1N 0725126.2E	60 FT	NO	PUCCA HOUSE- DISH ANTENNA TOP-18.34 M
32/TKOF 14/APCH	BUILDING	190600.8N 0725126.3E	62 FT	NIL	PUCCA HOUSE, DISH ANTENNA TOP - 18.89 M, PUCCA HOUSE TOP - 17.93 M
32/TKOF 14/APCH	BUILDING	190600.4N 0725126.3E	61 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190605.0N 0725121.9E	63 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	TREE	190605.1N 0725121.1E	89 FT	NO	Group of Trees
32/TKOF 14/APCH	BUILDING	190604.9N 0725121.0E	61 FT	NO	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190604.4N 0725121.1E	63 FT	NIL	PUCCA HOUSE
32/TKOF 14/APCH	BUILDING	190604.2N 0725121.2E	61 FT	NIL	PUCCA HUOSE
32/TKOF	TREE	190604.7N 0725120.0E	76 FEET	NO	TREE
32/TKOF 14/APCH	TREE	190604.7N 0725120.0E	76 FEET	NIL	TREE
32/TKOF 14/APCH	OTHER	190605.7N 0725120.0E	64 FEET	NIL	HOARDING
32/TKOF 14/APCH	TREE	190608.1N 0725120.6E	66 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190609.6N 0725119.4E	95 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	OTHER	190604.3N 0725118.6E	69 FEET	LGTD	OBSTRUCTION LIGHT POLE TOP
32/TKOF 14/APCH	TREE	190604.6N 0725118.1E	70 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.7N 0725118.0E	86 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	OTHER	190605.5N 0725116.6E	71 FEET	NIL	HOARDING
32/TKOF 14/APCH	TREE	190606.4N 0725116.0E	87 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190606.8N 0725115.5E	104 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.9N 0725115.6E	67 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190604.3N 0725115.9E	81 FEET	NO	TREE
32/TKOF 14/APCH	TREE	190602.2N 0725114.9E	102 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.3N 0725115.4E	93 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.3N 0725115.5E	101 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190601.7N 0725115.5E	96 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190600.9N 0725115.1E	83 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190601.0N 0725114.7E	88 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190600.1N 0725114.6E	75 FEET	NIL	TREE
32/TKOF 14/APCH	POLE	190559.3N 0725115.5E	63 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	TREE	190559.0N 0725116.2E	79 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190559.3N 0725116.5E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190558.3N 0725116.0E	90 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	POLE	190558.7N 0725115.3E	64 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190557.8N 0725115.7E	68 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	ANTENNA	190557.6N 0725115.6E	76 FEET	LGTD	CELLPHONE MAST ON PEDESTRIAN OVERBRIDGE
32/TKOF 14/APCH	OTHER	190557.7N 0725115.1E	73 FEET	NIL	BRIDGE, HOARDING TOP - 22.29 M, BRIDGE TOP - 21.37 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	OTHER	190558.0N 0725114.0E	73 FEET	LGTD	FOOT OVER BRIDGE, CELLPHONE MAST TOP - 22.28 M, BRIDGE TOP - 21.22 M.
32/TKOF 14/APCH	BUILDING	190558.6N 0725113.0E	93 FEET	NIL	TOP OF BUILDING (CONCRETE TOP-27.4 M)
32/TKOF 14/APCH	TREE	190559.1N 0725112.5E	107 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190559.2N 0725113.3E	95 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190558.8N 0725114.2E	92 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190559.9N 0725113.3E	70 FEET	NIL	VIRESHWAR SNEH - B, STAIRCASE TOP - 21.15 M, DISH ANTENNA TOP - 20.97 M, BUILDING TOP - 20.11 M
32/TKOF 14/APCH	BUILDING	190600.1N 0725112.7E	69 FEET	NIL	VIRESHWAR SNEH - A, STAIRCASE TOP - 21.12 M, DISH ANTENNA TOP - 21.03 M, BUILDING TOP - 20.12 M.
32/TKOF 14/APCH	BUILDING	190559.7N 0725112.1E	73 FEET	NIL	ANITA PARK SOCIETY, PIPE TOP - 22.41 M, SINTEX TANK TOP - 21.53 M, DISH ANTENNA TOP - 20.33 M, BUILDING TOP(SLAB) - 19.32 M.
32/TKOF 14/APCH	TREE	190559.5N 0725111.6E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190559.8N 0725111.4E	67 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190600.3N 0725111.8E	77 FEET	NIL	SHIVAM CHS, PIPE TOP - 23.41 M, SHED TOP - 22.84 M, BUILDING TOP - 22.12 M
32/TKOF 14/APCH	BUILDING	190600.5N 0725110.4E	77 FEET	NIL	ANIRUDHA (WING-1), DISH ANTENNA TOP - 23.61 M, STAIRCASE TOP - 22.43 M, WATER TANK TOP - 22.32 M, BUILDING TOP - 21.33 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190600.8N 0725110.4E	77 FEET	NIL	ANIRUDHA (WING-2), DISH ANTENNA TOP - 23.54 M, STAIRCASE TOP - 22.33 M, BUILDING TOP - 21.17 M.
32/TKOF 14/APCH	BUILDING	190601.4N 0725110.5E	78 FEET	NIL	PARINEETA, ANTENNA TOP - 23.73 M, DISH ANTENNA - 23.61 M, STAIRCASE TOP -22.17 M, BUILDING TOP - 20.89 M.
32/TKOF 14/APCH	TREE	190601.0N 0725110.8E	106 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190600.8N 0725111.1E	77 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190600.9N 0725111.4E	89 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190601.0N 0725111.9E	73 FEET	NIL	SHANTIVAN CHS, STAIRCASE TOP - 22.35 M,STAIRCASE TOP - 22.34 M, STAIRCASE TOP - 22.32 M, SINTEX TANK TOP -21.54 M, BUILDING TOP - 20.40 M.
32/TKOF 14/APCH	TREE	190601.4N 0725111.1E	75 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190602.1N 0725109.0E	73 FEET	NIL	VAISHALI, DISH ANTENNA TOP - 22.17 M, STAIRCASE TOP - 21.22 M, BUILDING TOP - 22.90 M.
32/TKOF 14/APCH	BUILDING	190602.6N 0725109.9E	76 FEET	NIL	SURUCHI SOCIETY(B-WING), DISH ANTENNA TOP - 23.18 M, PIPE TOP - 22.34 M, STAIRCASE ROOM TOP - 22.34 M, BUILDING TOP - 21.38 M.
32/TKOF 14/APCH	TREE	190602.1N 0725111.1E	89 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.2N 0725111.4E	92 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190602.8N 0725110.9E	75 FEET	NIL	SURUCHI SOCIETY(A-WING), PIPE TOP - 22.99 M, STAIRCASE ROOM TOP - 22.25 M, BUILDING TOP - 21.40 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190601.7N 0725112.6E	115 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190601.6N 0725113.5E	113 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190602.6N 0725114.2E	65 FEET	NIL	ONGC COLONY, LIGHT POLE TOP - 19.70 M, PIPE TOP - 19.16 M, BUILDING TOP (PARAPET WALL) -18.43 M.
32/TKOF 14/APCH	TREE	190601.6N 0725113.6E	106 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190602.9N 0725114.7E	87 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190603.5N 0725114.2E	70 FEET	NIL	DEARS DEN, SHED TOP - 21.23 M, BUILDING TOP - 19.19 M.
32/TKOF 14/APCH	BUILDING	190604.9N 0725114.4E	68 FEET	NIL	NEW POOJA CHS, SHED TOP - 20.67 M, STAIRACASE TOP - 19.70 M, BUILDING TOP - 18.47 M.
32/TKOF 14/APCH	TREE	190602.9N 0725113.5E	95 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190602.9N 0725113.5E	98 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.9N 0725113.5E	99 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190603.2N 0725113.1E	94 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190603.6N 0725113.4E	70 FEET	NIL	PRASHAL, SHED TOP - 21.34 M, BUILDING TOP - 19.29 M.
32/TKOF 14/APCH	TREE	190603.9N 0725113.4E	96 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190604.0N 0725113.5E	99 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.0N 0725112.6E	98 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.3N 0725112.3E	90 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190604.5N 0725111.8E	73 FEET	NIL	DURVANKUR CHS, STAIRCASE ROOM TOP - 22.19 M, BUILDING TOP(PARAPET WALL) - 20.45 M.
32/TKOF 14/APCH	TREE	190604.1N 0725112.0E	83 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190603.0N 0725112.5E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190602.9N 0725111.9E	95 FEET	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190603.6N 0725110.8E	73 FEET	NIL	STAIRCASE ROOM ON VARDHAMANPURI BUILDING
32/TKOF 14/APCH	BUILDING	190604.4N 0725110.3E	75 FEET	NIL	AVINISH, SINTEX TANK TOP - 22.89 M, PIPE TOP - 22.47 M, BUILDING TOP - 21.37 M.
32/TKOF 14/APCH	TREE	190604.8N 0725110.2E	83 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.8N 0725111.6E	91 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190605.1N 0725113.2E	95 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190605.4N 0725111.3E	79 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190605.4N 0725111.0E	73 FEET	NIL	OM VIJAY SHREE, PIPE TOP - 22.25 M, BUILDING TOP - 21.36 M.
32/TKOF 14/APCH	TREE	190605.8N 0725110.8E	97 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190606.0N 0725111.6E	86 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190606.3N 0725110.8E	75 FEET	NIL	BADRIDHAM CHS, DISH ANTENNA TOP - 22.84 M, STAIRCASE TOP - 21.98 M, BUILDING TOP - 20.98 M.
32/TKOF 14/APCH	TREE	190606.3N 0725111.7E	92 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190606.7N 0725111.1E	94 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190606.8N 0725110.4E	86 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190606.9N 0725111.7E	90 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190607.0N 0725111.8E	77 FEET	NIL	MEGHMALA, LIGHT TOP - 23.42 M, BUILDING TOP - 21.15 M.
32/TKOF 14/APCH	BUILDING	190607.5N 0725111.1E	78 FEET	NIL	SHIVAM CHS, DISH ANTENNA TOP - 23.67 M, BUILDING TOP - 22.89 M.
32/TKOF 14/APCH	TREE	190608.2N 0725110.7E	89 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.2N 0725110.2E	106 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190607.8N 0725108.6E	92 FEET	NIL	COCONUT TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190605.5N 0725109.0E	85 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.9N 0725107.4E	97 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.4N 0725107.8E	116 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190603.8N 0725108.2E	84 FEET	NIL	WATER TANK TOP ON KARISHMA BUILDING (BUILDING TOP-22.77 M)
32/TKOF 14/APCH	BUILDING	190603.1N 0725107.8E	83 FEET	NIL	VENKATESH, SHED TOP - 25.41 M, LIGHTNING ARRESTER TOP - 25.35 M, SOLAR PANEL TOP - 24.79 M, GRILL TOP - 23.24 M, BUILDING TOP - 22.64 M.
32/TKOF 14/APCH	BUILDING	190602.5N 0725107.8E	78 FEET	NIL	GOVARDHAN, ANTENNA TOP - 23.78 M, WATER TANK TOP - 22.31 M, BUILDING TOP - 22.21 M.
32/TKOF 14/APCH	BUILDING	190605.5N 0725105.5E	98 FEET	LGTD	VISHNU KRUPA CHS, OBSTRUCTION LIGHT TOP - 29.91 M, SHED TOP - 29.27 M, SINTEX TANK TOP - 29.26 M, BUILDING TOP(SLAB) - 26.84 M.
32/TKOF 14/APCH	TREE	190609.3N 0725107.5E	94 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190610.4N 0725107.7E	102 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.1N 0725108.9E	114 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190605.5N 0725114.3E	74 FEET	NIL	SAMARNATH NAGAR SAHANIWAS CHS, SINTEX TANK TOP - 22.66 M, LADDER TOP - 22.46 M, STAIRCASE TOP - 22.41 M, PIPE TOP - 22.21 M, DISH ANTENNA TOP - 21.11 M, BUILDING TOP - 20.44 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190606.1N 0725114.3E	74 FEET	NIL	SAMARNATH NAGAR SAHANIWAS CHS, SINTEX TANK TOP - 22.51 M, STAIRCASE TOP - 21.21 M, BUILDING TOP - 20.44 M.
32/TKOF 14/APCH	TREE	190607.0N 0725113.3E	104 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190608.0N 0725113.0E	76 FEET	NIL	NAVPRABHAT CHS, PIPE TOP - 23.13 M, SINTEX TANK TOP - 22.98 M, BUILDING TOP - 21.04 M.
32/TKOF 14/APCH	TREE	190608.1N 0725113.4E	112 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190607.8N 0725111.8E	107 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.6N 0725111.7E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.5N 0725111.9E	80 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.6N 0725111.0E	102 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.4N 0725111.8E	85 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.7N 0725111.6E	86 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.1N 0725111.4E	91 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.2N 0725111.5E	100 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.6N 0725111.4E	96 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190610.2N 0725112.8E	98 FEET	NIL	ANTENNA ON BLDG
32/TKOF 14/APCH	BUILDING	190609.9N 0725112.7E	89 FEET	LGTD	SAMKEET CHS, OBSTRUCTION LIGHT TOP - 27.14 M, SINTEX TANK TOP - 26.39 M, LIFT TOP - 26.32 M, BUILDING TOP(PARAPET WALL) - 24.51 M.
32/TKOF 14/APCH	TREE	190609.2N 0725113.3E	105 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190609.2N 0725113.5E	90 FEET	NIL	CELL PHONE MAST TOP ON PARASURAM BUILDING (BUILDING TOP-24.70)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190609.5N 0725113.7E	98 FEET	LGTD	PARASURAM BUILDING, OBSTRUCTION LIGHT TOP - 29.79 M, CELLPHONE MAST TOP - 28.03 M, STAIRCASE ROOM TOP - 27.22 M, BUILDING TOP - 24.83 M.
32/TKOF 14/APCH	TREE	190609.7N 0725113.5E	114 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190609.9N 0725114.2E	86 FEET	NIL	VITAL LABORATORIES PVT. LTD., ANTENNA TOP - 26.16 M, SHED TOP - 25.70 M, BUILDING TOP - 24.72 M.
32/TKOF 14/APCH	TREE	190609.9N 0725114.8E	92 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.9N 0725114.8E	95 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	POLE	190610.1N 0725115.2E	76 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190610.2N 0725115.8E	80 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	TREE	190608.2N 0725115.7E	90 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.3N 0725117.1E	80 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190611.1N 0725118.0E	98 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.9N 0725116.7E	118 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	POLE	190615.6N 0725114.6E	86 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190614.7N 0725114.8E	83 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190613.8N 0725115.0E	86 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190613.1N 0725115.1E	85 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190612.1N 0725115.3E	86 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190611.2N 0725115.5E	82 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190611.0N 0725114.9E	77 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190612.0N 0725114.7E	78 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	TREE	190612.3N 0725114.6E	94 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.5N 0725113.8E	99 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	POLE	190613.4N 0725114.0E	85 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	TREE	190613.8N 0725114.3E	104 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.6N 0725113.8E	98 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190615.0N 0725113.1E	106 FEET	LGTD	SANT NIRANKARI SATSANG BHAVAN, OBSTRUCTION LIGHT TOP - 32.20 M, GRILL TOP - 29.83 M, BUILDING TOP - 28.90 M.
32/TKOF 14/APCH	BUILDING	190613.9N 0725112.3E	90 FEET	LGTD	SHREEJEE DARSHAN, OBSTRUCTION LIGHT - 27.41 M, STAIRCASE TOP - 26.39 M, GRILL TOP - 25.17 M, BUILDING TOP - 24.11 M.
32/TKOF 14/APCH	BUILDING	190612.6N 0725113.0E	80 FEET	NIL	DHANALAXMI SOCIETY, DISH ANTENNA TOP - 24.29 M, STAIRCASE TOP - 23.41 M, BUILDING TOP - 22.11 M.
32/TKOF 14/APCH	TREE	190612.3N 0725112.3E	94 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190611.3N 0725112.6E	83 FEET	NIL	SAMI KARAN CHS, SINTEX TANK TOP - 25.24 M, PIPE TOP - 24.17 M, WATER TANK TOP - 23.36 M, BUILDING TOP - 23.24 M.
32/TKOF 14/APCH	TREE	190612.9N 0725111.7E	89 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190612.3N 0725111.2E	93 FEET	LGTD	RAMA NIWAS, OBSTRUCTION LIGHT TOP - 28.20 M, CHIMNEY TOP - 27.38 M, BUILDING TOP - 25.47 M.
32/TKOF 14/APCH	TREE	190612.2N 0725110.7E	108 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190610.8N 0725110.0E	86 FEET	NIL	STAIRCASE TOP ON HANUMAN RAMANAND BUILDING

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190611.3N 0725109.5E	89 FEET	NIL	ROYAL APARTMENT CHS, STAIRCASE TOP -26.99 M, DISH ANTENNA TOP - 26.77 M, STAIRCASE TOP - 26.06 M, BUILDING TOP - 25.28 M.
32/TKOF 14/APCH	TREE	190613.8N 0725107.7E	98 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190613.9N 0725108.5E	91 FEET	NIL	MORESHWAR, ANTENNA TOP - 27.68 M, DISH ANTENNA TOP - 27.27 M, BUILDING TOP - 26.32 M.
32/TKOF 14/APCH	TREE	190614.6N 0725107.3E	114 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190614.7N 0725107.7E	118 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.3N 0725108.6E	113 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190613.9N 0725109.9E	86 FEET	NIL	SHILP MAHAL, SINTEX TANK TOP - 26.10 M, BUILDING TOP - 24.47 M.
32/TKOF 14/APCH	BUILDING	190614.1N 0725111.2E	115 FEET	LGTD	NEW KRISHNA COTTAGE, CELLPHONE MAST TOP - 35.23 M, SHED TOP - 27.55 M, STAIRCASE TOP - 25.14 M, BUILDING TOP - 24.74 M.
32/TKOF 14/APCH	TREE	190614.1N 0725112.1E	99 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.5N 0725111.5E	93 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190614.6N 0725111.1E	86 FEET	NIL	RAM NIWAS, DISH ANTENNA TOP - 26.25 M, BUILDING TOP - 25.69 M.
32/TKOF 14/APCH	TREE	190614.8N 0725112.2E	119 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190616.0N 0725111.7E	118 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190615.9N 0725112.1E	118 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190615.8N 0725112.4E	109 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190616.6N 0725112.8E	104 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190616.8N 0725113.0E	94 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190617.5N 0725112.1E	92 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190617.3N 0725111.7E	99 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190616.8N 0725111.2E	97 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190619.0N 0725111.3E	108 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190618.4N 0725110.9E	97 FEET	NIL	TAPASYA B-WING, SOLAR PANEL TOP - 29.50 M, DISH ANTENNA TOP - 29.28 M, BUILDING TOP(PARAPET WALL) - 28.25 M.
32/TKOF 14/APCH	TREE	190618.0N 0725110.8E	130 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190617.9N 0725110.5E	129 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190617.2N 0725109.3E	102 FEET	NIL	PARMAR CHS, STAIRCASE ROOM TOP - 30.99 M, BUILDING TOP - 29.56 M.
32/TKOF 14/APCH	TREE	190617.0N 0725110.0E	119 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190616.6N 0725110.3E	97 FEET	NIL	PRAGATI, STAIRCASE ROOM TOP - 29.65 M, BUILDING TOP - 27.41 M.
32/TKOF 14/APCH	TREE	190616.2N 0725111.0E	118 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190615.8N 0725110.3E	95 FEET	NIL	RADHAKRISHNA NIWAS, STAIRCASE TOP - 28.88 M, PIPE TOP - 28.86 M, GRILL TOP - 27.91 M, BUILDING TOP - 27.44 M.
32/TKOF 14/APCH	BUILDING	190615.6N 0725110.0E	95 FEET	NIL	BHAGAWATI NIWAS, POLETOP - 28.95 M, STAIRCASE TOP - 28.39 M, GRILL TOP - 28.22 M, BUILDING TOP - 21.89 M.
32/TKOF 14/APCH	BUILDING	190615.5N 0725109.6E	96 FEET	NIL	BHAGAVATHI NIWAS, POLE TOP - 29.20 M, BUILDING TOP - 27.92 M.
32/TKOF 14/APCH	TREE	190615.6N 0725109.4E	97 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190616.1N 0725109.1E	95 FEET	NIL	NUTAN PURNIMA, STAIRCASE TOP - 29.01 M, WATER TANK TOP - 28.34 M, STAIRCASE TOP - 27.98 M, BUILDING TOP - 27.02 M.
32/TKOF 14/APCH	TREE	190616.8N 0725107.7E	117 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190616.7N 0725107.8E	119 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190616.6N 0725107.4E	105 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190616.6N 0725106.5E	101 FEET	NIL	SAIVATSALYA CHS, DISH ANTENNA TOP - 30.73 M, BUILDING TOP - 29.42 M.
32/TKOF 14/APCH	BUILDING	190616.9N 0725105.8E	96 FEET	NIL	DATTARAMANA ND CHS, STAIRCASE TOP - 29.17 M, BUILDING TOP(SLAB) - 28.51 M.
32/TKOF 14/APCH	TREE	190614.7N 0725105.5E	110 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.9N 0725106.2E	110 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190613.8N 0725104.6E	105 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190611.8N 0725105.4E	99 FEET	LGTD	ASHRAV CHS, OBSTRUCTION LIGHT TOP - 30.25 M, SINTEX TANK TOP - 29.17 M, STAIRACASE TOP - 28.93 M, BUILDING TOP - 27.18 M.
32/TKOF 14/APCH	TREE	190611.9N 0725104.5E	118 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.3N 0725105.3E	103 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190610.0N 0725104.8E	99 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190611.1N 0725103.8E	118 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190613.7N 0725102.8E	108 FEET	LGTD	NARAYAN NIWAS, OBSTRUCTION LIGHT TOP - 32.79 M, SINTEX TANK TOP - 31.74 M, BUILDING TOP - 29.38 M.
32/TKOF 14/APCH	TREE	190612.2N 0725102.3E	109 FEET	NIL	COCONUT TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190608.9N 0725102.1E	105 FEET	LGTD	RUSHI SANKET, OBSTRUCTION LIGHT TOP - 31.89 M, SHED TOP - 31.23 M, SHED TOP - 31.18 M, SINTEX TANK TOP - 30.35 M, BUILDING TOP(PARAPET WALL) - 29.09 M.
32/TKOF 14/APCH	TREE	190608.3N 0725103.1E	94 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190607.4N 0725103.4E	114 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190607.3N 0725102.5E	95 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190606.7N 0725102.2E	102 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190607.8N 0725059.3E	103 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190609.5N 0725057.6E	99 FEET	NIL	RUIA BHAWAN, SHED TOP - 30.26 M, BUILDING TOP - 28.52 M.
32/TKOF 14/APCH	BUILDING	190609.5N 0725059.1E	99 FEET	NIL	PRASAD CHS, SINTEX TANK TOP - 30.16 M, STAIRCASE ROOM TOP - 29.81 M, BUILDING TOP - 28.58 M.
32/TKOF 14/APCH	BUILDING	190610.0N 0725058.9E	101 FEET	NIL	GANGA KESHAV, SINTEX TANK TOP - 30.70 M, STAIRCASE ROOM TOP - 30.13 M, BUILDING TOP - 29.17 M.
32/TKOF 14/APCH	TREE	190610.6N 0725059.2E	107 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190611.0N 0725058.6E	109 FEET	NIL	THOSAR HOUSE, GRILL TOP - 33.35 M, BUILDING TOP - 31.90 M.
32/TKOF 14/APCH	BUILDING	190611.7N 0725058.8E	115 FEET	LGTD	THOSAR WADI CHS, CELLPHONE MAST TOP - 35.09 M, BUILDING TOP - 28.76 M.
32/TKOF 14/APCH	BUILDING	190610.6N 0725057.7E	107 FEET	LGTD	KRISHNA KUNJ, CELLPHONE MAST TOP - 32.45 M, GENERATOR ROOM TOP - 32.00 M, BUILDING TOP - 26.79 M.
32/TKOF 14/APCH	TREE	190610.7N 0725057.2E	107 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190610.1N 0725056.0E	99 FEET	NIL	VISARIA(U/C), PIPE TOP - 30.34 M, STAIRCASE ROOM TOP - 29.39 M, BUILDING TOP - 28.70 M.
32/TKOF 14/APCH	BUILDING	190611.2N 0725055.1E	116 FEET	NIL	SUN VISION CLASSIC - SAKHARAM LEGACY, ANTENNA TOP - 35.50 M, STAIRCASE ROOM TOP - 33.46 M, BUILDING TOP - 33.15 M.
32/TKOF 14/APCH	BUILDING	190614.4N 0725053.6E	114 FEET	NIL	PANCHWATI, STAIRCASE TOP - 34.90 M, GRILL TOP - 33.96 M, BUILDING TOP - 33.64 M.
32/TKOF 14/APCH	BUILDING	190613.2N 0725054.7E	120 FEET	NIL	GLADDIOLA, VENT TOP - 36.58 M, BUILDING TOP - 34.31 M.
32/TKOF 14/APCH	BUILDING	190613.0N 0725055.6E	107 FEET	NIL	SARASWATHI BHAWAN, POLE TOP - 32.47 M, SINTEX TANK TOP - 29.59 M, BUILDING TOP - 28.40 M.
32/TKOF 14/APCH	TREE	190612.9N 0725056.5E	108 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190613.8N 0725057.5E	111 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190613.3N 0725058.6E	106 FEET	NIL	ASHOK GURUPRASAD CHS, SINTEX TANK TOP - 32.20 M, BUILDING TOP - 30.34 M.
32/TKOF 14/APCH	BUILDING	190613.3N 0725059.4E	103 FEET	NIL	SHRI KUNJ PREMISES, DISH ANTENNA TOP - 31.50 M, STAIRCASE TOP - 30.38 M, BUILDING TOP(PARAPET WALL) - 29.42 M.
32/TKOF 14/APCH	BUILDING	190613.7N 0725100.3E	112 FEET	NIL	VARALAXMI CHS, SINTEX TANK TOP - 34.03 M, STAIRCASE ROOM TOP - 33.42 M, BUILDING TOP - 32.40 M.
32/TKOF 14/APCH	TREE	190614.5N 0725101.8E	132 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.7N 0725102.6E	104 FEET	NIL	COCONUT TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190614.9N 0725101.7E	116 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190615.6N 0725102.0E	104 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190615.9N 0725102.1E	111 FEET	LGTD	ARIHANT, OBSTRUCTION LIGHT TOP - 33.70 M, SINTEX TANK TOP - 33.21 M, SHED TOP - 33.07 M, GRILL TOP - 32.22 M, BUILDING TOP(SLAB) - 31.28 M.
32/TKOF 14/APCH	TREE	190616.1N 0725102.1E	124 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190616.5N 0725101.8E	107 FEET	NIL	SMRUTI CHS, SINTEX TANK TOP - 32.62 M, BUILDING TOP - 30.95 M.
32/TKOF 14/APCH	TREE	190616.1N 0725101.0E	106 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190615.9N 0725100.9E	125 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190616.1N 0725100.7E	115 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190615.8N 0725059.7E	110 FEET	LGTD	JANKI KUNJ, OBSTRUCTION LIGHT TOP - 33.60 M, GRILL TOP - 32.95 M, STAIRCASE ROOM TOP - 31.80 M, BUILDING TOP(PARAPET WALL) - 30.55 M.
32/TKOF 14/APCH	BUILDING	190615.7N 0725058.7E	113 FEET	NIL	KAIVALYASHRAM, SINTEX TANK TOP - 34.33 M, STAIRCASE ROOM TOP - 34.00 M, GRILL TOP - 32.57 M, BUILDING TOP(SLAB) - 31.80 M.
32/TKOF 14/APCH	TREE	190615.6N 0725057.4E	117 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190615.3N 0725056.6E	114 FEET	NIL	GANESH APARTMENT CHS, SINTEX TANK TOP - 34.63 M, SHED TOP - 33.78 M, BUILDING TOP - 31.95 M.
32/TKOF 14/APCH	TREE	190618.4N 0725058.7E	124 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190617.4N 0725102.1E	108 FEET	LGTD	RUKMANI SADAN, OBSTRUCTION LIGHT TOP - 32.85 M, SHED TOP - 32.05 M, SINTEX TANK TOP - 32.04 M, BUILDING TOP(SLAB) - 30.16 M.
32/TKOF 14/APCH	BUILDING	190617.3N 0725102.9E	108 FEET	NIL	PARIJATH CHS, SINTEX TANK TOP - 32.94 M, BUILDING TOP - 30.97 M.
32/TKOF 14/APCH	TREE	190616.7N 0725103.3E	109 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190617.2N 0725104.4E	104 FEET	NIL	GANESH KRIPA CHS, DISH ANTENNA TOP - 31.76 M, STAIRCASE TOP - 31.02 M, BUILDING TOP - 29.07 M.
32/TKOF 14/APCH	TREE	190617.9N 0725103.5E	111 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190618.6N 0725105.0E	115 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190618.3N 0725106.1E	112 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190618.4N 0725107.6E	106 FEET	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190619.6N 0725108.1E	110 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190619.8N 0725108.7E	114 FEET	LGTD	KUPUR HOUSE, CELLPHONE MAST TOP - 35.56 M, OBSTRUCTION LIGHT TOP - 34.36 M, STAIRCASE ROOM TOP - 33.48 M, LIGHT TOP - 32.97 M, GRILL TOP - 32.19 M, BUILDING TOP - 31.43 M
32/TKOF 14/APCH	BUILDING	190621.6N 0725108.4E	103 FEET	NIL	ORION SCHOOL(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 31.53 M, BUILDING TOP(PARAPET WALL) - 28.93 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190622.0N 0725107.6E	102 FEET	NIL	RAJ BHAVAN, DISH ANTENNA TOP - 31.05 M, SHED TOP - 30.65 M, BUILDING TOP(SLAB) - 30.13 M.
32/TKOF 14/APCH	BUILDING	190623.1N 0725107.4E	113 FEET	NIL	RAJKAMAL CHS, DISH ANTENNA TOP - 34.37 M, STAIRCASE TOP - 33.55 M, BUILDING TOP - 32.36 M.
32/TKOF 14/APCH	TREE	190624.9N 0725106.7E	113 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190625.9N 0725105.5E	123 FEET	NIL	SUNTECH REALITY, DISH ANTENNA TOP - 37.57 M, STAIRCASE ROOM TOP - 36.62 M, BUILDING TOP - 35.48 M.
32/TKOF 14/APCH	BUILDING	190630.6N 0725059.8E	125 FEET	NIL	OM KHUSHAL CHS, PIPE TOP - 38.16 M, BUILDING TOP - 37.10 M.
32/TKOF 14/APCH	BUILDING	190629.0N 0725102.2E	123 FEET	NIL	KK HERITAGE BUILDING
32/TKOF 14/APCH	BUILDING	190628.2N 0725059.1E	132 FEET	LGTD	JAI GANSHYAN 'B', OBSTRUCTION LIGHT TOP - 40.19 M, SHED TOP - 38.80 M, BUILDING TOP(PARAPET WALL) - 36.83 M.
32/TKOF 14/APCH	BUILDING	190627.3N 0725100.0E	127 FEET	NIL	ANTENNA ON TOP OF SRI VINAYAK BUILDING (BUILDING TOP - 33.314 M)
32/TKOF 14/APCH	BUILDING	190627.3N 0725058.8E	132 FEET	LGTD	JAI GANSHYAN 'A', OBSTRUCTION LIGHT TOP - 40.16 M, SHED TOP - 38.85 M, BUILDING TOP(PARAPET WALL) - 36.73 M.
32/TKOF 14/APCH	BUILDING	190625.8N 0725056.9E	126 FEET	LGTD	NIDHAAN HOUSE, OBSTRUCTION LIGHT TOP - 38.32 M, PIPE TOP - 37.72 M, BUILDING TOP(PARAPET WALL) - 35.58 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190625.0N 0725056.2E	121 FEET	NIL	JEEVAN SARITA ARCADE, DISH ANTENNA TOP - 36.87 M, BUILDING TOP - 36.18 M.
32/TKOF 14/APCH	BUILDING	190624.9N 0725055.5E	125 FEET	NIL	RAVIKIRAN, LIGHT TOP - 38.08 M, STAIRCASE TOP - 37.47 M, STAIRCASE TOP - 37.46 M, SHED TOP - 37.34 M, BUILDING TOP - 36.42 M.
32/TKOF 14/APCH	BUILDING	190623.7N 0725057.2E	131 FEET	LGTD	ARCO CHS, OBSTRUCTION LIGHT TOP - 39.83 M, STAIRCASE ROOM TOP - 38.07 M, BUILDING TOP - 35.97 M.
32/TKOF 14/APCH	BUILDING	190623.7N 0725058.9E	119 FEET	NIL	SHIV SWAMI KIRUPA CHS, DISH ANTENNA TOP - 36.45 M, BUILDING TOP - 35.56 M.
32/TKOF 14/APCH	TREE	190623.5N 0725100.1E	139 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190624.1N 0725100.0E	117 FEET	NIL	SHREE SWAMI KIRUPA CHS, SHED TOP - 35.69 M, BUILDING TOP - 33.83 M.
32/TKOF 14/APCH	BUILDING	190624.8N 0725100.6E	117 FEET	NIL	LAKSHMI SADAN BUILDING(U/C)
32/TKOF 14/APCH	BUILDING	190623.3N 0725101.6E	118 FEET	NIL	INDIRA APARTMENT, LIGHT TOP - 36.04 M, BUILDING TOP - 34.63 M.
32/TKOF 14/APCH	BUILDING	190623.4N 0725102.1E	120 FEET	NIL	GOPAL NIWAS, SINTEX TANK TOP - 36.66 M, STAIRCASE TOP - 35.86 M, BUILDING TOP - 34.46 M.
32/TKOF 14/APCH	TREE	190623.9N 0725102.2E	130 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190624.7N 0725102.9E	114 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190623.8N 0725104.7E	115 FEET	NIL	PLATINUM - THE RESIDENCE, DISH ANTENNA TOP - 35.21 M, BUILDING TOP - 34.55 M.
32/TKOF 14/APCH	TREE	190621.7N 0725103.7E	114 FEET	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190620.4N 0725104.0E	111 FEET	LGTD	SAI NIWAS, CELLPHONE MAST TOP - 33.85 M, BUILDING TOP - 31.82 M.
32/TKOF 14/APCH	BUILDING	190620.1N 0725104.1E	105 FEET	NIL	OM SAI NIWAS, SINTEX TANK TOP - 32.14 M, ANTENNA TOP - 31.95 M, DISH ANTENNA TOP - 31.84 M, BUILDING TOP(PARAPET WALL) - 31.45 M.
32/TKOF 14/APCH	BUILDING	190620.4N 0725105.1E	116 FEET	LGTD	BHOLANATH CHS, OBSTRUCTION LIGHT TOP - 35.53 M, SINTEX TANK TOP - 34.18 M, STAIRCASE TOP - 33.98 M, BUILDING TOP - 32.11 M.
32/TKOF 14/APCH	BUILDING	190619.9N 0725105.3E	110 FEET	NIL	BOLANATH CHS LTD (BUILDING TOP-31.737)
32/TKOF 14/APCH	BUILDING	190619.5N 0725105.6E	108 FEET	NIL	SWAPNA APARTMENTS, STAIRCASE ROOM TOP - 32.93 M, BUILDING TOP - 30.91 M.
32/TKOF 14/APCH	TREE	190620.5N 0725106.2E	115 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190618.9N 0725103.1E	111 FEET	NIL	KOTESHWAR DARSHAN, SINTEX TANK TOP - 33.92 M, BUILDING TOP - 32.24 M.
32/TKOF 14/APCH	BUILDING	190619.7N 0725102.5E	109 FEET	NIL	BHAGIRATI SMRUTI CHS, IRON ROD TOP - 33.12 M, BUILDING TOP - 31.08 M.
32/TKOF 14/APCH	BUILDING	190619.7N 0725101.4E	123 FEET	LGTD	SHUBHANKAR SOCIETY, OBSTRUCTION LIGHT TOP - 37.45 M, SINTEX TANK TOP - 36.42 M, BUILDING TOP - 33.50 M.
32/TKOF 14/APCH	BUILDING	190621.7N 0725059.8E	134 FEET	LGTD	OM PALACE, OBSTRUCTION LIGHT TOP - 40.73 M, STAIRCASE ROOM TOP - 38.27 M, BUILDING TOP - 36.53 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190620.8N 0725059.4E	118 FEET	NIL	TANK ON JHARNA KUTIR BUILDING(BUILDING TOP - 33.976 M)
32/TKOF 14/APCH	BUILDING	190620.1N 0725059.1E	124 FEET	LGTD	JHARNA KUTIR CHS, OBSTRUCTION LIGHT TOP - 37.67 M, SINTEX TANK TOP - 35.80 M, BUILDING TOP - 34.97 M.
32/TKOF 14/APCH	BUILDING	190620.6N 0725058.3E	116 FEET	NIL	SINTEX ON SILVER CLASSIC BUILDING (BUILDING TOP - 34.407 M)
32/TKOF 14/APCH	BUILDING	190621.3N 0725058.1E	118 FEET	LGTD	GANESH VILLA, OBSTRUCTION LIGHT TOP - 36.13 M, SHED TOP - 34.63 M, BUILDING TOP - 33.57 M.
32/TKOF 14/APCH	BUILDING	190622.0N 0725057.0E	125 FEET	LGTD	BHAKTI SUGANTH, OBSTRUCTION LIGHT TOP - 38.21 M, SHED TOP - 37.02 M, STAIRCASE ROOM TOP - 36.98 M, BUILDING TOP - 35.58 M.
32/TKOF 14/APCH	BUILDING	190620.3N 0725051.4E	125 FEET	NIL	YASH RAJ, ANTENNA TOP - 38.21 M, GRILL TOP - 36.71 M, BUILDING TOP(PARAPET WALL) - 35.50 M.
32/TKOF 14/APCH	BUILDING	190619.9N 0725052.4E	129 FEET	LGTD	VIMLA VILLA, OBSTRUCTION LIGHT TOP - 39.34 M, STAIRCASE ROOM TOP - 37.47 M, BUILDING TOP - 34.14 M.
32/TKOF 14/APCH	BUILDING	190618.8N 0725051.3E	121 FEET	NIL	BHATIA, STAIRCASE ROOM TOP - 37.01 M, BUILDING TOP - 35.97 M.
32/TKOF 14/APCH	BUILDING	190619.8N 0725054.6E	126 FEET	LGTD	BUILDING, OBSTRUCTION LIGHT TOP - 38.37 M, LADDER TOP - 36.13 M, WATER TANK TOP - 35.32 M, BUILDING TOP(PARAPET WALL) - 32.37 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190618.7N 0725055.6E	115 FEET	LGTD	EVEREST CLASSIQUE, CELLPHONE MAST TOP-35.19 M, CELLPHONE MAST-34.94 M, CELLPHONE MAST TOP-34.81 M, LIGHT TOP-34.66 M, DISH ANTENNA TOP-34.55 M, GRILL TOP-34.41 M, SWING TOP-34.05 M, GENERATOR ROOM TOP-33.96 M,STAIRCASE TOP - 33.18 M, BUILDING TOP-31.85M.
32/TKOF 14/APCH	BUILDING	190618.1N 0725055.4E	115 FEET	NIL	SURI APARTMENT, SWING TOP - 34.96 M, LIGHT TOP - 34.57 M, SHED TOP - 33.98 M, STAIRCASE TOP - 33.91 M, GRILL TOP - 33.81 M, BUILDING TOP - 32.49 M.
32/TKOF 14/APCH	BUILDING	190617.1N 0725055.8E	113 FEET	NIL	HARI DARSHAN, SHED TOP - 34.34 M, LIGHT TOP - 34.20 M, SINTEX TANK TOP - 34.12 M, STAIRCASE TOP - 34.09 M, BUILDING TOP - 32.88 M.
32/TKOF 14/APCH	BUILDING	190616.6N 0725054.7E	111 FEET	NIL	RAM JANANI CHS, SINTEX TANK TOP - 33.88 M, SHED TOP - 33.56 M, BUILDING TOP - 31.95 M
32/TKOF 14/APCH	BUILDING	190615.9N 0725049.0E	123 FEET	NIL	SAMARPAN, SINTEX TANK TOP -37.60 M, STAIRCASE TOP - 36.27 M, GRILL TOP - 35.21 M, BUILDING TOP - 34.26 M.
32/TKOF 14/APCH	BUILDING	190614.9N 0725049.7E	115 FEET	NIL	SHREE CHAITANYA KUNJ, STAIRCASE TOP - 35.09 M, BUILDING TOP - 34.27 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190618.9N 0725043.8E	135 FEET	NIL	BUNU KUNJ, SHED TOP - 41.01 M, DISH ANTENNA TOP - 40.60 M, BUILDING TOP(PARAPET WALL) - 39.64 M.
32/TKOF 14/APCH	BUILDING	190623.0N 0725040.1E	140 FEET	NIL	ZEE TULSI, WATER TANK TOP - 42.56 M, BUILDING TOP - 40.49 M.
32/TKOF 14/APCH	BUILDING	190623.6N 0725040.4E	144 FEET	LGTD	RAMA RESIDENCY, CELLPHONE MAST TOP - 43.78 M, STAIRCASE ROOM TOP - 40.22 M, BUILDING TOP - 37.19 M.
32/TKOF 14/APCH	BUILDING	190629.7N 0725033.3E	159 FEET	LGTD	MATHOSHRI KRISHNA, LIGHTNING ARRESTER TOP - 48.55 M, OBSTRUCTION LIGHT TOP - 47.87 M, STAIRCASE ROOM TOP - 47.37 M, BUILDING TOP - 46.38 M.
32/TKOF 14/APCH	BUILDING	190630.3N 0725054.2E	130 FEET	NIL	RAJAT DHAVALGIRI, STAIRCASE ROOM TOP - 39.64 M, BUILDING TOP - 38.46 M.
32/TKOF 14/APCH	BUILDING	190631.5N 0725054.2E	133 FEET	LGTD	JEEVANDHARA CHS, CELLPHONE MAST TOP - 40.58 M, STAIRCASE ROOM TOP - 34.76 M, BUILDING TOP - 29.40 M.
32/TKOF 14/APCH	BUILDING	190639.9N 0725052.0E	153 FEET	NIL	PANOM PARK B-WING, STAIRCASE ROOM TOP - 46.55 M, BUILDING TOP(PARAPET WALL) - 45.28 M.
32/TKOF 14/APCH	BUILDING	190639.7N 0725051.5E	155 FEET	NIL	PANOM PARK, SINTEX TANK TOP - 47.09 M, BUILDING TOP - 45.22 M.
32/TKOF 14/APCH	BUILDING	190637.5N 0725051.2E	148 FEET	LGTD	CHAMUNDA HERITAGE, CELLPHONE MAST TOP - 45.00 M, WATER TANK TOP - 38.92 M, BUILDING TOP - 34.13 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190636.2N 0725048.6E	152 FEET	LGTD	CHAMUNDA PARADISE, OBSTRUCTION LIGHT TOP - 46.35 M, STAIRCASE ROOM TOP - 45.25 M, BUILDING TOP - 44.33 M.
32/TKOF 14/APCH	BUILDING	190634.3N 0725049.3E	149 FEET	LGTD	OM GURUKRUPA, LIGHTNING ARRESTER TOP - 45.27 M, OBSTRUCTION LIGHT TOP - 43.54 M, BUILDING TOP - 43.13 M.
32/TKOF 14/APCH	BUILDING	190635.1N 0725046.3E	152 FEET	NIL	SRA QUARTERS, SINTEX TANK TOP - 46.18 M, BUILDING TOP - 44.41 M.
32/TKOF 14/APCH	BUILDING	190638.9N 0725046.8E	152 FEET	NIL	SILVER SPRINGS SRA - A WING, LADDER TOP - 46.32 M, WATER TANK TOP - 45.71 M, BUILDING TOP(PARAPET WALL) - 44.27 M.
32/TKOF 14/APCH	BUILDING	190640.5N 0725041.3E	167 FEET	NIL	SAHYADRI CHS (U/C), LIFT TOP - 50.82 M, BUILDING TOP - 49.66 M.
32/TKOF 14/APCH	BUILDING	190639.1N 0725038.2E	165 FEET	LGTD	CHANDAN CHS, OBSTRUCTION LIGHT TOP - 50.33 M, OBSTRUCTION LIGHT TOP - 50.24 M, LIGHTNING ARRESTER TOP - 50.10 M, PIPE TOP - 49.91 M, WATER TANK TOP - 49.15 M, BUILDING TOP(PARAPET WALL) - 48.84 M.
32/TKOF 14/APCH	BUILDING	190646.3N 0725048.4E	160 FEET	LGTD	MORESHWAR CHS, CELLPHONE MAST TOP - 48.80 M, BUILDING TOP - 39.43 M.
32/TKOF 14/APCH	BUILDING	190648.2N 0725048.0E	194 FEET	NIL	KALEDONIA, DISH ANTENNA TOP - 59.13 M, BUILDING TOP - 57.99 M.
32/TKOF 14/APCH	BUILDING	190648.7N 0725042.6E	173 FEET	NIL	PARIDARSHAN CHS, SHED TOP - 52.64 M, BUILDING TOP - 52.07 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190645.9N 0725032.7E	191 FEET	NIL	MONISHA BUILDING, STAIRCASE ROOM TOP - 58.34 M, IRON ROD TOP - 57.61 M, DISH ANTENNA TOP - 57.26 M, BUILDING TOP - 56.39 M.
32/TKOF 14/APCH	BUILDING	190640.6N 0725034.0E	174 FEET	NIL	NAVBAHAR, LADDER TOP - 53.05 M, DISH ANTENNA TOP - 52.80 M, WATER TANKK TOP - 51.76 M, BUILDING TOP - 49.11 M.
32/TKOF 14/APCH	BUILDING	190641.7N 0725030.2E	181 FEET	NIL	SANGHVI VILLA, PIPE TOP - 54.96 M, SINTEX TANK TOP - 54.64 M, STAIRCASE TOP - 54.13 M, LIFT ROOM TOP - 54.03, BUILDING TOP - 53.33 M.
32/TKOF 14/APCH	BUILDING	190639.1N 0725025.6E	182 FEET	LGTD	SARVOTTAM(A-WING), LIGHTNING ARRESTER TOP - 55.49 M, OBSTRUCTION LIGHT TOP - 52.43 M, STAIRCASE ROOM TOP - 50.48 M, BUILDING TOP - 47.75 M.
32/TKOF 14/APCH	BUILDING	190656.4N 0725008.1E	189 FEET	NIL	GSV CAR MALL, AC VENT TOP - 57.65 M, BUILDING TOP - 56.98 M, LIGHT TOP - 56.82 M.
32/TKOF 14/APCH	BUILDING	190652.1N 0725012.5E	189 FEET	NIL	KAMLA HUB, DESIGN TOP - 57.52 M, BUILDING TOP - 56.87 M, BUILDING TOP - 53.70 M.
32/TKOF 14/APCH	BUILDING	190652.0N 0725017.9E	194 FEET	NIL	PALM GROVE CHS, GRILL TOP - 59.10 M, STAIRCASE ROOM TOP - 56.66 M, BUILDING TOP - 53.52 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190657.5N 0725030.7E	189 FEET	NIL	PENINSULA HEIGHTS, ANTENNA TOP - 57.72 M, STAIRCASE ROOM TOP - 55.93 M, BUILDING TOP - 54.27 M.
32/TKOF 14/APCH	BUILDING	190711.9N 0725027.8E	228 FEET	LGTD	SRA QUARTERS, ANTENNA TOP - 69.45 M, CELLPHONE MAST TOP - 62.87 M, STAIRCASE ROOM TOP - 54.96 M, BUILDING TOP - 52.17 M.
32/TKOF 14/APCH	BUILDING	190712.3N 0725026.4E	246 FEET	LGTD	SRA QUARTERS, ANTENNA TOP - 75.11 M, CELLPHONE MAST TOP - 63.41 M, STAIRCASE ROOM TOP - 56.20 M, BUILDING TOP - 52.73 M.
32/TKOF 14/APCH	BUILDING	190715.0N 0725024.0E	261 FEET	NIL	GAONDEVI TEMPLE ON GILBERT HILL, FLAG TOP - 79.71 M, TEMPLE TOP(SLAB) - 76.90 M
32/TKOF 14/APCH	BUILDING	190716.8N 0725021.9E	201 FEET	NIL	DIVYAM HEIGHTS, WATER TANK TOP - 61.28 M, BUILDING TOP - 60.43 M.
32/TKOF 14/APCH	BUILDING	190716.5N 0725019.5E	189 FEET	NIL	RAJVEER APARTMENT, WATER TANK TOP - 57.63 M, BUILDING TOP - 54.84 M.
32/TKOF 14/APCH	BUILDING	190712.4N 0725020.5E	207 FEET	LGTD	ATLANTIC TOWER, OBSTRUCTION LIGHT TOP - 63.07 M, AC VENT TOP - 62.70 M, GRILL TOP - 62.24 M, STAIRCASE ROOM TOP - 61.16 M, BUILDING TOP(PARAPET WALL) - 59.27 M
32/TKOF 14/APCH	BUILDING	190711.3N 0725023.1E	206 FEET	LGTD	INDIAN OCEAN CHS, OBSTRUCTION LIGHT TOP - 62.84 M, STAIRCASE ROOM TOP - 61.27 M, BUILDING TOP - 59.93 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190709.6N 0725022.3E	203 FEET	NIL	CARIBBEAN, IRON LADDER TOP - 61.90 M, WATER TANK TOP - 61.09 M, WATER TANK TOP - 61.08 M, BUILDING TOP - 56.06 M.
32/TKOF 14/APCH	BUILDING	190710.8N 0725021.9E	197 FEET	NIL	PACIFIC TOWER C-WING, GRILL TOP - 59.97 M, WATER TANK TOP - 59.17 M, BUILDING TOP - 55.57 M.
32/TKOF 14/APCH	BUILDING	190711.0N 0725021.1E	196 FEET	NIL	PACIFIC TOWER B-WING, GRILL TOP - 59.77 M, WATER TANK TOP - 59.00 M, BUILDING TOP - 55.59 M.
32/TKOF 14/APCH	BUILDING	190711.1N 0725020.3E	197 FEET	NIL	PACIFIC TOWER A-WING, GRILL TOP - 60.01 M, WATER TANK TOP - 59.11 M, BUILDING TOP - 55.64 M.
32/TKOF 14/APCH	BUILDING	190658.9N 0724954.5E	200 FEET	NIL	49 IDEAL, LIGHTNING ARRESTER TOP - 60.95 M, HOARDING TOP - 58.15 M, WATER TANK TOP - 56.60 M, BUILDING TOP - 53.95 M.
32/TKOF 14/APCH	BUILDING	190717.0N 0724948.7E	195 FEET	NIL	1.ELITA BUILDING TOP
32/TKOF 14/APCH	BUILDING	190728.5N 0724952.3E	191 FEET	NIL	MOONGIPA ARCADE(E - WING), DISH ANTENNA TOP - 58.20 M, WATER TANK TOP - 57.26 M, STAIRCASE ROOM TOP - 57.04 M, BUILDING TOP(PARAPET WALL) - 56.45 M.
32/TKOF 14/APCH	BUILDING	190732.0N 0724955.9E	197 FEET	NIL	ARCADE CHS BUILDING
32/TKOF 14/APCH	BUILDING	190732.5N 0724956.4E	188 FEET	NIL	MOONGIPA ARCADE CHS - A WING, STAIRCASE TOP - 57.31 M, BUILDING TOP - 56.38 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190733.1N 0724945.3E	230 FEET	NIL	SKY VISTAS, LIGHTNING ARRESTER TOP - 70.21 M, ANTENNA TOP - 69.17 M, STAIRCASE ROOM TOP - 68.80 M, GRILL TOP - 68.42 M, BUILDING TOP(PARAPET WALL) - 66.52 M
32/TKOF 14/APCH	BUILDING	190731.7N 0724945.4E	231 FEET	LGTD	SKY VISTAS, LIGHTNING ARRESTER TOP - 70.46 M, ANTENNA TOP - 69.32 M, ANTENNA TOP - 69.05 M, STAIRCASE TOP - 68.05 M, OBSTRUCTION LIGHT TOP - 67.98 M, BUILDING TOP(PARAPET WALL) - 66.52 M.
32/TKOF 14/APCH	BUILDING	190723.9N 0724940.6E	217 FEET	LGTD	RUSTOMJEE ELITA(A-WING), LIGNTNING ARRESTER TOP - 66.03 M, OBSTRUCTION LIGHT TOP - 65.35 M, BUILDING TOP - 60.63 M.
32/TKOF 14/APCH	BUILDING	190722.9N 0724939.0E	216 FEET	LGTD	RUSTOMJEE ELITA(B-WING), LIGHTNING ARRESTER TOP - 65.93 M, OBSTRUCTION LIGHT TOP - 65.20 M, BUILDING TOP - 60.49 M.
32/TKOF 14/APCH	BUILDING	190724.5N 0724929.4E	253 FEET	NIL	MANNATH CHS, WATER TANK TOP - 77.07 M, STAIRCASE ROOM TOP - 77.06 M, BUILDING TOP - 75.07 M.
32/TKOF 14/APCH	BUILDING	190747.9N 0724941.4E	351 FEET	NIL	WESTERN HEIGHTS, ANTENNA TOP - 107.04 M, DESIGN TOP - 106.87 M, BUILDING TOP - 105.91 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190749.8N 0724942.2E	357 FEET	NIL	HDIL METROPOLIS, STAIRCASE ROOM TOP - 108.83 M, BUILDING TOP - 107.25 M.
32/TKOF 14/APCH	BUILDING	190750.5N 0724939.6E	354 FEET	NIL	PARTHENON, BUILDING TOP - 107.93 M, BUILDING TOP - 107.70 M.
32/TKOF 14/APCH	BUILDING	190814.5N 0724937.4E	417 FEET	NIL	WASTO BUILDING TOP
32/TKOF 14/APCH	BUILDING	190553.9N 0725119.9E	54 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	POLE	190554.7N 0725120.2E	46 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	OTHER	190555.1N 0725119.5E	56 FEET	NIL	M LAT ANTENNA, LIGHTNING ARRESTER TOP - 16.97 M, ANTENNA TOP - 16.71 M.
32/TKOF 14/APCH	TREE	190555.4N 0725118.2E	63 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190555.1N 0725118.3E	51 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	FENCE	190555.9N 0725118.1E	50 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/TKOF 14/APCH	BUILDING	190555.4N 0725117.7E	53 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	TREE	190555.9N 0725116.5E	76 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190558.4N 0725118.5E	53 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	TREE	190558.6N 0725118.9E	68 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190558.7N 0725118.5E	54 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	TREE	190600.4N 0725118.0E	82 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190602.0N 0725119.9E	55 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 16.65 M, HUTMENT TOP - 15.76 M.
32/TKOF 14/APCH	TREE	190602.9N 0725119.4E	86 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190603.0N 0725119.5E	57 FEET	NIL	HUTMENT
32/TKOF 14/APCH	BUILDING	190603.4N 0725119.9E	57 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	BUILDING	190604.2N 0725120.0E	58 FEET	NO	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190603.2N 0725121.5E	59 FEET	LGTD	WATCH TOWER(WT - 06), OBSTRUCTION LIGHT TOP - 18.02 M, WATCH TOWER TOP - 17.97 M.
32/TKOF 14/APCH	BUILDING	190604.3N 0725123.0E	61 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 18.66 M, HUTMENT TOP - 18.18 M.
32/TKOF 14/APCH	TREE	190604.2N 0725121.9E	83 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190604.5N 0725123.1E	64 FEET	NIL	HUTMENT
32/TKOF 14/APCH	POLE	190601.9N 0725124.4E	48 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	FENCE	190601.0N 0725125.4E	49 FEET	NIL	PIDS FENCING
32/TKOF 14/APCH	POLE	190600.9N 0725125.6E	48 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	FENCE	190601.8N 0725124.8E	54 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/TKOF 14/APCH	POLE	190600.4N 0725126.1E	48 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	FENCE	190601.4N 0725125.7E	54 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/TKOF 14/APCH	FENCE	190600.2N 0725126.5E	53 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/TKOF 14/APCH	FENCE	190600.1N 0725126.6E	49 FEET	NIL	PIDS FENCING
32/TKOF 14/APCH	BUILDING	190600.1N 0725126.7E	58 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	POLE	190559.9N 0725126.7E	48 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190559.4N 0725127.4E	48 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	OTHER	190605.6N 0725120.3E	64 FEET	NIL	HOARDING TOP
32/TKOF 14/APCH	OTHER	190608.3N 0725119.0E	70 FEET	NIL	CHHATRAPATI SHIVAJI MAHARAJ FORT STRUCTURE, FLAG TOP - 21.19 M, FORT STRUCTURE TOP - 20.01 M.
32/TKOF 14/APCH	OTHER	190608.2N 0725118.9E	69 FEET	NIL	CHHATRAPATI SHIVAJI MAHARAJ STATUE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	OTHER	190604.7N 0725117.7E	63 FEET	NIL	HOARDING TOP
32/TKOF 14/APCH	TREE	190603.0N 0725115.7E	85 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	OTHER	190600.5N 0725115.1E	64 FEET	NIL	HOARDING TOP
32/TKOF 14/APCH	POLE	190559.0N 0725114.4E	69 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190557.6N 0725115.6E	69 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	TREE	190601.2N 0725109.4E	107 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	POLE	190559.9N 0725115.6E	62 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190559.1N 0725114.1E	74 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	POLE	190600.6N 0725115.9E	60 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	TREE	190601.1N 0725110.1E	113 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190601.1N 0725109.8E	116 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190559.9N 0725110.6E	110 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190601.0N 0725112.6E	73 FEET	NIL	SHANTIVAN SOCIETY, STAIRCASE ROOM TOP - 22.39 M, SINTEX TANK TOP - 21.34 M, BUILDING TOP(SLAB) - 20.27 M.
32/TKOF 14/APCH	TREE	190600.5N 0725113.2E	100 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190601.5N 0725113.1E	100 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190603.4N 0725114.5E	91 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190603.9N 0725116.0E	82 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190604.7N 0725114.9E	67 FEET	NIL	PURPLE STYLE LAB BUILDING, ANTENNA TOP - 20.47 M, BUILDING TOP(SLAB) - 19.82 M.
32/TKOF 14/APCH	TREE	190604.1N 0725113.1E	99 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190604.7N 0725112.8E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190605.4N 0725113.0E	90 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190605.3N 0725112.0E	95 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190559.4N 0725116.8E	78 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190600.0N 0725117.0E	65 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190605.9N 0725110.0E	106 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190606.2N 0725113.2E	82 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190606.5N 0725113.3E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190605.8N 0725111.7E	95 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190605.5N 0725110.0E	74 FEET	NIL	OM VIJAYSHREE BLOCK-B, WATER TANK TOP - 22.68 M, PIPE TOP - 22.40 M, STAIRCASE ROOM TOP - 22.20 M, BUILDING TOP(PARAPET WALL) - 21.41 M.
32/TKOF 14/APCH	TREE	190606.2N 0725109.3E	100 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190608.1N 0725110.0E	111 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190607.3N 0725107.3E	108 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190605.6N 0725108.7E	81 FEET	NIL	OM SHIVKRUPA, STAIRCASE ROOM TOP - 24.62 M, SINTEX TANK TOP - 24.57 M, GRILL TOP - 23.77 M, BUILDING TOP(SLAB) - 22.76 M.
32/TKOF 14/APCH	BUILDING	190605.3N 0725108.7E	82 FEET	NIL	LAXMIDATTA CHS, SINTEX TANK TOP - 25.12 M, PIPE TOP - 24.72 M, STAIRCASE ROOM TOP - 24.53 M, BUILDING TOP(PARAPET WALL) - 22.64 M.
32/TKOF 14/APCH	BUILDING	190604.5N 0725108.0E	80 FEET	NIL	ASHIRVAD CHS, DISH ANTENNA TOP - 24.38 M, BUILDING TOP(PARAPET WALL) - 23.48 M.
32/TKOF 14/APCH	TREE	190605.6N 0725106.3E	105 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190604.6N 0725106.8E	114 FEET	NIL	GROUP OF COCONUT TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190604.5N 0725106.7E	84 FEET	NIL	BUILDING, SINTEX TANK TOP - 25.52 M, STAIRCASE ROOM TOP - 23.71 M, BUILDING TOP (PARAPET WALL) - 23.70 M.
32/TKOF 14/APCH	TREE	190606.1N 0725116.5E	69 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190608.2N 0725112.0E	74 FEET	NIL	JAI BHAVANI CHS, POLE TOP - 22.63 M, BUILDING TOP(PARAPET WALL) - 20.40 M.
32/TKOF 14/APCH	TREE	190608.7N 0725112.6E	92 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.6N 0725113.5E	99 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190609.4N 0725112.4E	88 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.3N 0725112.5E	90 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190609.4N 0725112.9E	100 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190610.2N 0725113.4E	105 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.9N 0725114.2E	94 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190609.6N 0725114.6E	90 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.8N 0725113.9E	94 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190611.8N 0725113.7E	98 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.0N 0725113.3E	95 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190612.0N 0725112.9E	99 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190612.8N 0725112.7E	103 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190612.1N 0725112.3E	80 FEET	NIL	SUKHRATARA CHS, GRILL TOP - 24.40 M, PIPE TOP - 24.23 M, BUILDING TOP(SLAB) - 23.68 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190611.3N 0725109.5E	89 FEET	NIL	ROYAL APARTMENT - B WING, STAIRCASE ROOM TOP - 27.16 M, DISH ANTENNA TOP - 26.08 M, WATER TANK TOP - 26.03 M, GRILL TOP - 25.43 M, BUILDING TOP(SLAB) - 25.04 M.
32/TKOF 14/APCH	TREE	190612.2N 0725111.5E	99 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190613.6N 0725108.6E	108 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.4N 0725109.6E	115 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190615.5N 0725111.4E	111 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	OTHER	190617.2N 0725113.1E	87 FEET	NIL	HOARDING, LIGHT TOP - 26.51 M, HOARDING TOP - 25.71 M.
32/TKOF 14/APCH	TREE	190617.8N 0725110.0E	122 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190616.5N 0725109.3E	102 FEET	NIL	PARMAR CHS, STAIRCASE ROOM TOP - 31.10 M, STAIRCASE ROOM TOP - 31.06 M, DISH ANTENNA TOP - 30.80 M, SHED TOP - 30.78 M, BUILDING TOP(PARAPET WALL) - 29.62 M.
32/TKOF 14/APCH	TREE	190617.6N 0725109.1E	117 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190618.2N 0725112.1E	104 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190618.2N 0725111.6E	96 FEET	NIL	TAPASYA A-WING, DISH ANTENNA TOP - 29.25 M, PIPE TOP - 29.20 M, BUILDING TOP(PARAPET WALL) - 28.39 M.
32/TKOF 14/APCH	TREE	190617.2N 0725107.7E	118 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190615.2N 0725108.0E	106 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.7N 0725118.4E	88 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.7N 0725117.5E	73 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190610.4N 0725116.7E	74 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.5N 0725106.3E	106 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190609.7N 0725105.4E	107 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.0N 0725105.2E	107 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190608.0N 0725107.0E	90 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.6N 0725104.7E	103 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.1N 0725103.3E	112 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.0N 0725110.2E	102 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190609.7N 0725110.0E	95 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190610.7N 0725108.9E	104 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190611.7N 0725109.4E	112 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190611.2N 0725109.1E	91 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190612.8N 0725108.6E	88 FEET	NIL	PITALE HOUSE, PIPE TOP - 26.82 M, STAIRCASE TOP - 26.06 M, BUILDING TOP(PARAPET WALL) - 25.10 M.
32/TKOF 14/APCH	BUILDING	190611.6N 0725109.0E	85 FEET	NIL	ROYAL APARTMENT, IRON ROD TOP - 25.83 M, WATER TANK TOP - 25.12 M, BUILDING TOP(SLAB) - 23.37 M.
32/TKOF 14/APCH	TREE	190612.2N 0725108.8E	108 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190612.0N 0725108.9E	114 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190610.0N 0725059.0E	106 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190611.7N 0725057.8E	101 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190610.8N 0725055.1E	114 FEET	NIL	SUN VISION CLASSIC 'B' WING, STAIRCASE ROOM TOP - 34.79 M, SINTEX TANK TOP - 34.41 M, BUILDING TOP(PARAPET WALL) - 32.26 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190613.6N 0725102.3E	108 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190615.6N 0725103.0E	112 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190614.5N 0725104.6E	118 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190615.7N 0725105.0E	109 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190616.4N 0725100.3E	116 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190615.1N 0725058.5E	118 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190616.5N 0725059.1E	113 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190617.7N 0725104.0E	112 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190618.1N 0725108.9E	116 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190619.3N 0725108.9E	107 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190620.3N 0725108.5E	107 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190623.1N 0725108.4E	111 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190626.5N 0725059.9E	133 FEET	LGTD	SHRI VINAYAK, CELLPHONE MAST TOP - 40.45 M, CELLPHONE MAST TOP - 40.43 M, CELLPHONE MAST TOP - 40.35 M, CELLPHONE MAST TOP - 38.99 M, OBSTRUCTION LIGHT TOP - 36.67 M, STAIRCASE TOP - 35.49 M, BUILDING TOP - 33.52 M.
32/TKOF 14/APCH	BUILDING	190624.8N 0725056.6E	120 FEET	NIL	JEEVAN SARITA, DISH ANTENNA TOP - 36.66 M, BUILDING TOP (PARAPET WALL) - 35.68 M.
32/TKOF 14/APCH	TREE	190623.9N 0725101.9E	131 FEET	NIL	GROUP OF COCONUT TREE
32/TKOF 14/APCH	BUILDING	190624.7N 0725059.9E	120 FEET	LGTD	LAXMI SADAN, OBSTRUCTION LIGHT TOP - 36.65 M, STAIRCASE ROOM TOP - 35.73 M, BUILDING TOP - 34.58 M.
32/TKOF 14/APCH	TREE	190621.3N 0725105.8E	108 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190621.1N 0725104.8E	107 FEET	NIL	COCONUT TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190620.1N 0725105.3E	111 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190620.5N 0725101.3E	119 FEET	LGTD	DEORA BHAVAN, CELLPHONE MAST TOP - 36.15 M, BUILDING TOP - 31.47 M.
32/TKOF 14/APCH	BUILDING	190614.3N 0725049.8E	119 FEET	NIL	KONARK ROYALE APARTMENT, DISH ANTENNA TOP - 36.33 M, GRILL TOP - 36.17 M, STAIRCASE ROOM TOP - 35.32 M, BUILDING TOP(PARAPET WALL) - 34.38 M.
32/TKOF 14/APCH	BUILDING	190622.9N 0725037.0E	145 FEET	LGTD	MEGHTHANU, CELLPHONE MAST TOP - 44.27 M, GRILL TOP - 38.58 M, STAIRCASE ROOM TOP - 37.96 M, BUILDING TOP(PARAPET WALL) - 36.96 M.
32/TKOF 14/APCH	BUILDING	190635.2N 0725045.3E	160 FEET	NIL	SRA(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 48.69 M, SINTEX TANK TOP - 46.35 M, BUILDING TOP(PARAPET WALL) - 44.34 M
32/TKOF 14/APCH	BUILDING	190647.6N 0725047.8E	191 FEET	NIL	KALEDONIA, BUILDING TOP(PARAPET WALL
32/TKOF 14/APCH	BUILDING	190648.8N 0725035.9E	186 FEET	NIL	RVG EDUCTIONAL TRUST BUILDING(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 56.57 M, BUILDING TOP(PARAPET WALL) - 52.07 M.
32/TKOF 14/APCH	BUILDING	190646.0N 0725036.0E	194 FEET	NIL	MESHOWAN JEWEL(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 58.96 M, BUILDING TOP(PARAPET WALL) - 53.39 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190700.7N 0725035.3E	188 FEET	LGTD	RAM JHARUKHA, OBSTRUCTION LIGHT TOP - 57.40 M, GENERATOR ROOM TOP - 56.59 M, SINTEX TANK TOP - 56.16 M, BUILDING TOP(PARAPET WALL) - 54.90 M
32/TKOF 14/APCH	BUILDING	190734.4N 0724943.2E	237 FEET	NIL	ELEGANZIA ROYALE, LADDER TOP - 72.16 M, WATER TANK TOP - 71.75 M, BUILDING TOP(PARAPET WALL) - 69.68 M.
32/TKOF 14/APCH	BUILDING	190718.3N 0724952.8E	190 FEET	NIL	PLATINUM PRIVE, EXHAUSTER TOP - 57.97 M, WATER TANK TOP - 57.44 M, WATER TANK TOP - 56.88 M, BUILDING TOP(PARAPET WALL) - 55.93 M.
32/TKOF 14/APCH	BUILDING	190731.5N 0724955.7E	191 FEET	NIL	MOONGIPA ARCADE(B - WING), DISH ANTENNA TOP - 58.06 M, STAIRCASE ROOM TOP - 57.25 M, WATER TANK TOP - 57.07 M, BUILDING TOP(PARAPET WALL) - 56.56 M.
32/TKOF 14/APCH	BUILDING	190739.4N 0724953.1E	227 FEET	NIL	LOTUS LINK SQUARE (U/C), ANTENNA TOP - 69.29 M, SHED TOP - 68.65 M, BUILDING TOP(PARAPET WALL) - 66.74 M.
32/TKOF 14/APCH	BUILDING	190748.1N 0724928.7E	353 FEET	NIL	HUBTOWN PREMIERE(U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 107.51 M, STAIRCASE ROOM TOP - 93.06 M, WATER TANK TOP - 91.53 M, BUILDING TOP(PARAPET WALL) - 89.85 M.
32/TKOF 14/APCH	FENCE	190553.3N 0725121.6E	49 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	POLE	190553.5N 0725121.6E	41 FEET	NIL	LIGHT POLE
32/TKOF 14/APCH	FENCE	190553.7N 0725121.2E	49 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/TKOF 14/APCH	FENCE	190553.8N 0725121.2E	42 FEET	NIL	PIDS FENCING
32/TKOF 14/APCH	OTHER	190554.7N 0725121.3E	43 FEET	NIL	BIRD SCARER TENT
32/TKOF 14/APCH	BUILDING	190555.8N 0725117.5E	51 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	BUILDING	190556.1N 0725117.4E	51 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	TREE	190556.0N 0725118.0E	60 FEET	NIL	TREE
32/TKOF 14/APCH	POLE	190556.4N 0725118.3E	52 FEET	NIL	CAMERA POLE
32/TKOF 14/APCH	BUILDING	190556.6N 0725117.9E	52 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	BUILDING	190557.1N 0725117.8E	53 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	BUILDING	190557.2N 0725118.1E	55 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 16.70 M, HUTMENT TOP - 15.79 M.
32/TKOF 14/APCH	TREE	190557.1N 0725118.3E	63 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190557.2N 0725118.4E	60 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190557.8N 0725118.6E	69 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190558.1N 0725118.8E	65 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190730.8N 0724954.9E	191 FEET	NIL	MOONGIPA ARCADE(C - WING), DISH ANTENNA TOP - 58.06 M, WATER TANK TOP - 57.13 M, STAIRCASE ROOM TOP - 57.09 M, BUILDING TOP(PARAPET WALL) - 56.59 M.
32/TKOF 14/APCH	TREE	190558.4N 0725117.7E	71 FEET	NO	TREE
32/TKOF 14/APCH	TREE	190559.3N 0725118.1E	78 FEET	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190559.3N 0725118.8E	55 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 16.95 M, HUTMENT TOP - 15.97 M.
32/TKOF 14/APCH	BUILDING	190559.2N 0725118.8E	54 FEET	NIL	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190559.6N 0725119.1E	53 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	BUILDING	190600.1N 0725119.4E	54 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	OTHER	190600.5N 0725119.6E	57 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	TREE	190559.9N 0725119.6E	64 FEET	NIL	TREE
32/TKOF 14/APCH	OTHER	190559.5N 0725119.8E	53 FEET	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV - 11.22 M + 5M MOBILE TRAFFIC) - FIRST IMPACT
32/TKOF 14/APCH	OTHER	190559.9N 0725120.2E	55 FEET	NO	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190559.2N 0725121.0E	52 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	BUILDING	190734.3N 0725000.1E	190 FEET	NIL	PLATINUM CASA DIVINE, EXHAUSTER TOP - 57.88 M, STAIRCASE ROOM TOP - 57.11 M, WATER TANK TOP - 56.74 M, BUILDING TOP(PARAPET WALL) - 55.42 M.
32/TKOF 14/APCH	BUILDING	190736.7N 0724959.8E	194 FEET	NIL	DEEP CHS, ANTENNA TOP - 59.21 M, DESIGN TOP - 57.08 M, WATER TANK TOP - 56.77 M, BUILDING TOP(PARAPET WALL) - 52.69 M.
32/TKOF 14/APCH	OTHER	190558.5N 0725121.7E	49 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.8N 0725122.4E	46 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.8N 0725122.4E	46 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.9N 0725122.5E	46 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.9N 0725122.5E	46 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.1N 0725123.1E	43 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.2N 0725123.2E	43 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190557.2N 0725123.2E	43 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	OTHER	190559.0N 0725122.9E	55 FEET	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV - 11.74 M + 5M MOBILE TRAFFIC)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190739.5N 0725004.1E	191 FEET	NIL	PEARL RESIDENCY, SHED TOP - 58.28 M, STAIRCASE ROOM TOP - 58.26 M, BUILDING TOP(PARAPET WALL) - 56.32 M.
32/TKOF 14/APCH	BUILDING	190739.7N 0724955.2E	225 FEET	NIL	DLH METRO VIEW, HOARDING TOP - 68.51 M, DISH ANTENNA TOP - 66.28 M, BUILDING TOP(PARAPET WALL) - 65.13 M.
32/TKOF 14/APCH	BUILDING	190744.1N 0724957.7E	244 FEET	NIL	ASHTAVINAYAK(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 74.44 M, STAIRCASE ROOM TOP - 68.88 M, WATER TANK TOP - 68.86 M, BUILDING TOP(PARAPET WALL) - 67.98 M.
32/TKOF 14/APCH	TREE	190605.1N 0725120.2E	68 FEET	NO	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190604.9N 0725120.2E	58 FEET	NO	HUTMENT
32/TKOF 14/APCH	TREE	190604.6N 0725119.7E	83 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190604.2N 0725120.6E	61 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 18.55 M, HUTMENT TOP - 17.58 M.
32/TKOF 14/APCH	BUILDING	190603.4N 0725119.7E	57 FEET	NIL	HUTMENT
32/TKOF 14/APCH	TREE	190603.2N 0725120.7E	70 FEET	NIL	TREE
32/TKOF 14/APCH	BUILDING	190602.8N 0725120.6E	57 FEET	NIL	HUTMENT TOP
32/TKOF 14/APCH	BUILDING	190602.6N 0725120.4E	60 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 18.43 M, HUTMENT TOP - 17.90 M.
32/TKOF 14/APCH	BUILDING	190602.5N 0725120.0E	60 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 18.35 M, HUTMENT TOP - 17.53 M.
32/TKOF 14/APCH	BUILDING	190601.7N 0725119.5E	55 FEET	NIL	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190601.6N 0725119.7E	57 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 17.49 M, HUTMENT TOP - 16.81 M.
32/TKOF 14/APCH	TREE	190601.2N 0725119.8E	68 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190601.2N 0725119.5E	61 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 18.48 M, HUTMENT TOP - 17.56 M.
32/TKOF 14/APCH	BUILDING	190600.8N 0725118.8E	59 FEET	NIL	HUTMENT, DISH ANTENNA TOP - 18.05 M, HUTMENT TOP - 17.08 M.
32/TKOF 14/APCH	TREE	190600.9N 0725118.4E	67 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	OTHER	190601.2N 0725118.8E	63 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	TREE	190601.4N 0725117.9E	74 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	OTHER	190601.7N 0725118.2E	69 FEET	NO	APPROACH LIGHT
32/TKOF 14/APCH	TREE	190602.1N 0725118.5E	76 FEET	NIL	TREE
32/TKOF 14/APCH	OTHER	190602.2N 0725117.7E	73 FEET	NIL	APPROACH LIGHT
32/TKOF 14/APCH	TREE	190557.4N 0725116.1E	79 FEET	NO	TREE
32/TKOF 14/APCH	TREE	190557.6N 0725115.7E	83 FEET	NO	TREE
32/TKOF 14/APCH	TREE	190556.6N 0725116.1E	79 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190556.6N 0725116.0E	86 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190556.6N 0725115.8E	88 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190603.3N 0725118.1E	69 FEET	NIL	TREE
32/TKOF 14/APCH	TREE	190603.3N 0725118.3E	73 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	OTHER	190604.4N 0725117.8E	63 FEET	NIL	HOARDING TOP
32/TKOF 14/APCH	TREE	190606.6N 0725115.9E	76 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190607.8N 0725115.8E	84 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.4N 0725115.6E	88 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190604.9N 0725109.6E	75 FEET	NIL	OM EASWARI BUILDING, STAIRCASE ROOM TOP - 22.96 M, PIPE TOP - 22.87 M, DISH ANTENNA TOP - 22.84 M, BUILDING TOP(PARAPET WALL) - 21.62 M.
32/TKOF 14/APCH	TREE	190610.3N 0725114.8E	83 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.5N 0725115.0E	77 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.7N 0725114.7E	86 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190611.6N 0725111.4E	96 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190611.7N 0725110.6E	112 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190609.3N 0725108.8E	113 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190609.2N 0725108.5E	102 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190608.8N 0725107.4E	87 FEET	NIL	ANIKET CHS, STAIRCASE TOP - 26.35 M, SHED TOP - 25.17 M, SHED TOP - 25.16 M, BUILDING TOP(SLAB) - 24.44 M.
32/TKOF 14/APCH	BUILDING	190609.8N 0725107.4E	90 FEET	NO	SANGITA NEST, SHED TOP - 27.55 M, GRILL TOP - 25.94 M, BUILDING TOP(SLAB) - 24.92 M.
32/TKOF 14/APCH	BUILDING	190610.7N 0725107.2E	94 FEET	NIL	ATHARV, DISH ANTENNA TOP - 28.50 M, SINTEX TANK TOP - 28.34 M, SHED TOP - 28.29 M, STAIRCASE TOP - 27.36 M, BUILDING TOP(PARAPET WALL) - 26.72 M.
32/TKOF 14/APCH	BUILDING	190610.8N 0725106.6E	94 FEET	NIL	SATSUNG, CAMERA POLE TOP - 28.51 M, DISH ANTENNA TOP - 28.33 M, STAIRCASE TOP - 28.19 M, GRILL TOP - 27.18 M, BUILDING TOP(SLAB) - 26.66 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190610.8N 0725106.2E	93 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190611.5N 0725106.4E	87 FEET	NIL	PRARTHANA CHS, LIGHT TOP - 26.53 M, STAIRCASE TOP - 26.11 M, STAIRCASE TOP - 26.06 M, DISH ANTENNA TOP - 25.41 M, GRILL TOP - 25.23 M, BUILDING TOP(PARAPET WALL) - 24.52 M.
32/TKOF 14/APCH	TREE	190611.6N 0725106.5E	99 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	BUILDING	190610.9N 0725108.5E	83 FEET	NIL	USHA(U/C), BUILDING TOP(SLAB)
32/TKOF 14/APCH	BUILDING	190611.4N 0725108.4E	85 FEET	NIL	USHA, DISH ANTENNA TOP - 26.05 M, LADDER TOP - 25.82 M, WATER TANK TOP - 25.26 M, STAIRCASE TOP - 25.18 M, BUILDING TOP(PARAPET WALL) - 24.05 M.
32/TKOF 14/APCH	TREE	190612.0N 0725108.0E	93 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190612.6N 0725107.2E	97 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	TREE	190613.1N 0725106.4E	106 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190616.5N 0725111.3E	90 FEET	NIL	HEMPADMA, SINTEX TANK TOP - 27.54 M, STAIRCASE ROOM TOP - 25.89 M, BUILDING TOP(PARAPET WALL) - 24.28 M.
32/TKOF 14/APCH	TREE	190619.2N 0725111.4E	93 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190620.2N 0725110.9E	111 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190620.3N 0725110.1E	114 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190615.9N 0725106.2E	109 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190615.4N 0725106.1E	107 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.8N 0725104.0E	102 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190611.4N 0725103.7E	112 FEET	NIL	GROUP OF COCONUT TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	TREE	190608.5N 0725101.8E	108 FEET	NIL	GROUP OF TREES
32/TKOF 14/APCH	TREE	190608.1N 0725101.1E	106 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190608.3N 0725100.9E	94 FEET	NIL	MATRUCHHAYA, LIGHT TOP - 28.73 M, GRILL TOP - 28.33 M, STAIRCASE ROOM TOP - 27.14 M, BUILDING TOP(PARAPET WALL) - 25.19 M.
32/TKOF 14/APCH	BUILDING	190609.2N 0725100.7E	99 FEET	NIL	MADHUBAN, SINTEX TANK TOP - 30.18 M, SHED TOP - 30.05 M, DISH ANTENNA TOP - 29.58 M, BUILDING TOP(PARAPET WALL) - 28.64 M.
32/TKOF 14/APCH	TREE	190610.3N 0725100.9E	99 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190611.9N 0725100.3E	102 FEET	NO	GROUP OF TREES
32/TKOF 14/APCH	TREE	190610.5N 0725056.6E	105 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190615.4N 0725059.5E	111 FEET	NIL	BUILDING(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 33.86 M, BUILDING TOP(SLAB) - 28.37 M.
32/TKOF 14/APCH	BUILDING	190615.5N 0725100.5E	103 FEET	NIL	SAIRAH, DISH ANTENNA TOP - 31.44 M, SHED TOP - 30.78 M, WATER TANK TOP - 30.30 M, BUILDING TOP(PARAPET WALL) - 28.86 M.
32/TKOF 14/APCH	BUILDING	190615.5N 0725102.3E	106 FEET	NIL	OM SIDDHIVINAYAK CHS, DISH ANTENNA TOP - 32.38 M, STAIRCASE ROOM TOP - 31.22 M, BUILDING TOP(PARAPET WALL) - 29.75 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190746.5N 0724955.5E	246 FEET	NIL	NEO VIKRAM, LADDER TOP - 74.94 M, DISH ANTENNA TOP - 74.67 M, STAIRCASE ROOM TOP - 73.83 M, DESIGN TOP - 71.14 M, BUILDING TOP(PARAPET WALL) - 69.11 M.
32/TKOF 14/APCH	TREE	190619.1N 0725104.3E	111 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	BUILDING	190619.5N 0725106.0E	111 FEET	NIL	SWAPNA APARTMENT, POLE TOP - 33.74 M, DISH ANTENNA TOP - 33.70 M, STAIRCASE ROOM TOP - 33.03 M, BUILDING TOP(SLAB) - 30.93 M.
32/TKOF 14/APCH	TREE	190619.8N 0725105.9E	112 FEET	NIL	COCONUT TREE
32/TKOF 14/APCH	TREE	190621.8N 0725107.5E	110 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190624.4N 0725102.1E	118 FEET	NIL	KRISHNA ALANKAR, SINTEX TANK TOP - 36.13 M, STAIRCASE TOP - 34.91 M, BUILDING TOP - 34.12 M.
32/TKOF 14/APCH	BUILDING	190625.0N 0725102.2E	120 FEET	NIL	SAI KUTIR, SINTEX TANK TOP - 36.53 M, DISH ANTENNA TOP - 34.51 M, BUILDING TOP - 33.62 M.
32/TKOF 14/APCH	BUILDING	190625.6N 0725101.7E	116 FEET	NIL	RADHA KRISHNA NIWAS, DISH ANTENNA TOP - 35.48 M, STAIRCASE TOP - 35.08 M, BUILDING TOP - 33.77 M.
32/TKOF 14/APCH	BUILDING	190625.8N 0725102.3E	121 FEET	NIL	GOPAL KRISHNA NIWAS, SINTEX TANK TOP - 36.87 M, STAIRCASE ROOM TOP - 35.01 M, BUILDING TOP(PARAPET WALL) - 33.85 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190626.3N 0725101.5E	116 FEET	NIL	SUPRADHAM, SINTEX TANK TOP - 35.29 M, STAIRCASE TOP - 34.91 M, BUILDING TOP - 33.00 M.
32/TKOF 14/APCH	BUILDING	190627.2N 0725102.0E	118 FEET	NIL	KEDARNATH APARTMENT, GRILL TOP - 36.02 M, STAIRCASE ROOM TOP - 35.06 M, BUILDING TOP - 34.18 M.
32/TKOF 14/APCH	BUILDING	190628.6N 0725100.1E	123 FEET	NO	ANUPAM, PIPE TOP - 37.41 M, BUILDING TOP(SLAB) - 36.36 M.
32/TKOF 14/APCH	BUILDING	190629.0N 0725057.1E	124 FEET	NIL	SHANTADEEP, STAIRCASE ROOM TOP - 37.84 M, BUILDING TOP(PARAPET WALL) - 36.71 M.
32/TKOF 14/APCH	BUILDING	190628.7N 0725056.4E	128 FEET	NIL	VALLABH DARSHAN, ANTENNA TOP - 38.88 M, GRILL TOP - 37.11 M, BUILDING TOP(PARAPET WALL) - 35.86 M.
32/TKOF 14/APCH	BUILDING	190626.0N 0725059.6E	116 FEET	LGTD	LALIT KUNJ, CELLPHONE MAST TOP - 35.47 M, STAIRCASE ROOM TOP - 35.25 M, CELLPHONE MAST TOP - 35.20 M, BUILDING TOP - 33.89 M.
32/TKOF 14/APCH	TREE	190622.8N 0725100.2E	116 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190619.8N 0725058.8E	110 FEET	NIL	YASH LAXMI BUILDING TOP (PARAPET WALL)
32/TKOF 14/APCH	BUILDING	190621.8N 0725059.0E	116 FEET	NIL	BALASHRAM, SINTEX TANK TOP - 35.38 M, SINTEX TANK TOP - 34.70 M, BUILDING TOP - 33.35 M.
32/TKOF 14/APCH	BUILDING	190622.4N 0725057.9E	119 FEET	NIL	CHAITANYA CHS(U/C), LIFT TOP - 36.35 M, BUILDING TOP - 33.14 M.
32/TKOF 14/APCH	TREE	190622.9N 0725057.4E	133 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190624.3N 0725056.6E	120 FEET	NIL	JEEVAN SARITA, DISH ANTENNA TOP - 36.59 M, BUILDING TOP (PARAPET WALL) - 35.68 M.
32/TKOF 14/APCH	TREE	190616.8N 0725058.3E	117 FEET	NIL	GROUP OF COCONUT TREES
32/TKOF 14/APCH	BUILDING	190618.0N 0725058.3E	112 FEET	NIL	MADHU VASANTH, GRILL TOP - 33.95 M, BUILDING TOP(SLAB) - 32.64 M.
32/TKOF 14/APCH	BUILDING	190616.3N 0725053.4E	112 FEET	NIL	CELESTIAL, BUILDING TOP (U/C)(SLAB)
32/TKOF 14/APCH	BUILDING	190616.7N 0725053.0E	117 FEET	NIL	SHRI KRISHNA SADAN, GRILL TOP - 35.82 M, STAIRCASE ROOM TOP - 34.43 M, BUILDING TOP(PARAPET WALL) - 31.78 M.
32/TKOF 14/APCH	BUILDING	190614.9N 0725049.2E	117 FEET	NIL	RAJ PUSHP, LIGHT POLE TOP - 35.77 M, GRILL TOP - 34.70 M, WATER TANK TOP - 33.51 M, BUILDING TOP(SLAB) - 31.14 M.
32/TKOF 14/APCH	BUILDING	190617.3N 0725051.8E	117 FEET	NIL	SAKET RESIDENCY, SHED TOP - 35.71 M, DISH ANTENNA TOP - 35.11 M, BUILDING TOP(SLAB) - 34.70 M.
32/TKOF 14/APCH	BUILDING	190618.1N 0725051.9E	118 FEET	NIL	LAXMI SADAN, PIPE TOP - 35.91 M, LIGHT POLE TOP - 35.38 M, GRILL TOP - 35.14 M, SINTEX TANK TOP - 34.70 M, BUILDING TOP(SLAB) - 33.69 M.
32/TKOF 14/APCH	BUILDING	190618.9N 0725051.7E	124 FEET	NIL	PRAKRUTI CHS, DISH ANTENNA TOP - 37.81 M, WATER TANK TOP - 36.61 M, BUILDING TOP(PARAPET WALL) - 34.69 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190617.1N 0725049.3E	121 FEET	NIL	PALESHWAR SMUTI CHS, STAIRCASE ROOM TOP - 36.93 M, DISH ANTENNA TOP - 36.51 M, BUILDING TOP(PARAPET WALL) - 35.50 M.
32/TKOF 14/APCH	BUILDING	190617.4N 0725049.1E	121 FEET	NIL	KALPAVIRIKSHA M, DISH TOP - 36.77 M, LADDER TOP - 36.59 M, STAIRCASE ROOM TOP - 36.22 M, BUILDING TOP(PARAPET WALL) - 35.09 M.
32/TKOF 14/APCH	BUILDING	190618.6N 0725049.0E	123 FEET	NIL	SHIVALAYA CHS, LADDER TOP - 37.41 M, STAIRCASE ROOM TOP - 37.21 M, STAIRCASE ROOM TOP - 37.03 M, BUILDING TOP(PARAPET WALL) - 33.09 M.
32/TKOF 14/APCH	BUILDING	190619.8N 0725047.9E	127 FEET	LGTD	SUN CITY, CELLPHONE MAST TOP - 38.67 M, DESIGN TOP - 38.53 M, DESIGN TOP - 38.44 M, STAIRCASE ROOM TOP - 37.58 M, BUILDING TOP(PARAPET WALL) - 34.60 M.
32/TKOF 14/APCH	BUILDING	190621.0N 0725054.3E	120 FEET	NIL	RAM NIWAS, DISH TOP - 36.47 M, WATER TANK TOP - 35.50 M, BUILDING TOP(PARAPET WALL) - 34.20 M.
32/TKOF 14/APCH	BUILDING	190622.0N 0725052.9E	120 FEET	NIL	TULSI APARTMENT, GRILL TOP - 36.56 M, STAIRCASE ROOM TOP - 35.69 M, BUILDING TOP(PARAPET WALL) - 34.47 M.
32/TKOF 14/APCH	BUILDING	190641.5N 0725052.7E	164 FEET	NIL	SRA(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 49.90 M, SHED TOP - 46.62 M, BUILDING TOP(PARAPET WALL) - 45.41 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190637.8N 0725019.0E	202 FEET	NO	BUILDING (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.53 M, BUILDING TOP(SLAB) - 57.25 M.
32/TKOF 14/APCH	BUILDING	190638.8N 0725018.1E	199 FEET	NIL	BUILDING (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 60.81 M, BUILDING TOP(SLAB) - 57.27 M.
32/TKOF 14/APCH	BUILDING	190701.5N 0725036.4E	188 FEET	NIL	RAM JHARUKHA SOCIETY, ANTENNA TOP - 57.34 M, LIGHT POLE TOP - 55.69 M, DISH ANTENNA TOP - 55.57 M, GRILL TOP - 55.44 M, STAIRCASE ROOM TOP - 54.86 M, WATER TANK TOP - 54.68 M, BUILDING TOP (PARAPET WALL) - 52.42 M.
32/TKOF 14/APCH	BUILDING	190703.2N 0725028.9E	190 FEET	NIL	SRI ARHAN BLUZ, DISH ANTENNA TOP - 57.86 M, WATER TANK TOP - 56.84 M, BUILDING TOP(PARAPET WALL) - 56.25 M
32/TKOF 14/APCH	BUILDING	190703.6N 0725029.0E	190 FEET	NIL	SRI ARHAN BLUZ, DISH ANTENNA TOP - 57.85 M, WATER TANK TOP - 56.84 M, BUILDING TOP(PARAPET WALL) - 53.40 M
32/TKOF 14/APCH	BUILDING	190649.4N 0725010.2E	189 FEET	NIL	SATRA SIGNATURE, LIGHTNING ARRESTER TOP - 57.56 M, GRILL TOP - 56.23 M, BUILDING TOP(PARAPET WALL) - 52.97 M.
32/TKOF 14/APCH	BUILDING	190654.9N 0725009.2E	190 FEET	NIL	BUILDING(U/C), LIGHTNING ARRESTER TOP - 57.99 M, WATER TANK TOP - 56.24 M, BUILDING TOP(PARAPET WALL) - 51.97 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190656.6N 0725000.7E	190 FEET	NIL	JUHU ANKUR APARTMENT, DISH ANTENNA TOP - 57.92 M, GRILL TOP - 57.18 M, LIGHTNING ARRESTER TOP - 56.28 M, STAIRCASE ROOM TOP - 56.16 M, BUILDING TOP(PARAPET WALL) - 55.34 M.
32/TKOF 14/APCH	BUILDING	190654.9N 0724950.4E	190 FEET	NO	YOGA RESIDENCY, ANTENNA TOP - 57.95 M, WATER TANK TOP - 56.53 M, BUILDING TOP(PARAPET WALL) - 55.52 M.
32/TKOF 14/APCH	BUILDING	190656.5N 0724950.4E	193 FEET	NIL	IMPERIAL RESIDENCY, LIGHTNING ARRESTER TOP - 58.68 , SOLAR PANEL TOP - 56.96 M, WATER TANK TOP - 56.30 M, BUILDING TOP(PARAPET WALL) - 53.69 M.
32/TKOF 14/APCH	BUILDING	190712.6N 0725027.6E	190 FEET	LGTD	SRA QUARTERS, CELLPHONE MAST TOP - 57.77 M, WATER TANK TOP - 56.12 M, BUILDING TOP(PARAPET WALL) - 53.49 M
32/TKOF 14/APCH	BUILDING	190710.9N 0725024.1E	202 FEET	NIL	INDIAN OCEAN, IRON ROD TOP - 61.73 M, SINTEX TANK TOP - 60.39 M, BUILDING TOP(PARAPET WALL) - 59.22 M
32/TKOF 14/APCH	BUILDING	190708.8N 0725022.2E	203 FEET	NIL	ARCTIC, (U/C) TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.83 M, BUILDING TOP(PARAPET WALL) - 58.41 M.
32/TKOF 14/APCH	BUILDING	190711.9N 0725023.2E	207 FEET	LGTD	INDIAN OCEAN, OBSTRUCTION LIGHT TOP - 62.96 M, GRILL TOP - 62.26 M, WATER TANK TOP - 61.26 M, BUILDING TOP(PARAPET WALL) - 59.99 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190713.2N 0725021.4E	206 FEET	LGTD	ATLANTIC TOWER, OBSTRUCTION LIGHT TOP - 62.78 M, GRILL TOP - 62.22 M, STAIRCASE ROOM TOP - 61.23 M, BUILDING TOP(PARAPET WALL) - 59.44 M
32/TKOF 14/APCH	NATURAL HIGHPOINT	190714.1N 0725023.2E	220 FEET	NIL	SHED ON GILBERT HILL
32/TKOF 14/APCH	NATURAL HIGHPOINT	190714.9N 0725023.5E	216 FEET	NIL	GILBERT HILLOCK
32/TKOF 14/APCH	TREE	190714.9N 0725023.8E	245 FEET	NIL	TREE ON HILL
32/TKOF 14/APCH	BUILDING	190716.5N 0725022.9E	201 FEET	NIL	SAI SAHWAS CHSL, GRILL TOP - 61.43 M, WATER TANK TOP - 60.66 M, BUILDING TOP(PARAPET WALL) - 57.56 M
32/TKOF 14/APCH	BUILDING	190709.6N 0724944.4E	190 FEET	NIL	RUSTOMJEE ELEMENTS, PLANTATION TOP - 57.94 M, SHED TOP - 57.78 M, BUILDING TOP(PARAPET WALL) - 56.29 M.
32/TKOF 14/APCH	BUILDING	190710.8N 0724946.8E	190 FEET	NIL	RUSTOMJEE ELEMENTS, PLANTATION TOP - 57.90 M, BUILDING TOP(PARAPET WALL) - 56.21 M.
32/TKOF 14/APCH	BUILDING	190712.1N 0724945.7E	192 FEET	NIL	RUSTOMJEE ELEMENTS, PLANTATION TOP - 58.54 M, BUILDING TOP(PARAPET WALL) - 56.27 M.
32/TKOF 14/APCH	BUILDING	190722.4N 0724953.1E	189 FEET	NIL	DLH MAMTA, LADDER - 57.64 M, STAIRCASE ROOM TOP - 56.81 M, BUILDING TOP(PARAPET WALL) - 53.68 M.
32/TKOF 14/APCH	BUILDING	190725.8N 0724951.9E	195 FEET	LGTD	BHAGTANI ELEGANCE, OBSTRUCTION LIGHT TOP - 59.42 M, GRILL TOP - 58.52 M, BUILDING TOP(SLAB) - 57.20 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/TKOF 14/APCH	BUILDING	190726.7N 0724954.8E	188 FEET	NIL	SHIVKRUPA - PLATINUM TOWER 4, STAIRCASE ROOM TOP - 57.29 M, WATER TANK TOP - 56.94 M, BUILDING TOP(PARAPET WALL) - 55.72 M.
32/TKOF 14/APCH	BUILDING	190728.9N 0724953.7E	191 FEET	NIL	MOONGIPA ARCADE(F - WING), DISH ANTENNA TOP - 58.22 M, WATER TANK TOP - 57.29 M, STAIRCASE ROOM TOP - 57.03 M, BUILDING TOP(PARAPET WALL) - 56.56 M.
32/TKOF 14/APCH	BUILDING	190726.5N 0724959.3E	190 FEET	NIL	AKSHAY - PLATINUM TOWER 1, EXHAUSTER TOP - 57.88 M, WATER TANK TOP - 56.84 M, STAIRCASE ROOM TOP - 56.81 M, BUILDING TOP(PARAPET WALL) - 55.67 M
32/TKOF 14/APCH	BUILDING	190604.3N 0725123.4E	64 FEET	NIL	HUTMENT TOP
32/APCH 14/TKOF	POLE	190442.4N 0725236.9E	47 FEET	NIL	LIGHT POLE
32/APCH 14/TKOF	POLE	190442.2N 0725237.6E	50 FEET	NIL	LIGHT POLE
32/APCH 14/TKOF	BUILDING	190441.5N 0725237.6E	48 FEET	NIL	PUCCA HOUSE
32/APCH 14/TKOF	POLE	190441.6N 0725239.4E	44 FEET	NIL	LIGHT POLE
32/APCH 14/TKOF	POLE	190441.3N 0725239.0E	42 FEET	NIL	LIGHT POLE
32/APCH 14/TKOF	BUILDING	190440.3N 0725238.5E	38 FEET	NIL	PUCCA HOUSE
32/APCH 14/TKOF	BUILDING	190438.9N 0725240.3E	51 FEET	NIL	PUCCA HOUSE
32/APCH 32/TKOF	TREE	190439.4N 0725241.4E	59 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190436.0N 0725241.9E	60 FEET	NIL	SULTAN ANNEX, SHED TOP - 18.28 M, BUILDING TOP(PARAPET WALL) - 17.14 M.
32/APCH 14/TKOF	BUILDING	190436.0N 0725243.5E	67 FEET	NIL	STAIRCASE ROOM ON BUILDING (BUILDING TOP - 17.56 M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	OTHER	190437.4N 0725242.6E	73 FEET	NIL	HOARDING TOP
32/APCH 14/TKOF	BUILDING	190437.1N 0725243.7E	62 FEET	NIL	FAIZ E HUSANI, SHED TOP
32/APCH 14/TKOF	BUILDING	190438.3N 0725243.6E	64 FEET	LGTD	KALPANA CINEMA HALL, OBSTRUCTION LIGHT TOP - 19.60 M, BUILDING TOP - 19.52 M
32/APCH 14/TKOF	TREE	190436.6N 0725245.8E	72 FEET	NIL	GROUP OF TREES (COCONUT)
32/APCH 14/TKOF	BUILDING	190435.5N 0725246.3E	67 FEET	NIL	STAIRCASE ROOM ON FAZAL HOUSE (BUILDING TOP - 18.65 M)
32/APCH 14/TKOF	BUILDING	190435.0N 0725245.7E	76 FEET	LGTD	SAHIL BUILDING, OBSTRUCTION LIGHT TOP - 23.16 M, SHED TOP - 21.09 M, BUILDING TOP(PARAPET WALL) - 19.98 M.
32/APCH 14/TKOF	BUILDING	190434.4N 0725246.4E	70 FEET	NIL	SINTEX TANK ON SAHIL APARTMENT (BUILDING TOP - 20.40 M)
32/APCH 14/TKOF	BUILDING	190434.4N 0725247.6E	85 FEET	NIL	MOSQUE TOP
32/APCH 14/TKOF	BUILDING	190435.4N 0725247.1E	66 FEET	NIL	STAIRCASE ROOM ON FAZAL HOUSE (BUILDING TOP - 18.63 M)
32/APCH 14/TKOF	TREE	190436.2N 0725247.4E	70 FEET	NIL	GROUP OF TREES (COCONUT)
32/APCH 14/TKOF	TREE	190437.2N 0725247.6E	75 FEET	NIL	TREE
32/APCH 14/TKOF	BUILDING	190439.0N 0725247.1E	58 FEET	NIL	DISC ANTENNA ON NAVJIVAN NIWAS SOCIETY BUILDING (BUILDING TOP - 16.58 M)
32/APCH 14/TKOF	BUILDING	190439.3N 0725245.0E	69 FEET	LGTD	HOTEL KAMRAN RESIDENCY, CELLPHONE MAST TOP - 21.02 M, GENERATOR TOP - 19.95 M, BUILDING TOP - 16.76 M
32/APCH 14/TKOF	TREE	190439.9N 0725244.6E	70 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	TREE	190439.8N 0725245.0E	82 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	TREE	190440.0N 0725244.8E	77 FEET	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	TREE	190442.0N 0725244.5E	51 FEET	NIL	TREE
32/APCH 14/TKOF	TREE	190441.2N 0725245.4E	52 FEET	NIL	TREE
32/APCH 14/TKOF	TREE	190440.5N 0725246.8E	64 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190439.8N 0725247.7E	64 FEET	NIL	ALLWYN APARTMENT, DISH TOP - 19.48 M, WATER TANK TOP - 18.48 M, BUILDING TOP - 17.46 M
32/APCH 14/TKOF	TREE	190441.8N 0725246.1E	53 FEET	NIL	TREE
32/APCH 14/TKOF	TREE	190441.9N 0725246.4E	63 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190441.7N 0725246.7E	53 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190441.1N 0725247.4E	67 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190441.6N 0725247.6E	73 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190442.2N 0725247.2E	61 FEET	NIL	AMANA SUITES, SHED TOP - 18.69 M, STAIRCASE ROOM TOP - 17.47 M, STAIRCASE ROOM TOP - 16.80 M, GRILL TOP - 15.23 M, BUILDING TOP - 14.05 M
32/APCH 14/TKOF	TREE	190442.3N 0725247.2E	72 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	BUILDING	190442.2N 0725248.2E	61 FEET	NIL	HOARDING ON HABIB HOSPITAL (BUILDING TOP - 17.66 M)
32/APCH 14/TKOF	TREE	190443.7N 0725247.2E	52 FEET	NO	GROUP OF TREES
32/APCH 14/TKOF	TREE	190438.2N 0725249.4E	73 FEET	NIL	TREE (COCONUT)
32/APCH 14/TKOF	BUILDING	190439.0N 0725249.7E	70 FEET	NIL	SINTEX WATER TANK ON FARZANA APARTMENT (BUILDING TOP - 18.53 M)
32/APCH 14/TKOF	BUILDING	190439.6N 0725249.7E	68 FEET	NIL	FARZANA APARTMENT, POLE TOP - 20.85 M, SINTEX TANK TOP - 20.3 M, STAIRCASE ROOM TOP - 19.31 M, BUILDING TOP - 17.79 M
32/APCH 14/TKOF	TREE	190440.1N 0725249.0E	76 FEET	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190438.3N 0725251.9E	64 FEET	NIL	SULEMAN, STAIRCASE ROOM TOP - 19.45 M, BUILDING TOP - 18.30 M
32/APCH 14/TKOF	TREE	190439.5N 0725250.7E	65 FEET	NIL	TREE
32/APCH 14/TKOF	TREE	190439.9N 0725250.2E	67 FEET	NIL	TREE
32/APCH 14/TKOF	TREE	190440.1N 0725250.0E	60 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190439.8N 0725251.1E	81 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	BUILDING	190439.6N 0725251.5E	58 FEET	NIL	SHIV SAI, WATER TANK TOP - 17.66 M, BUILDING TOP - 16.74 M
32/APCH 14/TKOF	BUILDING	190439.4N 0725252.1E	61 FEET	NIL	SHIV SAI, DISH ANTENNA TOP - 18.62 M, STAIRCASE ROOM TOP - 17.67 M, BUILDING TOP - 16.70 M
32/APCH 14/TKOF	TREE	190440.1N 0725252.1E	67 FEET	NIL	TREE
32/APCH 14/TKOF	BUILDING	190439.8N 0725253.6E	74 FEET	NIL	MOSQUE, FLAG TOP - 22.56 M, MOSQUE TOP - 21.81 M
32/APCH 14/TKOF	TREE	190441.3N 0725249.7E	70 FEET	NO	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190441.5N 0725249.8E	74 FEET	LGTD	MUSKAAN HOSPITAL, CELLPHONE MAST TOP - 22.51 M, GENERATOR ROOM TOP - 17.63 M, BUILDING TOP - 15.53 M
32/APCH 14/TKOF	TREE	190441.7N 0725249.3E	90 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190442.3N 0725249.6E	69 FEET	NIL	SHALIMAR 'A' WING, POLE TOP - 20.92 M, DISH TOP - 19.22 M, SINTEX TOP - 18.56 M, STAIRCASE TOP - 18.32 M, BUILDING TOP(PARAPET WALL) - 16.83 M.
32/APCH 14/TKOF	TREE	190441.6N 0725250.4E	66 FEET	NO	GROUP OF TREES
32/APCH 14/TKOF	TREE	190441.5N 0725251.4E	60 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190442.1N 0725251.5E	60 FEET	NIL	SHALIMAR - B WING(U/C), WATER TANK TOP - 18.26 M, STAIRCASE ROOM TOP - 18.26 M, BUILDING TOP(PARAPET WALL) - 16.73 M.
32/APCH 14/TKOF	BUILDING	190443.0N 0725250.2E	57 FEET	NO	SAI SAGAR, SINTEX TANK TOP - 17.50 M, DISH ANTENNA TOP - 17.20 M, BUILDING TOP - 16.59 M
32/APCH 14/TKOF	TREE	190443.3N 0725249.1E	59 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190444.5N 0725248.4E	51 FEET	NIL	BUILDING, SHED TOP - 15.46 M, BUILDING TOP(SLAB) - 11.79 M.
32/APCH 14/TKOF	TREE	190444.8N 0725247.0E	49 FEET	NO	TREE
32/APCH 14/TKOF	TREE	190445.3N 0725247.5E	46 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190445.6N 0725247.8E	51 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190446.1N 0725247.2E	64 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190448.1N 0725245.6E	70 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190447.4N 0725246.6E	56 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190447.2N 0725246.9E	55 FEET	NIL	SHEETAL HOSPITAL, STAIRCASE ROOM TOP - 16.69 M, BUILDING TOP(PARAPET WALL) - 14.99 M.
32/APCH 14/TKOF	BUILDING	190446.9N 0725247.5E	53 FEET	NIL	BUILDING, SINTEX TOP - 16.10 M, CHIMNEY TOP - 16.03 M, BUILDING TOP - 12.86 M
32/APCH 14/TKOF	BUILDING	190447.0N 0725247.9E	65 FEET	NIL	FAUZIYA HOSPITAL, SHED TOP - 19.88 M, CHIMNEY TOP - 18.26 M, SINTEX TOP - 15.78 M, BUILDING TOP - 14.64 M
32/APCH 14/TKOF	TREE	190444.4N 0725251.2E	62 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190443.6N 0725250.7E	73 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190444.1N 0725251.5E	69 FEET	LGTD	AMAN, STAIRCASE ROOM TOP - 20.96 M, OBSTRUCTION LIGHT TOP - 20.48 M, WATER TANK TOP - 19.96 M, BUILDING TOP - 19.10 M
32/APCH 14/TKOF	BUILDING	190442.2N 0725253.6E	56 FEET	NIL	MOSQUE TOP
32/APCH 14/TKOF	TREE	190440.4N 0725257.1E	89 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190438.6N 0725255.5E	68 FEET	NIL	FAIZ, DHOBI GHAT, WATER TANK TOP - 20.62 M, BUILDING TOP - 17.76 M
32/APCH 14/TKOF	BUILDING	190437.7N 0725255.9E	68 FEET	NIL	FAIZ, DHOBI GHAT, WATER TANK TOP - 20.58 M, BUILDING TOP - 16.96 M
32/APCH 14/TKOF	BUILDING	190437.7N 0725256.3E	70 FEET	NIL	FAIZ, DHOBI GHAT, WATER TANK TOP - 21.18 M, BUILDING TOP - 17.78 M
32/APCH 14/TKOF	TREE	190438.2N 0725256.5E	86 FEET	NIL	TREE
32/APCH 14/TKOF	BUILDING	190438.7N 0725258.1E	68 FEET	NIL	PASBAN, WATER TANK TOP - 20.84 M, BUILDING TOP - 19.40 M
32/APCH 14/TKOF	BUILDING	190439.6N 0725258.3E	76 FEET	NIL	BUILDING (U/C) TOP
32/APCH 14/TKOF	BUILDING	190436.7N 0725302.4E	109 FEET	NIL	MINNAT APARTMENT, STAIRCASE ROOM TOP - 33.29 M, BUILDING TOP - 30.51 M
32/APCH 14/TKOF	BUILDING	190437.0N 0725302.0E	109 FEET	NIL	MINNAT APARTMENT, STAIRCASE ROOM TOP - 33.15 M, BUILDING TOP - 30.50 M
32/APCH 14/TKOF	BUILDING	190436.8N 0725301.8E	108 FEET	NIL	BAITUL HUDA CHS "A" WING, WATER TANK TOP - 33.03 M, BUILDING TOP - 30.47 M
32/APCH 14/TKOF	BUILDING	190436.3N 0725302.1E	107 FEET	NIL	BAITUL HUDA CHS - A WING, STAIRCASE ROOM TOP - 32.62 M, BUILDING TOP - 30.70 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190436.0N 0725300.9E	108 FEET	NO	BAITUL HUDA CHS "B" WING, DISH ANTENNA TOP - 32.99 M, STAIRCASE ROOM TOP - 32.09 M, BUILDING TOP - 30.46 M
32/APCH 14/TKOF	BUILDING	190435.4N 0725300.6E	95 FEET	LGTD	SANA APARTMENT, OBSTRUCTION LIGHT TOP - 28.90 M, WATER TANK TOP - 28.56 M, BUILDING TOP - 26.96 M
32/APCH 14/TKOF	BUILDING	190434.9N 0725258.5E	74 FEET	NIL	AMID APARTMENT, GRILL TOP - 22.49 M, STAIRCASE ROOM TOP - 22.06 M, BUILDING TOP - 21.66 M
32/APCH 14/TKOF	BUILDING	190435.3N 0725257.1E	74 FEET	LGTD	KURLA ANURAG CHS LTD, CELLPHONE MAST TOP - 22.53 M, DISH ANTENNA TOP - 21.40 M, WATER TANK TOP - 20.16 M, BUILDING TOP - 17.5 M
32/APCH 14/TKOF	BUILDING	190434.9N 0725256.9E	75 FEET	NIL	KURLA ANURAG CHS LTD, DISH ANTENNA TOP - 22.90 M, STAIRCASE ROOM TOP - 22.08 M, BUILDING TOP - 20.3 M
32/APCH 14/TKOF	BUILDING	190433.0N 0725255.5E	76 FEET	NO	STAIRCASE ROOM ON MAZRANI BUILDING (BUILDING TOP - 20.85 M M)
32/APCH 14/TKOF	BUILDING	190433.1N 0725252.7E	68 FEET	NIL	MUZDALFA, WATER TANK TOP - 20.69 M, BUILDING TOP(PARAPET WALL) - 18.35 M.
32/APCH 14/TKOF	BUILDING	190430.4N 0725253.0E	102 FEET	LGTD	CELLPHONE MAST ON MUZDALFA BUILDING (BUILDING TOP - 18.68 M)
32/APCH 14/TKOF	BUILDING	190429.6N 0725249.0E	68 FEET	NIL	SRI GANESH SOCIETY, STAIRCASE ROOM TOP - 20.84 M, BUILDING TOP - 17.84 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190429.2N 0725248.3E	73 FEET	NIL	SRI GANESH SOCIETY, STAIRCASE ROOM TOP - 22.21 M, BUILDING TOP - 20.27 M
32/APCH 14/TKOF	STACK	190428.7N 0725256.2E	80 FEET	NIL	CHIMNEY TOP
32/APCH 14/TKOF	OTHER	190428.6N 0725256.7E	94 FEET	NIL	H.T.TOWER
32/APCH 14/TKOF	BUILDING	190427.8N 0725258.8E	90 FEET	NIL	STAIRCASE ROOM ON GOWRI SHANKAR SRA BUILDING (BUILDING TOP - 26.13 M)
32/APCH 14/TKOF	BUILDING	190427.3N 0725301.0E	92 FEET	NIL	HANS RESIDENCY, STAIRCASE ROOM TOP - 28.01 M, BUILDING TOP - 26.58 M
32/APCH 14/TKOF	BUILDING	190428.0N 0725301.9E	96 FEET	NIL	GOURI SHANKAR SRA CHS LTD, DISH ANTENNA TOP - 29.30 M, STAIRCASE ROOM TOP - 29.41 M, BUILDING TOP - 28.45 M
32/APCH 14/TKOF	OTHER	190431.3N 0725301.3E	108 FEET	NIL	PYLON
32/APCH 14/TKOF	OTHER	190434.0N 0725306.0E	89 FEET	NIL	H.T.TOWER TOP
32/APCH 14/TKOF	BUILDING	190430.7N 0725311.4E	101 FEET	LGTD	KOHINOOR BUSINESS SCHOOL, WATER TANK TOP - 30.66 M, OBSTRUCTION LIGHT TOP - 31.09 M, BUILDING TOP(PARAPET WALL) - 29.81 M.
32/APCH 14/TKOF	BUILDING	190422.8N 0725258.9E	97 FEET	LGTD	BUILDING, CELLPHONE MAST TOP - 29.53 M, STAIRCASE ROOM TOP - 23.83 M, BUILDING TOP - 19.37 M
32/APCH 14/TKOF	BUILDING	190420.2N 0725259.7E	98 FEET	LGTD	SANGAM CHS, CELLPHONE MAST TOP - 29.81 M, STAIRCASE ROOM TOP - 23.40 M
32/APCH 14/TKOF	BUILDING	190416.7N 0725300.3E	104 FEET	NIL	BUILDING, WATER TANK TOP - 31.79 M, BUILDING TOP - 31.34 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190412.5N 0725304.0E	115 FEET	NIL	MUBARAK CHS LTD, LADDER TOP - 34.99 M, STAIRCASE ROOM TOP - 34.26 M, BUILDING TOP - 31.90 M
32/APCH 14/TKOF	BUILDING	190413.5N 0725305.3E	115 FEET	NIL	MUBARAK CHS LTD, LADDER TOP - 35.09 M, STAIRCASE ROOM TOP - 34.20 M, BUILDING TOP - 31.92 M
32/APCH 14/TKOF	BUILDING	190414.6N 0725305.4E	113 FEET	LGTD	MUBARAK TOWER, ANTENNA TOP - 34.42 M, OBSTRUCTION LIGHT TOP - 31.61 M, STAIRCASE ROOM TOP - 30.51 M, BUILDING TOP - 26.16 M
32/APCH 14/TKOF	BUILDING	190405.1N 0725340.3E	183 FEET	NIL	TILAK NAGAR SHRADDHA CHS LTD "B" WING, ANTENNA TOP - 55.71 M, GRILL TOP - 53.60 M, WATER TANK TOP - 52.66 M, BUILDING TOP(PARAPET WALL) - 49.32 M.
32/APCH 14/TKOF	BUILDING	190405.1N 0725343.6E	182 FEET	NIL	BUILDING TOP
32/APCH 14/TKOF	BUILDING	190404.1N 0725347.6E	185 FEET	NIL	TILAK NAGER HP EPTOYOEE CHS LTD, PIPE TOP - 56.47 M, WATER TANK TOP - 55.60 M, BUILDING TOP - 53.23 M
32/APCH 14/TKOF	BUILDING	190401.6N 0725349.1E	191 FEET	NIL	BHAKTI HEIGHTS CHS, DISH ANTENNA TOP - 58.16 M, WATER TANK TOP - 57.25 M, BUILDING TOP - 56.06 M.
32/APCH 14/TKOF	BUILDING	190400.6N 0725346.4E	191 FEET	NIL	TILAK NAGAR SARGAM CHS LTD, LADDER TOP - 58.14 M, WATER TANK TOP - 57.08 M, BUILDING TOP - 53.05 M
32/APCH 14/TKOF	OTHER	190359.1N 0725354.0E	230 FEET	NIL	H.T.TOWER

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190358.3N 0725355.2E	199 FEET	NIL	SRA CHS, TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 60.61 M, DISH ANTENNA TOP - 57.32 M, WATER TANK TOP - 56.75 M, BUILDING TOP(PARAPET WALL) - 56.48 M.
32/APCH 14/TKOF	OTHER	190353.1N 0725358.9E	191 FEET	NIL	H.T.TOWER
32/APCH 14/TKOF	OTHER	190355.3N 0725353.7E	230 FEET	NO	H.T.TOWER
32/APCH 14/TKOF	BUILDING	190357.2N 0725344.8E	188 FEET	NIL	ANAND TOWER, WATER TANK TOP - 57.40 M, BUILDING TOP - 56.71 M
32/APCH 14/TKOF	OTHER	190354.9N 0725347.8E	226 FEET	NIL	H.T.TOWER
32/APCH 14/TKOF	OTHER	190353.5N 0725347.1E	192 FEET	NIL	H.T.TOWER
32/APCH 14/TKOF	BUILDING	190356.4N 0725339.0E	194 FEET	NIL	SHREE GANESH GROOP, LIFT (U/C) TOP - 59.22 M, WATER TANK (U/C) TOP - 55.26 M, BUILDING (U/C) TOP - 53.01 M
32/APCH 14/TKOF	BUILDING	190357.7N 0725337.2E	181 FEET	NIL	TILAK NAGAR INDRAYANI CHS LTD, GRILL TOP - 55.08 M, STAIRCASE ROOM TOP - 54.19 M, BUILDING TOP - 53.07 M
32/APCH 14/TKOF	BUILDING	190401.0N 0725335.4E	173 FEET	NIL	SHUBAM CO.OP SOCIETY, SHED TOP - 52.67 M, BUILDING TOP - 52.14 M
32/APCH 14/TKOF	BUILDING	190353.4N 0725331.4E	184 FEET	NIL	GODREJ CENTRAL, DISH ANTENNA TOP - 56.07 M, WATER TANK TOP - 55.67 M, BUILDING TOP(PARAPET WALL) - 53.33 M.
32/APCH 14/TKOF	BUILDING	190352.3N 0725333.0E	184 FEET	NIL	GODREJ CENTRAL, LIGHTNING ARRESTER TOP - 56.22 M, BUILDING TOP - 54.84 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190351.5N 0725333.8E	183 FEET	NIL	GODREJ SHELL TOWER, LIGHTNING ARRESTER TOP - 55.93 M, PIPE TOP - 54.74 M, BUILDING TOP - 54.49 M.
32/APCH 14/TKOF	BUILDING	190351.1N 0725333.6E	185 FEET	NIL	GODREJ CENTRAL, LIGHTNING ARRESTER TOP - 56.27 M, BUILDING TOP - 54.83 M
32/APCH 14/TKOF	BUILDING	190350.3N 0725333.8E	185 FEET	NIL	GODREJ CENTRAL, LIGHTNING ARRESTER TOP - 56.33 M, BUILDING TOP - 54.86 M
32/APCH 14/TKOF	BUILDING	190349.8N 0725339.0E	191 FEET	LGTD	MENAKA, LIGHTNING ARRESTER TOP - 58.30 M, OBSTRUCTION LIGHT TOP - 57.55 M, STAIRCASE ROOM TOP - 56.59 M, BUILDING TOP - 54.71 M
32/APCH 14/TKOF	OTHER	190348.2N 0725338.4E	209 FEET	NIL	H.T.TOWER
32/APCH 14/TKOF	BUILDING	190344.8N 0725345.5E	188 FEET	LGTD	TULSI PRIDE, DISH ANTENNA TOP - 57.23 M, OBSTRUCTION LIGHT TOP - 56.00 M, BUILDING TOP - 53.89 M.
32/APCH 14/TKOF	BUILDING	190344.0N 0725336.4E	189 FEET	NIL	SRA, COMMUNICATION ANTENNA TOP - 57.63 M, WATER TANK TOP - 55.77 M, BUILDING TOP - 54.20 M.
32/APCH 14/TKOF	BUILDING	190343.4N 0725336.7E	192 FEET	NIL	MM SPECTRA, GRILL TOP - 58.59 M, WATER TANK TOP - 58.14 M, BUILDING TOP - 57.26 M.
32/APCH 14/TKOF	BUILDING	190342.8N 0725334.2E	188 FEET	NIL	SRA, LADDER TOP - 57.42 M, WATER TANK TOP - 56.62 M, BUILDING TOP - 51.69 M.
32/APCH 14/TKOF	OTHER	190343.4N 0725334.0E	216 FEET	NIL	H.T. TOWER
32/APCH 14/TKOF	OTHER	190341.9N 0725331.2E	210 FEET	NIL	H.T. TOWER

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190340.0N 0725338.0E	190 FEET	NIL	TULSI MARVE, DISH ANTENNA TOP - 57.81 M, STAIRCASE ROOM TOP - 56.48 M, BUILDING TOP - 53.46 M.
32/APCH 14/TKOF	BUILDING	190337.1N 0725346.5E	190 FEET	NIL	SIGNATURE BUSINESS PARK, LIFT TOP - 58.01 M, WATER TANK (U/C) TOP - 56.15 M, BUILDING (U/C) TOP - 54.54 M
32/APCH 14/TKOF	BUILDING	190336.9N 0725352.4E	191 FEET	LGTD	RAJESHWARI, OBSTRUCTION LIGHT TOP - 58.15 M, LADDER TOP - 57.29 M, WATER TANK TOP - 56.34 M, BUILDING TOP - 53.37 M
32/APCH 14/TKOF	BUILDING	190335.2N 0725352.6E	188 FEET	NIL	TRIDHAATU, DISH ANTENNA TOP - 57.45 M, BUILDING TOP - 56.58 M
32/APCH 14/TKOF	OTHER	190337.3N 0725427.0E	194 FEET	NIL	PYLON MAST
32/APCH 14/TKOF	BUILDING	190337.2N 0725414.1E	198 FEET	NIL	SUBHASHNAGAR KRANT CHS LTD, LADDER TOP - 60.32 M, WATER TANK TOP - 59.19 M, BUILDING TOP - 55.40 M
32/APCH 14/TKOF	BUILDING	190333.3N 0725413.3E	196 FEET	NIL	ASHIWAD, POLE TOP - 59.80 M, STAIRCASE ROOM TOP - 58.87 M, BUILDING TOP - 55.35 M
32/APCH 14/TKOF	BUILDING	190331.1N 0725410.5E	188 FEET	NIL	ELITE RESIDENCY, STAIRCASE ROOM TOP - 57.36 M, BUILDING TOP - 53.86 M
32/APCH 14/TKOF	BUILDING	190332.1N 0725405.9E	190 FEET	NIL	PITRUKRUPA TERRACES, DISH ANTENNA TOP - 57.79 M, STAIRCASE ROOM TOP - 56.02 M, BUILDING TOP - 52.28 M
32/APCH 14/TKOF	BUILDING	190334.0N 0725403.1E	192 FEET	LGTD	BELLA VISTA, OBSTRUCTION LIGHT TOP - 58.47 M, BUILDING TOP(GRILL) - 57.31 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190327.7N 0725408.3E	211 FEET	NIL	LUCKY HOUSE, LIGHTNING ARRESTER TOP - 64.29 M, WATER TANK TOP - 63.29 M, BUILDING TOP - 62.07 M
32/APCH 14/TKOF	BUILDING	190323.1N 0725413.2E	208 FEET	LGTD	SERENITY APARTMENT BLOCK - A, LIGHT TOP - 63.43 M, OBSTRUCTION LIGHT TOP - 63.13 M, GRILL TOP - 62.96 M, BUILDING TOP(SLAB) - 61.93 M.
32/APCH 14/TKOF	BUILDING	190321.6N 0725413.4E	219 FEET	LGTD	SAFFRONG, OBSTRUCTION LIGHT TOP - 66.93 M, STAIRCASE ROOM TOP - 66.58 M, GRILL TOP - 62.62 M, BUILDING TOP - 61.60 M
32/APCH 14/TKOF	BUILDING	190323.2N 0725411.2E	197 FEET	LGTD	CHAITRA HERITAGE, OBSTRUCTION LIGHT TOP - 59.99 M, STAIRCASE ROOM TOP - 59.25 M, BUILDING TOP - 55.30 M
32/APCH 14/TKOF	BUILDING	190324.6N 0725409.3E	188 FEET	NIL	HARICEL, DISH ANTENNA TOP - 57.33 M, STAIRCASE ROOM TOP - 56.68 M, BUILDING TOP - 54.36 M
32/APCH 14/TKOF	BUILDING	190321.9N 0725409.8E	190 FEET	NIL	SHALOM, POLE TOP - 57.89 M, STAIRCASE ROOM TOP - 57.49 M, BUILDING TOP - 53.64 M
32/APCH 14/TKOF	BUILDING	190323.4N 0725405.7E	214 FEET	LGTD	SWAMI TOWER, OBSTRUCTION LIGHT TOP - 65.25 M, SINTEX TANK TOP - 62.93 M, BUILDING TOP - 62.17 M
32/APCH 14/TKOF	BUILDING	190327.6N 0725359.8E	201 FEET	LGTD	SOUMYA TOWER, OBSTRUCTION LIGHT TOP - 61.41 M, STAIRCASE ROOM(U/C) TOP - 58.85 M, BUILDING(U/C) TOP - 55.47 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190325.0N 0725352.1E	192 FEET	NIL	SOLITAIRE, GRILL TOP - 58.50 M, STAIRCASE ROOM TOP - 57.30 M, BUILDING TOP - 52.75 M
32/APCH 14/TKOF	BUILDING	190323.0N 0725355.2E	216 FEET	LGTD	SAPHIRE, OBSTRUCTION LIGHT TOP - 65.84 M, STAIRCASE ROOM TOP - 64.08 M, BUILDING TOP - 56.33 M
32/APCH 14/TKOF	BUILDING	190318.2N 0725349.1E	198 FEET	NIL	MANOKAMANA, GRILL TOP - 60.43 M, WATER TANK TOP - 59.48 M, BUILDING TOP - 58.37 M
32/APCH 14/TKOF	BUILDING	190318.8N 0725349.4E	199 FEET	NIL	SIDDHAGIRI, WATER TANK TOP - 60.60 M, STAIRCASE ROOM TOP - 57.37 M, BUILDING TOP - 53.21 M
32/APCH 14/TKOF	BUILDING	190317.2N 0725354.5E	217 FEET	NIL	AKSHAY ANAND, POLE TOP - 66.04 M, GRILL TOP - 65.25 M, STAIRCASE ROOM TOP - 64.32 M, BUILDING TOP - 60.51 M
32/APCH 14/TKOF	BUILDING	190316.0N 0725355.3E	197 FEET	NIL	BALAGI KRIPA, STAIRCASE ROOM TOP - 59.99 M, BUILDING TOP - 58.36 M
32/APCH 14/TKOF	BUILDING	190315.8N 0725359.4E	224 FEET	LGTD	MAYUR PANKH CHS LTD, STAIRCASE ROOM TOP - 68.40 M, OBSTRUCTION LIGHT TOP - 68.33 M, BUILDING TOP - 65.64 M
32/APCH 14/TKOF	BUILDING	190315.8N 0725400.6E	205 FEET	NIL	BALAJI ARCADE, WATER TANK TOP - 62.48 M, BUILDING TOP - 59.81 M
32/APCH 14/TKOF	BUILDING	190306.9N 0725357.0E	271 FEET	LGTD	SWASTIK CHHADVA SOLITAIRE, LIGHTNING ARRESTER TOP - 82.50 M, OBSTRUCTION LIGHT TOP - 77.66 M, STAIRCASE ROOM TOP - 76.22 M, BUILDING TOP - 65.53 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190314.3N 0725403.8E	220 FEET	NIL	BUILDING, STAIRCASE ROOM TOP - 67.06 M, WATER TANK TOP - 65.30 M, BUILDING TOP - 59.02 M
32/APCH 14/TKOF	BUILDING	190315.3N 0725405.1E	196 FEET	LGTD	SRI KALPANA PADMA TOWER, OBSTRUCTION LIGHT TOP - 59.73 M, SINTEX TANK TOP - 58.20 M, WATER TANK TOP - 57.75 M, BUILDING TOP - 56.76 M
32/APCH 14/TKOF	BUILDING	190314.8N 0725406.7E	198 FEET	LGTD	DIAMOND GARDEN, OBSTRUCTION LIGHT TOP - 60.32 M, STAIRCASE ROOM TOP - 59.58 M, BUILDING TOP - 58.78 M
32/APCH 14/TKOF	BUILDING	190314.0N 0725406.7E	198 FEET	LGTD	HORIZON, OBSTRUCTION LIGHT TOP - 60.19 M, DISH TOP - 59.54 M, WATER TANK TOP - 58.47 M, BUILDING TOP - 55.54 M
32/APCH 14/TKOF	BUILDING	190307.2N 0725409.0E	231 FEET	NIL	SRI NALINI APARTMENT, LIGHTNING ARRESTER TOP - 70.52 M, STAIRCASE ROOM TOP - 69.67 M, BUILDING TOP - 63.07 M
32/APCH 14/TKOF	ANTENNA	190151.5N 0725456.9E	1024 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190147.8N 0725500.4E	1049 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190147.4N 0725500.8E	1042 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190148.2N 0725501.4E	1064 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190148.6N 0725501.4E	1044 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190149.1N 0725501.1E	1056 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	OTHER	190449.6N 0725239.3E	28 FEET	NIL	PLASTIC PIPE MARKER
32/APCH 14/TKOF	OTHER	190450.3N 0725240.2E	27 FEET	NIL	SIGN BOARD
32/APCH 14/TKOF	POLE	190449.7N 0725240.4E	29 FEET	NIL	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	FENCE	190450.8N 0725240.6E	30 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	FENCE	190450.7N 0725240.6E	32 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	FENCE	190450.4N 0725240.6E	32 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	TREE	190448.1N 0725246.4E	65 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190446.4N 0725247.5E	50 FEET	NIL	AERO VIEW HOUSING SOCIETY, SINTEX TANK TOP - 15.20 M, BUILDING TOP(PARAPET WALL) - 13.14 M.
32/APCH 14/TKOF	FENCE	190450.1N 0725240.6E	29 FEET	NIL	PIDS FENCING
32/APCH 14/TKOF	FENCE	190449.7N 0725240.8E	31 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	TREE	190448.0N 0725241.8E	46 FEET	NIL	TREE
32/APCH 14/TKOF	TREE	190447.7N 0725241.8E	41 FEET	NIL	TREE
32/APCH 14/TKOF	FENCE	190447.6N 0725241.6E	33 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	FENCE	190447.0N 0725241.6E	34 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	OTHER	190445.6N 0725240.2E	40 FEET	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV - 7.27 M + 5M MOBILE TRAFFIC)
32/APCH 14/TKOF	TREE	190440.1N 0725246.0E	68 FEET	NO	GROUP OF TREES
32/APCH 14/TKOF	FENCE	190444.8N 0725239.7E	36 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	FENCE	190445.1N 0725238.2E	35 FEET	NIL	PIDS FENCING
32/APCH 14/TKOF	FENCE	190445.1N 0725238.1E	35 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	OTHER	190445.1N 0725238.2E	31 FEET	NIL	SOLAR PANEL TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	OTHER	190445.2N 0725238.1E	33 FEET	NIL	CISF SECURITY CABIN(G-21)
32/APCH 14/TKOF	OTHER	190445.5N 0725237.9E	40 FEET	NIL	MLAT - S10 (RX) ANTENNA TOP - 12.07 M, STRUCTURE (LLZ ROOM) TOP - 10.62 M.
32/APCH 14/TKOF	BUILDING	190445.4N 0725237.9E	41 FEET	LGTD	LOCALIZER BUILDING, LIGHTNING ARRESTER TOP - 12.60 M, M LAT ANTENNA TOP - 12.06 M, OBSTRUCTION LIGHT TOP - 11.84 M, SHED TOP - 11.21 M, BUILDING TOP - 10.57 M.
32/APCH 14/TKOF	POLE	190446.3N 0725236.0E	30 FEET	NIL	LIGHT POLE
32/APCH 14/TKOF	FENCE	190446.1N 0725236.6E	31 FEET	NIL	PIDS FENCING
32/APCH 14/TKOF	FENCE	190446.1N 0725236.6E	34 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
32/APCH 14/TKOF	TREE	190439.9N 0725250.8E	62 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190439.0N 0725250.7E	71 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190439.1N 0725257.9E	69 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190431.1N 0725311.0E	105 FEET	LGTD	KOHINOOR BUSINESS SCHOOL, OBSTRUCTION LIGHT TOP - 32.00 M, PIPE TOP - 31.43 M, GRILL TOP - 30.72 M, BUILDING TOP (PARAPET WALL) - 29.75 M.
32/APCH 14/TKOF	ANTENNA	190147.5N 0725500.8E	1059 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	OTHER	190448.1N 0725238.2E	28 FEET	NIL	APPROACH LIGHT
32/APCH 14/TKOF	OTHER	190447.4N 0725238.9E	30 FEET	NIL	APPROACH LIGHT
32/APCH 14/TKOF	OTHER	190446.7N 0725239.7E	35 FEET	NIL	APPROACH LIGHT
32/APCH 14/TKOF	OTHER	190446.0N 0725240.4E	40 FEET	NIL	APPROACH LIGHT
32/APCH 14/TKOF	OTHER	190445.3N 0725241.1E	41 FEET	NIL	APPROACH LIGHT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190339.5N 0725338.1E	191 FEET	NIL	SWISS BOULEVARD, DISH ANTENNA TOP - 58.18 M, LADDER TOP - 57.46 M, LIGHTNING ARRESTER TOP - 57.24 M, WATER TANK TOP - 56.93 M, BUILDING TOP (PARAPET WALL) - 52.85 M.
32/APCH 14/TKOF	OTHER	190444.7N 0725241.9E	40 FEET	NIL	APPROACH LIGHT
32/APCH 14/TKOF	BUILDING	190431.1N 0725246.2E	72 FEET	NO	RAHAT CHS, DISH TOP - 22.01 M, STAIRCASE ROOM TOP - 20.99 M, BUILDING TOP (PARAPET WALL) - 19.81 M
32/APCH 14/TKOF	BUILDING	190351.2N 0725328.7E	180 FEET	LGTD	GODREJ CENTRAL - CENTRAL TOWER, LIGHTNING ARRESTER TOP - 54.83 M, OBSTRUCTION LIGHT TOP - 54.33 M, BUILDING TOP (PARAPET WALL) - 53.26 M.
32/APCH 14/TKOF	BUILDING	190430.8N 0725248.9E	67 FEET	NIL	SRI GANESH SOCIETY, STAIRCASE ROOM TOP - 20.48 M, WATER TANK TOP - 20.13 M, BUILDING TOP (PARAPET WALL) - 18.63 M
32/APCH 14/TKOF	BUILDING	190428.8N 0725248.7E	72 FEET	NIL	HANUMAN MANDIR, POLE TOP - 21.88 M, TEMPLE TOP - 20.66 M
32/APCH 14/TKOF	TREE	190436.9N 0725245.0E	83 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190431.4N 0725246.0E	78 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190431.5N 0725246.7E	71 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190431.9N 0725247.6E	74 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190445.3N 0725250.3E	56 FEET	LGTD	HUTMENT, CELLPHONE MAST TOP - 17.03 M, HUTMENT TOP - 9.24 M.
32/APCH 14/TKOF	TREE	190443.3N 0725245.9E	48 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	TREE	190441.4N 0725248.4E	83 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190441.2N 0725248.0E	60 FEET	NIL	ANCEL APARTMENT, PIPE TOP - 18.28 M, SINTEX TANK TOP - 17.11 M, BUILDING TOP(SLAB) - 15.73 M.
32/APCH 14/TKOF	TREE	190440.0N 0725245.1E	58 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190439.8N 0725245.4E	62 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	BUILDING	190437.7N 0725243.1E	63 FEET	NIL	HOTEL KALPANA, ANTENNA TOP - 19.27 M, BUILDING TOP (PARAPET WALL) - 16.99 M
32/APCH 14/TKOF	TREE	190436.6N 0725242.0E	57 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190437.4N 0725244.0E	67 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190437.4N 0725245.0E	72 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	TREE	190437.2N 0725245.0E	76 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	TREE	190436.7N 0725245.1E	70 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190437.1N 0725248.1E	76 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	TREE	190439.2N 0725247.3E	59 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190438.6N 0725248.5E	61 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190438.5N 0725252.7E	68 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	TREE	190429.2N 0725247.7E	76 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190435.4N 0725257.6E	78 FEET	NIL	COCONUT TREE
32/APCH 14/TKOF	BUILDING	190420.1N 0725258.3E	95 FEET	LGTD	CELLPHONE MAST ON BUILDING
32/APCH 14/TKOF	TANK	190419.5N 0725301.8E	105 FEET	NIL	OVERHEAD WATER TANK, IRON ROD TOP - 32.02 M, GRILL TOP - 30.14 M, WATER TANK TOP - 29.66 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190358.7N 0725333.6E	188 FEET	NIL	AKSHAY PARADISE(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 57.29 M, BUILDING TOP(SLAB)) - 51.44 M.
32/APCH 14/TKOF	BUILDING	190357.9N 0725336.7E	178 FEET	NIL	TILAK NAGAR INDRAYANI CHS, STAIRCASE ROOM TOP - 54.39 M, BUILDING TOP (PARAPET WALL) - 53.26 M.
32/APCH 14/TKOF	BUILDING	190407.1N 0725341.3E	173 FEET	NIL	SUKH-SAGAR RESIDENCY, STAIRCASE ROOM TOP - 52.81 M, WATER TANK TOP - 50.90 M, BUILDING TOP (PARAPET WALL) - 49.29 M.
32/APCH 14/TKOF	BUILDING	190407.7N 0725345.0E	176 FEET	NIL	JEEVANDEEP CHS, PIPE TOP - 53.72 M, WATER TANK TOP - 53.14 M, BUILDING TOP (PARAPET WALL) - 52.85 M.
32/APCH 14/TKOF	BUILDING	190405.2N 0725344.1E	185 FEET	NIL	SAI PRADNYA, WATER TANK TOP - 56.34 M, GRILL TOP - 55.82 M, BUILDING TOP(SLAB) - 54.63 M.
32/APCH 14/TKOF	BUILDING	190403.1N 0725343.6E	181 FEET	NIL	CHEMBUR RATNADEEP CHS, DISH ANTENNA TOP - 55.27 M, SHED TOP - 54.62 M, BUILDING TOP (PARAPET WALL) - 54.33 M.
32/APCH 14/TKOF	BUILDING	190359.9N 0725343.0E	197 FEET	NIL	ASHWINI CHS(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 59.96 M, BUILDING TOP (PARAPET WALL) - 55.42 M.
32/APCH 14/TKOF	BUILDING	190356.6N 0725340.7E	199 FEET	LGTD	AMESH CHS, CELLPHONE MAST TOP - 60.65 M, STAIRCASE ROOM TOP - 53.24 M, BUILDING TOP (PARAPET WALL) - 46.46 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190400.8N 0725345.5E	186 FEET	NIL	39 ANTHEA, IRON LADDER TOP - 56.67 M, WATER TANK TOP - 55.98 M, BUILDING TOP (PARAPET WALL) - 53.78 M.
32/APCH 14/TKOF	BUILDING	190400.9N 0725347.0E	190 FEET	NIL	SARGAM CHS WING-B, LADDER TOP - 57.83 M, WATER TANK TOP - 56.93 M, BUILDING TOP (PARAPET WALL) - 53.30 M.
32/APCH 14/TKOF	BUILDING	190352.1N 0725328.0E	183 FEET	LGTD	GODREJ CENTRAL J-TOWER, LIGHTNING ARRESETER TOP - 55.67 M, OBSTRUCTION LIGHT TOP - 55.39 M, SHED TOP - 54.62 M, BUILDING TOP (PARAPET WALL) - 52.97 M.
32/APCH 14/TKOF	BUILDING	190352.0N 0725328.8E	176 FEET	NIL	GODREJ CENTRAL (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 53.54 M, BUILDING TOP(SLAB) - 52.75 M.
32/APCH 14/TKOF	BUILDING	190351.4N 0725329.4E	182 FEET	LGTD	GODREJ CENTRAL, OBSTRUCTION LIGHT TOP - 55.43 M, SHED TOP - 55.22 M, BUILDING TOP (PARAPET WALL) - 53.98 M.
32/APCH 14/TKOF	BUILDING	190352.0N 0725329.8E	186 FEET	LGTD	GODREJ PRIME, LIGHTNING ARRESTER TOP - 56.61 M, OBSTRUCTION LIGHT TOP - 55.76 M, WATER TANK TOP - 55.26 M, BUILDING TOP (PARAPET WALL) - 53.88 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190352.8N 0725330.4E	183 FEET	NIL	GODREJ CENTRAL, POLE TOP - 55.80 M, STAIRCASE ROOM TOP - 55.35 M, LIGHTNING ARRESTER TOP - 55.27 M, BUILDING TOP (PARAPET WALL) - 53.90 M.
32/APCH 14/TKOF	BUILDING	190353.4N 0725331.6E	184 FEET	NIL	GODREJ CENTRAL, DISH ANTENNA TOP - 56.07 M, WATER TANK TOP - 55.67 M, BUILDING TOP (PARAPET WALL) - 53.33 M.
32/APCH 14/TKOF	BUILDING	190352.7N 0725334.6E	184 FEET	LGTD	GODREJ CENTRAL - CENTRAL TOWER I, LIGHTNING ARRESTER TOP - 56.13 M, OBSTRUCTION LIGHT TOP - 55.87 M, WATER TANK TOP - 54.76 M, BUILDING TOP (PARAPET WALL) - 53.99 M.
32/APCH 14/TKOF	BUILDING	190351.4N 0725332.0E	192 FEET	LGTD	GODREJ CENTRAL, OBSTRUCTION LIGHT TOP - 58.39 M, SHED TOP - 58.22 M, BUILDING TOP (PARAPET WALL) - 57.51 M.
32/APCH 14/TKOF	BUILDING	190351.0N 0725331.9E	189 FEET	NIL	GODREJ CENTRAL, SHED TOP - 57.70 M, BUILDING TOP (PARAPET WALL) - 57.49 M.
32/APCH 14/TKOF	BUILDING	190349.0N 0725327.8E	185 FEET	LGTD	GODREJ PRIME, OBSTRUCTION LIGHT TOP - 56.41 M, GRILL TOP - 56.00 M, BUILDING TOP(SLAB) - 55.09 M.
32/APCH 14/TKOF	BUILDING	190345.5N 0725327.0E	196 FEET	NIL	VENA SERENE (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 59.62 M, BUILDING (U/C) TOP (PARAPET WALL) - 53.92 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190344.8N 0725332.5E	190 FEET	LGTD	VEENA SERENITY, LIGHTNING ARRESTER TOP - 57.98 M, OBSTRUCTION LIGHT TOP - 57.91 M, OBSTRUCTION LIGHT TOP - 57.89 M, CAMERA POLE TOP - 57.30 M, WATER TANK TOP - 56.73 M, STAIRCASE ROOM TOP - 56.71 M, BUILDING TOP (PARAPET WALL) - 55.20 M.
32/APCH 14/TKOF	BUILDING	190348.5N 0725335.4E	198 FEET	NIL	CHITRA CHS(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 60.22 M, BUILDING TOP(SLAB) - 53.99 M.
32/APCH 14/TKOF	BUILDING	190341.7N 0725334.4E	188 FEET	NIL	OMKAR RAGA CHS, DISH ANTENNA TOP - 57.23 M, STAIRCASE ROOM TOP - 55.98 M, WATER TANK TOP - 55.44 M, BUILDING TOP (PARAPET WALL) - 51.50 M.
32/APCH 14/TKOF	OTHER	190350.1N 0725342.6E	190 FEET	NIL	H.T. TOWER
32/APCH 14/TKOF	BUILDING	190401.3N 0725350.9E	192 FEET	NIL	BHAKTI HEIGHTS, DISH ANTENNA TOP - 58.38 M, WATER TANK TOP - 57.49 M, BUILDING TOP (PARAPET WALL) - 56.03 M.
32/APCH 14/TKOF	BUILDING	190402.1N 0725351.1E	196 FEET	NIL	BUILDING(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTUTRE TOP - 59.77 M, WATER TANK TOP - 57.07 M, BUILDING TOP (PARAPET WALL) - 56.27 M.
32/APCH 14/TKOF	BUILDING	190400.0N 0725355.7E	197 FEET	NIL	RESIDENCES, PLANTATION TOP - 60.15 M, BUILDING TOP (PARAPET WALL) - 57.42 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190347.4N 0725351.9E	188 FEET	NIL	CENTRAL PARK (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 57.31 M, BUILDING TOP(SLAB) - 53.19 M,
32/APCH 14/TKOF	BUILDING	190337.3N 0725404.2E	190 FEET	NIL	APSARA HERITAGE, LADDER TOP - 58.05 M, WATER TANK TOP - 57.52 M, BUILDING TOP (PARAPET WALL) - 55.26 M.
32/APCH 14/TKOF	BUILDING	190332.3N 0725401.5E	202 FEET	NIL	SABARI GAYATRI(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.69 M, BUILDING TOP (PARAPET WALL) - 56.19 M.
32/APCH 14/TKOF	BUILDING	190329.0N 0725403.8E	189 FEET	NIL	NAZARENE, DISH ANTENNA TOP - 57.59 M, GRILL TOP - 57.00 M, WATER TANK TOP - 56.20 M, BUILDING TOP(SLAB) - 51.65 M.
32/APCH 14/TKOF	BUILDING	190331.8N 0725358.6E	189 FEET	NIL	LOTUS HEIGHTS, DISH ANTENNA TOP - 57.60 M, GRILL TOP - 57.01 M, WATER TANK TOP - 56.04 M, BUILDING TOP (PARAPET WALL) - 51.63 M.
32/APCH 14/TKOF	BUILDING	190325.5N 0725357.8E	203 FEET	NIL	PAUL KUTIR(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.95 M, BUILDING TOP (PARAPET WALL) - 56.58 M.
32/APCH 14/TKOF	BUILDING	190325.6N 0725354.4E	194 FEET	NIL	SHANKAR BHAVAN(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 59.18 M, BUILDING TOP(SLAB) - 54.85 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190322.2N 0725347.4E	188 FEET	NIL	SAI SANSAR, STAIRCASE ROOM TOP - 57.34 M, BUILDING TOP (PARAPET WALL) - 55.60 M.
32/APCH 14/TKOF	BUILDING	190322.2N 0725346.5E	201 FEET	NIL	CASA GRAND(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.44 M, BUILDING TOP (PARAPET WALL) - 57.46 M.
32/APCH 14/TKOF	BUILDING	190314.8N 0725348.4E	193 FEET	NIL	TRISHABH SIGNATE, SINTEX TANK TOP - 58.86 M, STAIRCASE ROOM TOP - 57.12 M, BUILDING TOP (PARAPET WALL) - 55.64 M.
32/APCH 14/TKOF	BUILDING	190319.3N 0725358.0E	202 FEET	NIL	AARADHYA SWASTIK, LIGHTNING ARRESTER TOP - 61.74 M, GRILL TOP - 58.52 M, WATER TANK TOP - 57.58 M, BUILDING TOP (PARAPET WALL) - 54.43 M.
32/APCH 14/TKOF	BUILDING	190331.5N 0725411.5E	191 FEET	NIL	KRITHIKA APARTMENT, IRON LADDER TOP - 58.12 M, DISH ANTENNA TOP - 57.60 M, WATER TANK TOP - 57.18 M, BUILDING TOP (PARAPET WALL) - 56.18 M.
32/APCH 14/TKOF	BUILDING	190332.1N 0725411.7E	192 FEET	NIL	SAVITHA APARTMENT, DISH ANTENNA TOP - 58.54 M, WATER TANK TOP - 57.41 M, BUILDING TOP (PARAPET WALL) - 56.40 M.
32/APCH 14/TKOF	BUILDING	190327.0N 0725421.6E	203 FEET	NIL	ARISO APARTMENT (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.91 M, BUILDING TOP (PARAPET WALL) - 57.07 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190325.9N 0725422.3E	193 FEET	NIL	SAFAL SHREE SARASWATI CHSL, LIGHTNING ARRESTER TOP - 58.87 M, DISH ANTENNA TOP - 58.50 M, BUILDING TOP (PARAPET WALL) - 57.63 M.
32/APCH 14/TKOF	BUILDING	190326.6N 0725420.6E	192 FEET	LGTD	ARISO APARTMENT, LIGHTNING ARRESTER TOP - 58.35 M, GRILL TOP - 58.05 M, OBSTRUCTION LIGHT TOP - 57.81 M, BUILDING TOP (PARAPET WALL) - 57.11 M.
32/APCH 14/TKOF	BUILDING	190325.3N 0725421.7E	207 FEET	NIL	SAFAL SHREE SARASWATI CHSL (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 63.02 M, BUILDING TOP (PARAPET WALL) - 58.21 M.
32/APCH 14/TKOF	BUILDING	190323.9N 0725416.6E	192 FEET	NIL	SRA SANJAY NAGAR, IRON ROD TOP - 58.45 M, GRILL TOP - 56.68 M, STAIRCASE ROOM TOP - 55.34 M, BUILDING TOP(PARAPET WALL) - 53.64 M.
32/APCH 14/TKOF	BUILDING	190323.2N 0725413.5E	199 FEET	NIL	SERENITY APARTMENT BLOCK - B, WATER TANK TOP - 60.85 M, SHED TOP - 59.82 M, BUILDING TOP(PARAPET WALL) - 57.71 M.
32/APCH 14/TKOF	BUILDING	190322.4N 0725413.3E	206 FEET	NIL	SYMPHONY, SINTEX TANK TOP - 62.76 M, DISH ANTENNA TOP - 62.65 M, BUILDING TOP(PARAPET WALL) - 58.12 M.
32/APCH 14/TKOF	OTHER	190253.6N 0725427.3E	324 FEET	NIL	CRANE TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
32/APCH 14/TKOF	BUILDING	190222.9N 0725440.9E	505 FEET	NIL	ARANYA 33, TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 153.97 M, BUILDING TOP(PARAPET WALL) - 149.67 M.
32/APCH 14/TKOF	TREE	190152.3N 0725500.5E	1030 FEET	NIL	TREE ON HILL
32/APCH 14/TKOF	TREE	190150.7N 0725457.6E	1013 FEET	NIL	TREE ON HILL
32/APCH 14/TKOF	ANTENNA	190148.8N 0725500.4E	1035 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190148.7N 0725501.4E	1054 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	ANTENNA	190148.3N 0725500.4E	1053 FEET	NIL	ANTENNA ON HILL
32/APCH 14/TKOF	BUILDING	190148.1N 0725459.9E	1046 FEET	NIL	WATCH TOWER ON HILL
32/APCH 14/TKOF	TREE	190148.5N 0725500.7E	1038 FEET	NIL	TREE ON HILL
32/APCH 14/TKOF	BUILDING	190438.3N 0725250.1E	60 FEET	NIL	SULEMAN MASJID, SPEAKER TOP - 18.29 M, SHED TOP - 14.91 M.
32/APCH 14/TKOF	BUILDING	190437.5N 0725250.7E	61 FEET	NIL	GANDHI CHS, STAIRCASE ROOM TOP - 18.58 M, BUILDING TOP (PARAPET WALL) - 17.87 M.
32/APCH 14/TKOF	BUILDING	190435.0N 0725251.5E	64 FEET	NIL	ORCHID SPRINGS, DISH ANTENNA TOP - 19.36 M, DISH ANTENNA TOP - 18.88 M, BUILDING TOP (PARAPET WALL) - 18.39 M.
32/APCH 14/TKOF	BUILDING	190435.7N 0725245.1E	64 FEET	NIL	HUSSIENA MANSION, WATER TANK TOP - 19.57 M, BUILDING TOP (PARAPET WALL) - 17.71 M.
32/APCH 14/TKOF	OTHER	190435.4N 0725244.4E	63 FEET	NIL	SHED TOP
32/APCH 14/TKOF	BUILDING	190432.5N 0725245.7E	72 FEET	NIL	AKI JUNIOR COLLEGE, SHED TOP
32/APCH 14/TKOF	TREE	190443.2N 0725244.1E	47 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190444.3N 0725245.1E	42 FEET	NIL	GROUP OF TREES
32/APCH 14/TKOF	TREE	190441.5N 0725240.3E	41 FEET	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190512.3N 0725052.0E	52 FEET	NIL	GROUP OF TREES
In circling area and at AD	TREE	190512.4N 0725049.0E	41 FEET	NIL	TREE
In circling area and at AD	TREE	190512.4N 0725048.1E	41 FEET	NO	TREE
In circling area and at AD	TREE	190512.4N 0725048.0E	41 FEET	NO	TREE
In circling area and at AD	TREE	190512.7N 0725046.1E	45 FEET	NIL	TREE
In circling area and at AD	TREE	190513.0N 0725046.2E	32 FEET	NIL	TREE
In circling area and at AD	BUILDING	190512.1N 0725042.8E	42 FEET	NIL	HUT
In circling area and at AD	POLE	190511.4N 0725041.6E	56 FEET	NIL	LIGHT POLE
In circling area and at AD	POLE	190512.1N 0725040.9E	54 FEET	NIL	LIGHT POLE
In circling area and at AD	TREE	190511.5N 0725040.1E	60 FEET	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	190511.6N 0725039.4E	50 FEET	NO	BUILDING
In circling area and at AD	BUILDING	190511.5N 0725038.6E	53 FEET	NIL	DISH ON BUILDING (BUILDING TOP - 16.26 M)
In circling area and at AD	TREE	190524.6N 0725036.9E	52 FEET	NIL	TREE
In circling area and at AD	TREE	190525.2N 0725036.3E	66 FEET	NIL	GROUP OF TREES
In circling area and at AD	TREE	190525.1N 0725035.4E	70 FEET	NIL	GROUP OF TREES
In circling area and at AD	POLE	190526.1N 0725034.5E	67 FEET	NIL	LIGHT POLE
In circling area and at AD	POLE	190526.3N 0725033.4E	69 FEET	NIL	LIGHT POLE
In circling area and at AD	TREE	190525.4N 0725031.3E	73 FEET	NIL	TREE
In circling area and at AD	BUILDING	190525.2N 0725032.6E	61 FEET	NIL	NEET & GEET CHS, SHED TOP - 18.57 M, BUILDING TOP(PARAPET WALL) - 16.90 M.
In circling area and at AD	TREE	190525.6N 0725032.1E	63 FEET	NIL	TREE
In circling area and at AD	POLE	190526.1N 0725032.4E	69 FEET	NIL	LIGHT POLE
In circling area and at AD	POLE	190526.4N 0725031.4E	73 FEET	NIL	LIGHT POLE
In circling area and at AD	POLE	190526.1N 0725030.6E	65 FEET	NIL	LIGHT POLE
In circling area and at AD	POLE	190526.3N 0725029.8E	69 FEET	NIL	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	POLE	190525.8N 0725029.0E	64 FEET	NIL	LIGHT POLE
In circling area and at AD	TREE	190526.6N 0725024.5E	81 FEET	NIL	COCONUT TREE
In circling area and at AD	BUILDING	190509.7N 0725029.9E	81 FEET	NIL	SAI POOJA SOCIETY, SINTEX TANK TOP - 24.79 M, BUILDING TOP(PARAPET WALL) - 22.73 M.
In circling area and at AD	TREE	190507.5N 0725029.9E	109 FEET	NIL	TREE
In circling area and at AD	TREE	190508.4N 0725028.9E	106 FEET	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	190508.6N 0725027.8E	103 FEET	NIL	GLADHURST, STAIRCASE ROOM TOP - 31.53 M, BUILDING TOP - 28.85 M.
In circling area and at AD	TREE	190509.8N 0725028.3E	84 FEET	NIL	TREE
In circling area and at AD	TREE	190509.9N 0725028.0E	86 FEET	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	190508.7N 0725021.8E	96 FEET	NIL	RISHRAJ CHS, SINTEX TANK TOP - 29.18 M, STAIRCASE ROOM TOP - 28.96 M, BUILDING TOP - 27.78 M
In circling area and at AD	TREE	190508.8N 0725020.3E	92 FEET	NO	TREE
In circling area and at AD	BUILDING	190508.1N 0725016.2E	98 FEET	LGTD	SURYA HOSPITAL, OBSTRUCTION LIGHT TOP - 29.86 M, DISH TOP - 29.41 M, STAIRCASE ROOM TOP - 28.63 M, BUILDING TOP - 25.16 M
In circling area and at AD	BUILDING	190508.2N 0725014.9E	96 FEET	NIL	DESAI APARTMENT, DISH ANTENNA TOP - 29.19 M, STAIRCASE ROOM TOP - 28.20 M, BUILDING TOP - 26.72 M.
In circling area and at AD	BUILDING	190508.0N 0725014.0E	91 FEET	NIL	SILVER SQUARE, ANTENNA TOP - 27.63 M, STAIRCASE ROOM TOP - 26.54 M, BUILDING TOP - 25.48 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190506.9N 0725011.6E	106 FEET	NIL	HAMILTON COURT, ROD TOP - 32.34 M, WATER TANK TOP - 31.75 M, BUILDING TOP (PARAPET WALL) - 29.09 M
In circling area and at AD	BUILDING	190507.4N 0725011.5E	97 FEET	NIL	PARAS BUILDING, SINTEX TANK TOP - 29.47 M, STAIRCASE ROOM TOP - 28.19 M, BUILDING TOP - 26.84 M
In circling area and at AD	BUILDING	190508.3N 0725026.2E	93 FEET	NO	SANJEEVANI, GRILL TOP - 28.35 M, BUILDING TOP(SLAB) - 27.09 M.
In circling area and at AD	BUILDING	190507.2N 0725009.2E	99 FEET	NIL	BHAGTANI KRISHNAG, STEEL PLATE - 30.24 M, LADDER TOP - 29.91 M, WATER TANK TOP - 29.67 M, STAIRCASE TOP - 29.64 M, BUILDING TOP (PARAPET WALL) - 27.51 M
In circling area and at AD	OTHER	190520.5N 0725051.3E	17 FEET	NIL	PLASTIC PIPE MARKER
In circling area and at AD	TREE	190525.3N 0725045.5E	57 FEET	NIL	TREE
In circling area and at AD	TREE	190511.3N 0725046.7E	53 FEET	NIL	TREE
In circling area and at AD	OTHER	190509.8N 0725045.0E	75 FEET	NIL	HOARDING, LIGHT TOP - 22.79 M, HOARDING TOP - 22.17 M.
In circling area and at AD	TREE	190512.9N 0725046.2E	47 FEET	NIL	TREE
In circling area and at AD	FENCE	190513.1N 0725046.2E	26 FEET	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP - FIRST IMPACT
In circling area and at AD	BUILDING	190512.8N 0725044.5E	39 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190512.0N 0725044.4E	41 FEET	NIL	HUTMENT TOP
In circling area and at AD	POLE	190510.9N 0725042.1E	56 FEET	NIL	LIGHT POLE
In circling area and at AD	POLE	190511.7N 0725042.0E	51 FEET	NIL	LIGHT POLE
In circling area and at AD	TREE	190512.3N 0725042.1E	45 FEET	NIL	TREE
In circling area and at AD	ANTENNA	190512.3N 0725041.4E	48 FEET	LGTD	CELLPHONE MAST POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190510.5N 0725040.7E	70 FEET	NIL	GROUP OF TREES
In circling area and at AD	TREE	190511.3N 0725040.6E	65 FEET	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	190511.4N 0725037.8E	58 FEET	NIL	HUTMENT TOP
In circling area and at AD	BUILDING	190510.6N 0725034.6E	66 FEET	NIL	HUTMENT, STAIRCASE ROOM TOP - 20.13 M, HUTMENT TOP - 18.61 M
In circling area and at AD	TREE	190510.2N 0725035.0E	80 FEET	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	190509.3N 0725035.0E	83 FEET	NIL	OM NIWAS, STAIRCASE ROOM TOP - 25.37 M, SINTEX TANK TOP - 24.61 M, BUILDING (PARAPET WALL) - 24.07 M
In circling area and at AD	TREE	190508.1N 0725034.6E	102 FEET	NIL	GROUP OF TREES
In circling area and at AD	TREE	190508.9N 0725033.3E	87 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190510.9N 0725033.4E	78 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190510.6N 0725031.0E	81 FEET	NO	SAI POOJA SOCIETY, PIPE TOP - 24.56 M, SINTEX TANK TOP - 24.21 M,BUILDING TOP(PARAPET WALL) - 22.75 M.
In circling area and at AD	TREE	190509.2N 0725028.9E	88 FEET	NO	COCONUT TREE
In circling area and at AD	TREE	190508.2N 0725027.5E	101 FEET	NO	TREE
In circling area and at AD	BUILDING	190509.6N 0725025.6E	72 FEET	NO	SHEFALEE CHSL, STAIRCASE ROOM TOP - 21.92 M, BUILDING TOP(PARAPET WALL) - 20.48 M.
In circling area and at AD	POLE	190526.3N 0725036.1E	69 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190525.7N 0725031.7E	65 FEET	NO	TREE
In circling area and at AD	TREE	190525.6N 0725031.2E	63 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190526.8N 0725020.8E	90 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190507.6N 0725022.8E	104 FEET	NO	KALPANA, DISH TOP - 31.65 M, GRILL TOP - 31.39 M, STAIRCASE ROOM TOP - 30.17 M, BUILDING TOP(PARAPET WALL) - 29.39 M
In circling area and at AD	TREE	190509.3N 0725022.3E	96 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190508.6N 0725020.0E	87 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190508.1N 0725019.4E	93 FEET	NO	COCONUT TREE
In circling area and at AD	TREE	190507.7N 0725019.2E	100 FEET	NO	COCONUT TREE
In circling area and at AD	BUILDING	190507.1N 0725013.5E	100 FEET	NO	SETU APARTMENT, DISH TOP - 30.62 M, SHED TOP - 30.45 M, STAIRCASE ROOM TOP - 29.48 M, BUILDING TOP(PARAPET WALL) - 29.61 M
In circling area and at AD	OTHER	190515.1N 0725051.4E	17 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	OTHER	190515.2N 0725051.7E	17 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	OTHER	190513.7N 0725053.9E	29 FEET	NO	MOBILE ROAD TRAFFIC(ROAD ELEV - 3.73 M + 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	190513.7N 0725051.6E	30 FEET	NO	MOBILE ROAD TRAFFIC(ROAD ELEV - 4.21 M + 5M MOBILE TRAFFIC
In circling area and at AD	TREE	190512.3N 0725050.7E	43 FEET	NO	TREE
In circling area and at AD	TREE	190512.3N 0725052.0E	48 FEET	NO	TREE
In circling area and at AD	OTHER	190518.3N 0725051.1E	19 FEET	NO	APPROACH LIGHT
In circling area and at AD	OTHER	190518.3N 0725051.1E	19 FEET	NO	APPROACH LIGHT
In circling area and at AD	OTHER	190518.4N 0725051.1E	19 FEET	NO	APPROACH LIGHT
In circling area and at AD	OTHER	190518.4N 0725051.1E	19 FEET	NO	APPROACH LIGHT
In circling area and at AD	TREE	190529.4N 0725253.7E	102 FEET	NO	TREE
In circling area and at AD	BUILDING	190529.0N 0725253.8E	107 FEET	NO	MOSQUE
In circling area and at AD	TREE	190528.4N 0725253.3E	100 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190528.5N 0725253.8E	101 FEET	NO	TREE
In circling area and at AD	BUILDING	190529.0N 0725258.1E	104 FEET	NO	NAAZ RESTAURANT, VENT TOP - 31.59 M, STAIRCASE ROOM TOP - 29.74 M, BUILDING TOP - 27.05 M.
In circling area and at AD	BUILDING	190528.3N 0725258.1E	102 FEET	LGTD	CELLPHONE MAST TOP ON SILVER STAR BUILDING (BUILDING TOP - 25.82 M)
In circling area and at AD	TREE	190527.7N 0725256.6E	85 FEET	NO	TREE
In circling area and at AD	BUILDING	190526.9N 0725255.3E	65 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190526.6N 0725255.2E	66 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190526.3N 0725255.2E	66 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190526.2N 0725255.1E	66 FEET	NO	PUCCA HOUSE
In circling area and at AD	POLE	190526.6N 0725256.2E	70 FEET	NO	LIGHT POLE
In circling area and at AD	BUILDING	190526.5N 0725256.4E	68 FEET	NO	HUTMENT
In circling area and at AD	OTHER	190526.9N 0725257.5E	84 FEET	NO	SHED TOP
In circling area and at AD	BUILDING	190526.4N 0725258.6E	80 FEET	NO	HUT
In circling area and at AD	TREE	190526.1N 0725257.1E	103 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190525.1N 0725255.4E	59 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190525.0N 0725254.5E	77 FEET	NO	PUCCA HOUSE/ SEMI STRUCTURED, STAIRCASE ROOM TOP - 23.46 M, GRILL TOP - 22.54 M, BUILDING TOP - 21.89 M.
In circling area and at AD	TREE	190525.5N 0725254.5E	107 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190526.3N 0725253.3E	81 FEET	NO	HUT ON HILL LOCK
In circling area and at AD	TREE	190525.2N 0725253.4E	79 FEET	NO	GROUP OF TREES
In circling area and at AD	OTHER	190526.1N 0725301.3E	83 FEET	NO	SHED TOP
In circling area and at AD	OTHER	190527.1N 0725301.1E	83 FEET	NO	SHED TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190529.1N 0725259.8E	107 FEET	LGTD	SILVER SARC CHS, CELLPHONE MAST TOP - 32.70 M, STAIRCASE ROOM TOP - 28.07 M, BUILDING TOP - 26.57 M
In circling area and at AD	BUILDING	190529.2N 0725302.2E	111 FEET	LGTD	SAGAR PLAZA, CELLPHONE MAST TOP - 33.92 M, CELLPHONE MAST TOP - 33.85 M, STAIRCASE ROOM TOP - 29.37 M, BUILDING TOP - 26.47 M.
In circling area and at AD	TREE	190528.3N 0725302.8E	103 FEET	NO	TREE
In circling area and at AD	TREE	190527.4N 0725303.4E	80 FEET	NO	TREE
In circling area and at AD	TREE	190527.7N 0725304.5E	73 FEET	NO	TREE
In circling area and at AD	BUILDING	190527.1N 0725304.0E	66 FEET	NO	PUCCA HOUSE/ SEMI STRUCTURED, DISH TOP - 20.13 M, WATER TANK TOP - 19.66 M, BUILDING TOP - 18.27 M
In circling area and at AD	BUILDING	190527.2N 0725306.3E	67 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190527.3N 0725307.0E	71 FEET	NO	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 21.49 M, BUILDING TOP - 19.92 M
In circling area and at AD	BUILDING	190527.6N 0725308.9E	79 FEET	NO	PUCCA HOUSE/ SEMI STRUCTURED, STAIRCASE ROOM TOP - 24.16 M, BUILDING TOP - 22.59 M
In circling area and at AD	STACK	190512.8N 0725253.6E	79 FEET	NO	CHIMNEY
In circling area and at AD	OTHER	190513.2N 0725253.8E	76 FEET	NO	TOWER TOP ON INSIDE ALL INDIA GAS WORK PVT LTD
In circling area and at AD	TREE	190514.5N 0725252.8E	89 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190513.6N 0725302.0E	66 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190512.5N 0725300.5E	83 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190528.9N 0725312.0E	98 FEET	LGTD	HUTMENT, CELLPHONE MAST - 30.03 M, HUTMENT TOP - 27.00 M
In circling area and at AD	BUILDING	190532.1N 0725317.5E	141 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190531.5N 0725317.7E	167 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190530.8N 0725318.3E	206 FEET	NO	TREE ON HILL
In circling area and at AD	BUILDING	190530.9N 0725317.8E	173 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190530.5N 0725318.1E	183 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190530.4N 0725318.0E	179 FEET	NO	HUT ON HILL LOCK
In circling area and at AD	BUILDING	190529.8N 0725317.6E	170 FEET	NO	HUT ON HILL LOCK
In circling area and at AD	NATURAL HIGHPOINT	190530.2N 0725318.1E	184 FEET	NO	HILL TOP
In circling area and at AD	BUILDING	190530.1N 0725318.4E	183 FEET	NO	HUT
In circling area and at AD	BUILDING	190529.9N 0725318.9E	184 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190529.5N 0725318.2E	176 FEET	NO	HUT ON HILL LOCK
In circling area and at AD	NATURAL HIGHPOINT	190528.6N 0725317.3E	151 FEET	NO	MASJIT ON HILL LOCK
In circling area and at AD	TREE	190512.4N 0725313.3E	90 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190512.0N 0725313.1E	91 FEET	LGTD	BUILDING, CELLPHONE MAST TOP - 27.61 M, BUILDING TOP - 27.61 M.
In circling area and at AD	TANK	190511.1N 0725315.5E	99 FEET	NO	OVER HEAD WATER TANK
In circling area and at AD	BUILDING	190511.4N 0725315.6E	100 FEET	LGTD	RMC PLANT, OBSTRUCTION LIGHT TOP - 30.51 M, RMC PLANT TOP - 29.26 M.
In circling area and at AD	BUILDING	190530.2N 0725317.4E	190 FEET	NO	MOSQUE TOP
In circling area and at AD	BUILDING	190530.6N 0725328.9E	153 FEET	NO	PUCCA HOUSE
In circling area and at AD	ANTENNA	190531.2N 0725329.9E	170 FEET	LGTD	CELLPHONE MAST
In circling area and at AD	TREE	190534.2N 0725326.6E	215 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190533.7N 0725325.6E	213 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190533.9N 0725325.6E	207 FEET	NO	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190534.0N 0725325.6E	213 FEET	NO	PUCCA HOUSE
In circling area and at AD	NATURAL HIGHPOINT	190534.2N 0725325.2E	223 FEET	NO	HILL
In circling area and at AD	BUILDING	190535.2N 0725326.0E	216 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190534.8N 0725327.1E	211 FEET	NO	TREE
In circling area and at AD	BUILDING	190534.0N 0725328.4E	184 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190532.7N 0725328.3E	167 FEET	NO	HUTMENT, DISH ANTENNA TOP - 50.99 M, HUTMENT TOP - 50.07 M.
In circling area and at AD	BUILDING	190532.0N 0725330.1E	195 FEET	LGTD	MOSQUE, POLE TOP - 59.49 M, CELLPHONE MAST - 54.68 M, MINAR TOP - 54.47 M, MINAR TOP - 53.77 M, BUILDING TOP (PARAPET WALL) - 49.60 M.
In circling area and at AD	TREE	190532.1N 0725330.9E	172 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190531.8N 0725333.9E	157 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190533.8N 0725336.2E	155 FEET	NO	GROUP OF COCONUT TREES
In circling area and at AD	TREE	190532.8N 0725337.3E	151 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190532.8N 0725341.7E	178 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190533.5N 0725341.0E	161 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190533.8N 0725342.1E	178 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190535.0N 0725343.5E	185 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190535.8N 0725343.7E	211 FEET	NO	TREE
In circling area and at AD	BUILDING	190535.4N 0725345.4E	191 FEET	NO	PUCCA HOUSE/ SEMI STRUCTURED, SINTEX TANK TOP - 58.27 M, BUILDING TOP - 57.40 M
In circling area and at AD	BUILDING	190533.5N 0725346.1E	199 FEET	NO	PUCCA HOUSE, DISH ANTENNA TOP - 60.80 M, PUCCA HOUSE TOP - 59.90 M.
In circling area and at AD	BUILDING	190533.4N 0725346.0E	196 FEET	NO	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190532.9N 0725344.4E	205 FEET	NO	PUCCA HOUSE
In circling area and at AD	NAVAID	190520.6N 0725251.9E	40 FEET	LGTD	LOCALIZER ANTENNA, OBSTRUCTION LIGHT TOP - 12.33 M, OBSTRUCTION LIGHT TOP - 12.33 M, ANTENNA TOP - 12.23 M.
In circling area and at AD	TREE	190513.8N 0725248.7E	70 FEET	NO	COCONUT TREE
In circling area and at AD	NAVAID	190520.7N 0725252.1E	43 FEET	NO	LOCALIZER, LIGHTNING ARRESTER TOP
In circling area and at AD	TREE	190513.0N 0725251.6E	76 FEET	NO	TREE
In circling area and at AD	TREE	190515.3N 0725251.0E	102 FEET	NO	GROUP OF TREES
In circling area and at AD	NAVAID	190520.1N 0725252.3E	50 FEET	NO	LOCALIZER MONITOR ANTENNA, LIGHTNING ARRESTER TOP - 15.14 M, ANTENNA TOP - 14.47 M.
In circling area and at AD	OTHER	190518.9N 0725251.8E	42 FEET	NO	JET BLAST(RWY 27)
In circling area and at AD	TREE	190534.6N 0725327.6E	202 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190525.3N 0725254.6E	93 FEET	NO	TREE
In circling area and at AD	TREE	190515.3N 0725243.3E	54 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190514.3N 0725246.9E	73 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190515.1N 0725248.8E	74 FEET	NO	TREE
In circling area and at AD	TREE	190513.7N 0725250.7E	78 FEET	NO	TREE
In circling area and at AD	TREE	190511.6N 0725253.5E	93 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190511.6N 0725256.1E	95 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190513.8N 0725301.2E	78 FEET	NO	GROUP OF TREES
In circling area and at AD	NATURAL HIGHPOINT	190524.8N 0725253.4E	69 FEET	NO	HILL
In circling area and at AD	TREE	190525.3N 0725254.7E	92 FEET	NO	TREE
In circling area and at AD	NATURAL HIGHPOINT	190526.7N 0725253.3E	71 FEET	NO	HILL
In circling area and at AD	TREE	190529.2N 0725258.2E	106 FEET	NO	GROUP OF COCONUT TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190529.3N 0725300.0E	100 FEET	NO	GROUP OF COCONUT TREES
In circling area and at AD	BUILDING	190528.4N 0725301.5E	85 FEET	NO	MASJID, MINAR TOP - 26.00 M, BUILDING TOP(PARAPET WALL) - 21.79 M.
In circling area and at AD	BUILDING	190528.4N 0725300.7E	88 FEET	NO	BUILDING, DISH ANTENNA TOP - 26.66 M, STAIRCASE ROOM TOP - 25.73 M, BUILDING TOP(PARAPET WALL) - 24.63 M.
In circling area and at AD	TREE	190528.1N 0725258.9E	101 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190527.8N 0725303.6E	80 FEET	NO	COCONUT TREE
In circling area and at AD	TREE	190510.5N 0725308.5E	108 FEET	NO	GROUP OF COCONUT TREES
In circling area and at AD	TREE	190511.6N 0725315.3E	96 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190511.8N 0725315.0E	96 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190532.0N 0725334.8E	145 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190534.9N 0725344.9E	225 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190616.9N 0725315.0E	237 FEET	NO	STAIRCASE - 72.27 M, ROOF TOP - 69.96 M
In circling area and at AD	BUILDING	190607.5N 0725444.1E	199 FEET	NO	LMR - 60.55 M, OHT - 59.24 M
In circling area and at AD	POLE	190542.5N 0725133.6E	46 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190543.6N 0725129.9E	71 FEET	NO	TREE
In circling area and at AD	TREE	190543.9N 0725129.8E	80 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190544.1N 0725129.4E	72 FEET	NO	TREE
In circling area and at AD	TREE	190544.3N 0725129.0E	88 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190544.8N 0725130.1E	59 FEET	LGTD	AIRSIDE CIVIL MAINTENANCE OFFICE BUILDING, OBSTRUCTION LIGHT - 18.03 M, BUILDING TOP - 17.03 M
In circling area and at AD	TREE	190546.3N 0725126.9E	74 FEET	NO	TREE
In circling area and at AD	TREE	190545.6N 0725125.9E	107 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190548.1N 0725123.4E	95 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190548.7N 0725118.4E	135 FEET	NO	TERMINAL 9, ANTENNA TOP - 41.17 M, ANTENNA TOP - 41.14 M, ANTENNA TOP - 40.80 M, DESIGN TOP - 38.88 M, BUILDING TOP(PARAPET WALL) - 36.37 M.
In circling area and at AD	BUILDING	190548.9N 0725118.8E	129 FEET	NO	ORCHID HOTEL BUILDING TOP
In circling area and at AD	BUILDING	190549.3N 0725119.2E	147 FEET	LGTD	HOTEL ORCHID, LIGHTNING ARRESTER TOP - 44.71 M, OBSTRUCTION LIGHT TOP - 41.34 M, HOARDING TOP - 40.54 M, BUILDING TOP - 39.15 M, BUILDING TOP - 36.32 M.
In circling area and at AD	TREE	190550.2N 0725122.2E	85 FEET	NO	HOTEL ORCHID, LIGHTNING ARRESTER TOP - 44.71 M, OBSTRUCTION LIGHT TOP - 41.34 M, HOARDING TOP - 40.54 M, BUILDING TOP - 39.15 M, BUILDING TOP - 36.32 M.
In circling area and at AD	BUILDING	190550.2N 0725122.7E	52 FEET	NO	BUILDING
In circling area and at AD	OTHER	190550.2N 0725123.0E	52 FEET	NO	SHIVRASHTRA MITHRUMANDAL SHED
In circling area and at AD	BUILDING	190550.6N 0725122.9E	55 FEET	NO	BUILDING
In circling area and at AD	BUILDING	190550.5N 0725123.4E	48 FEET	NO	BUILDING
In circling area and at AD	BUILDING	190550.6N 0725124.1E	48 FEET	NO	HUT
In circling area and at AD	TREE	190550.9N 0725123.4E	78 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190551.0N 0725124.0E	48 FEET	NO	HUT
In circling area and at AD	BUILDING	190551.3N 0725123.6E	52 FEET	NO	HUTMENT, DISH ANTENNA TOP - 15.67 M, HUTMENT TOP - 14.95 M.
In circling area and at AD	BUILDING	190551.5N 0725123.5E	48 FEET	NO	HUT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190551.6N 0725123.3E	53 FEET	NO	DISH ANTENNA TOP
In circling area and at AD	BUILDING	190551.6N 0725123.4E	54 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190551.7N 0725123.2E	49 FEET	NO	HUT
In circling area and at AD	BUILDING	190551.5N 0725122.5E	52 FEET	NO	BUILDING
In circling area and at AD	BUILDING	190551.7N 0725122.2E	55 FEET	NO	BUILDING
In circling area and at AD	TREE	190552.3N 0725122.5E	98 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190552.1N 0725122.1E	53 FEET	NO	BUILDING
In circling area and at AD	BUILDING	190550.3N 0725116.2E	117 FEET	NO	HENRY PLAZA, PIPE TOP - 35.60 M, BUILDING TOP - 34.06 M.
In circling area and at AD	BUILDING	190551.6N 0725116.6E	109 FEET	NO	ENTERPRISE CENTRE, LIGHTNING ARRESTER TOP - 33.16 M, BUILDING TOP - 32.21 M
In circling area and at AD	BUILDING	190552.1N 0725115.6E	114 FEET	NO	PRESSMAN HOUSE, POLE TOP - 34.58 M, POLE TOP - 34.32 M, SINTEX TANK TOP - 33.64 M, BUILDING TOP(PARAPET WALL) - 32.31 M
In circling area and at AD	BUILDING	190552.7N 0725116.8E	97 FEET	NO	ENTERPRISE CENTER BUILDING TOP(B)
In circling area and at AD	BUILDING	190553.5N 0725115.8E	94 FEET	NO	HOTEL AIRLINK, HOARDING TOP - 28.56 M, SOLAR PANEL TOP - 27.99 M, BUILDING TOP(SLAB) - 26.26 M.
In circling area and at AD	BUILDING	190553.3N 0725117.1E	87 FEET	LGTD	MALKANI CHAMBERS, OBSTRUCTION LIGHT TOP - 26.37 M, BUILDING TOP - 25.62 M.
In circling area and at AD	TREE	190552.9N 0725118.3E	96 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190552.9N 0725118.7E	85 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190552.8N 0725120.9E	54 FEET	NO	HUT
In circling area and at AD	TREE	190553.6N 0725119.9E	90 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190554.2N 0725118.9E	57 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190554.3N 0725118.3E	57 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190554.9N 0725117.7E	55 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190555.9N 0725116.5E	51 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190603.0N 0725125.7E	68 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190602.9N 0725126.4E	65 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190602.6N 0725126.0E	60 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190602.5N 0725125.2E	69 FEET	NO	TREE
In circling area and at AD	BUILDING	190600.3N 0725127.0E	62 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190600.7N 0725126.6E	62 FEET	NO	PUCCA HOUSE-DISH ANTENNA TOP-18.78 M
In circling area and at AD	BUILDING	190600.9N 0725126.8E	64 FEET	NO	PUCCA HOUSE-DISH ANTENNA TOP-19.39 M
In circling area and at AD	BUILDING	190600.6N 0725128.0E	64 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190604.5N 0725127.6E	100 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190606.3N 0725125.5E	104 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190609.1N 0725125.4E	121 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190611.3N 0725120.2E	101 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190609.1N 0725121.3E	88 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190606.8N 0725122.4E	68 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190606.2N 0725122.5E	64 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190606.3N 0725123.0E	67 FEET	NO	PUCCA HOUSE, DISH ANTENNA TOP - 20.25 M, PUCCA HOUSE TOP - 19.54 M.
In circling area and at AD	BUILDING	190606.0N 0725123.1E	65 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190605.6N 0725123.2E	65 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190556.7N 0725115.2E	95 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190555.7N 0725114.7E	103 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190558.7N 0725109.7E	100 FEET	LGTD	LAXMI NIWAS, CELLPHONE MAST TOP - 30.60 , CELLPHONE MAST TOP - 29.47 M, STAIRCASE ROOM TOP - 23.99 M, BUILDING TOP - 21.48 M
In circling area and at AD	TREE	190557.6N 0725110.9E	108 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190601.4N 0725108.2E	82 FEET	NO	JEEVANATHA HOUSE, SINTEX TANK TOP - 24.93 M, HEATER TOP - 24.75 M, STAIRCASE TOP - 23.84 M, BUILDING TOP - 22.91 M.
In circling area and at AD	BUILDING	190600.6N 0725109.0E	75 FEET	NO	ROYAL APARTMENT CHS, STAIRCASE ROOM TOP - 22.76 M, BUILDING TOP - 21.48 M.
In circling area and at AD	TREE	190600.5N 0725109.4E	71 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190558.6N 0725112.5E	92 FEET	NO	HIGHWAY ROSE CHS, STAIRCASE TOP - 27.86 M, SINTEX TANK TOP - 27.76 M, BUILDING TOP - 26.63 M
In circling area and at AD	TREE	190615.6N 0725116.2E	100 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190614.9N 0725116.1E	97 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190614.4N 0725115.8E	83 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190607.2N 0725058.3E	106 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190608.5N 0725057.9E	99 FEET	NO	ZEE USHA NIKETAN, ANTENNA TOP - 30.06 M, STAIRCASE ROOM TOP - 29.87 M, BUILDING TOP - 28.57 M.
In circling area and at AD	BUILDING	190612.4N 0725051.5E	115 FEET	NO	IRENE CHS, PIPETOP - 35.24 M, STAIRCASE TOP - 34.84 M, BUILDING TOP - 33.65 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190621.0N 0725110.5E	102 FEET	LGTD	MAHILA SANGH SCHOOL, PIPE TOP - 31.23 M, OBSTRUCTION LIGHT TOP - 30.54 M, STAIRCASE TOP - 30.03 M, SINTEX TANK TOP - 29.98 M, BUILDING TOP - 28.99 M.
In circling area and at AD	BUILDING	190626.2N 0725106.6E	117 FEET	NO	E SQUARE BUILDING
In circling area and at AD	BUILDING	190626.1N 0725109.3E	155 FEET	NO	ITD CEMENTATION INDIA LTD, ANTENNA TOP - 47.16 M, STAIRCASE ROOM TOP - 37.14 M, BUILDING TOP - 35.59 M
In circling area and at AD	BUILDING	190626.0N 0725110.5E	152 FEET	LGTD	VIACOM 18 MEDIA PVT. LTD., OBSTRUCTION LIGHT TOP - 46.17 M, ANTENNA TOP - 45.87 M, BUILDING TOP - 44.05 M.
In circling area and at AD	BUILDING	190627.5N 0725108.2E	150 FEET	NO	RAM MILAN PREMISES, STAIRCASE ROOM TOP - 45.57 M, BUILDING TOP - 44.40 M.
In circling area and at AD	BUILDING	190628.3N 0725105.1E	142 FEET	LGTD	VYOM ARCADE, CELLPHONE MAST TOP - 43.30 M, BUILDING TOP - 36.74 M.
In circling area and at AD	BUILDING	190629.6N 0725105.5E	145 FEET	LGTD	PRIUS INFINITY, CELLPHONE MAST TOP - 44.23 M, BUILDING TOP - 37.52 M
In circling area and at AD	BUILDING	190631.6N 0725104.5E	177 FEET	NO	SANGITA ELLIPSE, ANTENNA TOP - 54.08 M, GRILL TOP - 53.15 M, BUILDING TOP - 52.21 M.
In circling area and at AD	ANTENNA	190631.5N 0725103.9E	176 FEET	NO	ANTENNA TOP
In circling area and at AD	BUILDING	190630.2N 0725104.0E	131 FEET	NO	SAHAS BUILDING
In circling area and at AD	BUILDING	190631.1N 0725102.6E	131 FEET	NO	AMOGH ADGURE CHS, SINTEX TANK TOP - 39.86 M, STAIRCASE ROOM TOP - 38.50 M, BUILDING TOP - 37.43 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190634.3N 0725101.5E	150 FEET	NO	GEETANJALI, SINTEX TANK TOP - 45.66 M, STAIRCASE ROOM TOP - 44.46 M, BUILDING TOP - 43.38 M.
In circling area and at AD	BUILDING	190635.6N 0725102.0E	164 FEET	NO	LAXMI PALACE - 10, SINTEX TANK TOP - 49.97 M, BUILDING TOP - 48.52 M
In circling area and at AD	BUILDING	190614.3N 0725049.3E	119 FEET	NO	TRUPTI SHAMIK'S MARVAL (B WING), PIPE TOP - 36.16 M, GRILL TOP - 35.29 M, ANTENNA TOP - 35.51 M, BUILDING TOP - 34.82 M
In circling area and at AD	BUILDING	190614.7N 0725048.6E	125 FEET	NO	VISHNU PRASD SOCIETY, STAIRCASE ROOM TOP - 38.06, BUILDING TOP - 35.44 M, BUILDING TOP - 35.46 M
In circling area and at AD	BUILDING	190648.9N 0725050.3E	196 FEET	NO	KALEDONIA, ANTENNA TOP - 59.75 M, BUILDING TOP - 57.71 M
In circling area and at AD	BUILDING	190650.0N 0725049.0E	196 FEET	NO	KALEDONIA, ANTENNA TOP - 59.85 M, BUILDING TOP - 57.88 M
In circling area and at AD	BUILDING	190650.0N 0725048.5E	191 FEET	NO	KALEDONIA, DISH ANTENNA TOP - 58.18 M, DISH ANTENNA TOP - 58.08 M, ANTENNA TOP - 58.16, ANTENNA TOP - 58.12 M, BUIDING TOP - 56.20 M, BUILDING TOP - 56.08 M.
In circling area and at AD	BUILDING	190649.9N 0725048.0E	193 FEET	NO	KALEDONIA, FIRE EXTINGUISHER TOP - 58.78 M, BUILDING TOP(PARAPET WALL) - 58.33 M.
In circling area and at AD	BUILDING	190650.1N 0725047.8E	182 FEET	NO	KALEDONIA, ANTENNA TOP - 55.62 M, BUILDING TOP - 49.80 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	POLE	190542.8N 0725132.8E	46 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190542.5N 0725130.9E	76 FEET	NO	GROUP OF TREES
In circling area and at AD	POLE	190543.1N 0725132.6E	46 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190543.8N 0725131.9E	46 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190544.5N 0725131.2E	47 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190543.0N 0725129.5E	86 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190543.3N 0725129.5E	81 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190545.5N 0725128.0E	80 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190549.8N 0725121.2E	87 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190549.4N 0725122.7E	82 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190549.1N 0725123.2E	70 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190550.4N 0725123.2E	76 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190548.6N 0725122.3E	99 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190547.9N 0725123.3E	96 FEET	NO	GROUP OF TREES
In circling area and at AD	FENCE	190550.8N 0725123.9E	47 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	POLE	190551.4N 0725123.8E	46 FEET	NO	LIGHT POLE
In circling area and at AD	FENCE	190551.2N 0725124.0E	43 FEET	NO	PIDS FENCING
In circling area and at AD	BUILDING	190551.9N 0725123.0E	55 FEET	NO	HUTMENT TOP
In circling area and at AD	TREE	190551.8N 0725122.8E	87 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190551.9N 0725122.7E	88 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190552.3N 0725122.5E	97 FEET	NO	TREE
In circling area and at AD	TREE	190552.6N 0725121.9E	77 FEET	NO	TREE
In circling area and at AD	POLE	190552.8N 0725122.4E	47 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190551.9N 0725118.0E	93 FEET	NO	TREE
In circling area and at AD	TREE	190553.2N 0725121.6E	67 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190552.9N 0725120.6E	55 FEET	NO	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190553.2N 0725120.5E	52 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190554.2N 0725118.2E	60 FEET	NO	HUTMENT, DISH ANTENNA TOP - 18.18 M, HUTMENT TOP - 17.30 M.
In circling area and at AD	BUILDING	190601.7N 0725126.0E	62 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190601.6N 0725126.1E	65 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190600.9N 0725108.4E	81 FEET	NO	KALPATHARU CHS, SHED TOP - 24.71 M, BUILDING TOP(PARAPET WALL) - 23.55 M.
In circling area and at AD	OTHER	190553.7N 0725133.0E	60 FEET	LGTD	WIND SOCK, OBSTRUCTION LIGHT - 18.28 M, WIND SOCK TOP - 18.09 M.
In circling area and at AD	BUILDING	190551.3N 0725118.2E	135 FEET	LGTD	THE ORCHID HOTEL, OBSTRUCTION LIGHT TOP - 41.21 M, HOARDING TOP - 40.37 M, SHED TOP - 39.82 M, ANTENNA TOP - 38.43 M, MOBILE ANTENNA TOP - 37.84 M, SINTEX TANK TOP - 37.05 M, STAIRCASE ROOM TOP - 36.73 M, BUILDING TOP (PARAPET WALL) - 34.53 M
In circling area and at AD	BUILDING	190550.6N 0725115.1E	120 FEET	LGTD	T24 DETDO, LIGHTNING ARRESTER TOP - 36.71 M, OBSTRUCTION LIGHT TOP - 36.12 M, WATER TANK TOP - 35.21 M, SHED TOP - 34.65 M, BUILDING TOP(SLAB) - 33.07 M.
In circling area and at AD	BUILDING	190610.4N 0725046.2E	189 FEET	NO	DARSHAN, BUILDING (U/C) TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 57.65 M, STAIRCASE TOP - 52.03 M, BUILDING TOP(SLAB) - 51.46 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190635.8N 0725101.5E	166 FEET	NO	LAXMI PALACE - A WING, SINTEX TANK TOP - 50.49 M, SHED TOP - 49.59 M, BUILDING TOP(PARAPET WALL) - 48.77 M
In circling area and at AD	BUILDING	190547.7N 0725154.6E	128 FEET	NO	CELLPHONE MAST ON BUILDING (BUILDING TOP - 36.76 M, STAIRCASE ROOM TOP - 38.76, CELLPHONE MAST TOP - 38.91 M)
In circling area and at AD	TREE	190500.1N 0725216.5E	67 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190457.8N 0725215.6E	89 FEET	NO	GROUP OF TREES
In circling area and at AD	POLE	190442.9N 0725236.0E	51 FEET	NO	LIGHT POLE
In circling area and at AD	BUILDING	190442.6N 0725236.0E	41 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190432.0N 0725243.4E	89 FEET	LGTD	ALBAITUNNUR, CELLPHONE MAST TOP - 27.12 M, HOARDING TOP - 23.47 M, BUILDING TOP(PARAPET WALL) - 23.46 M
In circling area and at AD	TREE	190434.2N 0725241.4E	80 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190435.4N 0725241.2E	68 FEET	NO	HOTAL KALPANA RESIDENCY, POLE TOP - 20.77 M, SHED TOP - 19.88 M, BUILDING TOP(PARAPET WALL) - 19.47 M.
In circling area and at AD	TREE	190434.6N 0725242.8E	92 FEET	NO	TREE
In circling area and at AD	TREE	190435.4N 0725242.3E	76 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190446.1N 0725249.4E	52 FEET	NO	GOAWALA, ANTENNA TOP - 15.70 M, STAIRCASE ROOM TOP - 15.31 M, BUILDING TOP(PARAPET WALL) - 13.67 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190444.0N 0725252.7E	69 FEET	LGTD	AMAN, DISH ANTENNA TOP - 20.94 M, OBSTRUCTION LIGHT TOP - 20.54 M, WATER TANK TOP - 20.07 M, WATER TANK TOP - 19.97 M, BUILDING TOP(SLAB) - 19.20 M.
In circling area and at AD	TREE	190445.9N 0725252.3E	72 FEET	NO	COCONUT TREE
In circling area and at AD	BUILDING	190447.8N 0725251.0E	82 FEET	NO	MILESTONE BUSINESS POINT, ANTENNA TOP - 24.96 M, DISH ANTENNA TOP - 24.63 M, WATER TANK TOP - 24.37 M, BUILDING TOP(SLAB) - 23.81 M.
In circling area and at AD	TREE	190450.1N 0725248.5E	92 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190443.4N 0725257.6E	102 FEET	NO	STAR RESIDENCY, STAIRCASE ROOM TOP - 31.17 M, BUILDING TOP - 29.92 M
In circling area and at AD	BUILDING	190441.3N 0725257.1E	76 FEET	NO	MUKTANAND, STAIRCASE ROOM TOP - 23.15 M, BUILDING TOP - 22.05 M
In circling area and at AD	BUILDING	190441.5N 0725256.3E	77 FEET	NO	MUKTANAND, PIPE TOP - 23.61 M, STAIRCASE ROOM TOP - 23.09 M, BUILDING TOP - 21.95 M
In circling area and at AD	BUILDING	190441.1N 0725259.6E	120 FEET	LGTD	BUILDING, CELLPHONE MAST TOP - 36.68 M, STAIRCASE ROOM TOP - 29.24 M, BUILDING TOP - 27.01 M
In circling area and at AD	BUILDING	190439.2N 0725302.6E	120 FEET	NO	SVC CO-OPERATIVE BANK LTD, STAIRCASE ROOM TOP - 36.71 M, BUILDING TOP - 34.12 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190439.1N 0725305.4E	135 FEET	NO	KOHINOOR CITY PHASE 1, LIGHTNING ARRESTER TOP - 41.27 M, DISH TOP - 41.24 M, WATER TANK TOP - 40.33 M, BUILDING TOP - 39.24 M
In circling area and at AD	BUILDING	190438.0N 0725304.9E	135 FEET	NO	KOHINOOR CITY PHASE 2, LIGHTNING ARRESTER TOP - 41.26 M, DISH ANTENNA TOP - 41.11 M, WATER TANK TOP - 40.36 M, BUILDING TOP - 38.93 M
In circling area and at AD	BUILDING	190436.6N 0725310.8E	149 FEET	NO	STAIRCASE ROOM TOP ON HDIL BUILDING (BUILDING TOP-42.03 M)
In circling area and at AD	BUILDING	190434.4N 0725312.6E	150 FEET	NO	BUILDING (U/C) TOP.
In circling area and at AD	BUILDING	190432.8N 0725313.5E	158 FEET	NO	SRA, STAIRCASE ROOM TOP - 48.10 M, BUILDING TOP - 45.51 M
In circling area and at AD	BUILDING	190432.1N 0725314.4E	159 FEET	NO	SRA, STAIRCASE ROOM TOP - 48.50 M, BUILDING TOP - 45.46 M
In circling area and at AD	BUILDING	190431.6N 0725315.0E	159 FEET	NO	SRA, STAIRCASE ROOM TOP - 48.53 M, BUILDING TOP - 45.05 M
In circling area and at AD	BUILDING	190431.9N 0725315.5E	159 FEET	NO	SRA, STAIRCASE ROOM TOP - 48.47 M, BUILDING TOP - 45.57 M
In circling area and at AD	OTHER	190451.5N 0725229.4E	27 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190452.1N 0725231.9E	27 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190454.8N 0725235.3E	27 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190450.2N 0725232.2E	26 FEET	NO	SIGN BOARD
In circling area and at AD	FENCE	190452.7N 0725239.8E	31 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190452.6N 0725239.8E	28 FEET	NO	PIDS FENCING
In circling area and at AD	POLE	190451.8N 0725239.7E	26 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190451.5N 0725238.6E	28 FEET	NO	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190451.3N 0725239.3E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190450.8N 0725238.0E	29 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	OTHER	190450.7N 0725238.1E	29 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	OTHER	190450.4N 0725238.4E	28 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	TREE	190447.8N 0725248.0E	75 FEET	NO	GROUP OF COCONUT TREES
In circling area and at AD	TREE	190448.3N 0725248.3E	70 FEET	NO	GROUP OF TREES
In circling area and at AD	POLE	190443.7N 0725234.2E	49 FEET	NO	LIGHT POLE
In circling area and at AD	FENCE	190446.3N 0725235.3E	32 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	POLE	190446.5N 0725235.0E	28 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190448.1N 0725235.5E	26 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	FENCE	190447.1N 0725234.2E	29 FEET	NO	PIDS FENCING
In circling area and at AD	POLE	190447.1N 0725234.2E	29 FEET	NO	LIGHT POLE
In circling area and at AD	FENCE	190447.0N 0725234.2E	36 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190446.2N 0725233.7E	32 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	BUILDING	190436.0N 0725311.1E	152 FEET	NO	SAISIDDHI CHSL, STAIRCASE ROOM TOP - 46.19 M, BUILDING TOP(PARAPET WALL) - 42.72 M.
In circling area and at AD	BUILDING	190433.8N 0725314.0E	160 FEET	NO	SRA, STAIRCASE ROOM TOP - 48.71 M, BUILDING TOP(PARAPET WALL) - 45.41 M
In circling area and at AD	BUILDING	190434.2N 0725314.5E	160 FEET	NO	SRA, STAIRCASE ROOM TOP - 48.78 M, BUILDING TOP(PARAPET WALL) - 45.61 M
In circling area and at AD	OTHER	190447.1N 0725232.8E	30 FEET	NO	SIGN BOARD
In circling area and at AD	POLE	190446.9N 0725233.3E	27 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190447.3N 0725233.8E	27 FEET	NO	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190447.7N 0725233.6E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190447.7N 0725233.6E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190447.8N 0725234.1E	28 FEET	NO	TRAFFIC MIRROR POLE
In circling area and at AD	OTHER	190447.9N 0725234.1E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190448.8N 0725234.7E	26 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	BUILDING	190432.0N 0725244.7E	84 FEET	NO	AL-BAITUNNOOR 'B' WING APARTMENT, LADDER TOP - 25.47 M, WATER TANK TOP - 24.22 M, BUILDING TOP(PARAPET WALL) - 23.49 M
In circling area and at AD	TREE	190450.3N 0725245.2E	78 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190450.3N 0725245.5E	82 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190450.5N 0725246.4E	69 FEET	NO	DEEP PLAZA, ANTENNA TOP - 20.94 M, ANTENNA TOP - 20.87 M, WATER TANK TOP - 20.04 M, STAIRCASE ROOM TOP - 19.22 M, BUILDING TOP(PARAPET WALL) - 17.34 M.
In circling area and at AD	BUILDING	190448.8N 0725247.4E	62 FEET	NO	AUTOMOTIVE HOUSE, SHED TOP - 18.84 M, STAIRCASE ROOM TOP - 16.76 M, SINTEX TANK TOP - 15.68 M, BUILDING TOP(PARAPET WALL) - 13.97 M
In circling area and at AD	BUILDING	190445.0N 0725251.6E	72 FEET	LGTD	AMAN, OBSTRUCTION LIGHT TOP - 21.93 M, OBSTRUCTION LIGHT TOP - 21.85 M, WATER TANK TOP - 21.37 M, WATER TANK TOP - 21.34 M, WATER TANK TOP - 21.34 M, BUILDING TOP(SLAB) - 19.16 M.
In circling area and at AD	TREE	190435.0N 0725241.5E	70 FEET	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190433.6N 0725243.6E	82 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190427.6N 0725247.8E	89 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190438.7N 0725306.7E	136 FEET	NO	KOHINOOR CITY PHASE-2 WING-18, LIGHTNING ARRESTER TOP - 41.57 M, DISH ANTENNA TOP - 41.41 M, WATER TANK TOP - 40.57 M, BUILDING TOP(PARAPET WALL) - 39.20 M
In circling area and at AD	BUILDING	190438.9N 0725309.5E	161 FEET	NO	AMBE CHS, ANTENNA TOP - 49.21 M, STAIRCASE ROOM TOP - 46.09 M, BUILDING TOP(PARAPET WALL) - 42.80 M.
In circling area and at AD	BUILDING	190432.3N 0725244.1E	81 FEET	NO	BAITUNOOR, STAIRCASE ROOM TOP - 24.60 M, BUILDING TOP (PARAPET WALL) - 23.60 M
In circling area and at AD	BUILDING	190559.5N 0725128.0E	61 FEET	NO	HUTMENT, DISH ANTENNA TOP - 18.61 M, HUTMENT TOP - 17.50 M.
In circling area and at AD	BUILDING	190559.4N 0725128.2E	59 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190559.3N 0725128.4E	59 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190559.1N 0725128.8E	54 FEET	NO	HUTMENT TOP
In circling area and at AD	FENCE	190559.1N 0725128.9E	57 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190559.0N 0725128.8E	50 FEET	NO	PIDS FENCING
In circling area and at AD	POLE	190559.1N 0725128.7E	53 FEET	NO	CAMERA POLE
In circling area and at AD	POLE	190558.9N 0725128.5E	47 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190559.2N 0725127.7E	51 FEET	NO	SIGNAL POLE
In circling area and at AD	OTHER	190559.1N 0725127.7E	49 FEET	NO	SIGN BOARD
In circling area and at AD	POLE	190559.0N 0725127.9E	47 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190558.4N 0725128.6E	44 FEET	NO	TRAFFIC MIRROR POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190557.8N 0725127.5E	41 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190557.6N 0725128.0E	41 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190553.6N 0725128.9E	40 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190553.0N 0725133.0E	43 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190548.1N 0725134.9E	41 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190555.1N 0725140.6E	119 FEET	LGTD	AIR INDIA HANGAR DESIGN, OBSTRUCTION LIGHT TOP - 36.38 M, LIGHTNING ARRESTER TOP - 36.32 M, HANGAR TOP - 36.10 M
In circling area and at AD	OTHER	190554.5N 0725141.3E	119 FEET	LGTD	AIR INDIA HANGAR DESIGN, OBSTRUCTION LIGHT TOP - 36.37 M, HANGAR TOP - 36.00 M.
In circling area and at AD	TREE	190552.3N 0725142.7E	112 FEET	NO	GROUP OF TREES
In circling area and at AD	OTHER	190546.7N 0725140.7E	39 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190546.2N 0725140.3E	39 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190545.4N 0725140.5E	40 FEET	NO	SIGN BOARD
In circling area and at AD	NAVAID	190542.4N 0725145.3E	60 FEET	LGTD	GP MONITOR ANTENNA(NF ANTENNA), LIGHTNING ARRESTER TOP - 18.32 M, OBSTRUCTION LIGHT TOP - 17.26 M, ANTENNA TOP - 16.98 M.
In circling area and at AD	BUILDING	190546.8N 0725147.1E	147 FEET	LGTD	AIR TRAFFIC SERVICES, ANTENNA TOP - 44.69 M, ANTENNA TOP - 44.17 M, STAIRCASE ROOM TOP - 37.13 M, HOARDING TOP - 37.08, OBSTRUCTION LIGHT TOP - 36.02 M, LIGHTNING ARRESTER TOP - 36.01 M, BUILDING TOP - 33.63 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190545.8N 0725147.4E	115 FEET	NO	MLAT - S00 (RX/TX) ANTENNA TOP - 34.99 M, STRUCTURE TOP(ATS BUILDING TOP) - 33.75 M
In circling area and at AD	NAVAID	190540.7N 0725147.1E	89 FEET	LGTD	GLIDE PATH, LIGHTNING ARRESTER TOP - 27.23 M, OBSTRUCTION LIGHT TOP - 27.14 M, LIGHTNING ARRESTER TOP - 26.61 M, OBSTRUCTION LIGHT TOP - 25.78 M, ANTENNA TOP - 25.62 M
In circling area and at AD	NAVAID	190540.7N 0725147.3E	51 FEET	NO	GP DME
In circling area and at AD	OTHER	190540.6N 0725147.3E	46 FEET	LGTD	GP HUT, HUT TOP - 13.92 M, OBSTRUCTION LIGHT TOP - 13.90 M, OBSTRUCTION LIGHT TOP - 13.74 M
In circling area and at AD	OTHER	190540.2N 0725146.9E	41 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190538.2N 0725145.7E	38 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190537.4N 0725147.7E	36 FEET	NO	PAPI
In circling area and at AD	OTHER	190542.0N 0725149.3E	64 FEET	NO	CARGO SHED TOP
In circling area and at AD	OTHER	190540.8N 0725150.1E	56 FEET	NO	CARGO SHED TOP
In circling area and at AD	POLE	190540.2N 0725149.2E	44 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190539.5N 0725149.9E	44 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190538.9N 0725150.7E	43 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190538.2N 0725151.4E	42 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190539.0N 0725152.4E	60 FEET	NO	CARGO SHED TOP
In circling area and at AD	POLE	190537.6N 0725152.2E	41 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190536.9N 0725152.9E	40 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190537.1N 0725153.6E	57 FEET	NO	CARGO SHED TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190537.6N 0725153.7E	64 FEET	LGTD	CARGO SHED, OBSTRUCTION LIGHT TOP - 19.55 M, SHED TOP - 18.83 M
In circling area and at AD	POLE	190536.4N 0725153.5E	40 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190535.7N 0725151.8E	35 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190535.7N 0725151.7E	32 FEET	NO	ELECTRICAL JUNCTION BOX
In circling area and at AD	OTHER	190535.6N 0725151.7E	40 FEET	NO	MET ANTENNA, WDI TOP - 12.33 M, WSI TOP - 12.19 M, ANTENNA TOP - 12.07 M.
In circling area and at AD	OTHER	190535.6N 0725151.8E	54 FEET	LGTD	MET ANTENNA, LIGHTNING ARRESTER TOP - 16.61 M, DGPS TOP - 15.29 M, ANTENNA TOP - 15.08 M, OBSTRUCTION LIGHT TOP - 14.95 M, WDI TOP - 14.95 M, WSI TOP - 14.92 M.
In circling area and at AD	OTHER	190535.4N 0725152.0E	37 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190535.1N 0725152.4E	36 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190535.0N 0725152.5E	35 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190534.0N 0725150.2E	33 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190533.7N 0725153.8E	36 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190533.5N 0725153.8E	31 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190530.8N 0725156.7E	30 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190529.9N 0725157.8E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190528.7N 0725156.1E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190527.4N 0725157.5E	27 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190527.1N 0725202.3E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190524.1N 0725201.3E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.3N 0725158.9E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190524.6N 0725203.9E	25 FEET	NO	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190523.4N 0725205.9E	46 FEET	LGTD	WINDSOCK, OBSTRUCTION LIGHT TOP - 14.01 M, WINDSOCK TOP - 13.71 M.
In circling area and at AD	OTHER	190522.8N 0725206.7E	29 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190523.3N 0725207.1E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.7N 0725208.1E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.9N 0725210.3E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.1N 0725209.4E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.8N 0725215.8E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.0N 0725216.1E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.8N 0725220.4E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.1N 0725223.2E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.8N 0725225.3E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.7N 0725226.8E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.7N 0725226.8E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.2N 0725226.9E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.3N 0725226.8E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.2N 0725226.9E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.1N 0725226.8E	24 FEET	NO	PLASTIC PIPE MARKER
In circling area and at AD	OTHER	190523.3N 0725229.7E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.7N 0725230.6E	26 FEET	NO	BIRD SCARER SPEAKER MACHINE
In circling area and at AD	OTHER	190523.2N 0725231.8E	31 FEET	NO	MET ANTENNA, ANTENNA TOP - 9.37 M, WDI TOP - 9.24 M, WSI TOP - 9.21 M
In circling area and at AD	OTHER	190523.3N 0725231.9E	28 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190523.3N 0725232.0E	27 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190523.1N 0725232.4E	28 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190523.1N 0725233.0E	27 FEET	NO	TRANSMISSOMETER

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190524.0N 0725233.8E	45 FEET	LGTD	WINDSOCK, OBSTRUCTION LIGHT TOP - 13.57 M, WINDSOCK TOP - 13.28 M
In circling area and at AD	OTHER	190523.2N 0725234.1E	46 FEET	LGTD	MET ANTENNA, LIGHTNING ARRESTER TOP - 13.91 M, WDI TOP - 12.43 M, WSI TOP - 12.29 M, OBSTRUCTION LIGHT TOP - 12.28 M, ANTENNA TOP - 12.26 M, DGPS TOP - 12.13 M
In circling area and at AD	OTHER	190523.0N 0725234.3E	24 FEET	NO	ELECTRICAL JUNCTION BOX
In circling area and at AD	OTHER	190522.3N 0725234.2E	29 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190521.3N 0725233.5E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.3N 0725236.0E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.2N 0725242.5E	28 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.5N 0725245.3E	31 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.3N 0725246.5E	33 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190522.7N 0725251.1E	34 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.3N 0725251.2E	35 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.1N 0725252.4E	47 FEET	NO	APPROACH LIGHT
In circling area and at AD	NAVAID	190520.0N 0725252.1E	43 FEET	NO	LOCALIZER, LIGHTNING ARRESTER TOP
In circling area and at AD	OTHER	190520.1N 0725252.1E	38 FEET	NO	ELECTRICAL JUNCTION BOX
In circling area and at AD	OTHER	190520.0N 0725251.4E	43 FEET	NO	APPROACH LIGHT
In circling area and at AD	FENCE	190518.4N 0725252.4E	48 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	190516.2N 0725252.3E	88 FEET	NO	GROUP OF TREES
In circling area and at AD	FENCE	190516.4N 0725252.1E	50 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	POLE	190516.5N 0725251.9E	49 FEET	NO	CAMERA POLE
In circling area and at AD	OTHER	190516.5N 0725251.6E	41 FEET	NO	BIRD SCARER TENT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	POLE	190516.5N 0725251.5E	41 FEET	NO	LIGHT POLE
In circling area and at AD	BUILDING	190515.8N 0725251.4E	60 FEET	NO	HUTMENT
In circling area and at AD	TREE	190515.5N 0725251.2E	101 FEET	NO	GROUP OF TREES
In circling area and at AD	FENCE	190516.3N 0725251.3E	50 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190516.4N 0725251.0E	41 FEET	NO	PIDS FENCING
In circling area and at AD	POLE	190516.4N 0725250.4E	39 FEET	NO	LIGHT POLE
In circling area and at AD	FENCE	190516.1N 0725250.2E	53 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	190516.1N 0725250.2E	83 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190515.8N 0725250.4E	61 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190515.6N 0725250.5E	63 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190515.6N 0725250.8E	64 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190515.9N 0725249.8E	56 FEET	NO	HUTMENT TOP
In circling area and at AD	POLE	190516.3N 0725249.3E	38 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190516.9N 0725248.9E	32 FEET	NO	FIRE PIPE TOP
In circling area and at AD	FENCE	190516.2N 0725249.0E	38 FEET	NO	PIDS FENCING
In circling area and at AD	FENCE	190516.0N 0725248.9E	46 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	BUILDING	190515.8N 0725248.9E	50 FEET	NO	HUTMENT
In circling area and at AD	POLE	190516.2N 0725248.3E	35 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190516.0N 0725247.9E	57 FEET	NO	TREE
In circling area and at AD	BUILDING	190515.7N 0725247.7E	41 FEET	NO	HUTMENT
In circling area and at AD	POLE	190516.2N 0725247.3E	33 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190515.9N 0725246.8E	55 FEET	NO	TREE
In circling area and at AD	TREE	190515.9N 0725246.6E	55 FEET	NO	TREE
In circling area and at AD	BUILDING	190515.6N 0725246.2E	44 FEET	NO	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	FENCE	190516.2N 0725246.4E	32 FEET	NO	PIDS FENCING
In circling area and at AD	POLE	190516.1N 0725246.1E	33 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190515.8N 0725245.9E	68 FEET	NO	COCONUT TREE
In circling area and at AD	TREE	190515.6N 0725245.7E	66 FEET	NO	COCONUT TREE
In circling area and at AD	FENCE	190515.9N 0725245.7E	41 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	OTHER	190516.1N 0725245.4E	31 FEET	NO	BIRD SCARER TENT
In circling area and at AD	POLE	190516.1N 0725245.0E	31 FEET	NO	LIGHT POLE
In circling area and at AD	FENCE	190516.0N 0725244.2E	34 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	190515.8N 0725244.1E	40 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190516.1N 0725243.7E	31 FEET	NO	SECURITY HUT
In circling area and at AD	FENCE	190516.0N 0725243.5E	31 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	POLE	190516.0N 0725243.1E	33 FEET	NO	CAMERA POLE
In circling area and at AD	FENCE	190516.1N 0725243.1E	29 FEET	NO	PIDS FENCING
In circling area and at AD	OTHER	190516.3N 0725242.8E	28 FEET	NO	TRAFFIC MIRROR POLE
In circling area and at AD	FENCE	190516.0N 0725243.0E	32 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	190515.6N 0725243.1E	47 FEET	NO	GROUP OF TREES
In circling area and at AD	OTHER	190516.8N 0725240.6E	31 FEET	NO	BIRD SCARER TENT
In circling area and at AD	TREE	190514.0N 0725245.8E	61 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190514.1N 0725246.6E	69 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190515.4N 0725246.5E	43 FEET	NO	HUTMENT
In circling area and at AD	TREE	190515.0N 0725248.5E	73 FEET	NO	TREE
In circling area and at AD	BUILDING	190514.9N 0725249.2E	54 FEET	NO	HUTMENT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190515.1N 0725249.9E	67 FEET	NO	HUTMENT, STAIRCASE ROOM TOP - 20.52 M, HUTMENT TOP - 18.71 M.
In circling area and at AD	BUILDING	190514.9N 0725250.2E	67 FEET	NO	HUTMENT, DISH ANTENNA TOP - 20.50 M, HUTMENT TOP - 19.58 M
In circling area and at AD	BUILDING	190515.1N 0725250.1E	65 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190515.1N 0725250.7E	66 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190515.1N 0725251.3E	65 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190514.8N 0725250.8E	69 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190514.5N 0725250.9E	77 FEET	NO	HUTMENT, FLAG TOP - 23.53 M, HUTMENT TOP - 20.54 M.
In circling area and at AD	BUILDING	190514.5N 0725252.1E	56 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190514.3N 0725252.1E	67 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190514.1N 0725252.2E	69 FEET	NO	HUTMENT
In circling area and at AD	BUILDING	190513.8N 0725252.1E	66 FEET	NO	HUTMENT, FLAG TOP - 20.10 M, HUTMENT TOP - 14.47 M.
In circling area and at AD	NAVAID	190508.5N 0725234.3E	126 FEET	LGTD	SMR - 2(ASMGCS), LIGHTNING ARRESTER - 38.30 M, ANTENNA TOP - 35.99 M, PEDESTAL TOP - 35.56 M, OBSTRUCTION LIGHT - 34.26 M, GRILL TOP - 34.00 M
In circling area and at AD	OTHER	190500.0N 0725230.6E	27 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190500.0N 0725230.8E	57 FEET	LGTD	MET ANTENNA, LIGHTNING ARRESTER TOP - 17.46 M, OBSTRUCTION LIGHT TOP - 16.09 M, DGPS TOP - 15.68 M, ANTENNA TOP - 15.38 M
In circling area and at AD	OTHER	190459.7N 0725231.1E	45 FEET	LGTD	WINDSOCK, OBSTRUCTION LIGHT TOP - 13.73 M, WINDSOCK TOP - 13.51 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	FENCE	190451.0N 0725240.5E	29 FEET	NO	PIDS FENCING
In circling area and at AD	BUILDING	190445.7N 0725233.0E	37 FEET	LGTD	WATCH TOWER, OBSTRUCTION LIGHT TOP - 11.22 M, TOWER TOP - 10.28 M.
In circling area and at AD	OTHER	190502.1N 0725221.2E	24 FEET	NO	PAPI
In circling area and at AD	OTHER	190500.3N 0725219.8E	25 FEET	NO	BIRD SCARER TENT TOP
In circling area and at AD	OTHER	190500.7N 0725218.0E	23 FEET	NO	SIGN BOARD
In circling area and at AD	TREE	190500.6N 0725216.2E	65 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190459.8N 0725216.1E	74 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190458.1N 0725216.2E	64 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190501.7N 0725214.8E	73 FEET	NO	GROUP OF TREES
In circling area and at AD	POLE	190502.8N 0725215.1E	25 FEET	NO	LIGHT POLE
In circling area and at AD	TREE	190502.7N 0725214.0E	65 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190503.4N 0725212.5E	67 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190503.5N 0725211.8E	64 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190503.4N 0725211.1E	74 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190503.8N 0725209.6E	79 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190506.1N 0725210.0E	70 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190506.9N 0725210.0E	36 FEET	NO	TREE
In circling area and at AD	TREE	190507.2N 0725209.6E	57 FEET	NO	GROUP OF TREES
In circling area and at AD	POLE	190507.4N 0725210.4E	26 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190508.7N 0725210.7E	23 FEET	NO	BIRD SCARER TENT TOP
In circling area and at AD	OTHER	190510.0N 0725212.5E	23 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190510.1N 0725219.4E	25 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190512.2N 0725217.3E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190515.2N 0725215.7E	23 FEET	NO	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190515.4N 0725222.1E	33 FEET	LGTD	GP HUT, LIGHTNING ARRESTER TOP - 10.14 M, LIGHTNING ARRESTER TOP - 10.12 M, OBSTRUCTION LIGHT TOP - 9.88 M, OBSTRUCTION LIGHT TOP - 9.86 M, HUT TOP - 9.30 M.
In circling area and at AD	NAVAID	190515.5N 0725222.3E	32 FEET	NO	GP DME
In circling area and at AD	NAVAID	190515.6N 0725222.3E	72 FEET	LGTD	GLIDE PATH, LIGHTNING ARRESTER TOP - 22.00 M, OBSTRUCTION LIGHT TOP - 20.41 M, ANTENNA TOP - 20.12 M
In circling area and at AD	NAVAID	190515.7N 0725225.1E	38 FEET	LGTD	GP MONITOR ANTENNA(NF ANTENNA), LIGHTNING ARRESTER TOP - 11.60 M, OBSTRUCTION LIGHT TOP - 10.74 M, ANTENNA TOP - 10.36 M.
In circling area and at AD	OTHER	190516.2N 0725221.2E	24 FEET	NO	BIRD SCARER SPEAKER MACHINE
In circling area and at AD	OTHER	190516.4N 0725218.0E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190517.0N 0725217.7E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190518.2N 0725217.5E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190515.6N 0725213.5E	26 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190515.4N 0725204.1E	27 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190508.1N 0725207.3E	81 FEET	NO	IRON RAILING TOP
In circling area and at AD	TREE	190506.9N 0725206.6E	96 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190507.0N 0725206.4E	96 FEET	NO	TREE
In circling area and at AD	OTHER	190507.3N 0725200.8E	127 FEET	NO	MLAT - S09 (RMTR) ANTENNA, ANTENNA TOP - 38.70 M, STRUCTURE TOP - 36.53 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	POLE	190513.0N 0725157.1E	50 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190513.0N 0725156.5E	50 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190515.1N 0725157.7E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190515.5N 0725156.6E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190517.7N 0725151.9E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190516.4N 0725149.6E	29 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190512.0N 0725150.1E	74 FEET	NO	IRON RAILING TOP
In circling area and at AD	OTHER	190512.5N 0725147.0E	69 FEET	LGTD	TAJ AIR HANGAR, LIGHTNING ARRESTER - 21.03 M, OBSTRUCTION LIGHT - 21.01 M, HANGAR TOP - 20.53 M
In circling area and at AD	OTHER	190512.4N 0725145.3E	70 FEET	LGTD	INDAMER HANGAR, OBSTRUCTION LIGHT - 21.43 M, LIGHTNING ARRESTER - 21.31 M, HANGAR TOP - 20.72 M.
In circling area and at AD	TREE	190512.0N 0725144.3E	82 FEET	NO	TREE
In circling area and at AD	OTHER	190512.4N 0725143.4E	68 FEET	LGTD	AIRFORCE, OBSTRUCTION LIGHT - 20.74 M, HANGAR TOP - 20.49 M
In circling area and at AD	TREE	190509.3N 0725145.5E	111 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190508.6N 0725142.2E	127 FEET	NO	BUILDING, LIGHTNING ARRESTER - 38.79 M, STAIRCASE ROOM TOP - 29.35 M, BUILDING TOP - 25.86 M.
In circling area and at AD	OTHER	190512.0N 0725141.8E	70 FEET	LGTD	ESSAR HANGAR, OBSTRUCTION LIGHT - 21.45 M, HANGAR TOP - 20.43 M
In circling area and at AD	TREE	190509.4N 0725137.8E	111 FEET	NO	TREE
In circling area and at AD	BUILDING	190512.2N 0725140.4E	70 FEET	LGTD	RELIANCE, OBSTRUCTION LIGHT - 21.30 M, HANGAR TOP - 20.37 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190516.4N 0725145.0E	28 FEET	NO	BIRD SCARER SPEAKER
In circling area and at AD	OTHER	190517.6N 0725142.2E	25 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190516.2N 0725138.6E	27 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190517.4N 0725138.0E	23 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.0N 0725139.9E	23 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.3N 0725139.5E	24 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190527.3N 0725138.4E	77 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190529.3N 0725143.8E	90 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190530.3N 0725144.0E	54 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190530.2N 0725142.8E	87 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190531.1N 0725141.9E	61 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190531.2N 0725142.9E	56 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190532.1N 0725141.9E	57 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190532.0N 0725140.9E	63 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190533.0N 0725141.0E	57 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190534.0N 0725139.9E	57 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190532.3N 0725148.3E	33 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190538.4N 0725141.7E	39 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190541.5N 0725138.4E	40 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190541.8N 0725138.0E	40 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190545.8N 0725133.7E	40 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190544.4N 0725132.0E	40 FEET	NO	SIGN BOARD
In circling area and at AD	POLE	190545.3N 0725130.3E	47 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190545.8N 0725129.8E	46 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190546.6N 0725128.9E	46 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190548.0N 0725127.3E	46 FEET	NO	LIGHT POLE
In circling area and at AD	POLE	190548.6N 0725126.7E	46 FEET	NO	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190548.7N 0725126.0E	58 FEET	LGTD	JET GSM, OBSTRUCTION LIGHT - 17.76 M, BUILDING TOP - 16.79 M.
In circling area and at AD	OTHER	190549.2N 0725125.9E	45 FEET	LGTD	CABIN, OBSTRUCTION LIGHT - 13.82 M, CABIN TOP - 13.36 M.
In circling area and at AD	POLE	190549.3N 0725125.9E	46 FEET	NO	LIGHT POLE
In circling area and at AD	OTHER	190549.8N 0725125.3E	45 FEET	LGTD	CABIN, OBSTRUCTION LIGHT - 13.83 M, CABIN TOP - 13.26 M
In circling area and at AD	BUILDING	190550.1N 0725124.8E	59 FEET	LGTD	JET GSM, OBSTRUCTION LIGHT - 17.96 M, BUILDING TOP - 16.76 M
In circling area and at AD	POLE	190550.7N 0725124.5E	46 FEET	NO	LIGHT POLE
In circling area and at AD	FENCE	190551.0N 0725124.0E	48 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190552.8N 0725122.0E	50 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190552.9N 0725122.0E	49 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	190553.1N 0725122.0E	43 FEET	NO	PIDS FENCING
In circling area and at AD	FENCE	190553.2N 0725121.7E	49 FEET	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	190548.0N 0725125.0E	76 FEET	NO	GROUP OF TREES
In circling area and at AD	POLE	190547.0N 0725126.3E	54 FEET	NO	CAMERA POLE
In circling area and at AD	TREE	190546.7N 0725126.6E	69 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190545.7N 0725125.3E	74 FEET	NO	BUILDING, STAIRCASE ROOM TOP - 22.72 M, BUILDING TOP - 20.12 M.
In circling area and at AD	POLE	190544.5N 0725129.2E	54 FEET	NO	CAMERA POLE
In circling area and at AD	TREE	190544.5N 0725129.2E	78 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190542.8N 0725131.0E	76 FEET	NO	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190541.8N 0725130.3E	72 FEET	NO	TREE
In circling area and at AD	TREE	190541.3N 0725130.7E	72 FEET	NO	GROUP OF TREES
In circling area and at AD	OTHER	190541.8N 0725132.2E	58 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190537.4N 0725130.0E	135 FEET	NO	FLOOD LIGHT
In circling area and at AD	OTHER	190523.4N 0725130.8E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.4N 0725130.5E	21 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.4N 0725130.8E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.9N 0725134.1E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.4N 0725134.4E	25 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190523.1N 0725135.5E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.2N 0725134.9E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.7N 0725135.9E	23 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.1N 0725136.4E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.1N 0725136.5E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.7N 0725136.0E	23 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190516.6N 0725128.9E	21 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190515.4N 0725127.2E	20 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190514.4N 0725126.4E	21 FEET	NO	SIGN BOARD
In circling area and at AD	BUILDING	190508.9N 0725128.2E	111 FEET	NO	ASR RADAR BUILDING, LIGHTNING ARRESTER TOP - 33.72 M, BUILDING TOP - 17.34 M.
In circling area and at AD	BUILDING	190508.9N 0725128.4E	99 FEET	NO	ASR RADAR TOP - 30.28 M, PEDESTAL HEIGHT - 24.49 M, GRILL TOP - 23.10 M, BUILDING TOP - 21.95 M.
In circling area and at AD	OTHER	190512.9N 0725132.5E	44 FEET	NO	M-LAT ANTENNA, LIGHTNING ARRESTER - 13.29 M, ANTENNA TOP - 12.69 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190515.1N 0725124.8E	25 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190514.9N 0725123.2E	23 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190515.1N 0725122.7E	24 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190515.0N 0725122.2E	24 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190514.9N 0725122.2E	23 FEET	NO	TRANSMISSOMETER
In circling area and at AD	OTHER	190514.8N 0725122.2E	18 FEET	NO	ELECTRICAL JUNCTION BOX
In circling area and at AD	OTHER	190514.8N 0725122.0E	42 FEET	LGTD	MET ANTENNA, LIGHTNING ARRESTER TOP - 12.67 M, DGPS TOP - 11.37 M, WDI TOP - 11.06 M, OBSTRUCTION LIGHT TOP - 11.03 M, WSI TOP - 11.02 M, ANTENNA TOP - 11.00 M.
In circling area and at AD	OTHER	190514.6N 0725120.9E	22 FEET	NO	BIRD SCARER TENT
In circling area and at AD	BUILDING	190512.7N 0725119.6E	40 FEET	NO	HUTMENT, DISH ANTENNA TOP - 12.06 M, HUTMENT TOP - 11.36 M
In circling area and at AD	BUILDING	190512.3N 0725117.4E	47 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190511.8N 0725116.3E	64 FEET	LGTD	CELLPHONE MAST ON HUTMENT
In circling area and at AD	BUILDING	190512.3N 0725115.9E	49 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190512.4N 0725115.8E	47 FEET	NO	HUTMENT TOP
In circling area and at AD	TREE	190512.4N 0725112.7E	51 FEET	NO	TREE
In circling area and at AD	TREE	190512.7N 0725112.7E	58 FEET	NO	TREE
In circling area and at AD	OTHER	190517.2N 0725113.5E	17 FEET	NO	PAPI (09)
In circling area and at AD	OTHER	190515.8N 0725109.7E	21 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190514.6N 0725109.3E	30 FEET	NO	GLIDE PATH HUT, LIGHTNING ARRESTER TOP
In circling area and at AD	OTHER	190514.6N 0725109.1E	38 FEET	NO	MLAT - S08 (RX) ANTENNA, ANTENNA TOP - 11.74 M, STRUCTURE TOP - 9.14 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NAVAID	190514.6N 0725109.1E	66 FEET	LGTD	GLIDE PATH, LIGHTNING ARRESTER TOP - 20.09 M, OBSTRUCTION LIGHT TOP - 18.89 M, ANTENNA TOP - 18.60 M
In circling area and at AD	NAVAID	190514.5N 0725109.0E	29 FEET	NO	GP DME ANTENNA
In circling area and at AD	OTHER	190514.0N 0725109.2E	21 FEET	NO	ELECTRICAL JUNCTION BOX
In circling area and at AD	OTHER	190514.0N 0725109.1E	19 FEET	NO	SOLAR PANEL TOP
In circling area and at AD	OTHER	190513.8N 0725108.8E	30 FEET	NO	MOBILE ROAD TRAFFIC(ROAD ELEV - 4.05 M + 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	190514.6N 0725106.2E	32 FEET	LGTD	NF ANTENNA, LIGHTNING ARRESTER TOP - 9.89 M, OBSTRUCTION LIGHT TOP - 9.05 M, ANTENNA TOP - 8.83 M.
In circling area and at AD	OTHER	190513.8N 0725105.5E	29 FEET	NO	MOBILE ROAD TRAFFIC(ROAD ELEV - 3.78 M + 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	190519.9N 0725055.1E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190519.9N 0725055.4E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.6N 0725056.3E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.6N 0725056.8E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.1N 0725059.1E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.4N 0725059.7E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.3N 0725100.4E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.0N 0725100.0E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.0N 0725102.1E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.8N 0725102.4E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.7N 0725102.9E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.2N 0725103.1E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.5N 0725105.9E	17 FEET	NO	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190522.2N 0725105.8E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.4N 0725106.1E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.1N 0725106.7E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.0N 0725106.6E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.5N 0725107.7E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.1N 0725109.1E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.0N 0725110.2E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190523.2N 0725110.1E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.3N 0725114.6E	17 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.1N 0725115.1E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.0N 0725115.1E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.6N 0725116.2E	18 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190520.2N 0725118.6E	19 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190521.8N 0725124.0E	19 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.4N 0725125.0E	23 FEET	NO	BIRD SCARER TENT
In circling area and at AD	OTHER	190522.8N 0725127.0E	22 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.1N 0725127.0E	21 FEET	NO	SIGN BOARD
In circling area and at AD	OTHER	190522.5N 0725127.8E	23 FEET	NO	SIGN BOARD
In circling area and at AD	BUILDING	190539.4N 0725118.1E	322 FEET	LGTD	ATC TOWER, LIGHTNING ARRESTER TOP - 98.17 M, ANTENNA TOP - 97.60 M, ANTENNA TOP - 95.98 M, ANTENNA TOP - 95.97 M, CRANE TOP - 95.86 M, ANTENNA TOP - 95.59 M, ANTENNA TOP - 95.38 M, BEACON LIGHT TOP - 95.10 M, OBSTRUCTION LIGHT TOP - 94.82 M, ANTENNA TOP
In circling area and at AD	OTHER	190539.5N 0725117.9E	312 FEET	NO	AERODROME BEACON

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	191051.9N 0725555.4E	1038 FEET	NO	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	191016.5N 0725340.4E	1120 FEET	NO	HILL TOP
In circling area and at AD	BUILDING	190914.3N 0725121.0E	558 FEET	NO	LODHA SECTOR B BUILDING
In circling area and at AD	BUILDING	190914.9N 0725119.1E	558 FEET	NO	LODHA FIORENZA, BUILDING TOP
In circling area and at AD	BUILDING	190913.6N 0725118.2E	560 FEET	NO	LODHA FIORENZA, BUILDING TOP
In circling area and at AD	BUILDING	190900.3N 0725050.5E	489 FEET	NO	SUNTECK CITY, CRANE TOP - 149.09 M, BUILDING(U/C) TOP - 128.81 M
In circling area and at AD	BUILDING	190900.0N 0725048.6E	530 FEET	NO	SUNTECK CITY AVENUE 1(U/C), TEMPORARY CRANE STRUCTURE TOP - 161.51 M, BUILDING TOP(SLAB) - 142.80 M.
In circling area and at AD	BUILDING	190829.1N 0725146.1E	437 FEET	LGTD	OBEROI GRANDE, ARRESTER TOP - 133.11 M, OBSTRUCTION LIGHT TOP - 132.63 M, DESIGN TOP - 129.68 M, BUILDING TOP (PARAPET WALL) - 125.25 M.
In circling area and at AD	BUILDING	190826.8N 0725148.2E	400 FEET	LGTD	OBEROI SPLENDOR WING - A, LIGHTNING ARRESTER TOP - 121.81 M, DISH ANTENNA TOP - 119.54 M, WATER TANK TOP - 118.94 M, CELLPHONE MAST TOP - 118.85 M, BUILDING TOP (PARAPET WALL) - 114.28 M.
In circling area and at AD	BUILDING	190825.2N 0725154.0E	409 FEET	NO	OBEROI SPLENDOR, ANTENNA TOP - 124.61 M, WATER TANK TOP - 118.87 M, BUILDING TOP - 114.28 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190825.2N 0725156.0E	405 FEET	NO	OBEROI SPLENDOR WING - E, LIGHTNING ARRESTER TOP - 123.26 M, WATER TANK TOP - 118.94 M, ANTENNA TOP - 118.90 M, BUILDING TOP (PARAPET WALL) - 114.82 M.
In circling area and at AD	BUILDING	190825.2N 0725200.5E	426 FEET	LGTD	OBEROI PRIZMA, LIGHTNING ARRESTER TOP - 129.68 M, OBSTRUCTION LIGHT TOP - 129.59 M, WATER TANK TOP - 127.71 M, BUILDING TOP (PARAPET WALL) - 126.24 M.
In circling area and at AD	BUILDING	190819.0N 0725159.5E	310 FEET	NO	KALPATARU ESTATE "C" WING, LIGHTNING ARRESTER TOP - 94.45 M, HOARDING TOP - 93.31 M, BUILDING TOP - 86.71 M
In circling area and at AD	BUILDING	190817.4N 0725201.1E	293 FEET	NO	KALPATARU ESTATE - 3, POLE TOP - 89.42 M, BUILDING TOP (PARAPET WALL) - 86.77 M.
In circling area and at AD	BUILDING	190815.9N 0725159.2E	301 FEET	NO	KALPATARU ESTATE "B" WING, LIGHTNING ARRESTER TOP - 91.71 M, BUILDING TOP - 85.75 M
In circling area and at AD	BUILDING	190819.0N 0725144.9E	274 FEET	NO	BROOKHAVEN CONDOMINIUM, SOLAR PANEL TOP - 83.42 M, DISH ANTENNA TOP - 83.14 M, BUILDING TOP (PARAPET WALL) - 81.30 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190818.4N 0725131.8E	319 FEET	NO	AVANT HERITAGE, LIGHTNING ARRESTER TOP - 97.25 M, HOARDING TOP - 96.97 M, WATER TANK TOP - 95.21 M, BUILDING TOP (PARAPET WALL) - 89.83 M.
In circling area and at AD	BUILDING	190813.6N 0725133.9E	243 FEET	NO	SWAPNAPURTI, GRILL TOP - 74.17 M, WATER TANK TOP - 73.39 M, BUILDING TOP (PARAPET WALL) - 64.10 M.
In circling area and at AD	BUILDING	190810.0N 0725130.7E	312 FEET	NO	PAWANI (U/C), TEMPORARY CONTRUCTION LIFT STRUCTURE TOP - 94.98 M, BUILDING TOP (PARAPET WALL) - 91.32 M.
In circling area and at AD	OTHER	190810.0N 0725125.9E	321 FEET	NO	CRANE TOP
In circling area and at AD	BUILDING	190810.1N 0725124.9E	299 FEET	NO	VINCHER, LADDER TOP - 91.16 M, WATER TANK TOP - 90.20 M, BUILDING TOP (PARAPET WALL) - 87.16 M.
In circling area and at AD	BUILDING	190809.7N 0725119.6E	252 FEET	NO	KALIMATA SEVA SANGH SRA, LIGHTNING ARRESTER TOP - 76.77 M, GRILL TOP - 75.81 M, DISH ANTENNA TOP - 75.12 M, WATER TANK TOP - 74.76 M, BUILDING TOP (PARAPET WALL) - 70.82 M.
In circling area and at AD	BUILDING	190807.6N 0725114.2E	208 FEET	NO	SOHAM, WATER TANK TOP - 63.45 M, BUILDING TOP - 60.68 M
In circling area and at AD	BUILDING	190817.1N 0725116.5E	258 FEET	NO	INNOVATIVE INFO PART, SINTEX TOP - 78.49 M, DISH TOP - 77.49 M, BUILDING TOP - 76.55 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190811.9N 0725046.0E	278 FEET	NO	REYHAAN TOWER, STAIRCASE ROOM TOP - 84.67 M, SINTEX TANK TOP - 83.96 M, BUILDING TOP (PARAPET WALL) - 82.70 M.
In circling area and at AD	BUILDING	190751.5N 0725120.5E	275 FEET	NO	HUBTOWN VIVA, ANTENNA TOP - 83.92 M, ANTENNA TOP - 83.67 M, DISH ANTENNA TOP - 82.97 M, WATER TANK TOP - 81.71 M, BUILDING TOP (PRAPET WALL) - 81.34 M.
In circling area and at AD	BUILDING	190739.0N 0725056.7E	197 FEET	NO	VIKAS TOWERS, ANTENNA TOP - 59.97 M, WATER TANK TOP - 57.98 M, STAIRCASE ROOM TOP - 57.42 M, BUILDING TOP (PARAPET WALL) - 54.04 M.
In circling area and at AD	BUILDING	190735.8N 0725048.3E	226 FEET	NO	AAWEZ HEIGHT, POLE TOP - 68.82 M, STAIRCASE ROOM TOP - 66.38 M, BUILDING TOP - 62.07 M
In circling area and at AD	BUILDING	190728.7N 0725045.2E	229 FEET	LGTD	SRA TM TOWER, CELLPHONE MAST TOP - 69.85 M, GENERATOR TOP - 61.86 M, BUILDING TOP - 59.19 M
In circling area and at AD	BUILDING	190725.9N 0725046.1E	195 FEET	NO	MILLIONAIRE HERITAGE, STAIRCASE ROOM TOP - 59.35 M, BUILDING TOP - 58.13 M
In circling area and at AD	BUILDING	190644.3N 0725003.8E	192 FEET	NO	JUHU SHANTIVAN, LIGHTNING ARRESTER TOP - 58.50 M, WATER TANK TOP - 57.01 M, BUILDING TOP - 56.47 M.
In circling area and at AD	BUILDING	190639.9N 0725000.4E	195 FEET	NO	KABRA PRANTHANA CHS, LIGHT POLE TOP - 59.46 M, STAIRCASE ROOM TOP - 59.15 M, BUILDING TOP (PARAPET WALL) - 57.92 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190633.3N 0724959.5E	188 FEET	NO	ANAYA, GRILL TOP - 57.41 M, BUILDING TOP - 56.14 M.
In circling area and at AD	BUILDING	190626.5N 0724955.6E	188 FEET	NO	AMAYA, IRON LADDER TOP - 57.26 M, WATER TANK TOP - 56.18 M, BUILDING TOP - 52.48 M.
In circling area and at AD	BUILDING	190625.1N 0724957.2E	189 FEET	NO	ARAYA, GRILL TOP - 57.70 M, BUILDING TOP - 56.74 M.
In circling area and at AD	BUILDING	190538.5N 0725001.5E	206 FEET	LGTD	PAWAN HANS BALL, ANTENNA TOP - 62.78 M, OBSTRUCTION LIGHT TOP - 59.82 M, GLOBE TOP - 59.54 M, BUILDING TOP - 46.13 M
In circling area and at AD	BUILDING	190619.1N 0725026.0E	188 FEET	NO	NEW JITENDRA SOCITY, ANTENNA TOP - 57.20 M, BUILDING TOP - 56.04 M.
In circling area and at AD	BUILDING	190611.1N 0725034.0E	189 FEET	NO	LABH SHRIVALLI, GRILL TOP - 57.74 M, BUILDING TOP - 56.87 M.
In circling area and at AD	BUILDING	190631.0N 0725116.0E	194 FEET	LGTD	EMPRESSA BUILDING, LIGHTNING ARRESTER TOP - 59.11 M, OBSTRUCTION LIGHT TOP - 58.09 M, BUILDING TOP (PARAPET WALL) - 55.15 M.
In circling area and at AD	BUILDING	190636.2N 0725112.8E	190 FEET	NO	S R A QUARTERZ(U/C), STAIRCASE ROOM TOP - 57.83 M, BUILDING TOP - 56.01 M.
In circling area and at AD	BUILDING	190638.3N 0725116.4E	213 FEET	NO	CLASSIC PENTAGON, ANTENNA TOP - 64.84 M, STAIRCASE ROOM TOP - 64.09 M, DESIGN TOP - 62.64 M, BUILDING TOP - 59.56 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190642.6N 0725112.9E	188 FEET	NO	10 SQUARE, IRON ROD TOP - 57.19 M, WATER TANK TOP - 57.06 M, BUILDING TOP (PARAPET WALL) - 54.18 M.
In circling area and at AD	BUILDING	190646.9N 0725108.5E	193 FEET	NO	KRISHNA CHAITANYA(U/C), LIFT TOP - 58.89 M, BUILDING TOP - 54.75 M.
In circling area and at AD	BUILDING	190650.0N 0725108.6E	208 FEET	NO	THE KOLLAGE(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 63.38 M, SHED TOP - 59.86 M, GRILL TOP - 57.71 M, BUILDING TOP(SLAB) - 56.56 M.
In circling area and at AD	BUILDING	190655.5N 0725104.3E	219 FEET	NO	RASHI PERIFERAL BOX TOP - 66.79 M, BOX TOP - 63.70 M, STAIRCASE TOP - 62.66 M, GRILL TOP - 61.03 M, BUILDING TOP - 60.23 M
In circling area and at AD	BUILDING	190655.5N 0725104.3E	220 FEET	NO	RASHI PERIPHERAL BOX, PILLAR TOP - 67.16 M, STAIRCASE ROOM TOP - 62.74 M, BUILDING TOP - 60.78 M
In circling area and at AD	BUILDING	190653.3N 0725102.0E	235 FEET	LGTD	HUBTOWN SUNMIST, LIGHTNING ARRESTER TOP - 71.63 M, OBSTRUCTION LIGHT TOP - 70.02 M, DISH ANTENNA TOP - 69.71 M, SOLAR PANEL TOP - 68.82 M, STAIRCASE ROOM TOP - 68.16 M, BUILDING TOP (PARAPET WALL) - 67.27 M.
In circling area and at AD	BUILDING	190653.6N 0725100.1E	227 FEET	NO	HUBTOWN SOLARIS, LIGHTNING ARRESTER TOP - 69.26 M, STAIRCASE ROOM TOP - 67.83 M, BUILDING TOP - 66.10 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190648.5N 0725052.8E	188 FEET	NO	ROYAL COURT CHS, LIGHTNING ARRESTER TOP - 57.36 M, WATER TANK TOP - 56.26 M, BUILDING TOP - 51.92 M.
In circling area and at AD	BUILDING	190654.6N 0725048.8E	189 FEET	NO	SRA QUARTERS(U/C), WATER TANK TOP - 57.72 M, BUILDING TOP - 55.29 M.
In circling area and at AD	BUILDING	190703.1N 0725042.6E	196 FEET	LGTD	MAYFAIR KUMKUM, OBSTRUCTION LIGHT TOP - 59.57 M, BUILDING TOP - 56.31 M.
In circling area and at AD	BUILDING	190703.3N 0725056.3E	206 FEET	NO	BAJAJ EMERALD, LADDER TOP - 62.80 M, WATER TANK TOP - 61.72 M, STAIRCASE ROOM TOP - 60.54 M, BUILDING TOP (PARAPET WALL) - 59.05 M.
In circling area and at AD	BUILDING	190703.4N 0725100.5E	201 FEET	NO	BUILDING TOP (U/C) - 61.23 M
In circling area and at AD	BUILDING	190711.8N 0725106.1E	230 FEET	NO	STARWING, LIGHTNING ARRESTER TOP - 69.97M, BUILDING TOP - 67.78M
In circling area and at AD	BUILDING	190714.1N 0725115.0E	234 FEET	NO	VEDA SANGAM LIFESPACES, PIPE TOP - 71.27 M, WATER TANK TOP - 70.09 M, BUILDING TOP (PARAPET WALL) - 69.05 M.
In circling area and at AD	BUILDING	190717.5N 0725112.6E	248 FEET	NO	OM SIDDHI VINAYAK, ANTENNA TOP - 75.49 M, ANTENNA TOP - 74.44 M, STAIRTCASE ROOM TOP - 73.18 M, BUILDING TOP (PARAPET WALL) - 71.59 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190718.2N 0725112.4E	250 FEET	LGTD	A&O BIANCA, POLE TOP - 76.06 M, OBSTRUCTION LIGHT TOP - 75.82 M, LIGHTNING ARRESTER TOP - 75.76 M, STAIRCASE ROOM TOP - 74.53 M, BUILDING TOP - 71.67 M
In circling area and at AD	BUILDING	190719.8N 0725112.9E	249 FEET	NO	A&O BELLEVUE, LADDER TOP - 75.78 M, WATER TANK TOP - 75.15 M, BUILDING TOP (PARAPET WALL) - 68.57 M.
In circling area and at AD	BUILDING	190719.8N 0725117.8E	226 FEET	NO	CALLISTA, STAIRCASE ROOM TOP - 68.94 M, BUILDING TOP (PARAPET WALL) - 66.39 M.
In circling area and at AD	BUILDING	190718.5N 0725125.1E	202 FEET	NO	RASSAZ CASTLE, WATER TANK TOP - 61.64 M, BUILDING TOP - 58.18 M
In circling area and at AD	BUILDING	190722.7N 0725118.3E	218 FEET	LGTD	ASHOK HEIGHTS, OBSTRUCTION LIGHT TOP - 66.34M, STAIRCASE ROOM TOP - 64.39M, BUILDING TOP - 63.59M
In circling area and at AD	BUILDING	190724.8N 0725120.8E	198 FEET	NO	SHUBHAM HEIGHTS, WATER TANK TOP - 60.45 M, BUILDING TOP - 55.04 M
In circling area and at AD	BUILDING	190723.6N 0725115.9E	201 FEET	LGTD	ASHOR SMRUTI, OBSTRUCTION LIGHT TOP - 61.37M, WATER TANK TOP - 58.74M, BUILDING TOP - 57.15M
In circling area and at AD	BUILDING	190725.4N 0725108.7E	202 FEET	LGTD	SHIVKRUPA WING "H", CELLPHONE MAST TOP - 61.51 M, WATER TANK TOP - 52.56 M, BUILDING TOP - 52.00 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190728.8N 0725108.0E	254 FEET	NO	SUPARSHWA ETERNIA, GRILL TOP - 77.44 M, WATER TANK TOP - 76.47 M, BUILDING TOP (PARAPET WALL) - 72.28 M.
In circling area and at AD	BUILDING	190729.1N 0725107.2E	242 FEET	NO	SUPARSHWA URBANA, CAR PARKING BUILDING TOP
In circling area and at AD	BUILDING	190729.1N 0725106.5E	288 FEET	NO	SUPARSHWA URBANA WING - B, GRILL TOP - 87.80 M, WATER TANK TOP - 86.83 M, BUILDING TOP - 83.83 M
In circling area and at AD	BUILDING	190729.9N 0725107.2E	265 FEET	NO	SUPARSHWA URBANA WING - A, GRILL TOP - 80.65 M, WATER TANK TOP - 79.61 M, BUILDING TOP - 75.42 M
In circling area and at AD	BUILDING	190733.6N 0725122.4E	214 FEET	NO	GURU NIVAS, WATER TANK TOP - 65.32 M, BUILDING TOP - 61.33 M
In circling area and at AD	BUILDING	190756.0N 0725153.6E	215 FEET	NO	BUILDING
In circling area and at AD	TREE	190801.3N 0725232.8E	341 FEET	NO	GROUP OF TREES ON HILL
In circling area and at AD	BUILDING	190753.3N 0725233.6E	386 FEET	NO	HILL CREST, LIGHTNING ARRESTER TOP - 117.78 M, STAIRCASE ROOM TOP - 113.87 M, BUILDING TOP - 109.44 M
In circling area and at AD	TREE	190756.0N 0725225.7E	312 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190751.3N 0725219.6E	321 FEET	LGTD	MANIKA APARTMENT, OBSTRUCTION LIGHT TOP
In circling area and at AD	BUILDING	190750.9N 0725220.0E	295 FEET	NO	ANJANI APARTMENT, DISH ANTENNA TOP - 89.95 M, STAIRCASE ROOM TOP - 88.77 M, BUILDING TOP (PARAPET WALL) - 87.34 M.
In circling area and at AD	TREE	190748.9N 0725223.6E	338 FEET	NO	TREE TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190744.6N 0725217.6E	277 FEET	NO	UTKARSHA CHSL, SINTEX TANK TOP - 84.54 M, BUILDING TOP (SLAB) - 82.47 M.
In circling area and at AD	BUILDING	190742.8N 0725216.8E	277 FEET	NO	UTKARSHA CHSL, SINTEX TANK TOP - 84.27 M, BUILDING TOP (SLAB) - 82.52 M.
In circling area and at AD	BUILDING	190742.6N 0725215.9E	277 FEET	NO	UTKARSHA CHSL, SINTEX TANK TOP - 84.43 M, BUILDING TOP (SLAB) - 82.36 M.
In circling area and at AD	TANK	190739.8N 0725218.7E	218 FEET	NO	OVERHEAD WATER TANK
In circling area and at AD	BUILDING	190736.5N 0725216.4E	252 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190738.1N 0725215.5E	261 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190737.0N 0725213.3E	247 FEET	NO	PUCCA HOUSE
In circling area and at AD	TREE	190739.2N 0725211.8E	290 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190737.6N 0725210.9E	271 FEET	LGTD	SRA BUILDING, CELLPHONE MAST TOP - 82.65 M, WATER TANK TOP - 79.18 M, BUILDING TOP - 76.44 M
In circling area and at AD	BUILDING	190736.8N 0725209.3E	287 FEET	LGTD	SRA BUILDING, CELLPHONE MAST TOP - 87.47 M, GENERATOR ROOM TOP - 79.34 M, BUILDING TOP - 79.23 M
In circling area and at AD	BUILDING	190736.6N 0725208.2E	273 FEET	LGTD	GURU ARGUN DEV SRA, ANTENNA TOP - 83.15 M, CELLPHONE MAST TOP - 81.26 M, GENERATOR ROOM TOP - 80.64 M, STAIRCASE ROOM TOP - 77.36 M, BUILDING TOP (PARAPET WALL) - 75.53 M.
In circling area and at AD	BUILDING	190735.8N 0725207.3E	259 FEET	NO	SRA BUILDING, GRILL TOP - 78.93 M, BUILDING TOP - 77.62 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190732.6N 0725215.6E	249 FEET	NO	NEXT TO 'A' STAR JWELLARY, LIGHTNING ARRESTOR TOP - 75.89 M, BUILDING TOP - 72.29 M
In circling area and at AD	BUILDING	190731.7N 0725217.7E	220 FEET	NO	'A' STAR JWELLARY, WATER TANK TOP - 66.95 M, BUILDING TOP - 65.83 M
In circling area and at AD	BUILDING	190732.3N 0725204.3E	229 FEET	NO	TRANS RESIDENCY 1 'B' WING, DISH TOP - 69.77 M, STAIRCASE ROOM TOP - 68.54 M, BUILDING TOP - 66.22 M
In circling area and at AD	BUILDING	190731.9N 0725205.0E	229 FEET	NO	TRANS RESIDENCY 1 'B' WING, DISH TOP - 69.66 M, STAIRCASE ROOM TOP - 68.51 M, BUILDING TOP - 66.24 M
In circling area and at AD	BUILDING	190731.7N 0725205.8E	229 FEET	NO	TRANS RESIDENCY 1 'B' WING, DISH TOP - 69.72 M, STAIRCASE ROOM TOP - 68.50 M, BUILDING TOP - 66.40 M
In circling area and at AD	BUILDING	190731.6N 0725206.3E	227 FEET	NO	TRANS RESIDENCY 1 'B' WING, DISH TOP - 69.23 M, STAIRCASE ROOM TOP - 68.52 M, BUILDING TOP - 66.35 M
In circling area and at AD	BUILDING	190729.0N 0725207.1E	224 FEET	LGTD	REBELLOW ENCLAVE, CELLPHONE MAST TOP - 68.42 M, WATER TANK TOP - 62.40 M, BUILDING TOP - 59.41 M
In circling area and at AD	BUILDING	190729.9N 0725205.8E	225 FEET	LGTD	MALAD SATGURU SADAN CHS LTD, CELLPHONE MAST TOP - 68.52 M, WATER TANK TOP - 61.77 M, BUILDING TOP - 58.40 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190730.3N 0725204.8E	225 FEET	NO	B1 BUILDING, DISH TOP - 68.50 M, STAIRCASE ROOM TOP - 67.71 M, BUILDING TOP - 65.54 M
In circling area and at AD	BUILDING	190729.3N 0725158.0E	205 FEET	NO	INSTITUTE OF INDIAN CULTURE, SINTEX TANK TOP - 62.61 M, DESIGN TOP - 61.46 M, STAIRCASE ROOM TOP - 61.26 M, BUILDING TOP (PARAPET WALL) - 59.44 M.
In circling area and at AD	BUILDING	190728.5N 0725157.6E	195 FEET	NO	BUILDING TOP
In circling area and at AD	TREE	190726.0N 0725206.0E	213 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190725.0N 0725205.8E	231 FEET	NO	TREE TOP
In circling area and at AD	TREE	190724.8N 0725205.3E	216 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190722.8N 0725202.0E	203 FEET	NO	TREE
In circling area and at AD	BUILDING	190721.5N 0725155.3E	215 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190721.1N 0725156.9E	244 FEET	NO	KAATYAYINI RESIDENCY CHS LTD, ANTENNA TOP - 74.40 M, STAIRCASE ROOM TOP - 68.27 M, BUILDING TOP - 65.26 M
In circling area and at AD	BUILDING	190720.4N 0725157.8E	247 FEET	NO	KAATYAYINI RESIDENCY CHS LTD, ANTENNA TOP - 75.39 M, GRILL TOP - 69.30 M, STAIRCASE ROOM TOP - 68.35 M, BUILDING TOP - 65.31 M
In circling area and at AD	BUILDING	190719.2N 0725158.6E	224 FEET	NO	HOTEL BINDRA'S SUPREMACY, STAIRCASE ROOM TOP - 68.28 M, BUILDING TOP - 64.84 M.
In circling area and at AD	BUILDING	190718.8N 0725157.7E	246 FEET	LGTD	KAATYAYINI BUSINESS CENTRE, CELLPHONE MAST TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190718.3N 0725158.3E	240 FEET	LGTD	THE NEW INDIAN CHAMBER, CELLPHONE MAST TOP - 73.21 M, CELLPHONE MAST TOP - 73.18 M, BUILDING TOP (PARAPET WALL) - 69.70 M.
In circling area and at AD	BUILDING	190719.8N 0725159.9E	209 FEET	NO	LODHA SUPREMUS (U/C), BUILDING (SLAB) TOP
In circling area and at AD	BUILDING	190718.8N 0725201.2E	207 FEET	NO	LODHA ETERNIS(TOWER -5), BUILDING TOP
In circling area and at AD	BUILDING	190720.7N 0725205.1E	209 FEET	NO	LODHA, DISH TOP - 63.55 M, WATER TANK TOP - 63.37 M, BUILDING TOP - 61.95 M
In circling area and at AD	BUILDING	190719.7N 0725206.7E	191 FEET	NO	AARPEE CENTRE, SHED TOP - 58.22 M, WATER TANK TOP - 57.21 M, BUILDING TOP - 56.22 M
In circling area and at AD	BUILDING	190720.4N 0725209.8E	207 FEET	NO	DHANALAKSHMI CHS LTD, ANTENNA TOP - 63.24 M, WATER TANK TOP - 55.58 M, BUILDING TOP - 53.08 M
In circling area and at AD	ANTENNA	190721.6N 0725211.4E	199 FEET	LGTD	CELLPHONE MAST TOP
In circling area and at AD	BUILDING	190723.1N 0725210.3E	229 FEET	NO	BINDRA SATERI, GRILL TOP - 69.87 M, WATER TANK TOP - 68.80 M, BUILDING TOP (PARAPET WALL) - 65.39 M.
In circling area and at AD	BUILDING	190725.5N 0725210.6E	201 FEET	NO	TRANS TRADE CENTRE, STAIRCASE ROOM TOP - 61.43 M, BUILDING TOP (PARAPET WALL) - 59.58 M.
In circling area and at AD	BUILDING	190724.8N 0725212.2E	226 FEET	NO	ROLTA TECHNOLOGY, ANTENNA TOP - 68.84 M, LIGHTNING ARRESTOR TOP - 67.80 M, BUILDING TOP - 65.49 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190723.6N 0725213.0E	211 FEET	NO	ROLTA TECHNOLOGY, SHED TOP - 64.33 M, BUILDING TOP (PARAPET WALL) - 62.87 M.
In circling area and at AD	BUILDING	190723.3N 0725215.5E	233 FEET	NO	SUNRISE TOWER, LIGHTNING ARRESTER TOP - 70.89 M, ANTENNA TOP - 67.73 M, HOARDING TOP - 67.50 M, BUILDING TOP (PARAPET WALL) - 65.75 M.
In circling area and at AD	BUILDING	190718.7N 0725211.6E	214 FEET	NO	POWER WEAVE, SHED TOP - 65.15 M, CHIMNEY TOP - 64.62 M, STAIRCASE ROOM TOP - 64.00 M, BUILDING TOP - 62.23 M
In circling area and at AD	BUILDING	190716.5N 0725215.2E	222 FEET	NO	ROLTA TOWER ONE, LIGHTNING ARRESTER TOP - 67.77 M, CHIMNEY TOP - 64.65 M, STAIRCASE ROOM TOP - 64.31 M, BUILDING TOP - 60.67 M
In circling area and at AD	BUILDING	190714.9N 0725215.1E	247 FEET	NO	OPUS PRIME, HORADING TOP - 75.28 M, WATER TANK TOP - 72.54 M, BUILDING TOP (PARAPET WALL) - 70.08 M.
In circling area and at AD	BUILDING	190712.9N 0725212.2E	237 FEET	LGTD	TULIP TELECOM LTD, CELLPHONE MAST TOP - 72.16 M, BUILDING TOP - 57.93 M
In circling area and at AD	BUILDING	190712.4N 0725221.9E	252 FEET	NO	ABBOTT, WINDSOCK TOP - 76.68 M, GRILL TOP - 75.96 M, WATER TANK TOP - 74.75 M, BUILDING TOP - 70.46 M
In circling area and at AD	BUILDING	190706.7N 0725214.2E	228 FEET	NO	ACKRUTI STAR, ANTENNA TOP - 69.42 M, BUILDING TOP (PARAPET WALL) - 63.04 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190710.9N 0725211.6E	209 FEET	NO	GOLDFINCH HOTEL, ANTENNA TOP - 63.75 M, BUILDING TOP - 62.19 M
In circling area and at AD	BUILDING	190711.3N 0725202.5E	205 FEET	NO	BUILDING, SINTEX TOP - 62.48 M, STAIRCASE ROOM TOP - 61.29 M, BUILDING TOP - 56.00 M
In circling area and at AD	BUILDING	190710.9N 0725153.4E	205 FEET	LGTD	SHANTI RAHIWASHI CHS, CELLPHONE MAST TOP - 62.60 M, WATER TANK TOP - 56.58 M, BUILDING TOP - 53.77 M.
In circling area and at AD	BUILDING	190710.7N 0725150.9E	215 FEET	LGTD	PINNACLE BUSINESS PARK, OBSTRUCTION LIGHT TOP - 65.40 M, LIGHTNING ARRESTER TOP - 65.02 M, BUILDING TOP - 60.80 M.
In circling area and at AD	BUILDING	190712.2N 0725145.9E	231 FEET	NO	BUILDING(UNUSED), STAIRCASE ROOM TOP - 70.27 M, BUILDING TOP - 68.88 M.
In circling area and at AD	BUILDING	190707.0N 0725131.5E	243 FEET	NO	DIPTI CLASSIC, DISH ANTENNA TOP - 74.04 M, BUILDING TOP (PARAPET WALL) - 73.63 M.
In circling area and at AD	BUILDING	190705.7N 0725132.4E	257 FEET	LGTD	DIPTI CLASSIC BUILDING, OBSTRUCTION LIGHT TOP - 78.15 M, WATER TANK TOP - 76.88 M, BUILDING TOP - 74.87 M.
In circling area and at AD	BUILDING	190702.1N 0725128.6E	247 FEET	NO	PRAKASHWADI CHS SRA, GRILL TOP - 75.18 M, WATER TANK TOP - 74.26 M, BUILDING TOP - 69.01 M.
In circling area and at AD	BUILDING	190701.1N 0725127.9E	252 FEET	NO	PRAKASHWADI CHSL, ANTENNA TOP - 76.75 M, GRILL TOP - 74.70 M, STAIRCASE ROOM TOP - 73.83 M, BUILDING TOP (PARAPET WALL) - 71.35 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190641.9N 0725123.2E	223 FEET	LGTD	EXPRESS ENCLAVE, OBSTRUCTION LIGHT TOP - 67.97 M, DISH ANTENNA TOP - 67.65 M, WATER TANK TOP - 67.00 M, STAIRCASE ROOM TOP - 65.51 M, BUILDING TOP (PARAPET WALL) - 63.86 M.
In circling area and at AD	BUILDING	190645.6N 0725133.0E	198 FEET	NO	INIZIO, HOARDING TOP - 60.16 M, DESIGN TOP - 60.11 M, ANTENNA TOP - 59.05 M, WATER TANK TOP - 57.19 M, BUILDING TOP(SLAB) - 54.78 M.
In circling area and at AD	BUILDING	190643.7N 0725133.0E	198 FEET	NO	OIA HOUSE, DESIGN TOP - 60.42 M, ANTENNA TOP - 59.63 M, WATER TANK TOP - 57.58 M, BUILDING TOP (PARAPET WALL) - 54.88 M.
In circling area and at AD	BUILDING	190643.3N 0725136.0E	188 FEET	NO	SATELLITE GAZEB, STAIRCASE ROOM TOP - 57.43 M, BUILDING TOP - 55.51 M
In circling area and at AD	BUILDING	190640.6N 0725144.0E	188 FEET	NO	SATELLITE GLORY BUILDING TOP
In circling area and at AD	BUILDING	190645.3N 0725142.6E	197 FEET	NO	SOLITAIRE CORPORATE PARK, ANTENNA TOP - 59.92 M, BUILDING TOP - 57.89 M.
In circling area and at AD	BUILDING	190655.1N 0725140.8E	253 FEET	NO	KANAKIA WALL STREET, LIGHTNING ARRESTER TOP - 77.11 M, BUILDING TOP - 72.32 M.
In circling area and at AD	BUILDING	190700.0N 0725139.5E	207 FEET	NO	VINALAYA, SINTEX TANK TOP - 63.22 M, GRILL TOP - 61.07 M, STAIRCASE ROOM TOP - 60.01 M, BUILDING TOP - 57.98 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190658.9N 0725140.9E	211 FEET	LGTD	ANDHERI RAMBHAK CHS, CELLPHONE MAST TOP - 64.18 M, WATER TANK TOP - 57.06 M, BUILDING TOP - 53.84 M.
In circling area and at AD	BUILDING	190655.5N 0725144.7E	244 FEET	NO	SRA, POLE TOP - 74.25 M, WATER TANK TOP - 73.14 M, BUILDING TOP - 70.88 M.
In circling area and at AD	BUILDING	190655.9N 0725147.3E	246 FEET	LGTD	SPARSH(U/C), LIGHTNING ARRESTER TOP - 74.98 M, OBSTRUCTION LIGHT TOP - 71.59 M, STAIRCASE ROOM TOP - 69.74 M, BUILDING TOP - 67.12 M.
In circling area and at AD	BUILDING	190653.4N 0725147.8E	250 FEET	NO	SRA, WATER TANK TOP - 76.15 M, BUILDING TOP - 72.87 M.
In circling area and at AD	BUILDING	190652.5N 0725151.1E	249 FEET	NO	SRA, WATER TANK TOP - 75.97 M, BUILDING TOP - 74.56 M.
In circling area and at AD	BUILDING	190652.8N 0725154.6E	220 FEET	LGTD	KANAKIA ATRIUM 2, LIGHTNING ARRESTER TOP - 66.98 M, OBSTRUCTION LIGHT TOP - 63.82 M, WATER TANK TOP - 61.96 M, BUILDING TOP (PARAPET WALL) - 59.48 M.
In circling area and at AD	BUILDING	190654.2N 0725201.8E	191 FEET	NO	KAMLA EXECUTIVE PARK, ANTENNA TOP - 58.34 M, BUILDING TOP - 55.45 M.
In circling area and at AD	BUILDING	190659.2N 0725156.8E	203 FEET	NO	DONEAR, ANTENNA TOP - 61.90 M, IRON ROD TOP - 61.52 M, SHED TOP - 61.08 M, BUILDING TOP (PARAPET WALL) - 61.06 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190702.3N 0725153.0E	206 FEET	NO	RADISSON HOTEL, LIGHTNING ARRESTER TOP - 62.85 M, ANTENNA TOP - 59.70 M, BUILDING TOP - 58.25 M.
In circling area and at AD	BUILDING	190705.6N 0725152.2E	196 FEET	NO	AHURA CENTRE, PIPE TOP - 59.56 M, ANTENNA TOP - 58.47 M, STAIRCASE ROOM TOP - 56.85 M, WATER TANK TOP - 56.79 M, BUILDING TOP (PARAPET WALL) - 54.09 M.
In circling area and at AD	BUILDING	190700.1N 0725204.7E	207 FEET	NO	DATAMATICS, LIGHTNING ARRESTER TOP - 63.08 M, STAIRCASE ROOM TOP - 58.57 M, BUILDING TOP - 55.55 M.
In circling area and at AD	BUILDING	190658.0N 0725221.7E	198 FEET	NO	STERLING COURT, PIPE TOP - 60.34 M, WATER TANK TOP - 60.08 M, BUILDING TOP (PARAPET WALL) - 59.06 M.
In circling area and at AD	BUILDING	190652.1N 0725217.9E	208 FEET	LGTD	LALITHA GIRDHAR, ANTENNA TOP - 63.27 M, OBSTRUCTION LIGHT TOP - 63.17 M, SOLAR PANEL TOP - 62.68 M, STAIRCASE ROOM TOP - 61.52 M, BUILDING TOP (PARAPET WALL) - 57.78 M.
In circling area and at AD	BUILDING	190643.1N 0725217.7E	208 FEET	NO	KALPATARU SQUARE, LIGHTNING ARRESTER TOP - 63.27 M, DISH TOP - 58.30 M, BUILDING TOP - 56.89 M
In circling area and at AD	BUILDING	190642.1N 0725217.5E	193 FEET	LGTD	VITS, CELLPHONE MAST TOP - 58.82 M, SHED TOP - 52.11 M, BUILDING TOP - 49.63 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190643.1N 0725220.7E	212 FEET	NO	BUILDING, LADDER TOP - 64.64 M, WATER TANK TOP - 64.40 M, BUILDING TOP - 59.97 M
In circling area and at AD	BUILDING	190633.3N 0725224.5E	190 FEET	NO	THE LEELA, LIGHTNING ARRESTER TOP - 58.01 M, HOARDING TOP - 57.83 M, CHIMNEY TOP - 52.63 M, BUILDING TOP - 47.97 M
In circling area and at AD	BUILDING	190638.0N 0725229.5E	188 FEET	NO	T 24 RESIDENCY, LIGHTNING ARRESTER TOP - 57.26 M, SHED TOP - 56.72 M, ANTENNA TOP - 56.32 M, BUILDING TOP - 54.94 M
In circling area and at AD	BUILDING	190636.9N 0725231.1E	229 FEET	LGTD	WAVES HOTEL, OBSTRUCTION LIGHT TOP - 69.86 M, OBSTRUCTION LIGHT TOP - 69.56 M, GRILL TOP - 67.15 M, WATER TANK TOP - 66.15 M, BUILDING TOP (PARAPET WALL) - 63.15 M.
In circling area and at AD	BUILDING	190636.9N 0725243.1E	195 FEET	NO	BUILDING(U/C), POLE TOP - 59.45 M, BUILDING(U/C) TOP - 56.99 M
In circling area and at AD	BUILDING	190652.5N 0725232.6E	189 FEET	NO	AL BURHAN, GRILL TOP - 57.52 M, BUILDING, STAIRCASE ROOM TOP - 56.50 M, BUILDING TOP - 54.72 M
In circling area and at AD	BUILDING	190654.9N 0725249.5E	197 FEET	NO	K.P. AURUM, SINTEX TOP - 59.97 M, BUILDING TOP - 57.26 M
In circling area and at AD	BUILDING	190718.2N 0725256.6E	217 FEET	NO	BUILDING, STAIRCASE ROOM TOP - 66.16 M, BUILDING TOP - 63.52 M
In circling area and at AD	BUILDING	190722.1N 0725256.2E	202 FEET	NO	TULIP CHS, STAIRCASE ROOM TOP - 61.60 M, BUILDING TOP (PARAPET WALL) - 57.09 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	190722.8N 0725256.5E	211 FEET	NO	TREE
In circling area and at AD	TREE	190723.6N 0725256.4E	204 FEET	NO	TREE
In circling area and at AD	TREE	190724.1N 0725256.6E	209 FEET	NO	COCONUT TREE
In circling area and at AD	BUILDING	190724.4N 0725258.0E	228 FEET	LGTD	HILL CREST, CELLPHONE MAST TOP - 69.56 M, STAIRCASE ROOM TOP - 62.65 M, BUILDING TOP (PARAPET WALL) - 59.62 M.
In circling area and at AD	BUILDING	190722.5N 0725259.9E	326 FEET	NO	KANAKIA RAINFOREST - I WING, DISH ANTENNA TOP - 99.41 M, GRILL TOP - 99.05 M, WATER TANK TOP - 97.95 M, BUILDING TOP (PARAPET WALL) - 97.01 M.
In circling area and at AD	BUILDING	190724.2N 0725300.8E	255 FEET	NO	PARK ROYALE - B WING, WATER TANK TOP - 77.78 M, STAIRCASE ROOM TOP - 76.42 M, BUILDING TOP (PARAPET WALL) - 76.43 M.
In circling area and at AD	BUILDING	190737.3N 0725326.8E	365 FEET	NO	L&T, A.M. NAIK TOWERS, DESIGN TOP - 111.19 M, BUILDING TOP (PARAPET WALL) - 107.65 M.
In circling area and at AD	BUILDING	190727.7N 0725344.0E	380 FEET	NO	SAPPHIRE LAKESIDE, STAIRCASE ROOM TOP - 115.70 M, BUILDING TOP (PARAPET WALL) - 114.53 M.
In circling area and at AD	BUILDING	190726.7N 0725343.1E	380 FEET	NO	SAPPHIRE LAKESIDE, STAIRCASE ROOM TOP - 115.71 M, BUILDING TOP (PARAPET WALL) - 114.47 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190726.8N 0725340.5E	405 FEET	LGTD	EMERALD ISLE L&T, LIGHTNING ARRESTER TOP - 123.51 M, OBSTRUCTION LIGHT TOP - 122.92 M, STAIRCASE ROOM TOP - 122.39 M, BUILDING TOP - 118.36 M
In circling area and at AD	BUILDING	190724.9N 0725340.4E	403 FEET	NO	EMERALD ISLE L&T, LADDER TOP - 122.82 M, WATER TANK TOP - 121.57 M, BUILDING TOP - 117.21M
In circling area and at AD	BUILDING	190724.9N 0725342.5E	376 FEET	NO	MHADA 2 BUILDING
In circling area and at AD	BUILDING	190723.6N 0725343.6E	380 FEET	NO	SAPPHIRE LAKESIDE, STAIRCASE ROOM TOP - 115.90 M, BUILDING TOP (PARAPET WALL) - 114.62 M.
In circling area and at AD	BUILDING	190723.1N 0725343.7E	369 FEET	NO	MHADA - TATRAKSHAK, WATER TANK TOP - 112.52 M, BUILDING TOP (PARAPET WALL) - 111.44 M.
In circling area and at AD	BUILDING	190721.6N 0725343.7E	370 FEET	NO	MHADA - TATRAKSHAK, WATER TANK TOP - 112.68 M, BUILDING TOP (PARAPET WALL) - 110.13 M.
In circling area and at AD	BUILDING	190720.5N 0725342.9E	383 FEET	LGTD	SAPPHIRE LAKESIDE, OBSTRUCTION LIGHT TOP - 117.80 M, LADDER TOP - 116.42 M, WATER TANK TOP - 115.82 M, BUILDING TOP (PARAPET WALL) - 114.55 M.
In circling area and at AD	BUILDING	190721.7N 0725338.6E	402 FEET	NO	L&T EMERALD ISLE-T4, GRILL TOP - 122.46M, LIFT ROOM TOP - 121.41M, LIFT ROOM TOP - 121.40M, ROOF TOP - 115.67M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190721.2N 0725337.8E	402 FEET	NO	L&T EMERALD ISLE-T5, GRILL TOP - 122.56M, LIFT ROOM TOP - 121.44M, LIFT ROOM TOP - 121.41M.
In circling area and at AD	BUILDING	190722.5N 0725333.6E	261 FEET	NO	L&T EMERALD ISLE-C4, CHIMNEY TOP - 79.63M, WATER TANK TOP - 77.93M, WATER TANK TOP - 77.10M, PARAPET WALL TOP - 77.10M.
In circling area and at AD	BUILDING	190720.4N 0725333.8E	415 FEET	LGTD	L&T REALITY, LIGHTNING ARRESTER TOP - 126.45 M, OBSTRUCTION LIGHT TOP - 126.23 M, WATER TANK TOP - 125.15 M, BUILDING TOP (PARAPET WALL) - 120.71 M.
In circling area and at AD	BUILDING	190719.7N 0725335.9E	406 FEET	NO	L&T REALITY, LIGHTNING ARRESTER TOP - 123.63 M, WATER TANK TOP - 122.07 M, BUILDING TOP (PARAPET WALL) - 117.56 M.
In circling area and at AD	BUILDING	190719.7N 0725328.4E	208 FEET	NO	SHRISTI COMPLEX, STAIRCASE ROOM TOP - 63.26 M, BUILDING TOP - 60.27 M
In circling area and at AD	BUILDING	190710.9N 0725339.3E	304 FEET	LGTD	RAHEJA VISTAS CHS, OBSTRUCTION LIGHT TOP - 92.83 M, LIGHTNING ARRESTER TOP - 92.37 M, WATER TANK TOP - 90.69 M, BUILDING TOP (PARAPET WALL) - 89.55 M.
In circling area and at AD	BUILDING	190708.9N 0725338.2E	303 FEET	LGTD	RAHEJA VISTAS CHS, OBSTRUCTION LIGHT TOP - 92.44 M, LIGHTNING ARRESTER TOP - 92.22 M, WATER TANK TOP - 90.68 M, BUILDING TOP (PARAPET WALL) - 89.50 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190704.3N 0725335.0E	301 FEET	LGTD	MAPLE LEAF CHS LTD, OBSTRUCTION LIGHT TOP - 91.81 M, DISH TOP - 90.98 M, STAIRCASE ROOM TOP - 90.10 M, BUILDING TOP - 87.23 M
In circling area and at AD	BUILDING	190707.0N 0725326.6E	311 FEET	NO	LODHA SUPREMUS, ANTENNA TOP - 94.83 M, BUILDING TOP - 92.67 M
In circling area and at AD	BUILDING	190711.6N 0725324.5E	194 FEET	LGTD	NUCLEUS, CELLPHONE MAST TOP - 58.97 M, GENERATOR TOP - 52.18 M, STAIRCASE ROOM TOP - 49.02 M, BUILDING TOP - 46.97 M
In circling area and at AD	BUILDING	190701.8N 0725323.2E	229 FEET	NO	CORPORATE AVENUE, ANTENNA TOP - 69.68 M, STAIRCASE ROOM TOP - 68.07 M, BUILDING TOP - 62.17 M
In circling area and at AD	BUILDING	190655.3N 0725324.6E	321 FEET	LGTD	SRISHTI HARMONY, OBSTRUCTION LIGHT TOP - 97.74 M, WATER TANK TOP - 96.84 M, BUILDING TOP - 92.69 M
In circling area and at AD	BUILDING	190654.4N 0725313.3E	213 FEET	NO	PREMIER EMPEROR, STAIRCASE ROOM TOP - 64.87 M, STAIRCASE ROOM TOP - 64.63 M, GRILL TOP - 63.33 M, BUILDING TOP (PARAPET WALL) - 62.61 M.
In circling area and at AD	BUILDING	190656.2N 0725312.7E	197 FEET	NO	MANAVSTHAL "A"WING, BUILDING TOP - 59.88 M, DISH TOP - 59.67 M
In circling area and at AD	BUILDING	190656.7N 0725311.8E	195 FEET	NO	MANAVSTHAL ?B"WING, DISH TOP - 59.35 M, BUILDING TOP - 59.35 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190653.7N 0725309.2E	316 FEET	NO	VASANT OASIS ALIZAR, GRILL TOP - 96.43 M, BUILDING TOP (PARAPET WALL) - 95.71 M.
In circling area and at AD	BUILDING	190651.9N 0725308.9E	315 FEET	NO	VASANT OASIS, GRILL TOP - 95.93 M, WATER TANK TOP - 95.50 M, BUILDING TOP (PARAPET WALL) - 93.91 M.
In circling area and at AD	BUILDING	190650.4N 0725308.8E	322 FEET	LGTD	VASANT OASIS DADUNY, LIGHTNING ARRESTER TOP - 97.99 M, OBSTRUCTION LIGHT TOP - 96.05 M, WATER TANK TOP - 95.56 M, BUILDING TOP (PARAPET WALL) - 94.12 M.
In circling area and at AD	BUILDING	190650.8N 0725304.8E	310 FEET	NO	VASANT OASIS, PIPE TOP - 94.43 M, BUILDING TOP - 93.50 M
In circling area and at AD	BUILDING	190651.4N 0725301.8E	314 FEET	LGTD	VASANT OASIS, OBSTRUCTION LIGHT TOP - 95.64 M, HOARDING TOP - 94.42 M, SHED TOP - 93.68 M, BUILDING TOP (PARAPET WALL) - 93.12 M.
In circling area and at AD	BUILDING	190644.5N 0725317.4E	193 FEET	NO	T SQUARE, POLE TOP - 58.87 M, STAIRCASE ROOM TOP - 56.01 M, BUILDING TOP - 48.49 M
In circling area and at AD	BUILDING	190633.8N 0725324.8E	285 FEET	NO	TAILORED HERITAGE (U/C), IRON ROD TOP - 86.82 M, BUILDING TOP (SLAB) - 83.58 M.
In circling area and at AD	BUILDING	190633.8N 0725324.2E	248 FEET	NO	OM SAI SAKI HILL, WATER TANK TOP - 75.71 M, BUILDING TOP - 71.52 M
In circling area and at AD	BUILDING	190627.5N 0725309.6E	252 FEET	NO	SALSETTE, LADDER TOP - 76.93 M, WATER TANK TOP - 76.07 M, STAIRCASE ROOM TOP - 75.38 M, BUILDING TOP (PARAPET WALL) - 72.23 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190627.8N 0725309.1E	253 FEET	NO	SALSETTE, LADDER TOP - 76.98 M, WATER TANK TOP - 76.10 M, STAIRCASE ROOM TOP - 75.36 M, BUILDING TOP (PARAPET WALL) - 72.25 M.
In circling area and at AD	BUILDING	190627.6N 0725308.5E	254 FEET	NO	SALSETTE, LIGHTNING ARRESTER TOP - 77.26 M, BUILDING TOP - 72.09 M
In circling area and at AD	BUILDING	190628.2N 0725308.4E	253 FEET	NO	SALSETTE, LADDER TOP - 77.02 M, WATER TANK TOP - 76.12 M, STAIRCASE ROOM TOP - 75.42 M, BUILDING TOP (PARAPET WALL) - 72.28 M.
In circling area and at AD	BUILDING	190628.4N 0725307.7E	252 FEET	NO	SALSETTE, LADDER TOP - 76.88 M, WATER TANK TOP - 76.11 M, STAIRCASE ROOM TOP - 75.44 M, BUILDING TOP (PARAPET WALL) - 72.27 M.
In circling area and at AD	BUILDING	190631.1N 0725304.9E	258 FEET	LGTD	KANAKIA SEVENS (WING C), LIGHTNING ARRESTER - 78.73 M, OBSTRUCTION LIGHT - 77.34 M, OBSTRUCTION LIGHT - 76.64 M, WATER TANK TOP - 76.02 M, BUILDING TOP (PARAPET WALL) - 74.16 M.
In circling area and at AD	BUILDING	190630.9N 0725306.0E	252 FEET	NO	KANAKIA SEVENS (WING G), GRILL TOP - 76.89 M, WATER TANK TOP - 75.96 M, BUILDING TOP (PARAPET WALL) - 74.14 M.
In circling area and at AD	BUILDING	190631.6N 0725305.9E	260 FEET	NO	KANAKIA SEVENS (WING A), LIGHTNING ARRESTER - 79.12 M, WATER TANK TOP - 76.06 M, BUILDING TOP (PARAPET WALL) - 74.11 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190632.2N 0725304.6E	249 FEET	NO	KANAKIA SEVENS, STAIRCASE ROOM TOP - 75.85 M, BUILDING TOP - 73.80 M
In circling area and at AD	BUILDING	190632.1N 0725302.1E	197 FEET	LGTD	TIME SQUARE, LIGHTNING ARRESTER TOP - 60.05 M, OBSTRUCTION LIGHT TOP - 59.36 M, BUILDING TOP - 56.33 M
In circling area and at AD	BUILDING	190636.1N 0725300.5E	191 FEET	NO	RAHEJA PRIME, LIGHTNING ARRESTER TOP - 58.07 M, SOLAR PANEL TOP - 56.02 M, WATER TANK TOP - 55.57 M, BUILDING TOP - 50.94 M
In circling area and at AD	BUILDING	190638.5N 0725254.4E	189 FEET	NO	CRESENT LANDMARK, DISH TOP - 57.58 M, BUILDING TOP - 56.74 M
In circling area and at AD	BUILDING	190635.3N 0725253.6E	188 FEET	NO	ANTARIKSH THAKUR HOUSE, STAIRCASE ROOM TOP - 57.41 M, BUILDING TOP - 53.09 M
In circling area and at AD	BUILDING	190634.6N 0725255.1E	191 FEET	NO	ARVIND BUSINESS CENTRE, STAIRCASE ROOM TOP - 58.22 M, BUILDING TOP - 55.90 M
In circling area and at AD	BUILDING	190629.7N 0725256.5E	191 FEET	LGTD	LEMON TREE, OBSTRUCTION LIGHT - 58.29 M, SHED TOP - 57.07 M, BUILDING TOP (PARAPET WALL) - 56.54 M.
In circling area and at AD	BUILDING	190629.8N 0725259.6E	200 FEET	LGTD	TIME SQUARE, OBSTRUCTION LIGHT TOP - 60.90 M, LIGHTNING ARRESTER TOP - 60.17 M, BUILDING TOP - 55.92 M
In circling area and at AD	OTHER	190544.0N 0725328.7E	197 FEET	NO	FLAG
In circling area and at AD	BUILDING	190539.3N 0725328.2E	197 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190538.5N 0725328.1E	206 FEET	NO	PUCCA HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	190537.8N 0725328.1E	232 FEET	NO	HILL
In circling area and at AD	BUILDING	190537.5N 0725327.8E	216 FEET	NO	HUTMENT, DISH ANTENNA TOP - 65.80 M, HUTMENT TOP - 64.74 M.
In circling area and at AD	TREE	190537.2N 0725328.1E	201 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190536.9N 0725327.6E	221 FEET	NO	HUTMENT, POLE TOP - 67.29 M, HUTMENT TOP - 63.86 M.
In circling area and at AD	NATURAL HIGHPOINT	190536.6N 0725327.0E	226 FEET	NO	HILL
In circling area and at AD	BUILDING	190536.5N 0725326.7E	217 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190536.4N 0725326.5E	216 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190535.9N 0725326.4E	219 FEET	LGTD	BUILDING, CELLPHONE MAST TOP - 66.84 M, BUILDING TOP - 64.23 M.
In circling area and at AD	BUILDING	190541.0N 0725416.7E	206 FEET	NO	(U/C) BUILDING
In circling area and at AD	BUILDING	190540.1N 0725418.4E	234 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190540.2N 0725419.7E	236 FEET	NO	PUCCA HOUSE
In circling area and at AD	BUILDING	190542.9N 0725420.6E	271 FEET	NO	TEMPLE TOP
In circling area and at AD	BUILDING	190542.9N 0725420.6E	273 FEET	NO	TEMPLE
In circling area and at AD	BUILDING	190549.9N 0725407.9E	204 FEET	NO	BUILDING TOP
In circling area and at AD	TREE	190603.0N 0725402.9E	367 FEET	NO	TREE ON HILL TOP
In circling area and at AD	BUILDING	190606.0N 0725402.5E	306 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190605.4N 0725403.3E	289 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190605.8N 0725405.0E	310 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190607.1N 0725404.3E	263 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	TREE	190606.8N 0725405.2E	308 FEET	NO	GROUP OF TREES ON HILL
In circling area and at AD	BUILDING	190607.5N 0725405.4E	287 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190609.0N 0725409.1E	334 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	TREE	190610.3N 0725410.5E	383 FEET	NO	TREE ON HILL TOP
In circling area and at AD	BUILDING	190616.5N 0725412.2E	191 FEET	NO	BUILDING TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190616.6N 0725411.5E	191 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190619.9N 0725411.9E	191 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190619.8N 0725412.7E	191 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190619.7N 0725413.2E	191 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190621.0N 0725412.8E	191 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190622.7N 0725412.3E	191 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190623.3N 0725415.6E	241 FEET	NO	CLUSTER MUMBAI SUBURBAN (U/C), IRON ROD TOP - 73.39 M, BUILDING TOP (SLAB) - 70.81 M.
In circling area and at AD	BUILDING	190623.7N 0725415.3E	217 FEET	NO	BUILDING, COLUMN TOP - 66.07M, BUILDING TOP - 63.24 M.
In circling area and at AD	BUILDING	190623.4N 0725414.4E	231 FEET	NO	CLUSTER MUMBAI SUBURBAN (U/C), IRON ROD TOP - 70.36 M, BUILDING TOP (SLAB) - 68.09 M.
In circling area and at AD	BUILDING	190623.5N 0725413.5E	221 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190623.6N 0725412.9E	217 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190623.8N 0725412.1E	216 FEET	NO	CLUSTER MUMBAI SUBURBAN(U/C), BUILDING TOP(SLAB)
In circling area and at AD	BUILDING	190627.4N 0725406.3E	241 FEET	NO	WOODLAND HEIGHTS, LADDER TOP - 73.51 M, WATER TANK TOP - 72.42 M, BUILDING TOP (PARAPET WALL) - 69.23 M.
In circling area and at AD	BUILDING	190621.4N 0725359.6E	321 FEET	LGTD	JONQUILLE, LIGHTNING ARRESTER TOP - 97.76 M, OBSTRUCTION LIGHT TOP - 97.08 M, STAIRCASE ROOM TOP - 95.32 M, BUILDING TOP - 91.99 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190620.2N 0725400.4E	321 FEET	LGTD	JAMAICA, LIGHTNING ARRESTER TOP - 97.84 M, OBSTRUCTION LIGHT TOP - 97.57 M, STAIRCASE ROOM TOP - 95.29 M, BUILDING TOP - 91.95 M
In circling area and at AD	BUILDING	190618.7N 0725359.2E	304 FEET	LGTD	YVONNE, LIGHTNING ARRESTER TOP - 92.69 M, OBSTRUCTION LIGHT TOP - 91.01 M, BUILDING TOP - 86.45 M
In circling area and at AD	BUILDING	190615.5N 0725358.4E	321 FEET	LGTD	LILAC, LIGHTNING ARRESTER TOP - 97.90 M, OBSTRUCTION LIGHT TOP - 97.35 M, STAIRCASE ROOM TOP - 95.41 M, BUILDING TOP - 92.06 M
In circling area and at AD	BUILDING	190614.3N 0725357.0E	329 FEET	LGTD	LAVREL, LIGHTNING ARRESTER TOP - 100.27 M, OBSTRUCTION LIGHT TOP - 98.21 M, BUILDING TOP - 91.26 M
In circling area and at AD	BUILDING	190614.7N 0725353.7E	236 FEET	LGTD	OLIVIA, OBSTRUCTION LIGHT TOP - 71.89 M, STAIRCASE ROOM TOP - 71.19 M, BUILDING TOP(PARAPET WALL) - 68.58 M
In circling area and at AD	BUILDING	190614.9N 0725352.1E	329 FEET	LGTD	BARBERRY, LIGHTNING ARRESTER TOP - 100.22 M, OBSTRUCTION LIGHT TOP - 98.17 M, STAIRCASE ROOM TOP - 94.65 M, BUILDING TOP(PARAPET WALL) - 91.40 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190615.2N 0725350.1E	323 FEET	LGTD	VINCA, LIGHTNING ARRESTER TOP - 98.45 M, SOLAR PANEL TOP - 98.26 M, OBSTRUCTION LIGHT TOP - 97.89 M, STAIRCASE ROOM TOP - 97.20 M, BUILDING TOP(PARAPET WALL) - 92.81 M
In circling area and at AD	BUILDING	190618.6N 0725350.3E	323 FEET	NO	YARROW, LIGHTNING ARRESTER TOP - 98.49 M, SOLAR PANEL TOP - 98.11 M, STAIRCASE ROOM TOP - 97.25 M, BUILDING TOP(PARAPET WALL) - 93.04 M.
In circling area and at AD	BUILDING	190619.1N 0725354.6E	319 FEET	LGTD	ARUM, LIGHTNING ARRESTER TOP - 97.21 M, STAIRCASE ROOM TOP - 97.03 M, OBSTRUCTION LIGHT TOP - 96.42 M, WATER TANK TOP - 95.92 M, BUILDING TOP (PARAPET WALL) - 92.80 M.
In circling area and at AD	BUILDING	190621.1N 0725357.3E	323 FEET	LGTD	LILIUM, DISH ANTENNA TOP - 98.59 M, OBSTRUCTION LIGHT TOP - 98.52 M, LIGHTNING ARRESTER TOP - 98.50 M, SOLAR PANEL TOP - 97.93 M, WATER TANK TOP - 97.16 M, BUILDING TOP (PARAPET WALL) - 95.16 M.
In circling area and at AD	BUILDING	190624.4N 0725358.5E	264 FEET	NO	ZARA APARTMENT, STAIRCASE ROOM TOP - 80.55 M, BUILDING TOP - 70.38 M
In circling area and at AD	BUILDING	190625.6N 0725359.3E	258 FEET	NO	VLOALA APARTMENT, STAIRCASE ROOM TOP - 78.71 M, BUILDING TOP - 70.17 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190627.0N 0725359.3E	264 FEET	NO	ZINNIA APARTMENT, STAIRCASE ROOM TOP - 80.57 M, BUILDING TOP - 70.23 M
In circling area and at AD	BUILDING	190634.0N 0725349.9E	302 FEET	LGTD	NAHAR CAYENNE, LIGHTNING ARRESTER TOP - 91.96 M, OBSTRUCTION LIGHT TOP - 90.03 M, WATER TANK TOP - 87.37 M, BUILDING TOP - 83.70 M
In circling area and at AD	BUILDING	190642.3N 0725406.9E	360 FEET	NO	SHAPOORJI PALLAONJI VICINIA B BLOCK, DISH ANTENNA TOP - 109.59 M, WATER TANK TOP - 107.98 M, BUILDING TOP (PARAPET WALL) - 104.19 M.
In circling area and at AD	BUILDING	190642.3N 0725405.3E	359 FEET	LGTD	SHAPOORJI PALLAONJI VICINIA A BLOCK, DISH ANTENNA TOP - 109.51 M, OBSTRUCTION LIGHT TOP - 108.47 M, WATER TANK TOP - 108.03 M, BUILDING TOP (PARAPET WALL) - 104.12 M.
In circling area and at AD	BUILDING	190641.8N 0725402.8E	292 FEET	NO	PALATIAL HEIGHT, WATER TANK TOP - 88.92 M, BUILDING TOP - 86.02 M
In circling area and at AD	BUILDING	190643.0N 0725356.4E	265 FEET	NO	SYNCHRONICITY - C WING, WATER TANK TOP - 80.94 M, BUILDING TOP (PARAPET WALL) - 76.45 M.
In circling area and at AD	BUILDING	190645.4N 0725355.8E	228 FEET	NO	SYMPHONY CHS, LIGHTNING ARRESTER TOP - 69.47 M, GRILL TOP - 67.66 M, WATER TANK TOP - 66.12 M, BUILDING TOP (PARAPET WALL) - 65.02 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190647.5N 0725352.3E	220 FEET	NO	LAKE PRIMROSE, LADDER TOP - 67.13 M, WATER TANK TOP - 66.84 M, BUILDING TOP - 62.22 M
In circling area and at AD	BUILDING	190652.5N 0725357.6E	345 FEET	LGTD	LAKE PRIMROSE, LIGHTNING ARRESTER TOP - 105.18 M, OBSTRUCTION LIGHT TOP - 102.93 M, WATER TANK TOP - 102.47 M, BUILDING TOP (PARAPET WALL) - 98.53 M.
In circling area and at AD	BUILDING	190650.8N 0725358.1E	346 FEET	LGTD	LAKE PRIMEROSE, LIGHTNING ARRESTER TOP - 105.37 M, OBSTRUCTION LIGHT TOP - 105.05 M, WATER TANK TOP - 103.27 M, BUILDING TOP (PARAPET WALL) - 98.57 M.
In circling area and at AD	BUILDING	190651.4N 0725359.3E	338 FEET	NO	LAKE PRIMROSE, STAIRCASE ROOM TOP - 103.02 M, BUILDING TOP - 102.53 M
In circling area and at AD	BUILDING	190649.7N 0725401.1E	200 FEET	NO	LAKE PRIMROSE, STAIRCASE ROOM TOP - 61.08 M, BUILDING TOP - 56.82 M
In circling area and at AD	BUILDING	190650.9N 0725401.3E	368 FEET	LGTD	LAKE LUCERNE BLOCK D, OBSTRUCTION LIGHT TOP - 112.19 M, DESIGN TOP - 110.62 M, LIGHTNING ARRESTER TOP - 110.52 M, STAIRCASE ROOM TOP - 108.85 M, BUILDING TOP (PARAPET WALL) - 103.90 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190652.7N 0725402.4E	368 FEET	LGTD	LAKE LUCERNE BLOCK B, OBSTRUCTION LIGHT TOP - 112.15 M, DESIGN TOP - 110.67 M, STAIRCASE ROOM TOP - 108.88 M, BUILDING TOP (PARAPET WALL) - 103.96 M.
In circling area and at AD	BUILDING	190650.8N 0725408.2E	398 FEET	LGTD	LAKE PLEASANT, LIGHTNING ARRESTER TOP - 121.17 M, OBSTRUCTION LIGHT TOP - 120.85 M, STAIRCASE ROOM TOP - 119.58 M, BUILDING TOP - 108.29 M
In circling area and at AD	BUILDING	190651.7N 0725408.0E	397 FEET	LGTD	LAKE PLEASANT, LIGHTNING ARRESTER TOP - 121.13 M, OBSTRUCTION LIGHT TOP - 121.07 M, STAIRCASE ROOM TOP - 119.51 M, BUILDING TOP - 108.26 M
In circling area and at AD	BUILDING	190652.6N 0725407.7E	398 FEET	LGTD	LAKE PLEASANT, LIGHTNING ARRESTER TOP - 121.22 M, OBSTRUCTION LIGHT TOP - 120.94 M, STAIRCASE ROOM TOP - 119.48 M, BUILDING TOP - 108.28 M
In circling area and at AD	BUILDING	190653.5N 0725407.5E	398 FEET	LGTD	LAKE PLEASANT, LIGHTNING ARRESTER TOP - 121.16 M, OBSTRUCTION LIGHT TOP - 120.56 M, STAIRCASE ROOM TOP - 119.48 M, BUILDING TOP - 108.35 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190655.6N 0725406.6E	354 FEET	LGTD	LAKE FLORENCE, LIGHTNING ARRESTER TOP - 107.83 M, OBSTRUCTION LIGHT TOP - 107.46 M, STAIRCASE ROOM TOP - 106.49 M, BUILDING TOP - 94.98 M
In circling area and at AD	BUILDING	190656.4N 0725404.9E	395 FEET	LGTD	LAKE FLORENCE, LIGHTNING ARRESTER TOP - 120.41 M, OBSTRUCTION LIGHT TOP - 119.97 M, STAIRCASE ROOM TOP - 118.76 M, BUILDING TOP - 105.88 M
In circling area and at AD	BUILDING	190657.0N 0725404.3E	395 FEET	LGTD	LAKE FLORENCE, LIGHTNING ARRESTER TOP - 120.27 M, OBSTRUCTION LIGHT TOP - 120.01 M, STAIRCASE ROOM TOP - 118.80 M, BUILDING TOP - 114.96 M
In circling area and at AD	BUILDING	190658.5N 0725409.5E	308 FEET	LGTD	LEGACY TOWER, CELLPHONE MAST TOP - 93.86 M, OBSTRUCTION LIGHT TOP - 90.35 M, STAIRCASE ROOM TOP - 88.32 M, BUILDING TOP - 85.09 M
In circling area and at AD	BUILDING	190658.1N 0725406.3E	365 FEET	NO	SAI SAPPHIRE, STAIRCASE ROOM TOP - 111.23 M, BUILDING TOP - 106.16 M
In circling area and at AD	BUILDING	190659.5N 0725404.5E	394 FEET	LGTD	LAKE SPERIOR, OBSTRUCTION LIGHT TOP - 119.98 M, LIGHTNING ARRESTER TOP - 118.63 M, STAIRCASE ROOM TOP - 118.54 M, BUILDING TOP (PARAPET WALL) - 110.78 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190702.5N 0725403.7E	372 FEET	NO	EVEREST HEIGHTS, LIGHTNING ARRESTER TOP - 113.38 M, STAIRCASE ROOM TOP - 113.17 M, BUILDING TOP - 102.46 M
In circling area and at AD	BUILDING	190704.9N 0725406.1E	370 FEET	NO	SHIMMERING HEIGHTS, LIGHTNING ARRESTER TOP - 112.93 M, STAIRCASE ROOM TOP - 112.19 M, BUILDING TOP (PARAPET WALL) - 107.57 M.
In circling area and at AD	BUILDING	190707.4N 0725407.1E	246 FEET	NO	CUSTOMS COLONY POWAI, DISH TOP - 74.89 M, STAIRCASE ROOM TOP - 74.21 M, BUILDING TOP - 71.50 M
In circling area and at AD	BUILDING	190709.4N 0725420.1E	450 FEET	NO	LAKE FRONT SOLITAIRE, ANTENNA TOP - 137.18 M, STAIRCASE ROOM TOP - 135.35 M, BUILDING TOP - 130.85 M
In circling area and at AD	BUILDING	190703.3N 0725412.9E	235 FEET	NO	VIJAY VIHAR, IRON ROD TOP - 71.45 M, WATER TANK TOP - 70.27 M, BUILDING TOP (PARAPET WALL) - 65.60 M.
In circling area and at AD	BUILDING	190701.5N 0725413.2E	300 FEET	NO	POWAI WOODS, WATER TANK TOP - 91.48 M, BUILDING TOP (PARAPET WALL) - 86.87 M.
In circling area and at AD	BUILDING	190700.2N 0725415.5E	302 FEET	LGTD	POWAI HIMALAYA CHS, LIGHTNING ARRESTER TOP - 91.95 M, OBSTRUCTION LIGHT TOP - 91.33 M, STAIRCASE ROOM TOP - 89.73 M, BUILDING TOP - 86.47 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190659.4N 0725414.0E	303 FEET	LGTD	PALAZZIO CHS, OBSTRUCTION LIGHT TOP - 92.54 M, LIGHTNING ARRESTER TOP - 92.42 M, STAIRCASE ROOM TOP - 91.19 M, BUILDING TOP - 86.76 M
In circling area and at AD	BUILDING	190654.8N 0725415.2E	390 FEET	NO	BHAGTANI KRISHAANG, WATER TANK TOP - 118.77 M, STAIRCASE ROOM TOP - 118.76 M, BUILDING TOP (PARAPET WALL) - 116.98 M.
In circling area and at AD	BUILDING	190650.2N 0725417.9E	359 FEET	NO	MAPLE, DISH TOP - 109.26 M, STAIRCASE ROOM TOP - 108.71 M, BUILDING TOP - 103.62 M
In circling area and at AD	BUILDING	190650.3N 0725422.5E	449 FEET	LGTD	RICHMOND, OBSTRUCTION LIGHT TOP - 136.75 M, STAIRCASE ROOM TOP - 136.37 M, BUILDING TOP - 134.12 M
In circling area and at AD	BUILDING	190645.9N 0725425.9E	248 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190644.9N 0725427.5E	227 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190644.5N 0725433.7E	264 FEET	NO	SHARMA BUNGALOW, DESIGN TOP - 80.54 M, BUILDING TOP (PARAPET WALL) - 77.88 M.
In circling area and at AD	BUILDING	190639.9N 0725424.9E	472 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190634.5N 0725428.3E	565 FEET	NO	BUILDING (U/C), BUILDING TOP (SLAB)
In circling area and at AD	NATURAL HIGHPOINT	190632.5N 0725434.6E	691 FEET	NO	HILL
In circling area and at AD	TREE	190631.5N 0725432.5E	715 FEET	NO	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	190626.3N 0725441.4E	454 FEET	NO	HILL TOP
In circling area and at AD	BUILDING	190615.1N 0725433.6E	299 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190614.1N 0725430.8E	432 FEET	NO	PUCCA HOUSE ON HILL

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	190615.7N 0725428.5E	579 FEET	NO	HILL
In circling area and at AD	NATURAL HIGHPOINT	190611.5N 0725427.4E	497 FEET	NO	HILL TOP
In circling area and at AD	BUILDING	190608.5N 0725430.3E	325 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190607.7N 0725431.0E	257 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	OTHER	190606.9N 0725426.4E	404 FEET	NO	HOARDING ON HILL
In circling area and at AD	BUILDING	190607.9N 0725425.7E	455 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	ANTENNA	190603.3N 0725422.9E	361 FEET	LGTD	CELLPHONE MAST ON HILL
In circling area and at AD	BUILDING	190603.1N 0725422.5E	363 FEET	NO	TEMPLE ON HILL, FLAG TOP - 110.60 M, TEMPLE TOP - 109.04 M.
In circling area and at AD	ANTENNA	190600.6N 0725420.3E	341 FEET	LGTD	CELLPHONE MAST ON HILL
In circling area and at AD	BUILDING	190558.5N 0725422.2E	298 FEET	NO	PUCCA HOUSE ON HILL
In circling area and at AD	BUILDING	190604.3N 0725438.7E	215 FEET	NO	NARENDRA VILLA CHS, ANTENNA TOP - 65.38 M, WATER TANK TOP - 58.87 M, BUILDING TOP - 55.81 M
In circling area and at AD	BUILDING	190604.4N 0725440.0E	214 FEET	NO	KANAN APARTMENT, ANTENNA TOP - 65.21 M, BUILDING TOP (PARAPET WALL) - 64.12 M.
In circling area and at AD	BUILDING	190559.5N 0725437.4E	246 FEET	LGTD	SHETH ENCLAVE, LIGHTNING ARRESTER TOP - 74.88 M, OBSTRUCTION LIGHT TOP - 74.45 M, STAIRCASE ROOM TOP - 73.07 M, BUILDING TOP - 69.18 M
In circling area and at AD	BUILDING	190542.8N 0725443.1E	197 FEET	NO	VRAJ PARADISE CHS, PIPE TOP - 59.92 M, BUILDING TOP (PARAPET WALL) - 58.94 M.
In circling area and at AD	BUILDING	190544.3N 0725450.7E	209 FEET	NO	AKASH DEEP, LIGHTENING ARRESTOR - 63.76 M, ANTENNA TOP - 62.57 M, WATER TANK TOP -56.27 M, BUILDING TOP -52.79 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190544.5N 0725450.4E	207 FEET	NO	AKASHDEEP CHS, ANTENNA TOP - 62.97 M, STAIRCASE ROOM TOP - 55.75 M, BUILDING TOP - 52.28 M
In circling area and at AD	BUILDING	190547.6N 0725449.2E	197 FEET	NO	NABARD BUILDING, WATER TANK TOP - 60.00 M, BUILDING TOP - 56.14 M
In circling area and at AD	BUILDING	190549.8N 0725448.9E	199 FEET	NO	PURBAI, WATER TANK TOP - 60.76 M, BUILDING TOP - 58.53 M
In circling area and at AD	BUILDING	190550.1N 0725447.6E	208 FEET	NO	PANCHRATNA CHS, ANTENNA TOP - 63.33 M, GRILL TOP - 61.40 M, WATER TANK TOP - 60.29 M, BUILDING TOP (PARAPET WALL) - 57.12 M.
In circling area and at AD	BUILDING	190551.7N 0725447.4E	201 FEET	NO	SWAGAT CHS, WATER TANK TOP - 61.30 M, BUILDING TOP (PARAPET WALL) - 56.28 M.
In circling area and at AD	BUILDING	190550.2N 0725451.7E	228 FEET	NO	PANKHESHAH BABA S.R.A. CHS, ANTENNA TOP - 69.51 M, STAIRCASE ROOM TOP - 68.42 M, BUILDING TOP - 64.29 M
In circling area and at AD	BUILDING	190549.5N 0725452.7E	231 FEET	NO	PANKESHA BABA SRA, LIGHTNING ARRESTER TOP - 70.33 M, WATER TANK TOP - 68.58 M, BUILDING TOP - 63.66 M.
In circling area and at AD	BUILDING	190548.6N 0725452.1E	214 FEET	NO	PANKHESHAH BABA S.R.A CHS, STAIRCASE ROOM TOP - 65.18 M, BUILDING TOP - 60.74 M.
In circling area and at AD	BUILDING	190548.5N 0725452.0E	231 FEET	NO	U/C BUILDING, LIFT TOP - 70.30 M, STAIRCASE TOP - 66.03 M, BUILDING TOP - 61.56 M
In circling area and at AD	BUILDING	190546.2N 0725502.8E	233 FEET	NO	KALPATHARU AURA BUILDING

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190549.2N 0725459.4E	280 FEET	NO	KALPATARU AURA, OBSTUCTION LIGHT - 85.27 M, BUILDING TOP - 79.90 M
In circling area and at AD	BUILDING	190551.4N 0725502.9E	263 FEET	NO	KALPATARU AURA, PIPE TOP - 80.20 M, WATER TANK TOP - 79.40 M, BUILDING TOP (PARAPET WALL) - 78.48 M.
In circling area and at AD	BUILDING	190552.8N 0725502.2E	263 FEET	NO	KALPATARU AURA BUILDING, POLE TOP - 80.24 M, WATER TANK TOP - 79.45 M, BUILDING TOP - 78.48 M
In circling area and at AD	BUILDING	190601.2N 0725453.7E	228 FEET	NO	THE ORCHID RESIDENCY CHS, WATER TANK TOP - 69.52 M, BUILDING TOP (PARAPET WALL) - 68.29 M.
In circling area and at AD	BUILDING	190601.7N 0725459.6E	228 FEET	NO	R CITY MALL, LIGHTNING ARRESTER TOP - 69.46 M, STAIRCASE ROOM TOP - 67.74 M, BUILDING TOP - 67.17 M
In circling area and at AD	BUILDING	190604.5N 0725457.8E	240 FEET	NO	THE ORCHID RESIDENCY CHS, LIGHTNING ARRESTER TOP - 73.24 M, WATER TANK TOP - 69.75 M, BUILDING TOP (PARAPET WALL) - 68.30 M.
In circling area and at AD	BUILDING	190626.1N 0725456.0E	407 FEET	NO	MAYFAIR HILL CREST, POLE TOP - 123.98 M, HORADING TOP - 123.07 M, STAIRCASE ROOM TOP - 122.15 M, BUILDING TOP (PARAPET WALL) - 117.46 M.
In circling area and at AD	BUILDING	190648.4N 0725436.0E	585 FEET	NO	AVAION CHS, STAIRCASE ROOM TOP - 178.35 M, BUILDING TOP - 158.18 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190648.1N 0725441.2E	579 FEET	NO	ADONIA, ANTENNA TOP - 176.40 M, STAIRCASE ROOM TOP - 174.99 M, BUILDING TOP - 167.57 M
In circling area and at AD	BUILDING	190652.4N 0725446.2E	648 FEET	NO	OCTAVIUS, STAIRCASE ROOM TOP - 197.48 M, ANTENNA TOP - 181.13 M, BUILDING TOP - 175.11 M
In circling area and at AD	BUILDING	190654.1N 0725444.5E	628 FEET	NO	HERITAGE TOWER, STAIRCASE ROOM TOP - 191.49 M, BUILDING TOP - 177.55 M
In circling area and at AD	BUILDING	190656.1N 0725442.1E	576 FEET	NO	GLEN DALE, STAIRCASE ROOM TOP - 175.53 M, BUILDING TOP - 161.35 M
In circling area and at AD	BUILDING	190657.1N 0725440.1E	573 FEET	NO	GLEN RIDGE TOWER, STAIRCASE ROOM TOP - 174.78 M, BUILDING TOP - 156.12 M
In circling area and at AD	BUILDING	190656.4N 0725438.5E	526 FEET	NO	GLEN CROFT CHS, LIGHTNING ARRESTER TOP - 160.32 M, STAIRCASE ROOM TOP - 159.37 M, BUILDING TOP - 138.49 M
In circling area and at AD	BUILDING	190702.7N 0725437.3E	507 FEET	NO	SOMERSET, LIGHTNING ARRESTER TOP - 154.59 M, STAIRCASE ROOM TOP - 154.03 M, BUILDING TOP - 141.16 M
In circling area and at AD	BUILDING	190707.8N 0725434.0E	452 FEET	LGTD	ALANTIS, LIGHTNING ARRESTER TOP - 137.85M, OBSTRUCTION LIGHT TOP - 136.83 M, DESIGN TOP - 135.30 M, BUILDING TOP (PARAPET WALL) - 133.04 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190712.9N 0725436.4E	484 FEET	LGTD	ODYSSEY 1, LIGHTNING ARRESTER TOP - 147.57 M, OBSTRUCTION LIGHT TOP - 146.58 M, STAIRCASE ROOM TOP - 145.38 M, BUILDING TOP - 128.55 M
In circling area and at AD	BUILDING	190714.6N 0725438.1E	478 FEET	LGTD	ODYSSEY 2, OBSTRUCTION LIGHT TOP - 145.76 M, STAIRCASE ROOM TOP - 144.80 M, BUILDING TOP - 138.93 M
In circling area and at AD	BUILDING	190717.5N 0725506.2E	578 FEET	NO	RAJESH LIFESPACE, LADDER TOP - 176.06 M, STAIRCASE ROOM TOP - 175.72 M, STAIRCASE ROOM TOP - 175.16 M, BUILDING TOP - 171.76 M
In circling area and at AD	BUILDING	190708.3N 0725502.3E	643 FEET	NO	ELDORA, LIGHTNING ARRESTER TOP - 196.05 M, DESIGN TOP - 195.20 M, STAIRCASE ROOM TOP - 189.22 M, BUILDING TOP - 166.12 M
In circling area and at AD	NATURAL HIGHPOINT	190650.7N 0725454.2E	453 FEET	NO	HILL TOP
In circling area and at AD	BUILDING	190642.4N 0725505.9E	484 FEET	NO	KAILASH BUSINESS PARK WING - B, WATER TANK TOP(U/C) - 147.57 M, BUILDING TOP - 142.44 M
In circling area and at AD	BUILDING	190556.7N 0725507.9E	361 FEET	NO	THE ADDRESS - THE WADHWA GROUP, POLE TOP - 110.02 M, BUILDING TOP - 109.02 M
In circling area and at AD	BUILDING	190556.7N 0725507.8E	359 FEET	NO	THE ADDRESS

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190554.8N 0725510.1E	361 FEET	NO	THE ADDRESS - THE WADHWA GROUP, POLE TOP - 109.88 M, BUILDING TOP - 108.95 M
In circling area and at AD	BUILDING	190552.4N 0725513.5E	295 FEET	NO	PANORAMA CHS, LIGHTNING ARRESTER TOP - 89.77 M, DISH ANTENNA TOP - 89.22 M, BUILDING TOP (PARAPET WALL) - 88.08 M
In circling area and at AD	BUILDING	190549.7N 0725510.8E	297 FEET	LGTD	THE ADDRESS - THE WADHWA GROUP VISTA - II, OBSTRUCTION LIGHT TOP - 90.46 M, WATER TANK TOP - 88.03 M, BUILDING TOP - 85.67
In circling area and at AD	OTHER	190456.7N 0725450.1E	213 FEET	NO	PYLON MAST
In circling area and at AD	OTHER	190456.6N 0725450.2E	212 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190458.5N 0725446.6E	199 FEET	NO	EXCEL PLAZA, ANTENNA TOP - 60.84 M, STAIRCASE ROOM TOP - 58.05 M, BUILDING TOP - 57.46 M.
In circling area and at AD	BUILDING	190500.8N 0725437.2E	206 FEET	NO	SHIVSHAKTHI, LIGHTENING ARRESTOR - 62.77 M, BUILDING TOP - 59.11 M
In circling area and at AD	BUILDING	190500.7N 0725437.3E	204 FEET	LGTD	SHIV SHAKTHI HEIGHTS, OBSTRUCTION LIGHT TOP - 62.19 M, STAIRCASE ROOM TOP - 60.94 M, BUILDING TOP - 56.70 M.
In circling area and at AD	BUILDING	190501.4N 0725422.2E	211 FEET	NO	G SQUARE BUILDING, LIGHTNING ARRESTER TOP - 64.26 M, STAIRCASE ROOM TOP - 60.97 M, BUILDING TOP - 59.22 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190501.1N 0725421.8E	212 FEET	NO	KALYAN JEWELLERS-LIGHTING ARRESTOR TOP-64.61 M,STAIRCASE TOP-61.33 M,BUILDING TOP-60.14 M
In circling area and at AD	BUILDING	190501.0N 0725422.3E	201 FEET	NO	STAIRCASE ROOM TOP ON G SQUIRE BUILDING (KALYAN JEWELLERS) (BUILDING TOP - 60.20 M)
In circling area and at AD	BUILDING	190454.8N 0725418.8E	201 FEET	NO	SARA APARTMENT
In circling area and at AD	BUILDING	190454.0N 0725418.3E	195 FEET	NO	NEELKANTH ROYALE BUILDING, LIGHTNING ARRESTER TOP - 59.47 M, BUILDING TOP - 57.51 M
In circling area and at AD	BUILDING	190455.4N 0725429.7E	190 FEET	NO	SIDDHI DHARSHAN BUILDING TOP
In circling area and at AD	OTHER	190448.3N 0725442.6E	207 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190444.3N 0725440.4E	230 FEET	LGTD	ROSELELA 148 BUILDING,OBSTRUCTION LIGHT TOP - 70.15 M, WATER TANK TOP - 69.91 M, BUILDING TOP - 66.64 M.
In circling area and at AD	BUILDING	190440.9N 0725446.9E	204 FEET	LGTD	KUKREJA PALACE, OBSTRUCTION LIGHT TOP - 62.15 M, STAIRCASE ROOM TOP - 61.14 M, BUILDING TOP - 56.34 M
In circling area and at AD	BUILDING	190440.5N 0725441.6E	189 FEET	NO	MAHAVIR KRUPA, WATER TANK TOP - 57.49 M, BUILDING TOP - 53.96 M
In circling area and at AD	OTHER	190441.7N 0725436.9E	231 FEET	NO	H.T.TOWER TOP
In circling area and at AD	BUILDING	190442.1N 0725433.7E	194 FEET	NO	GIRIRAJ VAI BHAVAN, LIFT TOP - 59.15 M, BUILDING(U/C) TOP - 56.78 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190433.2N 0725433.0E	189 FEET	NO	VASANTH APARTMENT, LIGHTNING ARRESTER TOP - 57.47 M, STAIRCASE ROOM TOP - 56.11 M, BUILDING TOP - 54.2 M
In circling area and at AD	BUILDING	190430.4N 0725429.4E	226 FEET	NO	OM SHYAM APARTMENT, GRILL TOP - 68.85 M, STAIRCASE ROOM TOP - 68.00 M, BUILDING TOP (PARAPET WALL) - 65.89 M.
In circling area and at AD	BUILDING	190433.3N 0725426.2E	261 FEET	NO	BUILDING(U/C), WATER TANK(U/C) TOP - 79.67 M, BUILDING(U/C) TOP - 72.94 M
In circling area and at AD	BUILDING	190436.1N 0725426.5E	193 FEET	NO	MAHAVEER MEENA SOLITAIRE, LIGHTNING ARRESTER TOP - 58.90 M, DISH TOP - 58.16 M, STAIRCASE ROOM TOP - 57.16 M, BUILDING TOP - 56.09 M
In circling area and at AD	BUILDING	190440.1N 0725418.8E	203 FEET	LGTD	BHAVESHWAR'S SAI GRANDEUR, LADDER TOP - 61.89 M, OBSTRUCTION LIGHT TOP - 61.85 M, WATER TANK TOP - 61.20 M, HOARDING TOP - 60.89 M, BUILDING TOP(PARAPET WALL) - 58.68 M
In circling area and at AD	BUILDING	190437.3N 0725417.9E	195 FEET	NO	KAILASH KIRAN, LADDER TOP - 59.42 M, STAIRCASE ROOM TOP - 58.52 M, WATER TANK TOP - 58.43 M, BUILDING TOP (PARAPET WALL) - 56.46 M.
In circling area and at AD	BUILDING	190440.1N 0725417.4E	198 FEET	NO	BRAHMA KUMAR, LIGHTNING ARRESTER TOP - 60.23 M, BUILDING TOP - 57.25 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190439.9N 0725353.4E	193 FEET	NO	PARASMANI, LADDER TOP - 58.77 M, STAIRCASE ROOM TOP - 57.09 M, BUILDING TOP - 54.42 M
In circling area and at AD	OTHER	190423.3N 0725420.3E	213 FEET	NO	H.T.TOWER TOP
In circling area and at AD	BUILDING	190419.2N 0725417.4E	226 FEET	NO	THE BAYA JUNCTION, LADDER TOP - 68.80 M, WATER TANK TOP - 68.23 M, BUILDING TOP (PARAPET WALL) - 66.95 M.
In circling area and at AD	OTHER	190418.4N 0725415.8E	216 FEET	NO	H.T.TOWER TOP
In circling area and at AD	OTHER	190411.4N 0725409.5E	204 FEET	NO	H.T.TOWER TOP
In circling area and at AD	BUILDING	190413.1N 0725402.3E	192 FEET	NO	KRUSHAL TOWERS, DISH TOP - 58.60 M, WATER TANK TOP - 58.05 M, BUILDING TOP - 55.35 M
In circling area and at AD	BUILDING	190411.4N 0725401.7E	192 FEET	NO	KRUSHAL TOWERS, WATER TANK TOP - 58.46 M, BUILDING TOP - 52.79 M
In circling area and at AD	BUILDING	190403.9N 0725356.6E	208 FEET	NO	SWASTIK VALUE HEIGHTS, ANTENNA TOP - 63.52 M, HOARDING TOP - 62.42 M, WATER TANK TOP - 61.71 M, BUILDING TOP - 57.13 M.
In circling area and at AD	BUILDING	190403.7N 0725356.3E	209 FEET	NO	SWASTIK VALUE HEIGHTS, ANTENNA TOP - 63.74 M, HOARDING TOP - 62.72 M, STAIRCASE ROOM TOP - 61.96 M, BUILDING TOP(PARAPET WALL) - 60.18 M.
In circling area and at AD	BUILDING	190403.7N 0725353.2E	190 FEET	NO	DAKSHTA SOCIETY, LIGHT TOP - 57.93 M, SHED TOP - 57.55 M, BUILDING TOP - 56.22 M
In circling area and at AD	BUILDING	190401.7N 0725401.3E	189 FEET	NO	AARADHYA ONE, PIPE TOP - 57.72 M, BUILDING TOP - 56.77 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190423.6N 0725435.5E	199 FEET	LGTD	SHEETALNATH TOWER CHS, OBSTRUCTION LIGHT TOP - 60.72 M, STAIRCASE ROOM TOP - 58.68 M, BUILDING TOP - 55.29 M
In circling area and at AD	BUILDING	190425.4N 0725438.3E	197 FEET	LGTD	SAMBHAVNATH CHS, OBSTRUCTION LIGHT TOP - 59.95 M, STAIRCASE ROOM TOP - 58.50 M, BUILDING TOP - 55.04 M
In circling area and at AD	BUILDING	190426.5N 0725439.2E	197 FEET	NO	SHANKHESWAR CHS, LIGHTNING ARRESTER TOP - 59.99 M, STAIRCASE ROOM TOP - 58.28 M, BUILDING TOP - 55.36 M
In circling area and at AD	BUILDING	190424.7N 0725444.6E	323 FEET	NO	SOLSTICE (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 98.56 M, BUILDING TOP (SLAB) - 81.25 M.
In circling area and at AD	BUILDING	190423.8N 0725442.4E	224 FEET	NO	NEELAM SRA, STAIRCASE ROOM TOP - 68.29 M, BUILDING TOP (PARAPET WALL) - 59.65 M
In circling area and at AD	BUILDING	190418.8N 0725440.9E	270 FEET	NO	CRYSTAL XRBIA, TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 82.19 M, WATER TANK TOP - 78.20 M, WATER TANK TOP - 78.14 M, BUILDING TOP (PARAPET WALL) - 73.58 M
In circling area and at AD	BUILDING	190417.7N 0725438.7E	259 FEET	NO	CRYSTAL XRBIA, WATER TANK TOP - 78.76 M, WATER TANK TOP - 77.96 M, BUILDING TOP (PARAPET WALL) - 73.65 M
In circling area and at AD	BUILDING	190414.6N 0725452.8E	251 FEET	NO	PWD QUATERZ(BLDG NO.4), PIPE TOP - 76.47 M, WATER TANK TOP - 75.75 M, BUILDING TOP - 71.46 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190414.0N 0725454.1E	250 FEET	NO	PWD QUATERZ(BLDG NO.5), PIPE TOP - 76.28 M, WATER TANK TOP - 75.68 M, BUILDING TOP - 71.40 M
In circling area and at AD	BUILDING	190410.7N 0725454.3E	250 FEET	NO	PWD QUATERZ(BLDG NO.9), LADDER TOP - 76.33 M, WATER TANK TOP - 75.75 M, BUILDING TOP - 71.45 M
In circling area and at AD	BUILDING	190410.1N 0725453.0E	251 FEET	NO	PWD QUATERZ(BLDG NO.10), LIGHTNING ARRESTER TOP - 76.48 M, WATER TANK TOP - 75.73 M, BUILDING TOP - 71.45 M
In circling area and at AD	BUILDING	190408.8N 0725452.0E	238 FEET	NO	PWD QUATERZ BUILDING(U/C), IRON ROD TOP - 72.54 M, BUILDING TOP - 70.32 M.
In circling area and at AD	BUILDING	190408.2N 0725455.0E	250 FEET	NO	PWD QUATERZ BUILDING(U/C), LADDER TOP - 76.25 M, WATER TANK TOP - 75.60 M, BUILDING TOP - 71.34 M
In circling area and at AD	BUILDING	190404.1N 0725449.8E	215 FEET	NO	RISING CITY BUILDING(U/C), CRANE TOP - 65.47 M, BUILDING TOP - 47.50 M.
In circling area and at AD	BUILDING	190402.8N 0725446.9E	213 FEET	NO	RISING CITY BUILDING(U/C), CRANE TOP - 64.85 M, BUILDING TOP - 47.56 M.
In circling area and at AD	BUILDING	190342.7N 0725438.3E	218 FEET	NO	KUTCHI SARYODAY NAGAR, LADDER TOP - 66.41 M, WATER TANK TOP - 64.77 M, BUILDING TOP - 61.31 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190342.1N 0725446.5E	284 FEET	NO	UNIVERSAL MAJESTIC, LIGHTNING ARRESTER TOP - 86.51 M, ANTENNA TOP - 80.06 M, BUILDING TOP - 77.32 M
In circling area and at AD	BUILDING	190336.7N 0725442.2E	240 FEET	NO	MANJARI ARCADE, GRILL TOP - 73.19 M, BUILDING TOP - 71.92 M
In circling area and at AD	TREE	190147.2N 0725439.9E	680 FEET	NO	TREE ON HILL
In circling area and at AD	BUILDING	190731.2N 0725326.3E	216 FEET	NO	WEWORK CHRONIUM, STAIRCASE ROOM TOP - 65.85 M, STAIRCASE ROOM TOP - 65.83 M, LIFT TOP - 63.97 M, BUILDING TOP(PARAPET WALL) - 62.65 M
In circling area and at AD	BUILDING	190556.1N 0725503.9E	247 FEET	LGTD	PRESIDENSIAL TOWERS, CELLPHONE MAST TOP - 75.35 M, STAIRCASE ROOM TOP - 66.37 M, BUILDING TOP - 62.29 M
In circling area and at AD	BUILDING	190141.9N 0725244.3E	492 FEET	NO	AJMERA TREON - B WING, WATER TANK TOP - 149.91 M, BUILDING TOP(PARAPET WALL) - 144.35 M.
In circling area and at AD	BUILDING	190212.3N 0725243.4E	467 FEET	NO	LODHA ELISIUM, BUILDING TOP
In circling area and at AD	BUILDING	190214.9N 0725241.9E	466 FEET	NO	LODHA DIORO, BUILDING TOP
In circling area and at AD	BUILDING	190219.7N 0725245.0E	414 FEET	NO	LODHA BLDG(U/C), BUILDING TOP
In circling area and at AD	BUILDING	190222.5N 0725244.4E	423 FEET	NO	LODHA VIOS, BUILDING TOP(PARAPET WALL)
In circling area and at AD	BUILDING	190244.1N 0725328.2E	245 FEET	NO	SIDDHI GARIMA TAPASYA, LADDER TOP - 74.65 M, WATER TANK TOP - 73.98 M, STAIRCASE ROOM TOP - 68.36 M, BUILDING TOP - 64.29 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190305.6N 0725350.5E	210 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190307.2N 0725351.4E	209 FEET	NO	GOLF SCAPPE, STAIRCASE ROOM TOP - 63.69 M, BUILDING TOP(PARAPET WALL) - 58.35 M.
In circling area and at AD	BUILDING	190301.2N 0725331.4E	198 FEET	NO	AMEET TOWER, LIGHTNING ARRESTER TOP - 60.53 M, STAIRCASE ROOM TOP - 59.09 M, BUILDING TOP - 53.95 M
In circling area and at AD	BUILDING	190259.0N 0725327.5E	218 FEET	LGTD	CHEMBUR HEIGHTS, CELLPHONE MAST TOP - 66.36 M, COMMUNICATION ANTENNA TOP - 59.99 M, STAIRCASE ROOM TOP - 56.60 M, BUILDING - 51.68 M
In circling area and at AD	BUILDING	190256.6N 0725325.2E	248 FEET	NO	KUKREJA(U/C), LIFT TOP - 75.65 M, BUILDING TOP - 67.90 M.
In circling area and at AD	BUILDING	190254.5N 0725318.3E	221 FEET	NO	LUV KUSH TOWER, ANTENNA TOP - 67.33 M, STAIRCASE ROOM TOP - 61.76 M, BUILDING TOP - 56.95 M
In circling area and at AD	BUILDING	190258.3N 0725312.6E	215 FEET	NO	ODINA WING B, GRILL TOP - 65.52 M, WATER TANK TOP - 64.59 M, BUILDING TOP (PARAPET WALL) - 61.68 M
In circling area and at AD	BUILDING	190300.3N 0725313.5E	202 FEET	NO	SRA EKTA CHS, WATER TANK TOP - 61.73 M, WATER TANK TOP - 58.21 M, BUILDING TOP - 57.13 M.
In circling area and at AD	BUILDING	190304.1N 0725310.7E	275 FEET	NO	ALTA VISTA, WATER TANK TOP - 83.81 M, BUILDING TOP (PARAPET WALL) - 78.12 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190306.5N 0725312.0E	273 FEET	NO	ALTA VISTA, STAIRCASE ROOM TOP - 83.27 M, STAIRCASE ROOM TOP - 83.21 M, BUILDING TOP - 77.28 M.
In circling area and at AD	BUILDING	190307.9N 0725330.3E	217 FEET	NO	CLAN, LIGHTNING ARRESTER TOP - 66.23 M, LIGHTNING ARRESTER TOP - 66.12 M, ANTENNA TOP - 65.76 M, HOARDING TOP - 61.02 M, WATER TANK TOP - 59.63 M, BUILDING TOP - 55.42
In circling area and at AD	BUILDING	190308.8N 0725337.9E	195 FEET	NO	SHIV SAI CHS LTD, LADDER TOP - 59.54 M, WATER TANK TOP - 58.72 M, BUILDING TOP - 57.49 M
In circling area and at AD	BUILDING	190317.1N 0725338.7E	192 FEET	NO	APURVA CHS, DISH ANTENNA TOP - 58.49 M, LADDER TOP - 58.45 M, WATER TANK TOP - 57.51 M, BUILDING TOP (PARAPET WALL) - 55.74 M.
In circling area and at AD	BUILDING	190321.4N 0725327.6E	188 FEET	NO	ARUNDHATI HEIGHTS, GRILL TOP - 57.40 M, STAIRCASE ROOM TOP - 56.48 M, BUILDING TOP - 54.02 M
In circling area and at AD	BUILDING	190319.2N 0725327.4E	198 FEET	NO	LIGHTNING ARRESTOR ON PURBANI BUILDING (BUILDING TOP - 57.95 M, GRILL TOP - 58.75 M)
In circling area and at AD	BUILDING	190319.4N 0725327.2E	190 FEET	NO	PURBANI, DISH ANTENNA TOP - 57.76 M, GRILL TOP - 57.43 M, STAIRCASE ROOM TOP - 56.86 M, BUILDING TOP - 54.42 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190319.6N 0725322.9E	193 FEET	LGTD	NELLAI HEIGHTS, OBSTRUCTION LIGHT TOP - 58.71 M, LIGHTNING ARRESTER TOP - 58.69 M, GRILL TOP - 57.39 M, STAIRCASE ROOM TOP - 57.41 M, BUILDING TOP - 56.61 M
In circling area and at AD	BUILDING	190319.5N 0725322.9E	196 FEET	NO	LIGHTENING ARRESTOR ON NELLAI HEIGHTS (BUILDING TOP - 58.56 M)
In circling area and at AD	OTHER	190315.0N 0725258.4E	267 FEET	NO	PYLON MAST
In circling area and at AD	OTHER	190315.5N 0725257.7E	259 FEET	NO	PYLON MAST
In circling area and at AD	BUILDING	190328.6N 0725306.3E	214 FEET	LGTD	SAFFRON RESIDENCY, OBSTRUCTION LIGHT TOP - 65.15 M, GRILL TOP - 64.42 M, WATER TANK TOP - 63.54 M, BUILDING TOP (PARAPET WALL) - 61.27 M.
In circling area and at AD	OTHER	190335.3N 0725322.4E	208 FEET	NO	PYLON MAST
In circling area and at AD	OTHER	190335.8N 0725324.0E	218 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190356.4N 0725257.2E	189 FEET	NO	RELIABLE GROUP, DISH ANTENNA TOP - 57.52 M, STAIRCASE ROOM TOP - 56.67 M, BUILDING TOP - 55.52 M
In circling area and at AD	BUILDING	190345.4N 0725302.1E	207 FEET	NO	SKYVIEW(U/C), LIFT TOP - 63.15 M, GRILL TOP - 57.94 M, BUILDING TOP - 56.57 M.
In circling area and at AD	BUILDING	190339.9N 0725258.3E	216 FEET	NO	SAHAR HERITAGE, TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 65.83 M, WATER TANK TOP - 64.05 M, BUILDING TOP (PARAPET WALL) - 63.63 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190338.7N 0725257.6E	233 FEET	NO	SAMRUDDHI ELEGANCE, LIFT TOP - 71.03 M, WATER TANK TOP - 64.22 M, BUILDING TOP (PARAPET WALL) - 63.68 M
In circling area and at AD	BUILDING	190348.5N 0725253.0E	188 FEET	NO	SURBHI CHS, SHED TOP - 57.39 M, BUILDING TOP (PARAPET WALL) - 54.51 M.
In circling area and at AD	BUILDING	190348.9N 0725251.7E	188 FEET	NO	MIDAS BHOOMI HARMONY, SHED TOP - 57.32, BUILDING TOP (PARAPET WALL) - 56.02 M.
In circling area and at AD	BUILDING	190338.4N 0725243.0E	190 FEET	NO	GALAXY APARTMENT (U/C), WATER TANK TOP - 58.02 M, BUILDING TOP (PARAPET WALL) - 55.20 M.
In circling area and at AD	BUILDING	190337.6N 0725245.0E	201 FEET	NO	GALAXY APARTMENT, WATER TANK TOP - 61.16 M, STAIRCASE ROOM TOP - 60.42 M,BUILDING TOP (PARAPET WALL) - 58.30 M
In circling area and at AD	BUILDING	190333.8N 0725244.4E	189 FEET	NO	EASTERN WINDS, GRILL TOP - 57.46 M, WATER TANK TOP - 56.33 M, BUILDING TOP (PARAPET WALL) - 54.36 M.
In circling area and at AD	BUILDING	190320.9N 0725220.4E	220 FEET	LGTD	MHADA, OBSTRUCTION LIGHT TOP - 66.95 M, WATER TANK TOP - 66.74 M, BUILDING TOP - 62.87 M.
In circling area and at AD	BUILDING	190228.0N 0725154.0E	460 FEET	NO	ROOPAM CINEMA, BUILDING TOP
In circling area and at AD	BUILDING	190226.9N 0725153.9E	458 FEET	NO	ROOPAM CINEMA,STAIRCASE ROOM TOP - 139.57 M, BUILDING TOP - 139.41 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190252.1N 0725132.2E	266 FEET	NO	PEARL RESIDENCY, GRILL TOP - 81.20 M, WATER TANK TOP - 80.14 M, BUILDING TOP (PARAPET WALL) - 76.22 M
In circling area and at AD	BUILDING	190257.0N 0725133.5E	236 FEET	NO	GOLD FILLED TOWER WATER TANK TOP - 71.95 M, BUILDING TOP - 67.46 M
In circling area and at AD	BUILDING	190258.4N 0725134.2E	193 FEET	NO	GOLD FILLED TOWER, STAIRCASE ROOM TOP - 58.87 M, BUILDING TOP - 54.55
In circling area and at AD	BUILDING	190300.4N 0725144.4E	244 FEET	LGTD	SHATABTI CHS, OBSTRUCTION LIGHT TOP - 74.39 M, WATER TANK TOP - 73.25 M, BUILDING TOP (PARAPET WALL) - 70.51 M.
In circling area and at AD	BUILDING	190303.9N 0725140.2E	267 FEET	NO	SRA, WATER TANK TOP - 81.35 M, SHED TOP - 78.36 M, BUILDING TOP (PARAPET WALL) - 77.30 M.
In circling area and at AD	BUILDING	190304.2N 0725139.0E	267 FEET	NO	SRA, WATER TANK TOP - 81.46 M, SHED TOP - 78.34 M, BUILDING TOP (PARAPET WALL) - 77.30 M
In circling area and at AD	BUILDING	190329.2N 0725154.0E	249 FEET	NO	ENAM, LIGHTNING ARRESTER TOP - 75.81 M, BUILDING TOP - 71.81 M
In circling area and at AD	BUILDING	190333.4N 0725154.8E	291 FEET	LGTD	ABBOTT, OBSTRUCTION LIGHT TOP - 88.77 M, DESIGN TOP - 88.61 M, WATER TANK TOP - 88.12 M, BUILDING TOP (PARAPET WALL) - 86.00 M.
In circling area and at AD	BUILDING	190336.0N 0725147.1E	192 FEET	NO	IDFC, GENERATOR TOP - 58.57 M, IRON ANGLE TOP - 57.81 M, STAIRCASE ROOM TOP - 56.88 M, BUILDING TOP - 56.74 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190337.5N 0725146.5E	222 FEET	LGTD	NAMAN CENTRE, CELLPHONE MAST - 67.66 M, BUILDING TOP - 57.34 M.
In circling area and at AD	BUILDING	190338.8N 0725146.0E	230 FEET	NO	STANDARD CHARTERED BANK, STAIRCASE ROOM TOP - 70.02 M, CAMERA TOP - 69.99 M, BUILDING TOP - 69.37 M.
In circling area and at AD	BUILDING	190338.8N 0725146.4E	242 FEET	NO	RAHEJA TOWER, ANTENNA TOP - 73.77 M, LIGHTNING ARRESTER TOP - 73.61 M, CHIMNEY TOP - 71.20 M, BUILDING TOP (PARAPET WALL) - 69.67 M.
In circling area and at AD	BUILDING	190339.3N 0725153.5E	311 FEET	LGTD	MERRILL LYNCH, ANTENNA TOP - 94.83 M, LIGHTNING ARRESTER TOP - 94.38 M, OBSTRUCTION LIGHT TOP - 91.84 M, BUILDING TOP (PARAPET WALL) 87.43 M.
In circling area and at AD	BUILDING	190341.2N 0725204.8E	304 FEET	NO	ICAI TOWER, POLE TOP - 92.55 M, LIGHTNING ARRESTER TOP - 91.58 M, CHIMNEY TOP - 88.97 M, BUILDING TOP (PARAPET WALL) - 88.78 M.
In circling area and at AD	BUILDING	190344.6N 0725202.2E	254 FEET	NO	JIO WORLD CONVENTION CENTRE, WATER TANK TOP - 77.54 M, BUILDING TOP (PARAPET WALL) - 74.50 M
In circling area and at AD	BUILDING	190347.0N 0725157.3E	261 FEET	LGTD	JIO WORLD CENTRE, HELIPORT TOP - 79.49 M, OBSTRUCTION LIGHT TOP - 78.84 M, BUILDING TOP (PARAPET WALL) - 78.47 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190348.9N 0725148.5E	196 FEET	NO	ORIENTAL STAR HOUSE, LIGHTNING ARRESTER TOP - 59.68 M, GRILL TOP - 56.93 M, STAIORCASE ROOM TOP - 56.88 M, BUILDING TOP (PARAPET WALL) - 53.26 M
In circling area and at AD	BUILDING	190348.7N 0725144.9E	289 FEET	LGTD	DEUTSCHE BANK, TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 88.00 M, ANTENNA TOP - 86.73 M, OBSTRUCTION LIGHT TOP - 86.39 M, STAIRTCASE ROOM TOP - 85.12 M, BUILDING TOP (PARAPET WALL) - 83.98 M.
In circling area and at AD	BUILDING	190358.1N 0725206.3E	285 FEET	LGTD	SIGNIA PEARL (U/C), LIGHTNING ARRESTER TOP - 86.84 M, TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 84.29 M, OBSTRUCTION LIGHT TOP - 82.96 M, STAIRCASE ROOM TOP - 82.12 M, BUILDING TOP (PARAPET WALL) - 79.58 M
In circling area and at AD	BUILDING	190400.9N 0725210.4E	275 FEET	NO	SIGNIA ISLES, ANTENNA TOP - 83.86 M, BUILDING TOP - 80.52 M.
In circling area and at AD	BUILDING	190401.2N 0725210.3E	263 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190402.5N 0725211.2E	265 FEET	NO	SIGNIA ISLES, ANTENNA TOP - 80.86 M, BUILDING TOP - 80.11 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190402.9N 0725208.1E	223 FEET	NO	SOFITEL, LIGHTNING ARRESTER TOP - 71.80 M, ANTENNA TOP - 67.87 M, STAIRCASE ROOM TOP - 65.87 M, BUILDING TOP (PARAPET WALL) - 62.33 M
In circling area and at AD	BUILDING	190407.9N 0725216.1E	212 FEET	NO	NAMAN RESIDENCY, LIGHTNING ARRESTER TOP - 64.58 M, WATER TANK TOP - 63.50 M, BUILDING TOP - 61.96 M
In circling area and at AD	BUILDING	190410.0N 0725214.4E	235 FEET	LGTD	CBI OFFICE, ANTENNA TOP - 71.50 M, LIGHTING ARRESTER TOP - 70.18 M, OBSTRUCTION LIGHT TOP - 69.01 M, BUILDING TOP - 69.02 M
In circling area and at AD	BUILDING	190409.0N 0725210.3E	216 FEET	NO	TSG FINANCIAL CENTRE, LIGHTNING ARRESTER TOP - 65.81 M, RAILING TOP - 62.97 M, BUILDING TOP - 60.02 M.
In circling area and at AD	BUILDING	190408.0N 0725208.6E	205 FEET	LGTD	TATA INTERNATIONAL LIMIDED, LIGHTNING ARRESTER TOP - 62.57 M, ANTENNA TOP - 60.43 M, OBSTRUCTION LIGHT TOP - 60.39 M, BUILDING TOP - 57.53 M.
In circling area and at AD	BUILDING	190406.1N 0725205.9E	205 FEET	NO	PLATINA, LIGHTNING ARRESTER TOP - 62.49 M, CHIMNEY TOP - 59.62 M, BUILDING TOP - 56.99 M.
In circling area and at AD	BUILDING	190404.8N 0725204.0E	198 FEET	NO	TATA INTERNATIONAL LIMITED, LIGHTNING ARRESTER TOP - 60.24 M, BUILDING TOP - 57.22 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190403.1N 0725201.8E	206 FEET	NO	VIBGYOR (U/C), IRON ROD TOP - 62.68 M, BUILDING TOP (PARAPET WALL) - 57.32 M.
In circling area and at AD	BUILDING	190402.0N 0725200.4E	227 FEET	NO	INS TOWERS, LIGHTNING ARRESTER TOP - 69.26 M, STAIRCASE ROOM TOP - 66.23 M, BUILDING TOP (PARAPET WALL) - 63.73 M.
In circling area and at AD	BUILDING	190411.7N 0725148.5E	200 FEET	NO	EDELWEISS, LIGHTNING ARRESTER TOP - 60.98 M, GENERATOR ROOM TOP - 58.83 M, BUILDING TOP - 54.91 M.
In circling area and at AD	BUILDING	190457.0N 0725104.3E	189 FEET	NO	RUNWAL SYMPHONY, HOARDING TOP - 57.51 M, STAIRCASE ROOM TOP - 56.60 M, BUILDING TOP - 54.86 M
In circling area and at AD	BUILDING	190355.2N 0725122.9E	289 FEET	NO	SERENDIPITY FORUM (U/C), WATER TANK TOP - 88.18 M, GRILL TOP - 88.15 M, BUILDING TOP (PARAPET WALL) - 85.89 M
In circling area and at AD	BUILDING	190431.5N 0725101.5E	197 FEET	NO	KALPATARU INSPIRE, LIGHTNING ARRESTER TOP - 60.05 M, BUILDING TOP - 56.48 M.
In circling area and at AD	BUILDING	190355.0N 0725122.2E	219 FEET	NO	SERENDIPITY FORUM(U/C), WATER TANK TOP - 66.70 M, BUILDING TOP - 64.95 M
In circling area and at AD	BUILDING	190417.4N 0725042.9E	190 FEET	NO	SRA QUATERS, ANTENNA TOP - 57.90 M, LIGHTNING ARRESTER TOP - 57.40 M, STAIRCASE ROOM TOP - 56.06 M, WATER TANK TOP - 55.46 M, BUILDING TOP - 52.75 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190414.7N 0725052.9E	215 FEET	NO	SETHIA(U/C), BUILDING TOP
In circling area and at AD	BUILDING	190414.1N 0725052.1E	189 FEET	NO	UPL, STAIRCASE TOP - 57.53 M, POLE TOP - 57.50 M, BUILDING TOP - 55.38 M.
In circling area and at AD	BUILDING	190411.6N 0725051.9E	219 FEET	NO	SRA, WATER TANK TOP - 66.92 M, BUILDING TOP (PARAPET WALL) - 64.04 M
In circling area and at AD	BUILDING	190358.8N 0725106.4E	232 FEET	NO	KANAKIA PARIS, DISH ANTENNA TOP - 70.70 M, GRILL TOP - 70.12 M, BUILDING TOP - 69.28 M.
In circling area and at AD	BUILDING	190329.3N 0725104.8E	266 FEET	NO	RUSTOMJEE SEASONS WING (F), LIGHTNING ARRESTER TOP - 81.04 M, WATER TANK TOP - 79.76 M, BUILDING TOP (PARAPET WALL) - 78.41 M.
In circling area and at AD	BUILDING	190328.4N 0725104.6E	268 FEET	LGTD	RUSTOMJEE SEASONS WING-E, OBSTRUCTION LIGHT TOP - 81.74M, HOARDING TOP - 80.23M,SOLAR TANK TOP - 79.74M, STAIRCASE ROOM TOP - 79.53M.
In circling area and at AD	BUILDING	190326.1N 0725102.4E	266 FEET	NO	RUSTOMJEE SEASONS WING (C), LIGHTNING ARRESTER TOP - 81.03 M, LADDER TOP - 80.37 M, WATER TANK TOP - 79.61 M, BUILDING TOP (PARAPET WALL) - 78.42 M.
In circling area and at AD	BUILDING	190326.4N 0725100.4E	267 FEET	NO	RUSTOMJEE SEASONS WING (B), LIGHTNING ARRESTER TOP - 81.44 M, HOARDING TOP - 80.43 M, LADDER TOP - 80.26 M, WATER TANK TOP - 79.82 M, BUILDING TOP (PARAPET WALL) - 78.44 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190325.1N 0725100.3E	267 FEET	NO	RUSTOMJEE SEASONS WING (A), LIGHTNING ARRESTER TOP - 81.35 M, LADDER TOP - 80.51 M, WATER TANK TOP - 79.67 M, BUILDING TOP (PARAPET WALL) - 78.44 M.
In circling area and at AD	BUILDING	190323.6N 0725058.8E	350 FEET	NO	THE PRESIDENTIAL (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 106.65 M, STAIRCASE ROOM TOP - 84.78 M, BUILDING TOP (PARAPET WALL) - 83.09 M.
In circling area and at AD	BUILDING	190325.5N 0725056.7E	256 FEET	LGTD	RUSTOMJEE ORIANA, LIGHTNING ARRESTER TOP - 77.85 M, OBSTRUCTION LIGHT TOP - 77.49 M, WATER TANK TOP - 75.80 M, BUILDING TOP (PARAPET WALL) - 74.84 M.
In circling area and at AD	BUILDING	190326.7N 0725055.9E	246 FEET	NO	KALPATARU 3 BUILDING
In circling area and at AD	BUILDING	190325.4N 0725053.5E	243 FEET	NO	KALPATARU 2 BUILDING
In circling area and at AD	BUILDING	190324.5N 0725053.5E	250 FEET	LGTD	KALPATARU SPARKLE, LIGHTNING ARRESTER TOP - 76.15 M, OBSTRUCTION LIGHT TOP - 74.50 M, DESIGN TOP - 73.65 M, STAIRCASE ROOM TOP - 73.15 M, BUILDING TOP (PARAPET WALL) -71.12 M.
In circling area and at AD	BUILDING	190322.9N 0725056.1E	436 FEET	NO	THE PRESIDENTIAL (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 132.87 M, BUILDING TOP (PARAPET WALL) - 107.41 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190321.6N 0725055.5E	402 FEET	NO	THE PRESIDENTIAL (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 122.51 M, BUILDING TOP (PARAPET WALL) - 106.46 M
In circling area and at AD	BUILDING	190310.9N 0725101.0E	248 FEET	NO	MAKER MAXITY (U/C), GRILL TOP - 75.56 M, WATER TANK TOP - 75.06 M, BUILDING TOP (PARAPET WALL) - 65.64 M.
In circling area and at AD	BUILDING	190308.9N 0725010.6E	394 FEET	LGTD	MISHAH 81 AUREATE, LIGHTNING ARRESTER TOP - 120.03 M, OBSTRUCTION LIGHT TOP - 119.90 M, WATER TANK TOP - 118.20 M, BUILDING TOP (PARAPET WALL) - 112.38 M.
In circling area and at AD	BUILDING	190327.1N 0725005.8E	266 FEET	NO	AMARJIWAN, WATER TANK TOP - 81.18 M, BUILDING TOP - 76.46 M.
In circling area and at AD	BUILDING	190324.9N 0724959.7E	193 FEET	NO	ELCO RESIDENCY, WATER TANK TOP - 58.81 M, BUILDING TOP - 54.24 M.
In circling area and at AD	BUILDING	190327.6N 0724950.0E	234 FEET	NO	SATGURU SACHKHANDK, BUILDING TOP
In circling area and at AD	BUILDING	190328.4N 0724949.7E	194 FEET	NO	NENSEY, BUILDING TOP
In circling area and at AD	BUILDING	190333.4N 0724944.5E	235 FEET	LGTD	DARVESH ROYALE, OBSTRUCTION LIGHT TOP - 71.63 M, STAIRCASE ROOM TOP - 70.91 M, BUILDING TOP - 67.31 M.
In circling area and at AD	BUILDING	190338.0N 0725011.8E	226 FEET	NO	ABM HOUSE, LIGHTNING ARRESTER TOP - 68.82 M, STAIRCASE ROOM TOP - 67.52 M, BUILDING TOP - 64.29 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190333.8N 0724942.1E	247 FEET	LGTD	ROSTOMJEE LA FONTAINE, DISH ANTENNA TOP - 75.18 M, OBSTRUCTION LIGHT TOP - 74.78 M, WATER TANK TOP - 73.83 M, BUILDING TOP (PARAPET WALL) - 69.89 M.
In circling area and at AD	BUILDING	190348.0N 0725012.0E	191 FEET	NO	SHANTI SADAN, DISH ANTENNA TOP - 58.24 M, BUILDING TOP - 57.36 M.
In circling area and at AD	BUILDING	190338.0N 0724943.4E	196 FEET	NO	RUSTOMJEE'S BUENA VISTA, PIPE TOP - 59.63 M, STAIRCASE ROOM TOP - 56.48 M, BUILDING TOP - 54.69 M.
In circling area and at AD	BUILDING	190339.1N 0724947.4E	245 FEET	LGTD	TWO ROSES, OBSTRUCTION LIGHT TOP - 74.63 M, STAIRCASE ROOM TOP - 72.66 M, BUILDING TOP - 69.79 M
In circling area and at AD	BUILDING	190340.1N 0724947.6E	249 FEET	LGTD	MAQBA HEIGHTS, OBSTRUCTION LIGHT TOP - 75.82 M, WATER TANK TOP - 74.49 M, BUILDING TOP - 71.30 M.
In circling area and at AD	BUILDING	190339.3N 0724949.0E	241 FEET	LGTD	TWO ROSES 'A' WING, OBSTRUCTION LIGHT TOP - 73.54 M, WATER TANK TOP - 73.00 M, BUILDING TOP (PARAPET WALL) - 70.38 M
In circling area and at AD	BUILDING	190338.5N 0724948.3E	193 FEET	LGTD	WHITE ORCHID, CELLPHONE MAST TOP - 58.84 M, GENERATORE ROOM TOP - 56.06 M, BUILDING TOP - 53.50 M.
In circling area and at AD	BUILDING	190336.2N 0724947.4E	192 FEET	NO	BONNY CASA, GRILL TOP - 58.64 , STAIRCASE ROOM TOP - 57.45 M, BUILDING TOP - 55.06 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190336.0N 0724949.7E	212 FEET	LGTD	PARK SOLITAIRE, OBSTRUCTION LIGHT TOP - 64.55 M, WATER TANK TOP - 63.94 M, BUILDING TOP (PARAPET WALL) - 61.07 M.
In circling area and at AD	BUILDING	190336.4N 0724951.5E	219 FEET	NO	RUSTOMJEE'S LA SOLITA, STAIRCASE ROOM TOP - 66.58 M, BUILDING TOP - 63.55 M
In circling area and at AD	BUILDING	190336.0N 0724954.0E	221 FEET	NO	ORIZZONTE - B(U/C), LIFT TOP - 67.43 M, BUILDING TOP - 58.72 M.
In circling area and at AD	BUILDING	190335.7N 0724955.0E	251 FEET	NO	ORIZZONTE, GRILL TOP - 76.39 M, WATER TANK TOP - 75.14 M, BUILDING TOP (PARAPET WALL) - 72.74 M.
In circling area and at AD	BUILDING	190337.6N 0724959.0E	244 FEET	NO	PUJA CASA, GRILL TOP - 74.40 M, WATER TANK TOP - 73.37 M, BUILDING TOP - 69.95 M.
In circling area and at AD	BUILDING	190338.0N 0724955.2E	211 FEET	NO	CROWN PALACE, STAIRCASE ROOM TOP - 64.21 M, BUILDING TOP - 64.04 M.
In circling area and at AD	BUILDING	190338.9N 0724953.0E	196 FEET	LGTD	MAYFAIR SERENE, OBSTRUCTION LIGHT TOP - 59.77 M, STAIRCASE ROOM TOP - 58.04 M, BUILDING TOP - 55.08 M.
In circling area and at AD	BUILDING	190341.1N 0724952.7E	213 FEET	NO	S.A VIJAY CHS, DISH ANTENNA TOP - 64.89 M, STAIRCASE ROOM TOP - 63.50 M, BUILDING TOP (PARAPET WALL) - 58.99 M
In circling area and at AD	BUILDING	190341.0N 0724955.4E	226 FEET	NO	RESHAM, GRILL TOP - 68.96 M, WATER TANK TOP - 67.39 M, BUILDING TOP (PARAPET WALL) - 63.63 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190341.1N 0724956.8E	191 FEET	NO	H M TOWER, STAIRCASE ROOM TOP - 58.19 M, BUILDING TOP - 54.06 M.
In circling area and at AD	BUILDING	190340.8N 0725000.3E	191 FEET	NO	KAKAD HEIGHTS(U/C), DISH ANTENNA TOP - 58.24 M, STAIRCASE ROOM TOP - 57.32 M, BUILDING TOP - 56.63 M.
In circling area and at AD	BUILDING	190341.0N 0725001.9E	191 FEET	NO	KAKAD NIWAS(U/C), LIFT TOP - 58.22 M, BUILDING TOP - 56.82 M
In circling area and at AD	BUILDING	190342.2N 0724959.8E	226 FEET	NO	NEXT AVENUE, WATER TANK TOP - 68.97 M, BUILDING TOP - 67.17 M.
In circling area and at AD	BUILDING	190342.4N 0724956.4E	206 FEET	NO	FORTUNE HEIGHTS, DISH ANTENNA TOP - 62.84 M, STAIRCASE ROOM TOP - 61.70 M, BUILDING TOP - 61.01 M.
In circling area and at AD	BUILDING	190342.4N 0724954.5E	190 FEET	NO	RUBY, DISH ANTENNA TOP - 57.94 M, STAIRCASE ROOM TOP - 57.23 M, BUILDING TOP - 52.74 M
In circling area and at AD	BUILDING	190343.6N 0724955.0E	236 FEET	NO	AMIN ALTURAS, GRILL TOP - 71.88 M, WATER TANK TOP - 70.85 M, BUILDING TOP - 64.48 M
In circling area and at AD	BUILDING	190344.8N 0725001.9E	190 FEET	NO	VIOLETTE VALLEY, DISH ANTENNA TOP - 57.81 M, WATER TANK TOP - 56.90 M, BUILDING TOP - 53.33 M
In circling area and at AD	BUILDING	190345.9N 0725002.0E	200 FEET	NO	HICONS RESIENCY, DESIGN TOP - 61.05 M, WATER TANK TOP - 58.63 M, BUILDING TOP (PARAPET WALL) - 54.96 M.
In circling area and at AD	BUILDING	190345.6N 0724952.9E	203 FEET	NO	LAMOUR, IRON ROD TOP - 61.91 M, BUILDING TOP - 59.44 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190346.3N 0724950.1E	254 FEET	NO	SHIV ASTHAN HEIGHTS, DISH ANTENNA TOP - 77.35 M, WATER TANK TOP - 75.87 M, BUILDING TOP - 72.84 M.
In circling area and at AD	BUILDING	190348.0N 0724951.7E	212 FEET	NO	PALACIO, DISH ANTENNA TOP - 64.62 M, WATER TANK TOP - 63.75 M, BUILDING TOP - 60.30 M.
In circling area and at AD	BUILDING	190347.8N 0724953.1E	198 FEET	NO	KARMA, STAIRCASE ROOM TOP - 60.21 M, BUILDING TOP - 58.62 M.
In circling area and at AD	BUILDING	190348.3N 0724954.6E	190 FEET	NO	JOLLY FRIENDS, GRILL TOP - 57.82 M, BUILDING TOP - 57.11 M.
In circling area and at AD	BUILDING	190348.6N 0724955.9E	239 FEET	NO	VASUKAMAL, LIGHTNIN ARRESTER TOP - 72.99 M, STAIRCASE ROOM TOP - 70.08 M, BUILDING TOP - 67.90 M.
In circling area and at AD	BUILDING	190347.5N 0724958.3E	225 FEET	NO	HICON HEIGHTS, DISH ANTENNA TOP - 68.56 M, WATER TANK TOP - 67.50 M, BUILDING TOP (PARAPET WALL) - 62.99 M.
In circling area and at AD	BUILDING	190351.1N 0724957.8E	196 FEET	NO	KISHAN ADOBE, WATER TANK TOP - 59.56 M, BUILDING TOP - 54.80 M.
In circling area and at AD	BUILDING	190353.4N 0724958.7E	196 FEET	NO	MAN DUNES, SHED TOP - 59.76 M, BUILDING TOP - 54.77 M.
In circling area and at AD	BUILDING	190354.5N 0724953.5E	193 FEET	NO	CORNER VIEW, DISH ANTENNA TOP - 58.86 M, STAIRCASE ROOM TOP - 57.20 M, BUILDING TOP - 56.42 M
In circling area and at AD	BUILDING	190357.4N 0724952.2E	232 FEET	NO	VIRGO HEIGHTS, SINTEX TANK TOP - 70.65 M, STAIRCASE ROOM TOP - 68.53 M, BUILDING TOP - 66.04 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190358.6N 0724953.7E	248 FEET	LGTD	DHEERAJ CELESTIAL, LIGHTNING ARRESTER TOP - 75.65 M, OBSTRUCTION LIGHT TOP - 74.98 M, DISH ANTENNA TOP - 70.61 M, STAIRCASE ROOM TOP - 69.75 M, BUILDING TOP (PARAPET WALL) - 67.87 M.
In circling area and at AD	BUILDING	190359.3N 0724957.1E	274 FEET	NO	SURAT PRAKASH (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 83.47 M, IRON ROD TOP - 82.68 M, BUILDING TOP (SLAB) - 78.90 M.
In circling area and at AD	BUILDING	190357.4N 0725001.0E	210 FEET	NO	HICONS(U/C), BUILDING TOP
In circling area and at AD	BUILDING	190402.4N 0724957.0E	210 FEET	NO	FORTUNE ENCLAVE, STAIRCASE ROOM TOP - 64.08 M, BUILDING TOP - 62.51 M.
In circling area and at AD	BUILDING	190403.7N 0724958.4E	205 FEET	NO	LINKS, ANTENNA TOP - 62.48 M, BUILDING TOP (PARAPET WALL) - 56.25 M.
In circling area and at AD	BUILDING	190405.9N 0724958.5E	190 FEET	NO	HICONS ENCLAVE, DISH ANTENNA TOP - 57.81 M, BUILDING TOP - 56.75 M.
In circling area and at AD	BUILDING	190414.3N 0725008.9E	190 FEET	NO	THE AMAZING KANCH, STAIRCASE ROOM TOP - 58.00 M, BUILDING TOP - 56.27 M
In circling area and at AD	BUILDING	190418.0N 0725010.9E	192 FEET	NO	KUNAL, SOLAR PANEL TOP - 58.55 M, STAIRCASE ROOM TOP - 56.97 M, BUILDING TOP - 53.81 M.
In circling area and at AD	BUILDING	190419.2N 0725012.2E	192 FEET	NO	TRINITY, SOLAR PANEL TOP - 58.50 M, WATER TANK TOP - 56.74 M, BUILDING TOP (PARAPET WALL) - 53.42 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190419.4N 0725013.7E	191 FEET	NO	WOODSTOCK KHAR, DISH ANTENNA TOP - 58.08 M, STAIRCASE ROOM TOP - 57.12 M, BUILDING TOP - 53.99 M.
In circling area and at AD	BUILDING	190422.1N 0725001.9E	190 FEET	NO	388 BUILDING, STAIRCASE ROOM TOP - 57.89 M, BUILDING TOP - 55.32 M.
In circling area and at AD	BUILDING	190426.4N 0725006.0E	192 FEET	LGTD	KRIPA MAJESTIC, OBSTRUCTION LIGHT TOP - 58.47 M, WATER TANK TOP - 56.78 M, BUILDING TOP - 54.16 M.
In circling area and at AD	BUILDING	190426.8N 0725008.6E	221 FEET	NO	ROHIT NIWAS, WATER TANK TOP - 67.42 M, BUILDING TOP - 63.99 M.
In circling area and at AD	BUILDING	190425.2N 0725010.5E	222 FEET	NO	DLH ORNATE(U/C), STAIRCASE ROOM TOP - 67.69 M, BUILDING TOP - 64.74 M.
In circling area and at AD	BUILDING	190428.0N 0725013.5E	190 FEET	NO	SUNDEEP, DISH ANTENNA TOP - 57.98 M, BUILDING TOP - 56.81 M.
In circling area and at AD	BUILDING	190431.4N 0725010.7E	188 FEET	NO	TIARA TOWER, STAIRCASE ROOM TOP - 57.44 M, BUILDING TOP - 55.29 M.
In circling area and at AD	BUILDING	190432.3N 0725012.4E	202 FEET	NO	HIGHWISH NORA, LADDER TOP - 61.59 M, STAIRCASE ROOM TOP - 60.45 M, BUILDING TOP (PARAPET WALL) - 57.43 M.
In circling area and at AD	BUILDING	190434.7N 0725021.1E	188 FEET	NO	SEASONS RESIDENCY, WATER TANK TOP - 57.41 M, BUILDING TOP - 54.94 M.
In circling area and at AD	BUILDING	190437.2N 0725013.8E	190 FEET	NO	SAPPHIRE, DISH ANTENNA TOP - 58.02 M, STAIRCASE ROOM TOP - 56.49 M, BUILDING TOP - 53.50 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190438.7N 0725009.6E	190 FEET	NO	RAJA CHS, WATER TANK TOP - 57.81 M, BUILDING TOP - 49.57 M.
In circling area and at AD	BUILDING	190439.7N 0725005.1E	189 FEET	NO	LINK PALACE, LIGHTNING ARRESTER TOP - 57.60 M, WATER TANK TOP - 55.05 M, BUILDING TOP - 49.94 M.
In circling area and at AD	BUILDING	190443.0N 0725011.8E	207 FEET	NO	VASANT KUNJ, DISH ANTENNA TOP - 63.22 M, WATER TANK TOP - 61.84 M, BUILDING TOP (PARAPET WALL) - 59.62 M
In circling area and at AD	BUILDING	190454.5N 0725012.7E	200 FEET	NO	HANSRAJ WADI, DISH ANTENNA TOP - 60.86 M, WATER TANK TOP - 59.40 M, BUILDING TOP (PARAPET WALL) - 57.39 M.
In circling area and at AD	BUILDING	190437.9N 0724957.4E	190 FEET	LGTD	PRIVIERA, OBSTRUCTION LIGHT TOP - 58.00 M, STAIRCASE ROOM TOP - 55.78 M, BUILDING TOP - 52.64 M.
In circling area and at AD	BUILDING	190435.8N 0724949.6E	189 FEET	NO	GRANDEUR, SHED TOP - 57.61 M, WATER TANK TOP - 56.27 M, BUILDING TOP - 48.19 M.
In circling area and at AD	BUILDING	190437.1N 0724945.8E	232 FEET	LGTD	SRA, OBSTRUCTION LIGHT TOP - 70.71 M, STAIRCASE ROOM TOP - 70.23 M, BUILDING TOP (PARAPET WALL) - 63.35 M
In circling area and at AD	BUILDING	190435.7N 0724942.5E	278 FEET	NO	RUSTOMJEE PARAMOUNT, STAIRCASE ROOM TOP - 84.77 M, BUILDING TOP (PARAPET WALL) - 82.18 M.
In circling area and at AD	BUILDING	190434.9N 0724944.9E	268 FEET	NO	RUSTOMJEE PARAMOUNT, WATER TANK TOP - 81.65 M, BUILDING TOP - 74.40 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190434.4N 0724945.5E	260 FEET	LGTD	SRA QUARTERS(WING - C), OBSTRUCTION LIGHT TOP - 79.32 M, STAIRCASE ROOM TOP - 77.54 M, WATER TANK TOP - 77.05 M, BUILDING TOP - 73.59 M.
In circling area and at AD	BUILDING	190435.1N 0724958.4E	192 FEET	NO	TIRUPATHI BALAJI TOWERS, DESIGN TOP - 58.56 M, BUILDING TOP - 52.14 M
In circling area and at AD	BUILDING	190434.1N 0724956.9E	219 FEET	NO	HON SECY SHABAD CHS(U/C), LIFT TOP - 66.91 M, STAIRCASE ROOM TOP - 64.95 M, BUILDING TOP - 61.47 M.
In circling area and at AD	BUILDING	190433.2N 0724955.7E	190 FEET	NO	WESTEND (U/C), WATER TANK TOP - 57.98 M, BUILDING TOP (PARAPET WALL) - 56.48 M
In circling area and at AD	BUILDING	190430.8N 0724955.4E	216 FEET	NO	SUPREME STELLAR, DISH ANTENNA TOP - 65.70 M, STAIRCASE ROOM TOP - 64.38 M, BUILDING TOP - 60.50 M
In circling area and at AD	BUILDING	190429.0N 0724959.1E	191 FEET	NO	KAMLA HEIGHTS, DISH ANTENNA TOP - 58.19 M, WATER TANK TOP - 57.28 M, BUILDING TOP - 53.64 M.
In circling area and at AD	BUILDING	190427.9N 0724958.9E	198 FEET	NO	NAIR HOUSE, STAIRCASE ROOM TOP - 60.49 M, BUILDING TOP - 57.46 M.
In circling area and at AD	BUILDING	190423.4N 0724957.7E	192 FEET	NO	RAM NIWAS, GRILL TOP - 58.41 M, BUILDING TOP - 57.47 M.
In circling area and at AD	BUILDING	190426.8N 0724951.1E	191 FEET	NO	GRAND IMPERIAL APARTMENTS, STAIRCASE ROOM TOP - 58.34 M, BUILDING TOP - 57.34 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190420.4N 0724953.1E	204 FEET	NO	XVI AVENUE, STAIRCASE ROOM TOP - 62.25 M, BUILDING TOP - 60.77 M.
In circling area and at AD	BUILDING	190422.7N 0724948.0E	190 FEET	NO	EUDORA, DISH ANTENNA TOP - 58.03 M, WATER TANK TOP - 57.59 M, BUILDING TOP - 56.51 M.
In circling area and at AD	BUILDING	190420.4N 0724943.9E	197 FEET	NO	JASTCON HEIGHTS, STAIRCASE ROOM TOP - 60.09 M, WATER TANK TOP - 57.82 M, BUILDING TOP - 55.95 M.
In circling area and at AD	BUILDING	190420.8N 0724938.9E	202 FEET	NO	LOK NIRMAL CHS, WATER TANK TOP - 61.61 M, BUILDING TOP (PARAPET WALL) - 59.16 M.
In circling area and at AD	BUILDING	190420.1N 0724941.1E	228 FEET	NO	LUMBINI SRA, LADDER TOP - 69.55 M, WATER TANK TOP - 68.70 M, DESIGN TOP - 67.97 M, BUILDING TOP (PARAPET WALL) - 64.02 M.
In circling area and at AD	BUILDING	190420.0N 0724941.5E	260 FEET	NO	SRA QUARTERS(U/C), LIFT TOP - 79.21 M, BUILDING TOP - 74.14 M.
In circling area and at AD	BUILDING	190418.0N 0724949.8E	191 FEET	NO	SIGNATURE FLYING CARPET, DISH ANTENNA TOP - 58.10 M, STAIRCASE ROOM TOP - 57.12 M, BUILDING TOP - 54.70 M.
In circling area and at AD	BUILDING	190416.4N 0724949.4E	204 FEET	NO	SATGURU KALYAN, WATER TANK TOP - 62.14 M, BUILDING TOP - 58.23 M.
In circling area and at AD	BUILDING	190414.5N 0724945.1E	292 FEET	NO	JOY LEGEND, STAIRCASE ROOM TOP - 89.12 M, BUILDING TOP (PARAPET WALL) - 87.04 M.
In circling area and at AD	BUILDING	190413.1N 0724956.0E	220 FEET	NO	SUPREME UNIVERSAL, STAIRCASE ROOM TOP - 67.10 M, BUILDING TOP - 60.06 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190412.9N 0724951.5E	195 FEET	NO	GYM VIEW, DESIGN TOP - 59.34 M, STAIRCASE ROOM TOP - 57.09 M, BUILDING TOP - 53.14 M.
In circling area and at AD	BUILDING	190411.9N 0724951.7E	283 FEET	NO	DB BREEZE, DISH ANTENNA TOP - 86.42 M, WATER TANK TOP - 84.28 M, BUILDING TOP - 81.43 M.
In circling area and at AD	BUILDING	190410.8N 0724949.5E	231 FEET	NO	HICONS CLASSIC, DISH ANTENNA TOP - 70.42 M, STAIRCASE ROOM TOP - 69.01 M, BUILDING TOP (PARAPET WALL) - 64.84 M.
In circling area and at AD	BUILDING	190410.0N 0724946.4E	251 FEET	NO	DUNHILL, LIGHT POLE TOP - 76.62 M, WATER TANK TOP - 75.93 M, BUILDING TOP (PARAPET WALL) - 69.69 M.
In circling area and at AD	BUILDING	190409.2N 0724948.5E	220 FEET	NO	BRISA MARINA, STAIRCASE ROOM TOP - 67.15 M, BUILDING TOP - 64.83 M.
In circling area and at AD	BUILDING	190408.4N 0724951.4E	302 FEET	NO	SIGNATURE RESIDENCE, IRON ROD TOP - 92.12 M, STAIRCASE ROOM TOP - 90.11 M, BUILDING TOP (PARAPET WALL) - 88.64 M.
In circling area and at AD	BUILDING	190407.7N 0724944.9E	365 FEET	NO	SANDHU PALACE, SHED TOP - 111.36 M, LIGHTNING ARRESTER TOP - 111.30 M, BUILDING TOP (PARAPET WALL) - 109.50 M.
In circling area and at AD	BUILDING	190405.7N 0724949.4E	214 FEET	NO	NAV-PALMYRA CHS, DISH ANTENNA TOP - 65.25 M, WATER TANK TOP - 65.62 M, BUILDING TOP - 63.95 M.
In circling area and at AD	BUILDING	190404.9N 0724948.9E	221 FEET	NO	CHINAR, GRILL TOP - 67.25 M, BUILDING TOP - 66.13 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190403.9N 0724949.2E	191 FEET	NO	EVERGLADES SHOBHA SAGAR, WATER TANK TOP - 58.14 M, BUILDING TOP - 54.76 M.
In circling area and at AD	BUILDING	190401.6N 0724949.1E	228 FEET	NO	SAHANA ENCLAVE, LIGHTNING ARRESTER TOP - 69.49 M, WATER TANK TOP - 67.45 M, BUILDING TOP (PARAPET WALL) - 65.78 M.
In circling area and at AD	BUILDING	190400.5N 0724950.8E	237 FEET	NO	AQUARIUS TOWER, ANTENNA TOP - 72.14 M, DISH ANTENNA TOP - 70.96 M, WATER TANK TOP - 70.19 M, BUILDING TOP (PARAPET WALL) - 68.38 M
In circling area and at AD	BUILDING	190358.4N 0724950.0E	194 FEET	NO	EVERSHINE CHS/ IMPERIAL HEIGHTS, GRILL TOP - 59.22 M, WATER TANK TOP - 58.03 M, BUILDING TOP (PARAPET WALL) - 56.35 M.
In circling area and at AD	BUILDING	190356.9N 0724946.6E	287 FEET	NO	GLAMOUR GLEN/ VIDEOCON ICON, LIGHTNING ARRESTER TOP - 87.38 M, LIGHT POLE TOP - 85.04 M, STAIRCASE ROOM TOP - 83.89 M, BUILDING TOP (PARAPET WALL) - 82.76 M.
In circling area and at AD	BUILDING	190354.7N 0724943.9E	341 FEET	LGTD	ANAND BUNGALOW, OBSTRUCTION LIGHT TOP - 103.81 M, WATER TANK TOP - 101.82 M, BUILDING TOP - 100.90 M.
In circling area and at AD	BUILDING	190357.4N 0724941.1E	308 FEET	LGTD	NAVROZE, TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 93.82 M, OBSTRUCTION LIGHT TOP - 92.73 M, BUILDING TOP (PARAPET WALL) - 92.50 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190401.3N 0724944.7E	364 FEET	NO	KUNJ BIHARI, STAIRCASE ROOM TOP - 110.88 M, BUILDING TOP (PARAPET WALL) - 106.82 M
In circling area and at AD	BUILDING	190411.6N 0724940.0E	235 FEET	NO	NARRAIN TERRACES, LIGHTNING ARRESTER TOP - 71.49 M, DISH ANTENNA TOP - 67.50 M, STAIRCASE ROOM TOP - 67.27 M, BUILDING TOP (PARAPET WALL) - 64.45 M.
In circling area and at AD	BUILDING	190413.2N 0724939.1E	219 FEET	NO	KUBELISQUE, LIGHTNING ARRESTER TOP - 66.93 M, STAIRCASE ROOM TOP - 65.06 M, BUILDING TOP (PARAPET WALL) - 64.34 M.
In circling area and at AD	BUILDING	190411.6N 0724938.9E	224 FEET	NO	PUJA CASA, GRILL TOP - 68.28 M, STAIRCASE ROOM TOP - 67.19 M, BUILDING TOP (PARAPET WALL) - 64.27 M.
In circling area and at AD	BUILDING	190410.9N 0724936.0E	219 FEET	NO	WAHEEDA, PIPE TOP - 66.73 M, DISH ANTENNA TOP - 66.29 M, STAIRCASE ROOM TOP - 65.10 M, BUILDING TOP (PARAPET WALL) - 62.92 M
In circling area and at AD	BUILDING	190409.2N 0724937.1E	258 FEET	NO	THE ONE, STAIRCASE ROOM TOP - 78.71 M, BUILDING TOP - 76.58 M.
In circling area and at AD	BUILDING	190407.3N 0724937.5E	224 FEET	NO	SAMSHIBA, SHED TOP - 68.24 M, STAIRCASE ROOM TOP - 67.60 M, BUILDING TOP - 65.98 M
In circling area and at AD	BUILDING	190406.3N 0724939.8E	290 FEET	NO	VASTU AERIAL VIEW CHS, DISH ANTENNA TOP - 88.40 M, WATER TANK TOP - 87.37 M, BUILDING TOP - 83.18 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190405.0N 0724939.4E	217 FEET	NO	RESHMA, STAIRCASE ROOM TOP - 66.17 M, BUILDING TOP - 64.91 M.
In circling area and at AD	BUILDING	190403.5N 0724938.2E	216 FEET	NO	IMPERIAL HEIGHTS, DISH ANTENNA TOP - 65.76 M, STAIRCASE ROOM TOP - 64.57 M, BUILDING TOP - 61.40 M
In circling area and at AD	BUILDING	190403.4N 0724936.4E	204 FEET	NO	GREEN ACRE, PIPE TOP - 62.23 M, STAIRCASE ROOM TOP - 59.48 M, BUILDING TOP (PARAPET WALL) - 55.64 M
In circling area and at AD	BUILDING	190403.3N 0724933.3E	250 FEET	NO	CONTINENTAL TOWER, ANTENNA TOP - 76.27 M, WATER TANK TOP - 73.32 M, BUILDING TOP (PARAPET WALL) - 70.02 M.
In circling area and at AD	BUILDING	190400.2N 0724935.7E	196 FEET	NO	ROCKY HILL, DISH ANTENNA TOP - 59.82 M, STAIRCASE ROOM TOP - 58.80 M, BUILDING TOP - 54.56 M
In circling area and at AD	BUILDING	190358.1N 0724933.9E	188 FEET	NO	BREEZE HEIGHTS, STAIRCASE ROOM TOP - 57.39 M, BUILDING TOP - 55.41 M.
In circling area and at AD	BUILDING	190356.0N 0724934.9E	191 FEET	NO	SILVER SPRING, WATER TANK TOP - 58.34 M, BUILDING TOP - 55.91 M.
In circling area and at AD	BUILDING	190350.5N 0724945.2E	239 FEET	NO	MORU MAHAL, ANTENNA TOP - 72.71 M, WATER TANK TOP - 71.70 M, BUILDING TOP - 69.04 M.
In circling area and at AD	BUILDING	190347.7N 0724940.7E	289 FEET	NO	JOLLY HIGHRISE APARTMENTS, ANTENNA TOP - 88.02 M, STAIRCASE ROOM TOP - 83.24 M, BUILDING TOP - 82.48 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190347.4N 0724936.9E	224 FEET	NO	HILL TOP CHS, WATER TANK TOP - 68.16 M, STAIRCASE ROOM TOP - 67.40 M, BUILDING TOP - 65.19 M.
In circling area and at AD	BUILDING	190345.0N 0724935.5E	326 FEET	LGTD	SUPREME, LIGHTNING ARRESTER TOP - 99.39 M, DISH ANTENNA TOP - 98.74 M, OBSTRUCTION LIGHT TOP - 97.63 M, BUILDING TOP (PARAPET WALL) - 97.19 M.
In circling area and at AD	BUILDING	190344.9N 0724938.9E	283 FEET	NO	CAPRI HEIGHTS, POLE TOP - 86.28 M, STAIRCASE ROOM TOP - 85.07 M, BUILDING TOP - 80.91 M.
In circling area and at AD	BUILDING	190344.3N 0724941.2E	262 FEET	LGTD	SKYPER, OBSTRUCTION LIGHT TOP - 79.76 M, STAIRCASE ROOM TOP - 78.75 M, BUILDING TOP - 72.37 M.
In circling area and at AD	BUILDING	190342.9N 0724938.3E	266 FEET	LGTD	LAKHANI'S SIGNATURE, LIGHTNING ARRESTER TOP - 81.16 M, OBSTRUCTION LIGHT TOP - 80.92 M, WATER TANK TOP - 79.90 M, BUILDING TOP - 77.66 M.
In circling area and at AD	BUILDING	190340.9N 0724936.9E	258 FEET	LGTD	MADHUBAN, OBSTRUCTION LIGHT TOP - 78.48 M, WATER TANK TOP - 77.14 M, BUILDING TOP - 73.37 M.
In circling area and at AD	BUILDING	190337.4N 0724933.4E	243 FEET	NO	CKP HOUSE, WATER TANK TOP - 73.96 M, BUILDING TOP - 70.51 M.
In circling area and at AD	BUILDING	190343.3N 0724927.9E	258 FEET	NO	SUNROCK HEIGHTS, ANTENNA TOP - 78.67 M, STAIRCASE ROOM TOP - 76.33 M, BUILDING TOP - 69.73 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190342.4N 0724921.8E	213 FEET	NO	THE JACKERS, LIGHTNING ARRESTER TOP - 64.77 M, WATER TANK TOP - 59.61 M, BUILDING TOP - 55.58 M.
In circling area and at AD	BUILDING	190338.4N 0724925.1E	191 FEET	NO	SOON VILLA, STAIRCASE ROOM TOP - 58.19 M, BUILDING TOP - 55.42 M.
In circling area and at AD	BUILDING	190618.7N 0725456.5E	242 FEET	LGTD	SWAPNA PURI, CELLPHONE MAST TOP - 73.81 M, STAIRCASE ROOM TOP - 67.50 M, BUILDING TOP - 64.04 M
In circling area and at AD	BUILDING	185956.5N 0724912.2E	1029 FEET	NO	PALAIS ROYALE, TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 313.64 M, BUILDING TOP(SLAB) - 298.84 M.
In circling area and at AD	BUILDING	190704.9N 0725415.2E	304 FEET	LGTD	SBI OFFICE QUARTERS, CELLPHONE MAST TOP - 92.78 M, BUILDING TOP - 82.71 M
In circling area and at AD	BUILDING	190726.9N 0725346.6E	271 FEET	NO	UNION BANK, HOARDING TOP - 82.69 M, BUILDING TOP - 78.49 M
In circling area and at AD	BUILDING	190725.6N 0725348.2E	267 FEET	NO	IR CLASS, LIGHTNING ARRESTER TOP - 81.47 M, STAIRCASE ROOM TOP - 76.91 M, BUILDING TOP - 74.85 M
In circling area and at AD	BUILDING	190702.8N 0725415.8E	289 FEET	NO	JAI VAYU VIHAR A BLOCK, DISH ANTENNA TOP - 88.04 M, WATER TANK TOP - 86.55 M, BUILDING TOP(PARAPET WALL) - 81.38 M.
In circling area and at AD	BUILDING	190702.6N 0725417.3E	289 FEET	LGTD	JAI VAYU VIHAR, OBSTRUCTION LIGHT TOP - 88.03 M, WATER TANK TOP - 86.76 M, BUILDING TOP - 81.22 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190710.0N 0725435.9E	372 FEET	NO	ETERNIA CHS, DESIGN TOP - 113.46 M, STAIRCASE ROOM TOP - 110.74 M, BUILDING TOP (PARAPET WALL) - 101.45 M.
In circling area and at AD	BUILDING	190711.8N 0725441.0E	431 FEET	NO	SOVEREIGN, ANTENNA TOP - 131.47 M, STAIRCASE ROOM TOP - 126.55 M, BUILDING TOP - 114.97 M
In circling area and at AD	BUILDING	190712.7N 0725442.6E	395 FEET	NO	VALENCLA, STAIRCASE ROOM TOP - 120.32 M, BUILDING TOP - 108.38 M
In circling area and at AD	BUILDING	190715.6N 0725444.4E	477 FEET	NO	TIVOLI CHS LTD, LIGHTNING ARRESTER TOP - 145.44 M, STAIRCASE ROOM TOP - 143.77 M, BUILDING TOP - 137.36 M
In circling area and at AD	BUILDING	190719.3N 0725445.6E	476 FEET	NO	EVITA CHS LTD, LIGHTNING ARRESTER TOP - 145.14 M, STAIRCASE ROOM TOP - 142.95 M, BUILDING TOP - 137.53 M
In circling area and at AD	BUILDING	190708.2N 0725447.2E	354 FEET	NO	ALPHA, COMMUNICATIO N ANTENNA TOP - 107.88 M, STAIRCASE ROOM TOP - 100.75 M, BUILDING TOP (PARAPET WALL) - 94.34 M.
In circling area and at AD	BUILDING	190705.9N 0725447.8E	330 FEET	NO	PRINCETON, LIGHTNING ARRESTER TOP - 100.49 M, WATER TANK TOP - 99.78 M, BUILDING TOP - 94.91 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190704.1N 0725447.0E	461 FEET	NO	HILL GRANGE, LIGHTNING ARRESTER TOP - 140.45 M, WATER TANK TOP - 135.06 M, BUILDING TOP (PARAPET WALL) - 131.79 M.
In circling area and at AD	BUILDING	190712.4N 0725457.4E	417 FEET	NO	HIRANANDANI KNOWLEDGE PARK, ANTENNA TOP - 127.15 M, STAIRCASE ROOM TOP - 117.73 M, BUILDING TOP - 112.44 M
In circling area and at AD	BUILDING	190713.7N 0725501.8E	399 FEET	NO	DR. L.H. HIRANANDANI HOSPITAL, LIGHTNING ARRESTER TOP - 121.62 M, STAIRCASE ROOM TOP - 118.47 M, BUILDING TOP - 109.22 M
In circling area and at AD	BUILDING	190707.2N 0725459.3E	433 FEET	NO	SITHRANJAN TOWER, STAIRCASE ROOM TOP - 132.06 M, BUILDING TOP (PARAPET WALL) - 124.45 M.
In circling area and at AD	BUILDING	190700.6N 0725450.1E	471 FEET	LGTD	CASTLE ROCK, DESIGN TOP - 143.57 M, OBSTRUCTION LIGHT TOP - 142.00 M, WATER TANK TOP - 140.33 M, BUILDING TOP (PARAPET WALL) - 136.75 M.
In circling area and at AD	BUILDING	190658.9N 0725448.6E	463 FEET	NO	CASTLE ROCK, DESIGN TOP - 141.02 M, WATER TANK TOP - 137.33 M, BUILDING TOP (PARAPET WALL) - 132.24 M.
In circling area and at AD	BUILDING	190646.2N 0725433.9E	217 FEET	NO	SUPREME BUSINESS PARK, SHED TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190639.6N 0725503.2E	343 FEET	NO	KAILASH BUSINESS PARK WING - A, LIGHTNING ARRESTER TOP - 104.57 M, PILLER TOP - 103.63 M, BUILDING TOP - 95.29 M
In circling area and at AD	BUILDING	190623.2N 0725459.7E	263 FEET	NO	MAYFAIR SONATA GREENS, LIGHTNING ARRESTER TOP - 80.30 M, STAIRCASE ROOM TOP - 79.44 M, BUILDING TOP - 74.94 M
In circling area and at AD	BUILDING	190617.5N 0725501.9E	260 FEET	NO	MAYFAIR SYMPHONY SPRINGS, LIGHTNING ARRESTER TOP - 79.37 M, STAIRCASE ROOM TOP - 77.87 M, BUILDING TOP - 72 M
In circling area and at AD	BUILDING	190557.8N 0725504.8E	221 FEET	NO	PRESIDENSIAL TOWERS, LADDER TOP - 67.25 M, STAIRCASE ROOM TOP - 65.85 M, BUILDING TOP - 62.71 M
In circling area and at AD	BUILDING	190557.7N 0725504.7E	218 FEET	NO	PRESIDENTIAL PLAZA, STAIRCASE TOP - 66.34 M, BUILDING TOP - 62.56 M
In circling area and at AD	BUILDING	190556.0N 0725503.8E	247 FEET	NO	PRESIDENTIAL PLAZA, ANTENNA TOP - 75.29 M, STAIRCASE TOP - 66.31 M, GENERATOR ROOM TOP - 65.34 M, BUILDING TOP - 62.65 M
In circling area and at AD	BUILDING	190556.1N 0725505.7E	219 FEET	NO	PRESIDENTIAL TOWERS, LADDER TOP - 66.64 M, STAIRCASE ROOM TOP - 65.95 M, BUILDING TOP - 62.13 M
In circling area and at AD	BUILDING	190554.5N 0725504.9E	218 FEET	NO	PRESIDENTIAL PLAZA, STAIRCASE TOP - 66.47 M, BUILDING TOP - 62.25 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190554.5N 0725505.0E	220 FEET	NO	PRESIDENTIAL TOWERS, DISH TOP - 66.95 M, STAIRCASE ROOM TOP - 66.04 M, BUILDING TOP - 61.92 M
In circling area and at AD	BUILDING	190549.9N 0725503.9E	243 FEET	NO	KALPATARU AURA BUILDING, POLE TOP - 74.19 M, WATER TANK TOP - 73.39 M, BUILDING TOP - 71.94 M
In circling area and at AD	BUILDING	190547.1N 0725508.7E	289 FEET	LGTD	THE ADDRESS - THE WADHWA GROUP, LIGHTNING ARRESTER TOP - 88.05 M, OBSTRUCTION LIGHT TOP - 87.21 M, WATER TANK TOP - 86.32 M, BUILDING TOP - 77.57 M
In circling area and at AD	BUILDING	190546.3N 0725508.1E	228 FEET	NO	PANKESHA BABA CHS, ANTENNA TOP - 69.55 M, WATER TANK TOP - 68.48 M, BUILDING TOP (PARAPET WALL) - 64.31 M.
In circling area and at AD	BUILDING	190318.7N 0724957.3E	354 FEET	NO	ARDESHIR HOUSE, LIGHTNING ARRESTER TOP - 107.85 M, STAIRCASE ROOM TOP - 105.86 M, BUILDING TOP - 101.07 M.
In circling area and at AD	BUILDING	190310.0N 0725002.2E	258 FEET	NO	ICONIC (U/C), BUILDING TOP (SLAB)
In circling area and at AD	ANTENNA	191258.7N 0725512.6E	1760 FEET	LGTD	CELLPHONE MAST ON HILL
In circling area and at AD	TREE	191258.4N 0725515.6E	1606 FEET	NO	TREE ON HILLL
In circling area and at AD	TREE	191133.1N 0725606.5E	1104 FEET	NO	TREE ON HILLL
In circling area and at AD	TREE	191050.8N 0725554.4E	1063 FEET	NO	TREE ON HILLL
In circling area and at AD	TREE	191115.4N 0725346.2E	1090 FEET	NO	TREE ON HILL
In circling area and at AD	TREE	191059.8N 0725412.5E	1367 FEET	NO	TREE ON HILL
In circling area and at AD	TREE	191049.6N 0725401.7E	1119 FEET	NO	TREE ON HILL

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190819.3N 0725002.7E	432 FEET	LGTD	OBEROI SPRINGS - C, LIGHTNING ARRESTER TOP - 131.70 M, OBSTRUCTION LIGHT TOP - 131.70 , WATER TANK TOP - 129.34 M, BUILDING TOP - 126.15 M.
In circling area and at AD	BUILDING	190821.2N 0725005.2E	432 FEET	LGTD	OBEROI SPRINGS - A, LIGHTNING ARRESTER TOP - 131.65 M, OBSTRUCTION LIGHT TOP - 131.61 M, WATER TANK TOP - 129.22 M, BUILDING TOP - 126.14 M.
In circling area and at AD	BUILDING	190818.5N 0725005.5E	432 FEET	LGTD	OBEROI SPRINGS - B, LIGHTNING ARRESTER TOP - 131.65 M, OBSTRUCTION LIGHT TOP - 131.60 M, WATER TANK TOP - 129.22 M, BUILDING TOP - 126.10 M.
In circling area and at AD	BUILDING	190815.6N 0725005.1E	443 FEET	LGTD	TRANSCON TRIUMPH, LIGHTNING ARRESTER TOP - 134.92 M, OBSTRUCTION LIGHT TOP - 131.81 M, LADDER TOP - 131.69 M, PILLAR TOP - 130.94 M, WATER TANK TOP - 130.90 M, BUILDING TOP - 129.27 M.
In circling area and at AD	BUILDING	190805.8N 0725007.8E	473 FEET	NO	PAREENI(U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 144.34 M, BUILDING TOP - 130.72 M.
In circling area and at AD	BUILDING	190821.2N 0725024.7E	347 FEET	NO	MAPLE TOWER, ANTENNA TOP - 105.81 M, LIGHTNING ARRESTER TOP - 99.91 M, STAIRCASE ROOM TOP - 99.22 M, BUILDING TOP - 82.83 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190757.8N 0725017.7E	279 FEET	NO	LA ALTEZA(U/C), TEMPORARY LIFT STRUCTURE TOP - 84.88 M, WATER TANK TOP - 81.17 M, BUILDING TOP(PARAPET WALL) - 77.15 M.
In circling area and at AD	BUILDING	190747.5N 0725009.5E	264 FEET	NO	UK SANGFROID, DISH ANTENNA TOP - 80.45 M, GRILL TOP - 79.91 M, WATER TANK TOP - 78.95 M, BUILDING TOP - 75.61 M.
In circling area and at AD	BUILDING	190749.3N 0725014.1E	272 FEET	LGTD	POORNIMA CHS, LIGHTNING ARRESTER TOP - 82.82 M, OBSTRUCTION LIGHT TOP - 82.35 M, WATER TANK TOP - 79.11 M, STAIRCASE ROOM TOP - 79.10 M, BUILDING TOP - 75.98 M
In circling area and at AD	BUILDING	190746.5N 0725014.1E	194 FEET	NO	MITTAL SKYLARK, LIGHTNING ARRESTER - 59.24 M, WATER TANK TOP - 55.86 M, BUILDING TOP(PARAPET WALL) - 51.03 M.
In circling area and at AD	TANK	190741.9N 0725010.1E	195 FEET	NO	OVERHEAD WATER TANK, IRON ROD TOP - 59.33 M, WATER TANK TOP - 54.28 M.
In circling area and at AD	BUILDING	190744.1N 0725013.2E	317 FEET	NO	SAFFRON HEIGHTS (U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 96.65 M, TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 82.53 M, BUILDING TOP - 77.04 M.
In circling area and at AD	BUILDING	190745.0N 0725014.5E	189 FEET	NO	PANCHSHEEL CHS, STAIRCASE ROOM TOP - 57.64 M, BUILDING TOP(PARAPET WALL) - 57.49 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190744.3N 0725016.7E	245 FEET	NO	DEV PRESTIGE - B WING, LADDER TOP - 74.57 M, WATER TANK TOP - 73.82 M, BUILDING TOP(PARAPET WALL) - 69.21 M.
In circling area and at AD	BUILDING	190745.2N 0725017.4E	232 FEET	NO	GEM PARADISE, DISH ANTENNA TOP - 70.64 M, WATER TANK TOP - 69.40 M, BUILDING TOP(PARAPET WALL) - 68.00 M.
In circling area and at AD	BUILDING	190743.9N 0725017.2E	246 FEET	NO	DEV PRESTIGE - A WING, LADDER TOP - 74.96 M, WATER TANK TOP - 73.86 M, BUILDING TOP(PARAPET WALL) - 69.19 M.
In circling area and at AD	BUILDING	190744.7N 0725018.5E	190 FEET	NO	SHUBHAM CHS, GRILL TOP - 57.95 M, DISH ANTENNA TOP - 57.79 M, BUILDING TOP(PARAPET WALL) - 56.81 M.
In circling area and at AD	BUILDING	190746.3N 0725020.1E	191 FEET	NO	DLH PRABHUVANDAN , LADDER TOP - 58.17 M, WATER TANK TOP - 57.55 M, BUILDING TOP(PARAPET WALL) - 52.70 M
In circling area and at AD	BUILDING	190747.4N 0725022.4E	190 FEET	NO	JEEVAN KANCHAN, WATER HEATER TOP - 57.78 M, SHED TOP - 56.44 M, WATER TANK TOP - 55.88 M, BUILDING TOP(PARAPET WALL) - 54.56 M.
In circling area and at AD	BUILDING	190745.1N 0725022.0E	206 FEET	LGTD	THE BEL MONTE, GRILL TOP - 62.69 M, OBSTRUCTION LIGHT - 62.67 M, WATER TANK TOP - 61.57 M, BUILDING TOP(PARAPET WALL) - 58.61 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190745.4N 0725024.2E	190 FEET	LGTD	SBI PRIYA, LIGHTNING ARRESTER - 57.88 M, OBSTRUCTION LIGHT - 57.25 M, SHED TOP - 55.95, BUILDING TOP(PARAPET WALL) - 54.19 M.
In circling area and at AD	BUILDING	190752.6N 0725027.4E	260 FEET	NO	ROMELL AMORE, STAIRCASE ROOM TOP - 79.36 M, SHED TOP - 79.21 M, WATER TANK TOP - 78.39 M, BUILDING TOP(PARAPET WALL) - 77.43 M.
In circling area and at AD	BUILDING	190740.9N 0725025.6E	193 FEET	NO	THE GATEWAY, DISH ANTENNA TOP - 58.88 M, WATER TANK TOP - 57.50 M, BUILDING TOP(PARAPET WALL) - 55.97 M.
In circling area and at AD	BUILDING	190721.8N 0725024.0E	205 FEET	NO	GILBIRD, LIGHTNING ARRESTER TOP - 62.50 M, SHED TOP - 57.21 M, BUILDING TOP - 57.12 M
In circling area and at AD	BUILDING	190722.5N 0725026.3E	195 FEET	NO	(U/C) BUILDING TOP
In circling area and at AD	BUILDING	190710.2N 0725035.4E	188 FEET	NO	AKSHAY GIRIKUNJ, DISH ANTENNA TOP - 57.38 M, GRILL TOP - 56.67 M, STAIRCASE ROOM TOP - 55.90 M, BUILDING TOP - 53.13 M
In circling area and at AD	BUILDING	190710.8N 0725038.4E	194 FEET	NO	BUSINESS POINT, ANTENNA TOP - 59.19 M, GRILL TOP - 57.08 M, WATER TANK TOP - 55.97 M, BUILDING TOP - 51.52 M
In circling area and at AD	BUILDING	190731.3N 0725034.9E	209 FEET	NO	KAKAD WESTEND, TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 63.67 M, BUILDING TOP(PARAPET WALL) - 56.87 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190734.4N 0725033.9E	192 FEET	NO	VRAJ RESIDENCY, GRILL TOP - 58.39 M, WATER TANK TOP - 57.21 M, BUILDING TOP(PARAPET WALL) - 53.11 M.
In circling area and at AD	BUILDING	190736.7N 0725034.3E	190 FEET	NO	NAVNIT CHSL, GRILL TOP - 57.76 M, STAIRCASE ROOM TOP - 56.95 M, BUILDING TOP(PARAPET WALL) - 54.65 M
In circling area and at AD	BUILDING	190739.4N 0725038.9E	196 FEET	NO	MAYFAIR MERIDIAN, DISH ANTENNA TOP - 59.70 M, SHED TOP - 59.31 M, BUILDING TOP(PARAPET WALL) - 57.79 M.
In circling area and at AD	BUILDING	190745.1N 0725037.8E	246 FEET	NO	GRALIX APARTMENT(U/C), STAIRCASE ROOM TOP - 75.12 M, BUILDING TOP(PARAPET WALL) - 69.91 M.
In circling area and at AD	BUILDING	190741.0N 0725042.1E	200 FEET	LGTD	RITA RESIDENCIA, OBSTRUCTION LIGHT TOP - 61.00 M, STAIRCASE ROOM TOP - 57.55 M, BUILDING TOP(PARAPET WALL) - 57.41 M
In circling area and at AD	BUILDING	190749.3N 0725042.4E	232 FEET	NO	DIVINE MERCY, LIGHTNING ARRESTER TOP - 70.60 M, WATER TANK TOP - 67.59 M, BUILDING TOP(PARAPET WALL) - 64.59 M.
In circling area and at AD	BUILDING	190750.3N 0725047.0E	196 FEET	NO	KM TOWER - LUCKY STAR CHS, LADDER TOP - 59.82 M, WATER TANK TOP - 59.13 M, BUILDING TOP(PARAPET WALL) - 58.12 M.
In circling area and at AD	BUILDING	190748.8N 0725046.4E	190 FEET	NO	LUKE TOWER, LADDER TOP - 57.58 M, WATER TANK TOP - 56.82 M, BUILDING TOP(PARAPET WALL) - 54.63 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190747.5N 0725046.6E	253 FEET	NO	THE RESIDENCY, SHED TOP - 77.08 M, WATER TANK TOP - 76.18 M, DESIGN TOP - 76.18 M, BUILDING TOP(PARAPET WALL) - 75.36 M.
In circling area and at AD	BUILDING	190741.2N 0725048.6E	261 FEET	NO	SUVIDHA SQUARE, TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 79.61 M, BUILDING TOP(PARAPET SLAB) - 73.30 M.
In circling area and at AD	BUILDING	190732.4N 0725042.7E	206 FEET	NO	LAXMI PRABHA, LIGHTNING ARRESTER TOP - 62.86 M, SOLAR PANEL TOP - 61.89 M, STAIRCASE ROOM TOP - 61.34 M, BUILDING TOP(PARAPET WALL) - 58.12 M.
In circling area and at AD	BUILDING	190732.7N 0725046.8E	193 FEET	LGTD	JASMINE APARTMENTS, CELLPHONE MAST TOP - 58.73 M, STAIRCASE ROOM TOP - 52.19 M, BUILDING TOP(PARAPET WALL) - 45.76 M
In circling area and at AD	BUILDING	190730.1N 0725042.4E	202 FEET	NO	GRANDEUR(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.59 M, BUILDING TOP(SLAB) - 57.31 M.
In circling area and at AD	BUILDING	190730.6N 0725043.4E	203 FEET	NO	BUILDING(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.90 M, WATER TANK TOP - 57.50M, BUILDING TOP(PARAPET WALL) - 55.57 M.
In circling area and at AD	BUILDING	190730.6N 0725044.6E	218 FEET	NO	PEARL HARMONY(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 66.27 M, WATER TANK TOP - 63.77 M, BUILDING TOP(PARAPET WALL) - 60.22 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190729.5N 0725046.1E	227 FEET	NO	PEARL REGENCY(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 69.19 M, BUILDING TOP(PARAPET WALL) - 63.57 M.
In circling area and at AD	BUILDING	190727.5N 0725045.6E	227 FEET	NO	T.M TOWER - 2, BUILDING TOP(PARAPET WALL)
In circling area and at AD	BUILDING	190746.8N 0725100.8E	193 FEET	NO	SUDARSHAN LANDMARK(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 58.80 M, STAIRACSE ROOM TOP - 56.75 M, BUILDING TOP(SLAB) - 54.27 M.
In circling area and at AD	BUILDING	190747.9N 0725101.2E	193 FEET	NO	SAI HERITAGE, LADDER TOP - 58.94 M, WATER TANK TOP - 58.29 M, SHED TOP - 56.66 M, BUILDING TOP(PARAPET WALL) - 55.55 M
In circling area and at AD	BUILDING	190749.4N 0725101.0E	210 FEET	NO	SAI RESIDENCY, DISH ANTEENA TOP - 64.02 M, STAIRCASE ROOM TOP - 63.52 M, BUILDING TOP(PARAPET WALL) - 61.97 M.
In circling area and at AD	BUILDING	190747.8N 0725106.4E	189 FEET	LGTD	RAMESHWAR DARSHAN, SOLAR PANEL TOP - 57.71 M, LIGHTNING ARRESTER TOP - 57.65 M, OBSTRUCTION LIGHT TOP - 56.52 M, WATER TANK TOP - 56.29 M, BUILDING TOP(PARAPET WALL) - 54.44 M.
In circling area and at AD	BUILDING	190748.1N 0725107.0E	198 FEET	NO	BHAGWATI ASHISH (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 60.20 M, BUILDING TOP(SLAB) - 55.01 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190747.5N 0725112.5E	267 FEET	LGTD	AIM GROUP, OBSTRUCTION LIGHT TOP - 81.46 M, GRILL TOP - 79.85 M, BUILDING TOP(PARAPET WALL) - 79.53 M
In circling area and at AD	BUILDING	190748.6N 0725113.5E	263 FEET	NO	AIM GROUP, LADDER TOP - 80.33 M, WATER TANK TOP - 79.97 M, WATER TANK TOP - 79.94 M, BUILDING TOP(PARAPET WALL) - 77.89 M
In circling area and at AD	BUILDING	190752.7N 0725107.4E	238 FEET	NO	DIPTI'S SURYA(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP -72.47 M, BUILDING TOP(SLAB) - 65.40 M.
In circling area and at AD	BUILDING	190753.2N 0725100.8E	196 FEET	NO	RATHOD NIWAS, DISH ANTENNA TOP - 59.58 M, GRILL TOP - 59.30 M, BUILDING TOP(PARAPET WALL) - 58.38 M.
In circling area and at AD	BUILDING	190754.5N 0725101.1E	190 FEET	NO	SIDDHI INFINITY, GRILL TOP - 57.88 M, STAIRCASE ROOM TOP - 56.80 M, BUILDING TOP(PARAPET WALL) - 54.79 M.
In circling area and at AD	BUILDING	190753.8N 0725059.0E	232 FEET	LGTD	SHANTA MANGESH TOWER, OBSTRUCTION LIGHT TOP - 70.75 M, WATER TANK TOP - 70.25 M, BUILDING TOP(PARAPET WALL) - 67.57 M.
In circling area and at AD	BUILDING	190757.9N 0725052.5E	247 FEET	NO	JAINIKA CHS(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP -75.22 M, BUILDING TOP(SLAB) - 69.48 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190804.2N 0725058.3E	298 FEET	NO	SAMARPAN(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 90.90 M, DESIGN TOP - 85.08 M, BUILDING TOP(SLAB) - 80.71 M.
In circling area and at AD	BUILDING	190808.3N 0725107.5E	213 FEET	LGTD	REGENT HEIGHTS, OBSTRUCTION LIGHT TOP - 65.04 M, DISH ANTENNA TOP - 65.08 M, SHED TOP - 64.26 M, BUILDING TOP(PARAPET WALL) - 62.88 M.
In circling area and at AD	BUILDING	190809.2N 0725109.7E	219 FEET	NO	REGENT ORCHID, GRILL TOP - 66.64 M, WATER TANK TOP - 65.71 M, BUILDING TOP(PARAPET WALL) - 62.16 M.
In circling area and at AD	BUILDING	190807.8N 0725109.6E	213 FEET	LGTD	REGENT DARSHAN, OBSTRUCTION LIGHT TOP - 64.93 M, LIGHTNING ARRESTER TOP - 64.45 M, DISH ANTEENA TOP - 64.27 M, WATER TANK TOP - 63.01 M, BUILDING TOP(PARAPET WALL) - 60.76 M.
In circling area and at AD	BUILDING	190805.9N 0725116.7E	196 FEET	NO	RAJAL CLASSIC, PIPE TOP - 59.61 M, WATER TANK TOP - 58.29 M, BUILDING TOP (PARAPET WALL) - 56.90 M.
In circling area and at AD	BUILDING	190819.3N 0725133.0E	327 FEET	NO	AVANT HERITAGE (U/C), TEMPORARY CONTRUCTION LIFT STRUCTURE TOP - 99.74 M, WATER TANK TOP - 94.34 M, BUILDING TOP (PARAPET WALL) - 91.46 M.
In circling area and at AD	BUILDING	190809.9N 0725134.3E	216 FEET	NO	KASHMIRI, LADDER TOP - 65.88 M, WATER TANK TOP - 65.10 M, BUILDING TOP (PARAPET WALL) - 61.80 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190751.7N 0725117.4E	192 FEET	LGTD	SHREE VINAYAK CHSL, CELLPHONE MAST TOP - 58.36 M, BUILDING TOP (PARAPET WALL) - 51.50 M.
In circling area and at AD	BUILDING	190751.8N 0725121.4E	193 FEET	LGTD	SHANKARWADI CHSL, CELLPHONE MAST TOP - 58.93 M, BUILDING TOP (PARAPET WALL) - 52.18 M.
In circling area and at AD	BUILDING	190753.3N 0725123.5E	289 FEET	NO	OMKAR (U/C), TEMPORARY CRANE STRUCTURE TOP - 88.24 M, IRON ROD TOP - 53.05 M, BUILDING TOP (SLAB) - 50.51 M
In circling area and at AD	BUILDING	190752.3N 0725124.1E	320 FEET	NO	OMKAR (U/C), TEMPORARY CRANE STRUCTURE TOP - 97.50 M, IRON ROD TOP - 83.28 M, BUILDING TOP (SLAB) - 82.09 M.
In circling area and at AD	BUILDING	190752.4N 0725124.9E	273 FEET	NO	OMKAR (U/C), IRON ROD TOP - 83.21 M, BUILDING TOP (SLAB) - 82.25 M.
In circling area and at AD	BUILDING	190751.8N 0725126.4E	274 FEET	NO	OMKAR (U/C), IRON ROD TOP - 83.38 M, BUILDING TOP (SLAB) - 79.59 M.
In circling area and at AD	BUILDING	190751.8N 0725126.8E	317 FEET	NO	OMKAR (U/C), TEMPORARY CRANE STRUCTURE TOP - 96.63M, IRON ROD TOP - 83.53 M, BUILDING TOP (SLAB) - 82.46 M.
In circling area and at AD	BUILDING	190750.4N 0725127.1E	191 FEET	NO	SAI NIVARA SRA, GRILL TOP - 58.30 M, WATER TANK TOP - 57.08 M, BUILDING TOP (PARAPET WALL) - 55.87 M.
In circling area and at AD	BUILDING	190749.4N 0725127.5E	193 FEET	NO	GOWRI SHANKAR SRA, GRILL TOP - 58.78 M, WATER TANK TOP - 57.82 M, BUILDING TOP (PARAPET WALL) - 54.07 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190748.8N 0725128.3E	198 FEET	LGTD	SAI DHARSHAN SRA, CELLPHONE MAST TOP - 60.47 M, WATER TANK TOP - 54.15 M, BUILDING TOP (PARAPET WALL) - 50.67 M.
In circling area and at AD	BUILDING	190748.4N 0725122.8E	201 FEET	NO	SHIV BHOOMI SRA, GRILL TOP - 61.23 M, WATER TANK TOP - 60.54 M, BUILDING TOP (PARAPET WALL) - 56.18 M.
In circling area and at AD	BUILDING	190748.5N 0725123.8E	204 FEET	NO	SHIV BHOOMI SRA, WATER TANK TOP - 62.07 M, BUILDING TOP (PARAPET WALL) - 57.12 M.
In circling area and at AD	BUILDING	190748.5N 0725124.5E	203 FEET	NO	SHIV BHOOMI SRA, GRILL TOP - 61.99 M, WATER TANK TOP - 61.21 M, BUILDING TOP (PARAPET WALL) - 56.44 M.
In circling area and at AD	BUILDING	190747.5N 0725124.5E	205 FEET	NO	SHIV BHOOMI SRA, GRILL TOP - 62.35 M, WATER TANK TOP - 61.58 M, BUILDING TOP (PARAPET WALL) - 56.98 M.
In circling area and at AD	BUILDING	190825.1N 0725151.7E	397 FEET	NO	OBEROI SPLENDOR WING - C, LIGHTNING ARRESTER TOP - 121.08 M, WATER TANK TOP - 118.91 M, ANTENNA TOP - 117.52 M, BUILDING TOP (PARAPET WALL) - 114.90 M.
In circling area and at AD	BUILDING	190822.7N 0725151.5E	420 FEET	NO	OBEROI (U/C), TEMPORARY CONTRUCTION CRANE STRUCTURE TOP - 128.09 M, BUILDING TOP (PARAPET WALL) - 116.21 M.OBEROI (U/C), TEMPORARY CONTRUCTION CRANE STRUCTURE TOP - 128.09 M, BUILDING TOP (PARAPET WALL) - 116.21 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190815.9N 0725147.6E	263 FEET	NO	LILLY WHITE, POLE TOP - 80.24 M, LIGHTNING ARRESTER TOP - 79.67 M, STAIRCASE ROOM TOP - 78.42 M, BUILDING TOP (PARAPET WALL) - 75.51 M.
In circling area and at AD	BUILDING	190815.7N 0725150.6E	269 FEET	NO	ARENA SPACE, ANTENNA TOP - 81.98 M, BUILDING TOP (PARAPET WALL) - 75.65 M.
In circling area and at AD	BUILDING	190814.8N 0725205.0E	323 FEET	NO	KALPATARU ESTATE - 4, LIGHTNING ARRESTER TOP - 98.59 M, BUILDING TOP (PARAPET WALL) - 92.90 M
In circling area and at AD	BUILDING	190812.2N 0725205.2E	323 FEET	NO	KALPATARU ESTATE - 5, LIGHTNING ARRESTER TOP - 98.47 M, WATER TANK TOP - 93.90 M, BUILDING TOP (PARAPET WALL) - 92.94 M.
In circling area and at AD	BUILDING	190810.7N 0725204.9E	302 FEET	NO	SANGAM CHS, STAIRCASE ROOM TOP - 92.14 M, BUILDING TOP (PARAPET WALL) - 89.56 M.
In circling area and at AD	BUILDING	190809.8N 0725203.0E	322 FEET	NO	KALPATARU ESTATE - 6, LIGHTNING ARRESTER TOP - 98.15 M, ANTENNA TOP - 95.48 M, STAIRCASE ROOM TOP - 93.00 M, BUILDING TOP (PARAPET WALL) - 90.23 M.
In circling area and at AD	BUILDING	190803.2N 0725148.8E	360 FEET	NO	ACME BUILDING, LIGHTNING ARRESTER TOP - 109.79 M, GRILL TOP - 106.15 M, WATER TANK TOP - 105.05 M, BUILDING TOP(PARAPET WALL) - 101.81 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190759.1N 0725149.9E	407 FEET	NO	ACME BOULEVARD, DESIGN TOP - 124.25 M, WATER TANK TOP - 124.02 M, BUILDING TOP(PARAPET WALL) - 122.09 M.
In circling area and at AD	BUILDING	190758.9N 0725151.1E	412 FEET	LGTD	ACME BOULEVARD, OBSTRUCTION LIGHT TOP - 125.57 M, DESIGN TOP - 124.14 M, WATER TANK TOP - 124.04 M, BUILDING TOP(PARAPET WALL) - 122.89 M.
In circling area and at AD	BUILDING	190800.2N 0725158.4E	237 FEET	LGTD	SHIV SAGAR CHSL, CELLPHONE MAST TOP - 72.17 M, STAIRCASE ROOM TOP - 65.59 M, BUILDING TOP(PARAPET WALL) - 61.59 M.
In circling area and at AD	BUILDING	190756.3N 0725208.8E	223 FEET	NO	BHADRA CHSL, DISH ANTENNA TOP - 68.01 M, STAIRCASE ROOM TOP - 66.92 M, BUILDING TOP (PARAPET WALL) - 66.85 M.
In circling area and at AD	BUILDING	190755.8N 0725207.8E	215 FEET	NO	BHADRA CHSL, DISH ANTENNA TOP - 65.60 M, WATER TANK TOP - 65.37 M, BUILDING TOP (PARAPET WALL) - 65.21 M.
In circling area and at AD	BUILDING	190756.9N 0725153.2E	218 FEET	NO	OM SAI CHS, LADDER TOP - 66.54 M, WATER TANK TOP - 65.58 M, BUILDING TOP (PARAPET WALL) - 61.63 M.
In circling area and at AD	ANTENNA	190754.1N 0725152.9E	221 FEET	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	190754.3N 0725150.2E	205 FEET	NO	MAZASWADI INQUILAB NAGAR CHSL, WATER TANK TOP - 62.60 M, BUILDING TOP(PARAPET WALL) - 58.89 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190754.1N 0725149.6E	210 FEET	NO	MAZASWADI INQUILAB NAGAR CHS, POLE TOP - 63.87 M, WATER TANK TOP - 62.97 M, BUILDING TOP (PARAPET WALL) - 59.23 M.
In circling area and at AD	BUILDING	190753.1N 0725147.1E	191 FEET	NO	LALJI MEHROTRA TECHNICAL INSTITUTE, SHED TOP - 58.27 M, BUILDING TOP(SLAB) - 58.08 M.
In circling area and at AD	BUILDING	190750.7N 0725147.2E	241 FEET	LGTD	HOLY PALACE, OBSTRUCTION LIGHT TOP - 73.35 M, WATER TANK TOP - 72.76 M, BUILDING TOP(PARAPET WALL) - 69.32 M
In circling area and at AD	BUILDING	190755.2N 0725142.8E	262 FEET	NO	SHRISTI RESIDENCY(U/C), TEMPORARY LIFT STRUCTURE TOP - 79.91 M, BUILDING TOP(SLAB) - 76.26 M.
In circling area and at AD	BUILDING	190753.9N 0725142.8E	297 FEET	LGTD	SHRISTI RESIDENCY(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 90.57 M, OBSTRUCTION LIGHT TOP - 87.36 M, BUILDING TOP(PARAPET WALL) - 86.32 M.
In circling area and at AD	BUILDING	190752.1N 0725142.7E	189 FEET	NO	ANDHERI CHAYA CHSL, STAIRCASE ROOM TOP - 57.45 ANDHERI CHAYA CHSL, STAIRCASE ROOM TOP - 57.45 M, BUILDING TOP(PARAPET WALL) - 54.21 M.
In circling area and at AD	BUILDING	190749.5N 0725137.0E	209 FEET	NO	VASTU SHANTI, DISH ANTENNA TOP - 63.80 M, STAIRCASE ROOM TOP - 62.55 M, BUILDING TOP(PARAPET WALL) - 60.74 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190747.9N 0725136.8E	207 FEET	NO	VASTU LABH, DISH ANTENNA TOP - 63.15 M, STAIRCASE ROPOM TOP - 62.32 M, BUILDING TOP(PARAPET WALL) - 60.33 M.
In circling area and at AD	BUILDING	190744.7N 0725130.5E	199 FEET	NO	VAASTU SHILP CHSL, DISH ANTENNA TOP - 60.85 M, WATER TANK TOP - 59.36 M, BUILDING TOP (PARAPET WALL) - 53.75 M.
In circling area and at AD	BUILDING	190744.7N 0725132.0E	198 FEET	NO	VASTU RIDDHI, STAIRCASE ROOM TOP - 60.35 M, BUILDING TOP(PARAPET WALL) - 58.28 M.
In circling area and at AD	BUILDING	190742.7N 0725129.9E	201 FEET	NO	SHRI VAASTU SIDDHI - A CHSL, DISH ANTENNA TOP - 61.28 M, WATER TANK TOP - 59.31 M, BUILDING TOP (PARAPET WALL) - 56.87 M.
In circling area and at AD	BUILDING	190739.0N 0725133.0E	227 FEET	LGTD	KARMA BHOOMI TERRACE CHSL, CELLPHONE MAST TOP - 69.19 M, STAIRCASE ROOM TOP - 61.14 M, BUILDING TOP(PARAPET WALL) - 57.36M
In circling area and at AD	BUILDING	190740.7N 0725137.2E	192 FEET	NO	DRISHTI HEIGHTS, GRILL TOP - 58.64 M, WATER TANK TOP - 57.54 M, BUILDING TOP(PARAPET WALL) - 55.97 M.
In circling area and at AD	BUILDING	190743.8N 0725138.0E	189 FEET	NO	VIKAS PARADISE, SHED TOP - 57.47 M, WATER TANK TOP - 57.05 M, BUILDING TOP(PARAPET WALL) - 56.83 M.
In circling area and at AD	BUILDING	190746.6N 0725144.9E	199 FEET	LGTD	JYOTI PEARLS, CELLPHONE MAST TOP - 60.70 M, STAIRCASE ROOM TOP - 54.83 M, BUILDING TOP(PARAPET WALL)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190742.0N 0725144.8E	190 FEET	LGTD	HYDE PARK, CELLPHONE MAST TOP - 57.80 M, STAIRCASE ROOM TOP - 52.54 M, GENERATOR ROOM TOP - 52.47 M, BUILDING TOP(PARAPET WALL) - 49.37 M.
In circling area and at AD	BUILDING	190749.0N 0725150.5E	213 FEET	NO	JYOTI AVENUE, STAIRCASE ROOM TOP - 64.80 M, WATER TANK TOP - 63.31 M, BUILDING TOP(PARAPET WALL) - 60.99 M.
In circling area and at AD	BUILDING	190745.6N 0725149.3E	195 FEET	NO	CASABLANCA HOUSE, WATER TANK TOP - 59.26 M, BUILDING TOP(PARAPET WALL) - 55.12 M.
In circling area and at AD	BUILDING	190745.3N 0725150.0E	211 FEET	NO	SUN VIEW HEIGHTS, WATER TANK TOP - 64.19 M, BUILDING TOP(PARAPET WALL) - 63.12 M.
In circling area and at AD	BUILDING	190746.2N 0725150.2E	195 FEET	NO	SILVER CASTLE, WATER TANK TOP - 59.38 M, STAIRCASE ROOM TOP - 59.36 M, BUILDING TOP(PARAPET WALL) - 55.39 M.
In circling area and at AD	BUILDING	190747.7N 0725151.5E	220 FEET	NO	MANJU CHS, DISH ANTENNA TOP - 67.00 M, STAIRCASE ROOM TOP - 66.65 M, BUILDING TOP(PARAPET WALL) - 63.87 M.
In circling area and at AD	BUILDING	190748.7N 0725152.6E	199 FEET	NO	SHAGUN, DISH ANTENNA TOP - 60.69 M, STAIRCASE ROOM TOP - 59.77 M, BUILDING TOP(PARAPET WALL) - 58.31 M
In circling area and at AD	BUILDING	190747.3N 0725152.7E	226 FEET	NO	MADHUKUNJ, DISH ANTENNA TOP - 68.98 M, STAIRCASE ROOM TOP - 67.89 M, BUILDING TOP(PARAPET WALL) - 63.72 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190749.1N 0725154.1E	251 FEET	LGTD	ROSEWOOD PARK, CELLPHONE MAST TOP - 76.47 M, STAIRCASE ROOM TOP - 68.77 M, BUIDING TOP (PARAPET WALL) - 64.76 M
In circling area and at AD	BUILDING	190749.3N 0725155.1E	225 FEET	NO	ZOOM APARTMENT, DISH ANTENNA TOP - 68.58 M, STAIRCASE ROOM TOP - 67.68 M, BUILDING TOP(PARAPET WALL) - 66.13 M.
In circling area and at AD	BUILDING	190749.4N 0725157.3E	256 FEET	LGTD	KAMLESH APARTMENT, CELLPHONE MAST TOP - 78.05 M, STAIRCASE ROOM TOP - 71.31 M, BUIDING TOP (PARAPET WALL) - 68.67 M.
In circling area and at AD	BUILDING	190747.6N 0725158.1E	220 FEET	NO	ROOF TOP, DISH ANTENNA TOP - 67.05 M, WATER TANK TOP - 65.65 M, BUILDING TOP(PARAPET WALL) - 62.48 M.
In circling area and at AD	BUILDING	190747.1N 0725155.2E	226 FEET	NO	HANA RESIDENCY, SHED TOP - 68.90 M, BUILDING TOP(PARAPET WALL) - 66.37 M.
In circling area and at AD	BUILDING	190745.1N 0725151.3E	213 FEET	NO	SKORA, STAIRCASE ROOM TOP - 65.02 M, WATER TANK TOP - 64.01 M, BUILDING TOP(PARAPET WALL) - 61.65 M
In circling area and at AD	BUILDING	190745.5N 0725153.7E	224 FEET	NO	SHERE PUNJAB SOCIETY, GRILL TOP - 68.27 M, STAIRCASE ROOM TOP - 67.13 M, BUILDING TOP(PARAPET WALL) - 64.87 M.
In circling area and at AD	BUILDING	190745.8N 0725154.8E	223 FEET	NO	FIFTH SEASON, WATER TANK TOP - 68.09 M, SHED TOP - 66.95 M, BUILDING TOP(PARAPET WALL) - 64.81 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190744.2N 0725153.1E	230 FEET	NO	MADHUKUNJ SOCIETY, DISH ANTENNA TOP - 70.19 M, SINTEX TANK TOP - 69.91 M, BUIDING TOP (PARAPET WALL) - 68.68 M.
In circling area and at AD	BUILDING	190744.7N 0725154.0E	241 FEET	LGTD	PRITAM APARTMENT, CELLPHONE MAST TOP - 73.51 M, STAIRCASE ROOM TOP - 67.18 M, BUIDING TOP (PARAPET WALL) - 63.37 M.
In circling area and at AD	BUILDING	190742.9N 0725153.3E	211 FEET	NO	TOLANI COLLEGE OF COMMERCE, BUILDING TOP
In circling area and at AD	BUILDING	190741.6N 0725148.8E	203 FEET	NO	AMORE, SHED TOP - 61.86 M, STAIRCASE ROOM TOP - 60.33 M, BUILDING TOP(PARAPET WALL) - 59.46 M.
In circling area and at AD	BUILDING	190741.7N 0725150.7E	225 FEET	LGTD	HOTEL IMPERIAL RESIDENCY, CELLPHONE MAST TOP - 68.54 M, BUIDING TOP (PARAPET WALL) - 62.01 M.
In circling area and at AD	BUILDING	190739.6N 0725146.0E	204 FEET	LGTD	SHIV BHAGAN, CELLPHONE MAST TOP - 62.09 M, STAIRCASE ROOM TOP - 55.86 M, BUILDING TOP(PARAPET WALL) - 53.18 M.
In circling area and at AD	BUILDING	190737.3N 0725145.1E	189 FEET	NO	EMPIRE HEIGHTS, WATER TANK TOP - 57.67 M, BUILDING TOP(PARAPET WALL) - 54.37 M.
In circling area and at AD	BUILDING	190737.7N 0725149.9E	200 FEET	NO	SIDDESH, SHED TOP - 61.02 M, STAIRCASE ROOM TOP - 59.72 M, BUILDING TOP(PARAPET WALL) - 56.98 M.
In circling area and at AD	BUILDING	190736.6N 0725149.2E	195 FEET	NO	KARTAR NIWAS, SINTEX TANK TOP - 59.25 M, STAIRCASE ROOM TOP - 58.99 M, BUILDING TOP(PARAPET WALL) - 55.22 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190733.5N 0725147.3E	208 FEET	LGTD	AURIS HOTEL, ANTENNA TOP - 63.36 M, OBSTRUCTION LIGHT TOP - 62.83 M, WATER TANK TOP - 62.23 M, BUILDING TOP (PARAPET WALL) - 61.52 M.
In circling area and at AD	BUILDING	190736.2N 0725138.2E	219 FEET	NO	DREAMAX HEIGHTS(U/C), IRON ROD TOP - 66.63 M, BUILDING TOP(SLAB) - 63.40 M
In circling area and at AD	BUILDING	190734.5N 0725139.1E	271 FEET	LGTD	DREAMAX VEGA, OBSTRUCTION LIGHT TOP - 82.53 M, WATER TANK TOP - 81.93 M, WATER TANK TOP - 81.50 M, BUILDING TOP (PARAPET WALL) - 77.40 M.
In circling area and at AD	BUILDING	190731.5N 0725137.8E	222 FEET	NO	KULSHREE CHS, GRILL TOP - 67.68 M, STAIRCASE ROOM TOP - 66.37 M, BUILDING TOP (PARAPET WALL) - 63.25 M.
In circling area and at AD	BUILDING	190737.0N 0725111.2E	246 FEET	NO	KAATYAYNI HEIGHTS (U/C), BUILDING TOP (PARAPET WALL)
In circling area and at AD	BUILDING	190736.5N 0725112.1E	247 FEET	NO	KAATYAYNI HEIGHTS (U/C), BUILDING TOP (PARAPET WALL)
In circling area and at AD	BUILDING	190733.2N 0725112.5E	248 FEET	NO	KAATYAYNI HEIGHTS, DISH ANTENNA TOP - 75.70 M, BUILDING TOP (PARAPET WALL) - 74.80 M
In circling area and at AD	BUILDING	190734.3N 0725122.8E	216 FEET	LGTD	SRA, CELLPHONE MAST TOP - 65.91 M, STAIRCASE ROOM TOP - 58.48 M, BUILDING TOP (PARAPET WALL) - 55.36 M.
In circling area and at AD	BUILDING	190729.1N 0725058.9E	191 FEET	NO	CRESCENT GRANDE, GRILL TOP - 58.07 M, STAIRCASE ROOM TOP - 56.90 M, BUILDING TOP(PARAPET WALL) - 55.05 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190729.9N 0725104.3E	223 FEET	NO	ARIHANT ENCLAVE(U/C), BUILDING TOP(SLAB
In circling area and at AD	BUILDING	190730.2N 0725109.7E	197 FEET	NO	HUBTOWN SHIKHAR CHS, STAIRCASE ROOM TOP - 59.97 M, BUILDING TOP(PARAPET WALL) - 53.97 M.
In circling area and at AD	BUILDING	190727.1N 0725107.6E	192 FEET	LGTD	MINAL TOWER, CELLPHONE MAST TOP - 58.40 M, CELLPHONE MAST TOP - 58.35 M, GENERATOR ROOM TOP - 57.99 M, STAIRCASE ROOM TOP - 57.48 M, BUILDING TOP(PARAPET WALL) - 56.02 M.
In circling area and at AD	BUILDING	190726.2N 0725107.6E	190 FEET	NO	SHIV KRUPA - E WING, OBSTRUTION LIGHT TOP - 57.91 M, LIGHTNING ARRESTER TOP - 54.82 M, GENERATOR ROOM TOP - 53.76 M, WATER TANK TOP - 53.50 M, BUILDING TOP(PARAPET WALL) - 50.91 M
In circling area and at AD	BUILDING	190721.1N 0725059.9E	191 FEET	LGTD	GREEN TREE RESIDENCY, OBSTRUCTION LIGHT TOP - 58.29 M, GRILL TOP - 57.58 M, STAIRCASE ROOM TOP - 56.22 M, BUILDING TOP(PARAPET WALL) - 51.95 M
In circling area and at AD	BUILDING	190718.8N 0725059.5E	198 FEET	NO	ORION APARTMENTS (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 60.38 M, WATER TANK TOP - 57.08 M, BUILDING TOP(PARAPET WALL) - 54.77 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190714.1N 0725059.2E	196 FEET	NO	EVERGREEN WOODS APARTMENTS, LIGHTNING ARRESTER TOP - 59.68 M, DISH ANTENNA TOP - 57.86 M, WATER TANK TOP - 57.19 M, BUILDING TOP(PARAPET WALL) - 55.77 M.
In circling area and at AD	BUILDING	190715.9N 0725116.4E	230 FEET	NO	MAHAKALI WING 'A', PIPE TOP - 69.99 M, BUILDING TOP (PARAPET WALL) - 60.60 M.
In circling area and at AD	BUILDING	190715.3N 0725116.2E	229 FEET	NO	MAHAKALI WING 'B', PIPE TOP - 69.90 M, BUILDING TOP (PARAPET WALL) - 69.50 M.
In circling area and at AD	BUILDING	190714.8N 0725116.1E	230 FEET	NO	MAHAKALI WING 'C', PIPE TOP - 70.04 M, BUILDING TOP (PARAPET WALL) - 69.76 M.
In circling area and at AD	BUILDING	190714.1N 0725116.2E	230 FEET	NO	MAHAKALI WING 'D', PIPE TOP - 70.17 M, BUILDING TOP (PARAPET WALL) - 69.74 M.
In circling area and at AD	BUILDING	190713.5N 0725114.7E	226 FEET	NO	OMKAR DHASHAN SRA, LADDER TOP - 68.88 M, WATER TANK TOP - 68.41 M, BUILDING TOP (PARAPET WALL) - 63.82 M.
In circling area and at AD	BUILDING	190713.5N 0725116.3E	231 FEET	NO	MAHAKALI WING 'E', PIPE TOP - 70.37 M, BUILDING TOP (PARAPET WALL) - 70.05 M.
In circling area and at AD	BUILDING	190713.0N 0725115.9E	231 FEET	NO	MAHAKALI WING 'F', PIPE TOP - 70.32 M, BUILDING TOP (PARAPET WALL) - 69.98 M.
In circling area and at AD	BUILDING	190712.4N 0725116.0E	232 FEET	NO	MAHAKALI WING 'G', PIPE TOP - 70.59 M, BUILDING TOP (PARAPET WALL) - 70.22 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190711.9N 0725117.0E	237 FEET	NO	MAHAKALI WING 'H' (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 72.20 M, IRON ROD TOP - 70.91 M, BUILDING TOP (PARAPET WALL) - 67.17 M.
In circling area and at AD	BUILDING	190722.2N 0725131.9E	188 FEET	NO	TRIDHA, WATER TANK TOP - 57.19 M, WATER TANK TOP - 57.17 M, BUILDING TOP (PARAPET WALL) - 53.84 M.
In circling area and at AD	BUILDING	190706.2N 0725128.7E	232 FEET	NO	MAHINDRA VICINO BUILDING TOP (PARAPET WALL)
In circling area and at AD	BUILDING	190706.4N 0725125.5E	235 FEET	LGTD	MAHINDRA VICINO, OBSTRUCTION LIGHT TOP - 71.48 M, BUILDING TOP (PARAPET WALL) - 70.50 M.
In circling area and at AD	BUILDING	190706.0N 0725121.7E	228 FEET	LGTD	VIRAJ TOWERS, OBSTRUCTION LIGHT TOP - 69.38 M, STAIRCASE ROOM TOP - 68.15 M, BUILDING TOP (PARAPET WALL) - 66.69 M.
In circling area and at AD	BUILDING	190656.0N 0725121.2E	244 FEET	LGTD	CHANDAK CHAMBERS, LIGHTNING ARRESTER TOP - 74.35 M, OBSTRUCTION LIGHT TOP - 73.86 M, STAIRCASE ROOM TOP - 73.46 M, BUILDING TOP(PARAPET WALL) - 73.19 M.
In circling area and at AD	BUILDING	190656.6N 0725116.7E	189 FEET	LGTD	BUSINEES POINT, CELLPHONE MAST TOP - 57.67 M, GENETATOR ROOM TOP - 55.99 M, BUILDING TOP(PARAPET WALL) - 52.08 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190655.7N 0725116.4E	191 FEET	LGTD	MUMBAI CO-WORKS, CELLPHONE MAST TOP - 58.34 M, SOALR PANEL TOP - 52.95 M, HOARDING TOP - 49.62 M, BUILDING TOP(PARAPET WALL) - 47.27 M.
In circling area and at AD	BUILDING	190703.9N 0725059.9E	197 FEET	NO	BUILDING(U/C), IRON ROD TOP - 59.98 M, BUILDING TOP(SLAB) - 55.03 M.
In circling area and at AD	BUILDING	190702.5N 0725058.2E	190 FEET	NO	BAJAJ EMERALD, LADDER TOP - 57.87 M, WATER TANK TOP - 56.83 M, BUILDING TOP(PARAPET WALL) - 53.11 M.
In circling area and at AD	BUILDING	190702.7N 0725057.0E	209 FEET	LGTD	BAJAJ EMERALD, POLE TOP - 63.85 M, LADDER TOP - 62.76 M, OBSTRUCTION LIGHT TOP - 62.58 M, WATER TANK TOP - 61.75 M, STAIRCASE ROOM TOP - 60.52 M, BUILDING TOP(PARAPET WALL) - 59.10 M.
In circling area and at AD	BUILDING	190704.9N 0725055.4E	206 FEET	NO	BAJAJ EMERALD (U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 62.93 M, BUILDING TOP(SLAB) - 48.27 M.
In circling area and at AD	BUILDING	190700.0N 0725053.3E	202 FEET	LGTD	SAMPADNA, OBSTRUCTION LIGHT TOP - 61.47 M, STAIRCASE ROOM TOP - 60.58 M, WATER TANK TOP - 60.51 M, BUILDING TOP(PARAPET WALL) - 59.10 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190657.2N 0725049.6E	192 FEET	LGTD	ETCO HEIGHTS, OBSTRUCTION LIGHT TOP - 58.63 M, SHED TOP - 58.38 M, ANTENNA TOP - 58.16 M, BUILDING TOP(PARAPET WALL) - 56.94 M
In circling area and at AD	BUILDING	190659.9N 0725100.5E	194 FEET	NO	SHRADDHA HEIGHTS, ANTENNA TOP - 59.17 M, ANTENNA TOP - 59.12 M, SHED TOP - 58.75 M, GRILL TOP - 57.71 M, BUILDING TOP(SLAB) - 56.80 M.
In circling area and at AD	BUILDING	190653.8N 0725055.4E	190 FEET	NO	VIJAYNAGAR SOCIETY, LIGHTNING ARRESTER TOP - 57.82 M, SOLAR PANEL TOP - 57.20 M, WATER TANK TOP - 55.44 M, BUILDING TO(PARAPET WALL) - 51.81 M
In circling area and at AD	BUILDING	190642.1N 0725121.0E	190 FEET	NO	THE BAYA GOLD SPOT, SHED TOP - 57.87 M, WATER TANK TOP - 57.53 M, BUILDING TOP(PARAPET WALL) - 57.20 M.
In circling area and at AD	BUILDING	190643.5N 0725125.1E	223 FEET	NO	EXPRESS ENCLAVE, DISH ANTENNA TOP - 67.98 M, WATER TANK TOP - 67.03 M, BUILDING TOP(PARAPET WALL) - 65.10 M.
In circling area and at AD	BUILDING	190641.1N 0725124.2E	200 FEET	NO	REHMATIBAI CHS, WATER TANK TOP - 60.94 M, BUILDING TOP(PARAPET WALL) - 57.01 M.
In circling area and at AD	BUILDING	190634.4N 0725120.6E	219 FEET	NO	BUILDING(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 66.70 M, BUILDING TOP(PARAPET WALL) - 60.44 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190628.6N 0725123.3E	193 FEET	NO	AAI OFFICE, LIGHTNING ARRESTER TOP - 58.77 M, LADDER TOP - 54.27 M, WATER TANK TOP - 53.46 M, SHED TOP - 53.24 M, BUILDING TOP - 51.58 M.
In circling area and at AD	BUILDING	190635.6N 0725135.0E	222 FEET	LGTD	KRISHNA RESIDENCY(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 67.68 M, OBSTRUCTION LIGHT TOP - 65.34 M, WATER TANK TOP - 64.59 M, BUILDING TOP(PARAPET WALL) - 62.89 M.
In circling area and at AD	BUILDING	190638.5N 0725134.8E	190 FEET	NO	ATUL CORPORATE AVENUE, ANTENNA TOP - 57.95 M, SHED TOP - 57.36 M, HOARDING TOP - 56.41 M, WATER TANK TOP - 56.18 M, STAIRCASE ROOM TOP - 55.51 M, BUILDING TOP(PARAPET WALL) - 52.82 M.
In circling area and at AD	BUILDING	190646.2N 0725136.6E	211 FEET	NO	SILVER UTOPIA, ANTENNA TOP - 64.21 M, LIGHTNING ARRESTER TOP - 63.64 M, SHED TOP - 61.94 M, WATER TANK TOP - 60.49 M, BUILDING TOP(PARAPET WALL) - 58.67 M.
In circling area and at AD	BUILDING	190646.2N 0725200.1E	202 FEET	NO	SURAKSHA ACE, ANTENNA TOP - 61.57 M, DISH ANTENNA TOP - 59.64 M, DESIGN TOP - 58.39 M, BUILDING TOP (SLAB) - 55.33 M
In circling area and at AD	BUILDING	190646.9N 0725200.7E	190 FEET	NO	RAJESH LIFESPACES, DESIGN TOP - 58.00 M, STAIRCASE ROOM TOP - 57.91 M, BUILDING TOP (PARAPET WALL) - 53.74 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190650.8N 0725153.6E	223 FEET	LGTD	KANAKIA 215 ATRIUM, ANTENNA TOP - 67.85 M, CELLPHONE MAST TOP - 67.04 M, STAIRCASE ROOM TOP - 63.82 M, HOARDING TOP - 63.81 M, BUILDING TOP (PARAPET WALL) - 61.90 M.
In circling area and at AD	BUILDING	190651.3N 0725152.8E	210 FEET	NO	COURTYARD MARRIOT, CHILLER TOP - 63.99 M, BUILDING TOP (PARAPET WALL) - 61.29 M.
In circling area and at AD	BUILDING	190648.6N 0725145.8E	216 FEET	NO	JYOTI SKYLINE (U/C), TEMPORARY LIFT STRUCTURE TOP - 65.79 M, IRON ROD TOP - 63.64 M, BUILDING TOP (SLAB) - 60.52 M.
In circling area and at AD	BUILDING	190652.7N 0725150.0E	250 FEET	NO	KANAKIA SRA, GRILL TOP - 76.20 M, STAIRCASE ROOM TOP - 75.98 M, WATER TANK TOP - 75.23 M, BUILDING TOP (PARAPET WALL) - 72.73 M.
In circling area and at AD	BUILDING	190653.8N 0725150.1E	254 FEET	NO	KANAKIA SRA, PIPE TOP - 77.40 M, WATER TANK TOP - 76.05 M, BUILDING TOP (PARAPET WALL) - 72.79 M.
In circling area and at AD	BUILDING	190653.0N 0725147.8E	251 FEET	NO	KANAKIA SRA, LADDER TOP - 76.50 M, STAIRCASE ROOM TOP - 75.91 M, WATER TANK TOP - 75.19 M, BUILDING TOP (PARAPET WALL) - 72.64 M.
In circling area and at AD	BUILDING	190654.5N 0725148.3E	248 FEET	NO	KANAKIA SRA, LADDER TOP - 75.65 M, STAIRCASE ROOM TOP - 75.47 M, WATER TANK TOP - 75.09 M, BUILDING TOP (PARAPET WALL) - 72.04 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190655.5N 0725148.6E	247 FEET	NO	KANAKIA SRA, STAIRCASE ROOM TOP - 75.40 M, WATER TANK TOP - 74.71 M, BUILDING TOP (PARAPET WALL) - 72.03 M.
In circling area and at AD	BUILDING	190656.5N 0725146.2E	232 FEET	LGTD	SPARSH APARTMENT, DISH ANTENNA TOP - 70.80 M, OBSTRUCTION LIGHT TOP - 70.79 M, GRILL TOP - 70.72 M, WATER TANK TOP - 69.53 M, BUILDING TOP (PARAPET WALL) - 65.94 M.
In circling area and at AD	BUILDING	190653.6N 0725143.6E	277 FEET	NO	AJANTA TOWER (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 84.27 M, IRON ROD TOP - 67.66 M, BUILDING TOP (SLAB) - 61.03 M.
In circling area and at AD	BUILDING	190650.9N 0725138.0E	204 FEET	NO	RUSTOMJEE CENTRAL PARK(U/C), BUILDING TOP(SLAB)
In circling area and at AD	BUILDING	190654.9N 0725132.6E	191 FEET	LGTD	GRACE CHAMBERS, CELLPHONE MAST TOP - 58.09 M, STAIRACASE ROOM TOP - 51.45 M, BUILDING TOP(PARAPET WALL) - 47.73 M.
In circling area and at AD	BUILDING	190640.9N 0725221.8E	189 FEET	NO	POONAM CHS (U/C), PIPE TOP - 57.70 M, BUILDING TOP (PARAPET WALL) - 56.79 M.
In circling area and at AD	BUILDING	190645.3N 0725240.8E	191 FEET	NO	CRESENT EXOTICA, LIGHTNING ARRESTER TOP - 58.14 M, WATER TANK TOP - 56.43 M, BUILDING TOP (PARAPET WALL) - 53.84 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190655.0N 0725251.3E	204 FEET	NO	SUMER PLAZA, ANTENNA TOP - 62.18 M, STAIRCASE ROOM TOP - 55.82 M, BUILDING TOP(PARAPET WALL) - 52.43 M.
In circling area and at AD	BUILDING	190657.1N 0725243.2E	199 FEET	NO	CRESENT, HOARDING TOP - 60.65 M, WATER TANK TOP - 57.18 M, BUILDING TOP (PARAPET WALL) - 54.45 M.
In circling area and at AD	BUILDING	190659.7N 0725241.2E	192 FEET	NO	LOK RAUNAK TOWER, DISH ANTENNA TOP - 58.61 M, WATER TANK TOP - 57.77 M, BUILDING TOP (PARAPET WALL) - 55.88 M.
In circling area and at AD	BUILDING	190654.5N 0725236.4E	190 FEET	NO	AI JAMENA TUS SAIFIYAH, LADDER TOP - 57.96 M, WATER TANK TOP - 57.22 M, BUILDING TOP (PARAPET WALL) - 55.07 M.
In circling area and at AD	BUILDING	190655.7N 0725233.1E	191 FEET	NO	AI JAMENA TUS SAIFIYAH, SHED TOP - 58.20 M, AC VENT TOP - 58.19 M, BUILDING TOP (PARAPET WALL) - 57.01 M.
In circling area and at AD	BUILDING	190700.4N 0725232.9E	193 FEET	NO	NAJMI, SHED TOP - 58.75 M, BUILDING TOP (PARAPET WALL) - 56.73 M.
In circling area and at AD	BUILDING	190658.8N 0725223.3E	199 FEET	NO	STERLING COURT, LIGHTNING ARRESTER TOP - 60.82 M, SOLAR PANEL TOP - 59.31 M, WATER TANK TOP - 58.26 M, BUILDING TOP (PARAPET WALL) - 56.13 M.
In circling area and at AD	BUILDING	190658.9N 0725219.2E	250 FEET	NO	CHANDIWALA COMPLEX, IRON ROD TOP - 76.33 M, BUILDING TOP (SLAB) - 71.50 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190658.2N 0725215.3E	194 FEET	NO	SWEENA, ANTENNA TOP - 59.22 M, SINTEX TANK TOP - 58.87 M, DISH ANTENNA TOP - 58.42 M, BUILDING TOP (PARAPET WALL) - 57.45 M
In circling area and at AD	BUILDING	190702.3N 0725215.8E	219 FEET	NO	APRIT, WATER TANK TOP - 66.82 M, BUILDING TOP (PARAPET WALL) - 63.81 M
In circling area and at AD	BUILDING	190705.3N 0725224.5E	205 FEET	NO	VAKRANGEE, LIGHTNING ARRESTER TOP - 62.38 M, STAIRCASE ROOM TOP - 61.34 M, BUILDING TOP (PARAPET WALL) - 60.68 M.
In circling area and at AD	BUILDING	190708.6N 0725228.3E	295 FEET	LGTD	ABR EMERALD, OBSTRUCTION LIGHT TOP - 89.34 M, DISH ANTENNA TOP - 88.62 M, DESIGN TOP - 87.78 M, BUILDING TOP (PARAPET WALL) - 83.73 M.
In circling area and at AD	BUILDING	190710.5N 0725233.5E	222 FEET	NO	THE GREAT OASIS, ANTENNA TOP - 67.61 M, SHED TOP - 63.86 M, BUILDING TOP (PARAPET WALL) - 61.82 M.
In circling area and at AD	BUILDING	190712.5N 0725225.3E	208 FEET	NO	SAPPHIRE, LIGHTNING ARRESTER TOP - 63.28 M, ANTENNA TOP - 60.65 M, BUILDING TOP (PARAPET WALL) - 59.43 M.
In circling area and at AD	BUILDING	190716.0N 0725224.5E	222 FEET	NO	BUREAU VERITAS, LIGHTNING ARRESTER TOP - 67.71 M, AC VENT TOP - 66.23 M, BUILDING TOP (PARAPET WALL) - 64.50 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190709.3N 0725210.1E	204 FEET	LGTD	OM SAI CHSL, CELLPHONE MAST TOP - 62.27 M, CELLPHONE MAST TOP - 58.24 M, WATER TANK TOP - 51.49 M, BUILDING TOP (PARAPET WALL) - 48.33 M.
In circling area and at AD	BUILDING	190716.3N 0725212.6E	218 FEET	NO	THE REGALE, ANTENNA TOP - 66.29 M, EXHAUSTER TOP - 64.24 M, STAIRCASE ROOM TOP - 61.27 M, BUILDING TOP (PARAPET WALL) - 58.85 M.
In circling area and at AD	BUILDING	190716.9N 0725212.7E	208 FEET	NO	SUYOG HOUSE, COMMUNICATIO N ANTENNA TOP - 63.39 M, BUILDING TOP (PARAPET WALL) - 48.68 M
In circling area and at AD	BUILDING	190714.0N 0725149.6E	226 FEET	NO	AT (U/C), TEMPORARY LIFT STRUCTURE TOP - 68.94 M, IRON ROD TOP - 65.04 M, BUILDING TOP (PARAPET WALL) - 63.00 M.
In circling area and at AD	BUILDING	190714.7N 0725147.5E	214 FEET	LGTD	AML CENTRE, CELLPHONE MAST TOP - 65.14 M, STAIRCASE ROOM TOP - 58.22 M, BUILDING TOP (PARAPET WALL) - 52.46 M.
In circling area and at AD	BUILDING	190717.2N 0725147.3E	211 FEET	LGTD	MARICO LIMITED, CELLPHONE MAST TOP - 64.22 M, STAIRCASE ROOM TOP - 57.41 M, BUILDING TOP (PARAPET WALL) - 55.39 M.
In circling area and at AD	BUILDING	190718.3N 0725143.3E	213 FEET	NO	CORRUGATING & PUNCHING INDUSTRIES, DESIGN TOP - 64.82 M, STAIRCASE ROOM TOP - 63.25 M, BUILDING TOP (PARAPET WALL) - 60.15 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190719.5N 0725144.1E	287 FEET	LGTD	CORRUGATING & PUNCHING INDUSTRIES, COMMUNICATION ANTENNA TOP - 87.52 M, CELLPHONE MAST TOP - 68.11 M, STAIRCASE ROOM TOP - 63.25 M, BUILDING TOP (PARAPET WALL) - 61.35 M.
In circling area and at AD	BUILDING	190722.4N 0725146.2E	218 FEET	NO	BRAHANS BUSINESS PARK, STAIRCASE ROOM TOP - 66.44 M, WATER TANK TOP - 65.13 M, BUILDING TOP - 64.02 M.
In circling area and at AD	BUILDING	190724.4N 0725144.2E	228 FEET	NO	SUN PHARMA, ANTENNA TOP - 69.47 M, ANTENNA TOP - 66.60 M, CHILLER TOP - 63.94 M, SHED TOP - 63.57 M, BUILDING TOP (PARAPET WALL) - 61.09 M
In circling area and at AD	BUILDING	190724.6N 0725145.9E	215 FEET	NO	BUILDING(UNUSED), SHED TOP - 65.65 M, BUILDING TOP (PARAPET WALL) - 64.95 M.
In circling area and at AD	BUILDING	190728.3N 0725148.6E	208 FEET	NO	TRIMURTI TOWER, WATER TANK TOP - 63.48 M, BUILDING TOP (PARAPET WALL) - 61.22 M.
In circling area and at AD	BUILDING	190731.5N 0725152.7E	206 FEET	NO	SAPHRE, PIPE TOP - 62.86 M, BUILDING TOP (PARAPET WALL) - 61.70 M.
In circling area and at AD	BUILDING	190723.4N 0725152.5E	199 FEET	NO	AMBIKA APARTMENT, DISH ANTENNA TOP - 60.63 M, STAIRTCASE ROOM TOP - 59.56 M, BUILDING TOP (PARAPET WALL) - 57.96 M.
In circling area and at AD	BUILDING	190722.6N 0725152.7E	191 FEET	NO	SAI ELAGANCE, SINTEX TANK TOP - 58.06, DISH ANTENNA TOP - 58.03 M, BUILDING TOP (SLAB) - 56.53 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190720.0N 0725151.3E	260 FEET	NO	THE OPPORUTITY GATEWAY, TEMPORARY LIFT STRUCTURE TOP - 79.43 M, IRON ROD TOP - 72.69 M, BUILDING (U/C) TOP (SLAB) - 71.70 M.
In circling area and at AD	BUILDING	190717.2N 0725155.2E	209 FEET	NO	SOFTWARE TECHNOLOGY PARK OF INDIA, LIGHT POLE TOP - 63.58 M, BUILDING TOP (PARAPET WALL) - 62.36 M.
In circling area and at AD	TREE	190723.2N 0725156.6E	235 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190722.4N 0725156.4E	244 FEET	NO	KALASH MAHAKALI, ANTENNA TOP - 74.46 M, BUILDING TOP (PARAPET WALL) - 67.98 M.
In circling area and at AD	BUILDING	190722.5N 0725157.1E	228 FEET	NO	KAATYAYINI RESIDENCY, VENT TOP - 69.51 M, BUILDING TOP (PARAPET WALL) - 68.54 M.
In circling area and at AD	BUILDING	190718.3N 0725202.6E	210 FEET	LGTD	LODHA ETERNIS, CHIMNEY TOP - 63.94 M, OBSTRUCTION LIGHT TOP - 63.84 M, BUILDING TOP (PARAPET WALL) - 63.12 M.
In circling area and at AD	BUILDING	190719.2N 0725203.3E	210 FEET	LGTD	LODHA ETERNIS, CHIMNEY TOP - 63.90 M, OBSTRUCTION LIGHT TOP - 63.52 M, BUILDING TOP (PARAPET WALL) - 63.06 M.
In circling area and at AD	BUILDING	190722.7N 0725211.7E	276 FEET	NO	BINDRA SATERI LEGACY (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 83.96 M, WATER TANK TOP - 81.12 M, BUILDING TOP (PARAPET WALL) - 77.76 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190723.4N 0725211.2E	267 FEET	NO	BINDRA SATERI LEGACY (U/C), WATER TANK TOP - 81.32 M, BUILDING TOP (PARAPET WALL) - 77.83 M.
In circling area and at AD	BUILDING	190726.5N 0725213.2E	193 FEET	NO	FLORAL DECK PLAZA, WATER TANK TOP - 58.94 M, BUILDING TOP (PARAPET WALL) - 56.10 M.
In circling area and at AD	BUILDING	190727.5N 0725213.7E	199 FEET	NO	FLORAL DESK PLAZA, ANTENNA TOP - 60.76 M, WATER TANK TOP - 58.59 M, BUILDING TOP (PARAPET WALL) - 55.98 M.
In circling area and at AD	TREE	190726.1N 0725205.0E	215 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190723.7N 0725200.0E	216 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190725.4N 0725201.9E	193 FEET	NO	ST ARNOLD SCHOOL, BUILDING TOP (PARAPET WALL)
In circling area and at AD	BUILDING	190727.4N 0725201.8E	191 FEET	NO	ST ARNOLD SCHOOL, STAIRCASE ROOM TOP - 58.16 M, PIPE TOP - 58.10 M, BUILDING TOP (PARAPET WALL) - 56.82 M.
In circling area and at AD	BUILDING	190729.9N 0725156.8E	198 FEET	NO	NEELIMA CHS, WATER TANK TOP - 60.25 M, BUILDING TOP (PARAPET WALL) - 57.37 M.
In circling area and at AD	BUILDING	190730.4N 0725158.1E	218 FEET	NO	SANSKRITI APARTMENT, GRILL TOP - 66.42 M, GRILL TOP - 66.41 M, STAIRCASE ROOM TOP - 65.23 M, STAIRCASE ROOM TOP - 65.22 M, BUILDING TOP (PARAPET WALL) - 61.80 M.
In circling area and at AD	BUILDING	190731.3N 0725200.3E	200 FEET	NO	TRISHUL, DISH ANTENNA TOP - 60.89 M, STAIRCASE ROOM TOP - 59.95 M, BUILDING TOP (PARAPET WALL) - 58.87 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190730.9N 0725203.3E	224 FEET	NO	TRANS RESIDENCY, DISH ANTENNA TOP - 68.25 M, STAIRCASE ROOM TOP - 67.45 M, BUILDING TOP (PARAPET WALL) - 65.28 M.
In circling area and at AD	BUILDING	190730.8N 0725203.9E	225 FEET	NO	TRANS RESIDENCY, DISH ANTENNA TOP - 68.53M, STAIRCASE ROOM TOP - 67.49 M, BUILDING TOP (PARAPET WALL) - 65.52 M.
In circling area and at AD	BUILDING	190732.5N 0725206.6E	226 FEET	NO	TRANS RESIDENCY, DISH ANTENNA TOP - 68.94 M, STAIRCASE ROOM TOP - 68.32 M, BUILDING TOP (PARAPET WALL) - 66.15 M.
In circling area and at AD	BUILDING	190733.0N 0725204.9E	226 FEET	NO	TRANS RESIDENCY, GRILL TOP - 68.92 M, WATER TANK TOP - 67.84 M, BUILDING TOP (PARAPET WALL) - 65.98 M.
In circling area and at AD	BUILDING	190732.5N 0725214.1E	206 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190735.1N 0725213.9E	228 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190734.1N 0725210.4E	205 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190736.6N 0725207.2E	257 FEET	NO	GURU AMARDAS SRA, GRILL TOP - 78.36 M, WATER TANK TOP - 77.52 M, BUILDING TOP (PARAPET WALL) - 75.81 M.
In circling area and at AD	BUILDING	190736.9N 0725207.3E	256 FEET	NO	GURU ANGANTH DEV SRA, DISH ANTENNA TOP - 78.14 M, WATER TANK TOP - 77.30 M, BUILDING TOP (PARAPET WALL) - 75.62 M.
In circling area and at AD	BUILDING	190737.1N 0725209.2E	253 FEET	NO	GURU GOVIND SINGH SRA, WATER TANK TOP - 76.98 M, BUILDING TOP (PARAPET WALL) - 75.86 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190737.2N 0725208.1E	252 FEET	NO	GURU DEV SRA, GRIL TOP - 77.70 M, WATER TANK TOP - 75.44 M, BUILDING TOP (PARAPET WALL) -
In circling area and at AD	BUILDING	190737.4N 0725207.4E	256 FEET	NO	GURU TEG BAHADUR SRA, DISH ANTENNA TOP - 78.09 M, WATER TANK TOP - 77.32 M, BUILDING TOP (PARAPET WALL) - 75.53 M.
In circling area and at AD	BUILDING	190737.8N 0725206.2E	293 FEET	NO	RISHTI HOMES (U/C), WATER TANK TOP - 89.15 M, STAIRCASE ROOM TOP - 87.77 M, BUIDING TOP (PARAPET WALL) - 86.21 M.
In circling area and at AD	BUILDING	190737.6N 0725207.4E	265 FEET	NO	SAI GANESH SRA, GRILL TOP - 80.74 M, WATER TANK TOP - 78.79 M, BUILDING (SLAB) TOP - 77.87 M.
In circling area and at AD	BUILDING	190737.6N 0725208.2E	252 FEET	NO	GURU HAR GOVIND SRA, WATER TANK TOP - 76.91 M, BUILDING TOP (PARAPET WALL) - 75.30 M.
In circling area and at AD	BUILDING	190737.8N 0725208.1E	258 FEET	NO	SANT TUKARAM MAHARAJ SRA, GRILL TOP - 78.64 M, WATER TANK TOP - 77.19 M, BUILDING TOP (PARAPET WALL) - 74.97 M.
In circling area and at AD	BUILDING	190737.9N 0725209.3E	253 FEET	NO	SHIV GANGA SRA, WATER TANK TOP - 77.11 M, BUILDING TOP (PARAPET WALL) - 75.91 M.
In circling area and at AD	BUILDING	190737.5N 0725209.2E	252 FEET	NO	GURU GOVIND SINGH SRA, WATER TANK TOP - 76.87 M, BUILDING TOP (PARAPET WALL) - 75.89 M.
In circling area and at AD	TREE	190738.3N 0725211.7E	307 FEET	NO	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190738.9N 0725210.7E	259 FEET	NO	BINDRA ORCHID, WATER TANK TOP - 78.94 M, BUILDING TOP (PARAPET WALL) - 77.89 M.
In circling area and at AD	BUILDING	190738.7N 0725209.5E	257 FEET	NO	BINDRA MARIGOLD, WATER TANK TOP - 78.28 M, BUILDING TOP (PARAPET WALL) - 77.64 M.
In circling area and at AD	BUILDING	190738.6N 0725208.6E	305 FEET	NO	BINDRA ONE (U/C), IRON ROD TOP - 92.87 M, BUILDING (SLAB) TOP - 90.79 M.
In circling area and at AD	BUILDING	190738.8N 0725208.0E	315 FEET	NO	BINDRA ONE, SHED TOP - 96.12 M, PIPE TOP - 95.64 M, BUILDING TOP (PARAPET WALL) - 94.67 M.
In circling area and at AD	BUILDING	190738.9N 0725207.3E	263 FEET	NO	PETUNIA APARTMENT, L:IGHT POLE TOP - 80.17 M, STAIRCASE ROOM TOP - 80.17 M, BUILDING TOP (PARAPET WALL) - 78.90 M.
In circling area and at AD	BUILDING	190739.3N 0725206.1E	306 FEET	NO	RISHTI HOMES (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 93.23 M, WATER TANK TOP - 89.21 M, BUILDING TOP (PARAPET WALL) - 86.21 M.
In circling area and at AD	BUILDING	190741.9N 0725208.6E	255 FEET	NO	BHADRA LOTUS, DISH ANTENNA TOP - 65.60 M, STAIRCASE ROOM TOP - 65.37 M, BUILDING TOP (PARAPET WALL) - 65.21 M.
In circling area and at AD	BUILDING	190742.6N 0725209.1E	253 FEET	NO	SHREE BINDRA ROSE SRA, PIPE TOP - 77.09 M, DISH ANTENNA TOP - 76.79 M, STAIRCASE ROOM TOP - 76.46 M, BUILDING TOP (PARAPET WALL) - 75.26 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190743.1N 0725208.4E	284 FEET	LGTD	BINDRA CO-OPERATIVE SOCIETY, CELLPHONE MAST TOP - 86.74 M, CELLPHONE MAST TOP - 86.41 M, SINTEX TANK TOP - 83.49 M, BUILDING TOP (PARAPET WALL) - 79.72 M.
In circling area and at AD	BUILDING	190742.8N 0725210.9E	257 FEET	NO	SRI SATHYADEEP CHS, GRILL TOP - 78.31 M, DISH ANTENNA TOP - 78.33 M, STAIRCASE ROOM TOP - 76.92 M, BUILDING TOP (PARAPET WALL) - 75.19 M.
In circling area and at AD	BUILDING	190741.3N 0725211.3E	264 FEET	NO	NAVRATAN APARTMENT, SHED TOP - 80.58 M, DISH ANTENNA TOP - 80.65 M, SINTEX TANK TOP - 80.10 M, BUILDING TOP (PARAPET WALL) - 78.86 M.
In circling area and at AD	OTHER	190741.9N 0725213.2E	271 FEET	NO	STRUCTURE TOP
In circling area and at AD	BUILDING	190743.2N 0725213.0E	242 FEET	NO	SAI SATHYA SAI TRUST, SINTEX TANK TOP - 73.69 M, STAIRCASE ROOM TOP - 74.12 M, BUILDING TOP (PARAPET WALL) - 72.38 M.
In circling area and at AD	OTHER	190742.4N 0725221.8E	310 FEET	NO	FLOOD LIGHT TOP
In circling area and at AD	BUILDING	190743.8N 0725216.8E	277 FEET	NO	UTKARSHA CHSL, SINTEX TANK TOP - 84.48 M, BUILDING TOP TOP (SLAB) - 82.31 M.
In circling area and at AD	BUILDING	190744.5N 0725216.6E	271 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190744.1N 0725214.7E	253 FEET	NO	SRI SATYA SAI VIDHYA MANDIR, STAIRCASE ROOM TOP - 77.15 M, BUILDING TOP (PARAPET WALL) - 76.01 M.
In circling area and at AD	BUILDING	190744.8N 0725213.7E	220 FEET	NO	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190744.6N 0725212.8E	237 FEET	NO	BILQUIS APARTMENT, SINTEX TANK TOP - 72.14 M, STAIRCASE ROOM TOP - 71.82 M, BUILDING TOP (PARAPET WALL) - 70.48 M.
In circling area and at AD	BUILDING	190744.9N 0725211.7E	248 FEET	NO	SATYASAI MEDICAL CENTER, SINTEX TANK TOP - 75.62 M, STAIRCASE ROOM TOP - 73.35 M, BUILDING TOP (PARAPET WALL) - 70.77 M.
In circling area and at AD	BUILDING	190745.9N 0725211.7E	239 FEET	NO	BILQUEES APARTMENTS, STAIRCASE ROOM TOP - 72.84 M, BUILDING TOP (SLAB) - 69.48 M.
In circling area and at AD	BUILDING	190746.9N 0725212.5E	250 FEET	LGTD	BILQUEES APARTMENTS, CELLPHONE MAST TOP - 76.32 M, CELLPHONE MAST TOP - 76.31 M, BUILDING TOP (SLAB) - 69.65 M.
In circling area and at AD	BUILDING	190747.2N 0725213.5E	205 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190748.9N 0725213.0E	255 FEET	NO	TRANS APARTMENT, SINTEX TANK TOP - 77.63 M, STAIRCASE ROOM TOP - 75.74 M, BUIDING TOP (PARAPET WALL) - 75.67 M.
In circling area and at AD	BUILDING	190747.0N 0725214.9E	212 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190746.8N 0725217.7E	274 FEET	NO	HUTMENT TOP
In circling area and at AD	TREE	190746.4N 0725220.0E	331 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190746.8N 0725220.9E	326 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190748.1N 0725221.9E	342 FEET	NO	TREE ON HILL TOP
In circling area and at AD	BUILDING	190748.9N 0725221.1E	295 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190748.6N 0725218.5E	266 FEET	NO	HUTMENT TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190750.6N 0725218.3E	319 FEET	LGTD	FINE RESIDENCY, OBSTRUCTION LIGHT TOP - 97.18 M, WATER TANK TOP - 96.87 M, DISH ANTENNA TOP - 95.48 M, BUILDING TOP (PARAPET WALL) - 94.49 M
In circling area and at AD	BUILDING	190751.6N 0725219.7E	317 FEET	NO	MANIKA APARTMENT, DISH ANTENNA TOP - 96.50 M, LAADER TOP - 96.04 M,WATER TANK TOP - 95.49 M, BUILDING TOP (PARAPET WALL) - 94.01 M.
In circling area and at AD	TREE	190752.7N 0725219.4E	298 FEET	NO	GROUP OF TREES
In circling area and at AD	ANTENNA	190751.5N 0725222.1E	340 FEET	LGTD	CELLPHONE MAST TOP
In circling area and at AD	BUILDING	190754.4N 0725220.7E	288 FEET	NO	VEERAVALI BMC SCHOOL, WATER TANK TOP - 87.88 M, BUILDING TOP (PARAPET WALL) - 86.17 M.
In circling area and at AD	TREE	190751.5N 0725226.3E	326 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190802.1N 0725218.0E	296 FEET	NO	GROUP OF TREES
In circling area and at AD	TREE	190756.6N 0725226.0E	318 FEET	NO	GROUP OF TREES
In circling area and at AD	OTHER	190803.2N 0725234.4E	384 FEET	NO	IMD DOPPLER WHEATHER RADAR, LIGHTNING ARRESTER TOP - 117.06 M, DOME TOP - 114.81 M.
In circling area and at AD	TREE	190802.8N 0725235.7E	348 FEET	NO	TREE ON HILL
In circling area and at AD	TREE	190802.2N 0725235.2E	349 FEET	NO	TREE ON HILL TOP
In circling area and at AD	OTHER	190802.4N 0725247.1E	321 FEET	NO	H.T.TOWER ON HILL
In circling area and at AD	ANTENNA	190843.6N 0725256.3E	573 FEET	LGTD	CELLPHONE MAST ON HILL
In circling area and at AD	BUILDING	190725.6N 0725326.2E	257 FEET	LGTD	URMI CORPORATE PARK, SINTEX TANK TOP - 78.44 M, CELLPHONE MAST TOP - 77.94 M, STAIRCASE ROOM TOP - 76.28 M, BUILDING TOP(PARAPET WALL) - 74.59 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190726.9N 0725316.9E	190 FEET	LGTD	TIMMY RESIDENCY, CELLPHONE MAST TOP - 57.97 M, STAIRCASE ROOM TOP - 53.51 M, BUILDING TOP (PARAPET WALL) - 49.81 M
In circling area and at AD	BUILDING	190720.2N 0725310.1E	258 FEET	LGTD	PARK ROYALE - A WING, DISH ANTENNA TOP - 78.56 M, OBSTRUCTION LIGHT TOP - 78.17 M, WATER TANK TOP - 77.54 M, BUILDING TOP(PARAPET WALL) - 76.22 M.
In circling area and at AD	BUILDING	190720.3N 0725303.8E	340 FEET	LGTD	KANAKIA RAINFOREST - H WING, LIGHTNING ARRESTER TOP - 103.67 M, OBSTRUCTION LIGHT TOP - 99.44 M, DISH ANTENNA TOP - 99.18 M, GRILL TOP - 99.04 M, , WATER TANK TOP - 97.88 M, BUILDING TOP(PARAPET WALL) - 95.29 M.
In circling area and at AD	BUILDING	190721.3N 0725303.5E	326 FEET	NO	KANAKIA RAINFOREST - G WING, DISH ANTENNA TOP - 99.34 M, GRILL TOP - 98.96 M, WATER TANK TOP - 97.89 M, BUILDING TOP(PARAPET WALL) - 95.86 M.
In circling area and at AD	BUILDING	190722.0N 0725302.9E	326 FEET	NO	KANAKIA RAINFOREST - F WING, DISH ANTENNA TOP - 99.39 M, GRILL TOP - 99.01 M, WATER TANK TOP - 97.93 M, BUILDING TOP(PARAPET WALL) - 96.96 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190722.6N 0725302.5E	340 FEET	LGTD	KANAKIA RAINFOREST - E WING, LIGHTNING ARRESTER TOP - 103.54 M, DISH ANTENNA TOP - 99.36 M, GRILL TOP - 99.00 M, OBSTRUCTION LIGHT TOP - 98.61 M, WATER TANK TOP - 97.88 M, BUILDING TOP(PARAPET WALL) - 97.01 M.
In circling area and at AD	BUILDING	190723.3N 0725301.9E	326 FEET	NO	KANAKIA RAINFOREST - D WING, DISH ANTENNA TOP - 99.47 M, GRILL TOP - 99.03 M, WATER TANK TOP - 97.92 M, BUILDING TOP(PARAPET WALL) - 97.05 M.
In circling area and at AD	BUILDING	190723.5N 0725301.4E	326 FEET	LGTD	KANAKIA RAINFOREST - C WING, DISH ANTENNA TOP - 99.54 M, OBSTRUCTION LIGHT TOP - 99.51 M, GRILL TOP - 99.05 M, WATER TANK TOP - 97.84 M, BUILDING TOP(PARAPET WALL) - 97.12 M.
In circling area and at AD	BUILDING	190722.6N 0725300.8E	340 FEET	NO	KANAKIA RAINFOREST - J WING, LIGHTNING ARRESTER TOP - 103.57 M, DISH ANTENNA TOP - 99.60 M, GRILL TOP - 99.09 M, WATER TANK TOP - 97.96 M, BUILDING TOP(PARAPET WALL) - 97.00 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190724.3N 0725300.9E	340 FEET	NO	KANAKIA RAINFOREST - B WING, LIGHTNING ARRESTER TOP - 103.54 M, DISH ANTENNA TOP - 99.59 M, EXHAUSTER TOP - 99.46 M, GRILL TOP - 99.00 M, WATER TANK TOP - 97.82 M, BUILDING TOP(PARAPET WALL) - 97.09 M.
In circling area and at AD	BUILDING	190724.8N 0725300.6E	327 FEET	LGTD	KANAKIA RAINFOREST - A WING, OBSTRUCTION LIGHT TOP - 99.56 M, DISH ANTENNA TOP - 99.54 M, GRILL TOP - 99.04 M, , WATER TANK TOP - 97.81 M, BUILDING TOP(PARAPET WALL) - 97.08 M.
In circling area and at AD	BUILDING	190724.6N 0725259.2E	207 FEET	NO	MOUNT VIEW, STAIRCASE ROOM TOP - 63.09 M, BUILDING TOP(PARAPET WALL) - 58.62 M.
In circling area and at AD	BUILDING	190725.8N 0725257.9E	207 FEET	NO	JYOTI ASCENT, BUILDING TOP(PARAPET WALL)
In circling area and at AD	TREE	190724.4N 0725256.5E	209 FEET	NO	COCONUT TREE
In circling area and at AD	OTHER	190725.2N 0725252.8E	194 FEET	NO	H.T TOWER
In circling area and at AD	BUILDING	190717.8N 0725257.7E	228 FEET	NO	ROCK VIEW, STAIRCASE ROOM TOP - 69.52 M, BUILDING TOP(PARAPET WALL) - 65.22 M.
In circling area and at AD	TREE	190718.6N 0725259.4E	243 FEET	NO	TREE ON HILL
In circling area and at AD	BUILDING	190717.9N 0725259.4E	200 FEET	NO	BUILDING TOP
In circling area and at AD	BUILDING	190719.1N 0725301.7E	235 FEET	NO	VKG BEVERLY HILLS(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 71.49 M, BUILDING TOP(SLAB) - 54.78 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190716.2N 0725300.7E	255 FEET	NO	AAROHI CHS, DISH ANTENNA TOP - 77.75 M, STAIRCASE ROOM TOP - 77.25 M, WATER TANK TOP - 76.59 M, BUILDING TOP(PARAPET WALL) - 73.46 M.
In circling area and at AD	BUILDING	190715.7N 0725300.3E	248 FEET	NO	AAROHI CHS, DISH ANTENNA TOP - 75.65 M, WATER TANK TOP - 74.69 M, BUILDING TOP(PARAPET WALL) - 71.15 M.
In circling area and at AD	BUILDING	190715.2N 0725301.3E	239 FEET	NO	HILL QUEEN, DISH ANTENNA TOP - 73.02 M, WATER TANK TOP - 71.59 M, BUILDING TOP(PARAPET WALL) - 70.62 M.
In circling area and at AD	BUILDING	190715.3N 0725304.4E	200 FEET	NO	LOK SARITA, DISH ANTENNA TOP - 60.88 M, WATER TANK TOP - 59.41 M, BUILDING TOP(PARAPET WALL) - 55.85 M.
In circling area and at AD	BUILDING	190714.0N 0725304.1E	200 FEET	NO	LOK SARITA, DISH ANTENNA TOP - 60.86 M, WATER TANK TOP - 59.39 M, BUILDING TOP(PARAPET WALL) - 56.22 M.
In circling area and at AD	BUILDING	190712.6N 0725254.3E	195 FEET	LGTD	BOLLYWOOD DESIGN HOTEL, CELLPHONE MAST TOP - 59.37 M, STAIRCASE ROOM TOP - 52.18 M, BUILDING TOP(PARAPET WALL) - 49.65 M.
In circling area and at AD	BUILDING	190710.8N 0725254.8E	202 FEET	NO	DAFFODILS, PIPE TOP - 61.66 M, DISH ANTENNA TOP - 61.12 M, BUILDING TOP(PARAPET WALL) - 60.22 M.
In circling area and at AD	BUILDING	190708.5N 0725255.4E	203 FEET	NO	BLUE MONARCH, SHED TOP - 62.00 M, DISH ANTENNA TOP - 61.87 M, BUILDING TOP(PARAPET WALL) - 60.97 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190701.8N 0725302.2E	212 FEET	LGTD	BLUE FORTUNA, OBSTRUCTION LIGHT TOP - 64.65 M, STAIRCASE ROOM TOP - 63.86 M, WATER TANK TOP - 63.76 M, BUILDING TOP(PARAPET WALL) - 63.74 M.
In circling area and at AD	BUILDING	190700.5N 0725304.2E	219 FEET	NO	RAJ PARADISE, GRILL TOP - 66.76 M, WATER TANK TOP - 66.38 M, BUILDING TOP(PARAPET WALL) - 62.85 M.
In circling area and at AD	BUILDING	190700.9N 0725306.2E	266 FEET	NO	NAMAN PREMIER(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 81.12 M, WATER TANK TOP - 79.98 M, STAIRCASE ROOM TOP - 78.93 M, BUILDING TOP(PARAPET WALL) - 77.14 M.
In circling area and at AD	BUILDING	190702.6N 0725306.7E	266 FEET	LGTD	NAMAN PREMIER(U/C), ANTENNA TOP - 81.07 M, OBSTRUCTION LIGHT TOP - 80.30 M, WATER TANK TOP - 80.03 M, STAIRCASE ROOM TOP - 78.95 M, BUILDING TOP(PARAPET WALL) - 77.16 M.
In circling area and at AD	BUILDING	190657.8N 0725300.1E	205 FEET	NO	ECO RESIDENCY, ANTENNA TOP - 62.38 M, GRILL TOP - 60.78 M, WATER TANK TOP - 59.92 M, BUILDING TOP(PARAPET WALL) - 58.95 M.
In circling area and at AD	BUILDING	190656.5N 0725301.8E	188 FEET	NO	ECO PARK, DISH ANTENNA TOP - 57.39 M, STAIRCASE ROOM TOP - 56.75 M, BUILDING TOP(PARAPET WALL) - 56.11 M.
In circling area and at AD	BUILDING	190655.7N 0725304.5E	314 FEET	NO	VASANT OASIS, STAIRCASE ROOM TOP - 95.55 M, BUILDING TOP(PARAPET WALL) - 94.70 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190655.9N 0725306.7E	318 FEET	LGTD	VASANT OASIS CARNATION, OBSTRUCTION LIGHT TOP - 96.79 M, GRILL TOP - 96.53 M, BUILDING TOP(PARAPET WALL) - 95.80 M.
In circling area and at AD	BUILDING	190653.5N 0725301.4E	314 FEET	LGTD	VASANT OASIS, OBSTRUCTION LIGHT TOP - 95.80 M, STAIRCASE ROOM TOP - 95.58 M, BUILDING TOP(PARAPET WALL) - 94.74 M.
In circling area and at AD	BUILDING	190648.2N 0725305.3E	305 FEET	NO	VASANT BLOSSOM (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 92.89 M, BUILDING TOP (SLAB) - 81.20 M.
In circling area and at AD	BUILDING	190651.3N 0725308.5E	316 FEET	LGTD	VASANT OASIS DADUNY, OBSTRUCTION LIGHT TOP - 96.20 M, WATER TANK TOP - 95.53 M, BUILDING TOP(PARAPET WALL) - 94.06 M.
In circling area and at AD	BUILDING	190657.7N 0725313.3E	196 FEET	NO	BUILDING, STAIRCASE ROOM TOP - 59.60 M, BUILDING TOP(PARAPET WALL) - 53.16 M.
In circling area and at AD	BUILDING	190659.8N 0725314.8E	189 FEET	NO	BUILDING, LADDER TOP - 57.69 M, WATER TANK TOP - 57.06 M, BUILDING TOP(PARAPET WALL) - 53.67 M
In circling area and at AD	BUILDING	190655.4N 0725315.1E	198 FEET	NO	AWESOME HEIGHTS, DISH ANTENNA TOP - 60.33 M, GRILL TOP - 59.46 M, WATER TANK TOP - 58.68 M, BUILDING TOP(PARAPET WALL) - 55.69 M.
In circling area and at AD	BUILDING	190652.5N 0725314.0E	190 FEET	NO	RIVERDALE TOWER, LADDER TOP - 57.84 M, STAIRCASE ROOM TOP - 57.04 M, BUILDING TOP(PARAPET WALL) - 53.16 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190706.4N 0725327.3E	238 FEET	NO	BUILDING(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 72.51 M, WATER TANK TOP - 69.11 M, BUILDING TOP(PARAPET WALL) - 64.79 M.
In circling area and at AD	BUILDING	190703.1N 0725324.8E	190 FEET	NO	CORPORATE AVENUE 3, STAIRCASE ROOM TOP - 57.86 M, BUILDING TOP(PARAPET WALL) - 54.11 M.
In circling area and at AD	BUILDING	190659.3N 0725322.2E	332 FEET	NO	BUILDING(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 101.27 M, WATER TANK TOP - 96.65 M, BUILDING TOP(PARAPET WALL) - 94.59 M.
In circling area and at AD	BUILDING	190658.2N 0725327.3E	224 FEET	NO	SK POOJA (U/C), TEMPORARY LIFT STRUCTURE TOP - 68.22 M, STAIRCASE ROOM TOP - 64.33 M, BUILDING TOP (PARAPET WALL) - 60.56 M.
In circling area and at AD	BUILDING	190656.2N 0725324.3E	318 FEET	NO	SRISHTI HARMONY - A WING, WATER TANK TOP - 96.91 M, BUILDING TOP(PARAPET WALL) - 92.84 M.
In circling area and at AD	BUILDING	190655.0N 0725323.6E	318 FEET	NO	SRISHTI HARMONY - C WING, WATER TANK TOP - 97.01 M, BUILDING TOP(PARAPET WALL) - 92.91 M.
In circling area and at AD	BUILDING	190644.9N 0725311.3E	199 FEET	NO	SERENITY HEIGHTS, WATER TANK TOP - 60.71 M, BUILDING TOP(PARAPET WALL) - 57.75 M.
In circling area and at AD	BUILDING	190640.8N 0725254.0E	190 FEET	NO	SAVANNAH AVALON, GRILL TOP - 57.95 M, STAIRCASE ROOM TOP - 56.66 M, BUILDING TOP(PARAPET WALL) - 55.74 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190629.9N 0725302.8E	226 FEET	LGTD	TIMES SQUARE, OBSTRUCTION LIGHT - 68.96 M, STAIRCASE ROOM TOP - 68.05 M, BUILDING TOP(PARAPET WALL) - 64.04 M.
In circling area and at AD	BUILDING	190633.2N 0725309.7E	191 FEET	NO	WEWORK RAHEJA PLATINUM, LIGHTNING ARRESTER - 58.23 M, ANTENNA TOP - 57.64 M, STAIRCASE ROOM TOP - 55.19 M, BUILDING TOP(PARAPET WALL) - 54.72 M.
In circling area and at AD	BUILDING	190629.6N 0725305.2E	259 FEET	NO	KANAKIA SEVENS(WING E), LIGHTNING ARRESTER - 79.02 M, GRILL TOP - 76.90 M, WATER TANK TOP - 75.99 M, BUILDING TOP(PARAPET WALL) - 74.15 M.
In circling area and at AD	BUILDING	190607.0N 0725237.9E	207 FEET	NO	BUILDING(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 63.21 M, BUILDING TOP(SLAB) - 41.41 M.
In circling area and at AD	BUILDING	190605.0N 0725237.3E	228 FEET	NO	BUILDING(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 69.36 M, BUILDING TOP (SLAB) - 42.03 M.
In circling area and at AD	BUILDING	190535.7N 0725326.6E	206 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190535.9N 0725326.6E	222 FEET	NO	HUTMENT, POLE TOP - 67.82 M, HUTMENT TOP - 65.01 M.
In circling area and at AD	TREE	190536.0N 0725327.5E	200 FEET	NO	GROUP OF TREES
In circling area and at AD	BUILDING	190536.4N 0725327.0E	203 FEET	NO	HUTMENT TOP
In circling area and at AD	TREE	190536.6N 0725326.9E	228 FEET	NO	TREE ON HILL
In circling area and at AD	TREE	190536.8N 0725327.0E	232 FEET	NO	TREE ON HILL

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190536.8N 0725327.1E	222 FEET	NO	TEMPLE, FLAG TOP - 67.65 M, FLAG TOP - 67.32 M, TEMPLE TOP - 64.35 M.
In circling area and at AD	BUILDING	190537.2N 0725327.7E	214 FEET	NO	HUTMENT, POLE TOP - 65.24 M, HUTMENT TOP - 63.99 M.
In circling area and at AD	BUILDING	190537.6N 0725327.7E	220 FEET	NO	HUTMENT, POLE TOP - 67.01 M, HUTMENT TOP - 64.74 M.
In circling area and at AD	BUILDING	190537.8N 0725327.8E	210 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190537.9N 0725327.9E	215 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190537.9N 0725328.2E	210 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190538.5N 0725327.9E	210 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190539.0N 0725328.0E	203 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190539.8N 0725328.1E	191 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190540.8N 0725328.2E	192 FEET	NO	HUTMENT, DISH ANTENNA TOP - 58.39 M, HUTMENT TOP - 57.36 M.
In circling area and at AD	BUILDING	190541.3N 0725328.2E	192 FEET	NO	HUTMENT, DISH ANTENNA TOP - 58.55 M, HUTMENT TOP - 57.63 M.
In circling area and at AD	BUILDING	190541.5N 0725328.4E	190 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190616.6N 0725359.4E	321 FEET	LGTD	LILAC, LIGHTNING ARRESTER TOP - 97.95 M, OBSTRUCTION LIGHT TOP - 97.49 M, STAIRCASE ROOM TOP - 96.82 M, BUILDING TOP (PARAPET WALL) - 92.37 M.
In circling area and at AD	BUILDING	190617.6N 0725350.2E	323 FEET	LGTD	YUCCA, LIGHTNING ARRESTER TOP - 98.47 M, SOLAR PANEL TOP - 98.01 M, OBSTRUCTION LIGHT TOP - 97.90 M, STAIRCASE ROOM TOP - 97.26 M, BUILDING TOP(PARAPET WALL) - 93.00 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190619.8N 0725352.2E	319 FEET	NO	TULIPIA, STAIRCASE ROOM TOP - 97.10 M, WATER TANK TOP - 96.01 M, BUILDING TOP(PARAPET WALL) - 92.70 M.
In circling area and at AD	BUILDING	190620.6N 0725354.7E	319 FEET	NO	ALAMANDA, LIGHTNING ARRESTER TOP - 97.25 M, STAIRCASE ROOM TOP - 97.08 M, WATER TANK TOP - 96.00 M, BUILDING TOP(PARAPET WALL) - 94.47 M.
In circling area and at AD	BUILDING	190621.4N 0725357.5E	324 FEET	LGTD	LANTANA, LIGHTNING ARRESTER TOP - 98.90 M, OBSTRUCTION LIGHT TOP - 98.35 M, SOLAR PANEL TOP - 97.73 M, WATER TANK TOP - 96.96 M, BUILDING TOP(PARAPET WALL) - 94.96 M.
In circling area and at AD	BUILDING	190624.1N 0725403.9E	308 FEET	NO	GODREJ URBAN, TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 93.82 M, BUILDING (U/C) SLAB TOP - 77.32 M.
In circling area and at AD	BUILDING	190624.6N 0725355.7E	262 FEET	NO	CAMELLIA, SOLAR PANEL TOP - 79.95 M, STAIRCASE ROOM TOP - 78.36 M, BUILDING TOP(PARAPET WALL) - 69.95 M
In circling area and at AD	BUILDING	190622.2N 0725353.3E	323 FEET	NO	IRIS, LIGHTNING ARRESTER TOP - 98.35 M, SOLAR PANEL TOP - 96.56 M, STAIRCASE ROOM TOP - 96.55 M, WATER TANK TOP - 95.50 M, BUILDING TOP(PARAPET WALL) - 92.17 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190622.6N 0725352.6E	321 FEET	NO	IVY, LIGHTNING ARRESTER TOP - 97.92 M, STAIRCASE ROOM TOP - 96.53 M, SOLAR PANEL TOP - 96.27 M, WATER TANK TOP - 95.48 M, BUILDING TOP(PARAPET WALL) - 92.10 M.
In circling area and at AD	BUILDING	190622.1N 0725350.9E	331 FEET	NO	MIMOSA, LIGHTNING ARRESTER TOP - 100.88 M, SOLAR PANEL TOP - 97.12 M, STAIRCASE ROOM TOP - 96.58 M, WATER TANK TOP - 95.59 M, BUILDING TOP(PARAPET WALL) - 92.17 M.
In circling area and at AD	BUILDING	190621.3N 0725350.7E	319 FEET	NO	MIRABILIS, SOLAR PANEL TOP - 97.27 M, STAIRCASE ROOM TOP - 96.61 M, WATER TANK TOP - 95.55 M, BUILDING TOP(PARAPET WALL) - 92.19 M.
In circling area and at AD	BUILDING	190621.8N 0725347.6E	219 FEET	NO	NAHAR INTERNATIONAL SCHOOL, ANTENNA TOP - 66.61 M, STAIRCASE ROOM TOP - 65.64 M, BUILDING TOP(PARAPET WALL) - 60.58 M.
In circling area and at AD	BUILDING	190624.8N 0725348.3E	247 FEET	LGTD	ORCHID ENCLAVE E - WING, OBSTRUCTION LIGHT TOP - 75.17 M, DOME TOP - 74.68 M, DESIGN TOP - 68.19 M, BUILDING TOP(PARAPET WALL) - 64.07 M.
In circling area and at AD	BUILDING	190626.7N 0725347.6E	244 FEET	NO	ORCHID ENCLAVE B & C - WING, DOME TOP - 74.40 M, STAIRCASE ROOM TOP - 71.27 M, DESIGN TOP - 68.04 M, BUILDING TOP(PARAPET WALL) - 64.42 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190627.1N 0725348.5E	246 FEET	LGTD	ORCHID ENCLAVE A - WING, OBSTRUCTION LIGHT TOP - 74.86 M, DOME TOP - 74.26 M, STAIRCASE ROOM TOP - 71.34 M, DESIGN TOP - 67.99 M, BUILDING TOP(PARAPET WALL) - 64.44 M.
In circling area and at AD	BUILDING	190625.6N 0725353.3E	263 FEET	NO	FIORELLO, STAIRCASE ROOM TOP - 80.09 M, BUILDING TOP(PARAPET WALL) - 70.40 M.
In circling area and at AD	BUILDING	190627.9N 0725353.5E	261 FEET	NO	FRANGIPANI, STAIRCASE ROOM TOP - 79.75 M, SOLAR PANEL TOP - 71.59 M, BUILDING TOP(PARAPET WALL) - 70.39 M
In circling area and at AD	BUILDING	190627.9N 0725356.2E	259 FEET	NO	CALLALILY, STAIRCASE ROOM TOP - 78.75 M, SOLAR PANEL TOP - 70.99 M, BUILDING TOP(PARAPET WALL) - 70.00 M.
In circling area and at AD	ANTENNA	190628.7N 0725359.3E	196 FEET	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	190636.2N 0725352.0E	260 FEET	LGTD	KALPATARU WOODSVILLE, OBSTRUCTION LIGHT TOP - 79.10 M, WATER TANK TOP - 78.58 M, BUILDING TOP(PARAPET WALL) - 78.28 M
In circling area and at AD	BUILDING	190640.1N 0725353.6E	319 FEET	LGTD	WHITE LILY, LIGHTNING ARRESTER TOP - 97.20 M, OBSTRUCTION LIGHT TOP - 96.47 M, WATER TANK TOP - 93.94 M, BUILDING TOP(PARAPET WALL) - 83.46 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190640.4N 0725352.4E	322 FEET	LGTD	WATER LILY, LIGHTNING ARRESTER TOP - 98.06 M, OBSTRUCTION LIGHT TOP - 95.57 M, WATER TANK TOP - 93.97 M, BUILDING TOP(PARAPET WALL) - 83.49 M.
In circling area and at AD	BUILDING	190641.5N 0725353.5E	256 FEET	NO	SHIV OM TOWER, DESIGN TOP - 78.04 M, WATER TANK TOP - 77.90 M, BUILDING TOP (PARAPET WALL) - 73.48 M.
In circling area and at AD	BUILDING	190643.4N 0725354.7E	290 FEET	NO	SYNCHRONICITY - B WING, SHED TOP - 88.31 M, WATER TANK TOP - 86.57 M, BUILDING TOP(PARAPET WALL) - 81.60 M.
In circling area and at AD	BUILDING	190643.6N 0725352.2E	242 FEET	NO	SYNCHRONICITY - B WING, SHED TOP - 88.31 M, WATER TANK TOP - 86.57 M, BUILDING TOP(PARAPET WALL) - 81.60 M.
In circling area and at AD	BUILDING	190645.7N 0725350.4E	211 FEET	NO	AMARYLLIS(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 64.23 M, BUILDING (U/C) TOP - 50.67 M.
In circling area and at AD	BUILDING	190648.1N 0725346.9E	241 FEET	NO	SINHGAD INSTITUTE, HOARDING TOP - 73.48 M, STAIRCASE ROOM TOP - 65.04 M, WATER TANK TOP - 63.54 M, BUILDING TOP (PARAPET WALL) - 61.02 M.
In circling area and at AD	BUILDING	190649.0N 0725344.2E	219 FEET	NO	ICICI BANK LEARNING CENTER, ANTENNA TOP - 66.69 M, WATER TANK TOP - 61.90 M, HOARDING TOP - 59.72 M, STAIRCASE ROOM TOP - 56.65 M, BUILDING TOP(PARAPET WALL) - 53.76 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190648.7N 0725343.1E	219 FEET	LGTD	ICICI BANK LEARNING CENTER, CELLPHONE MAST TOP - 66.62 M, WATER TANK TOP - 61.92 M, SOLAR PANEL TOP - 58.53 M, STAIRCASE ROOM TOP - 56.86 M, BUILDING TOP(PARAPET WALL) - 53.78 M.
In circling area and at AD	BUILDING	190644.3N 0725335.6E	211 FEET	NO	BOOMERANG, EXHAUSTER TOP - 64.21 M, BUILDING TOP(PARAPET WALL) - 61.35 M.
In circling area and at AD	OTHER	190643.1N 0725330.7E	234 FEET	NO	H.T TOWER
In circling area and at AD	OTHER	190641.6N 0725330.5E	199 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190649.9N 0725334.0E	224 FEET	NO	BOOMARANG, ANTENNA TOP - 68.41 M, EXHAUSTER TOP - 65.84 M, HOARDING TOP - 64.63 M, ANTENNA TOP - 63.68 M, BUILDING TOP (SLAB) - 62.17 M.
In circling area and at AD	BUILDING	190651.5N 0725329.8E	199 FEET	NO	HIRANANDANI LIGHTHALL, EXHAUSTER TOP - 60.60 M, SINTEX TANK TOP - 59.73 M, BUILDING TOP (PARAPET WALL) - 54.49 M.
In circling area and at AD	BUILDING	190652.2N 0725329.8E	265 FEET	LGTD	HIRANANDANI LIGHTHALL, LIGHTNING ARRESTER TOP - 80.82 M, OBSTRUCTION LIGHT TOP - 78.58 M, CHILLER TOP - 76.32 M, BUILDING TOP (SLAB) - 72.70 M.
In circling area and at AD	BUILDING	190653.4N 0725333.2E	274 FEET	LGTD	HIRANANDANI LIGHTHALL, OBSTRUCTION LIGHT TOP - 83.48 M, CHILLER TOP - 83.01 M, CELLPHONE MAST TOP - 82.98 M, BUILDING TOP (PARAPET WALL) - 81.40 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190654.6N 0725332.1E	198 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190656.6N 0725332.2E	204 FEET	NO	ADITYAVARDHAN CHS, PIPE TOP - 62.22 M, WATER TANK TOP - 61.32 M, BUILDING TOP (PARAPET WALL) - 60.24 M.
In circling area and at AD	BUILDING	190657.8N 0725335.7E	243 FEET	LGTD	SHIMPHONY IT PARK, CELLPHONE MAST TOP - 74.18 M, DESIGN TOP - 68.28 M, STAIRCASE ROOM TOP - 67.63 M, BUILDING TOP (PARAPET WALL) - 63.13 M.
In circling area and at AD	BUILDING	190659.5N 0725335.6E	196 FEET	LGTD	CRYSTAL CENTRE, CELLPHONE MAST TOP - 59.70 M, WATER TANK TOP - 53.64 M, BUILDING TOP (PARAPET WALL) - 49.84 M.
In circling area and at AD	BUILDING	190701.9N 0725335.0E	302 FEET	LGTD	MAPLE LEAF CHS, OBSTRUCTION LIGHT TOP - 92.08 M, DISH ANTENNA TOP - 92.05 M, STAIRCASE ROOM TOP - 90.38 M, BUILDING TOP (PARAPET WALL) - 87.53 M.
In circling area and at AD	BUILDING	190701.8N 0725336.7E	260 FEET	NO	MAPLE LEAF CHS, DISH ANTENNA TOP - 79.12 M, WATER TANK TOP - 77.82 M, BUILDING TOP (PARAPET WALL) - 73.11 M.
In circling area and at AD	BUILDING	190702.8N 0725338.0E	303 FEET	LGTD	MAPLE LEAF CHS, OBSTRUCTION LIGHT TOP - 92.30 M, DISH ANTENNA TOP - 92.19 M, STAIRCASE ROOM TOP - 90.54 M, BUILDING TOP (PARAPET WALL) - 87.63 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190703.9N 0725337.4E	303 FEET	LGTD	MAPLE LEAF CHS, OBSTRUCTION LIGHT TOP - 92.51 M, LIGHTNING ARRESTER TOP - 92.28 M, WATER TANK TOP - 90.73 M, BUILDING TOP (PARAPET WALL) - 87.83 M.
In circling area and at AD	BUILDING	190705.5N 0725338.7E	303 FEET	LGTD	RAHEJA VISTAS CHS, LIGHTNING ARRESTER TOP - 92.32 M, OBSTRUCTION LIGHT TOP - 92.19 M, WATER TANK TOP - 90.66 M, BUILDING TOP (PARAPET WALL) - 89.53 M.
In circling area and at AD	BUILDING	190707.3N 0725340.6E	303 FEET	LGTD	RAHEJA VISTAS CHS, LIGHTNING ARRESTER TOP - 92.47 M, OBSTRUCTION LIGHT TOP - 92.08 M, WATER TANK TOP - 90.70 M, BUILDING TOP (PARAPET WALL) - 88.85 M.
In circling area and at AD	BUILDING	190707.1N 0725344.9E	283 FEET	NO	PARADISE CHS, DISH ANTENNA TOP - 86.32 M, WATER TANK TOP - 85.27 M, BUILDING TOP (PARAPET WALL) - 83.38 M.
In circling area and at AD	BUILDING	190710.2N 0725347.5E	274 FEET	NO	LAKESIDE CHS , BUILDING TOP (PARAPET WALL)
In circling area and at AD	BUILDING	190712.3N 0725339.4E	304 FEET	LGTD	RAHEJA VISTAS CHS, OBSTRUCTION LIGHT TOP - 92.69M, LIGHTNING ARRESTER TOP - 92.28 M, WATER TANK TOP - 90.53 M, BUILDING TOP (PARAPET WALL) - 88.80 M.
In circling area and at AD	BUILDING	190713.3N 0725341.5E	283 FEET	NO	HILLSIDE, DISH ANTENNA TOP - 86.43 M, WATER TANK TOP - 85.03 M, BUILDING TOP (PARAPET WALL) - 83.39 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190714.2N 0725343.4E	283 FEET	NO	HILLSIDE, DISH ANTENNA TOP - 86.35 M, WATER TANK TOP - 85.01 M, BUILDING TOP (PARAPET WALL) - 83.45 M.
In circling area and at AD	BUILDING	190716.0N 0725341.0E	317 FEET	NO	RAHEJA ASCENCIO (U/C), TEMPORARY CRANE STRUCTURE TOP - 96.58 M, BUILDING TOP (PARAPET WALL) - 81.66 M.
In circling area and at AD	BUILDING	190717.6N 0725336.0E	320 FEET	NO	L&T REALITY, GRILL TOP - 97.46 M, WATER TANK TOP - 96.51 M, BUILDING TOP (PARAPET WALL) - 95.23 M.
In circling area and at AD	BUILDING	190717.3N 0725332.5E	317 FEET	NO	L&T REALITY, WATER TANK TOP - 96.68 M, BUILDING TOP (PARAPET WALL) - 92.27 M.
In circling area and at AD	BUILDING	190718.6N 0725333.1E	318 FEET	NO	L&T REALITY, WATER TANK TOP - 96.93 M, BUILDING TOP (PARAPET WALL) - 94.99 M.
In circling area and at AD	BUILDING	190722.6N 0725336.1E	415 FEET	NO	L&T REALITY, LIGHTNING ARRESTER TOP - 126.46 M, WATER TANK TOP - 125.09 M, BUILDING TOP (PARAPET WALL) - 120.58 M.
In circling area and at AD	BUILDING	190722.7N 0725339.6E	406 FEET	NO	L&T REALITY, LIGHTNING ARRESTER TOP - 123.69 M, GRILL TOP - 122.95 M, WATER TANK TOP - 121.86 M, BUILDING TOP (PARAPET WALL) - 117.41 M.
In circling area and at AD	BUILDING	190723.2N 0725341.7E	379 FEET	NO	SAPPHIRE LAKESIDE, WATER TANK TOP - 115.44 M, BUILDING TOP (PARAPET WALL) - 113.73 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190718.5N 0725353.0E	285 FEET	NO	DMRC(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 86.77 M, BUILDING TOP(SLAB) - 52.72 M.
In circling area and at AD	BUILDING	190716.6N 0725351.4E	286 FEET	NO	POWAI LAKE HEIGHTS, DISH ANTENNA TOP - 87.16 M, WATER TANK TOP - 85.93 M, BUILDING TOP (PARAPET WALL) - 83.08 M.
In circling area and at AD	BUILDING	190715.2N 0725351.8E	290 FEET	NO	POWAI LAKE HEIGHTS, ANTENNA TOP - 88.49 M, STAIRCASE ROOM TOP - 85.24 M, BUILDING TOP (PARAPET WALL) - 83.00 M.
In circling area and at AD	BUILDING	190714.5N 0725352.4E	282 FEET	NO	BANK OF BARODA OFFICERS FLAT, WATER TANK TOP - 86.02 M, BUILDING TOP (PARAPET WALL) - 83.26 M.
In circling area and at AD	BUILDING	190714.8N 0725354.2E	294 FEET	LGTD	COAST GUARD RESIDENTIAL, LIGHTNING ARRESTER TOP - 89.47 M, OBSTRUCTION LIGHT TOP - 88.49 M, SHED TOP - 88.30 M, BUILDING TOP (PARAPET WALL) - 87.53 M.
In circling area and at AD	BUILDING	190715.5N 0725355.9E	278 FEET	NO	INCOME TAX QUATERZ, WATER TANK TOP - 84.72 M, BUILDING TOP(PARAPET WALL) - 82.71 M.
In circling area and at AD	BUILDING	190713.1N 0725356.9E	283 FEET	NO	COSMOPOLITAN CHS, STAIRCASE ROOM TOP - 86.16 M, STAITRCASE ROOM TOP - 86.10 M, BUILDING TOP (PARAPET WALL) - 82.97 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190710.9N 0725400.7E	281 FEET	NO	ROYAL PLAMS ESTATE, WATER TANK TOP - 85.61 M, BUILDING TOP(PARAPET WALL) - 82.66 M.
In circling area and at AD	BUILDING	190710.7N 0725402.1E	304 FEET	NO	DILKAP GRANDEUR (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 92.76 M, BUILDING TOP(SLAB) - 85.59 M.
In circling area and at AD	BUILDING	190710.0N 0725400.0E	281 FEET	NO	ROYAL PLAMS ESTATE, WATER TANK TOP - 85.61 M, BUILDING TOP(PARAPET WALL) - 82.69 M.
In circling area and at AD	BUILDING	190708.9N 0725402.0E	318 FEET	NO	SHAIKH FOUNDATION (U/C), TEMPORARY CONSTRUCTION CRANE TOP - 96.80 M, BUILDING TOP(SLAB) - 73.62 M.
In circling area and at AD	BUILDING	190707.3N 0725359.8E	306 FEET	LGTD	CRYSTAL PALACE CHS, CELLPHONE MAST TOP - 93.42 M, GENERATOR ROOM TOP - 90.82 M, STAIRCASE ROOM TOP - 86.69 M, BUILDING TOP(PARAPET WALL) - 83.75 M.
In circling area and at AD	BUILDING	190706.4N 0725358.5E	293 FEET	LGTD	CRYSTAL COURT, CELLPHONE MAST TOP - 89.36 M, GENERATOR ROOM TOP - 85.63 M, STAIRCASE ROOM TOP - 81.87 M, BUILDING TOP(PARAPET WALL) - 75.85 M.
In circling area and at AD	BUILDING	190705.9N 0725357.2E	249 FEET	LGTD	THE CALIPH, HOARDING TOP - 75.85 M, OBSTRUCTION LIGHT TOP - 73.72 M, WATER TANK TOP - 73.24 M, BUILDING TOP(PARAPET WALL) - 69.45 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190652.2N 0725401.8E	368 FEET	LGTD	LAKE LUCERNE BLOCK C, OBSTRUCTION LIGHT TOP - 112.09 M, DESIGN TOP - 110.59 M, STAIRCASE ROOM TOP - 108.80 M, BUILDING TOP(PARAPET WALL) - 103.96 M.
In circling area and at AD	BUILDING	190653.7N 0725403.0E	363 FEET	LGTD	LAKE LUCERNE WING-A, OBSTRUCTION LIGHT TOP - 110.72 M, DESIGN TOP - 110.14 M, STAIRCASE ROOM TOP - 108.39 M, BUILDING TOP(PARAPET WALL) - 103.45 M.
In circling area and at AD	BUILDING	190657.8N 0725407.7E	304 FEET	NO	WHISPERING WOODS CHS, DESIGN TOP - 92.80 M, WATER TANK TOP - 89.31 M, BUILDING TOP(PARAPET WALL) - 86.11 M.
In circling area and at AD	BUILDING	190656.5N 0725407.6E	317 FEET	NO	LAKE FLORENCE G WING, LIGHTNING ARRESTER TOP - 96.70 M, DESIGN TOP - 95.31 M, BUILDING TOP(PARAPET WALL) - 83.94 M.
In circling area and at AD	BUILDING	190656.5N 0725408.3E	317 FEET	NO	LAKE FLORENCE F WING, LIGHTNING ARRESTER TOP - 96.62 M, DESIGN TOP - 95.27 M, BUILDING TOP(PARAPET WALL) - 83.60 M.
In circling area and at AD	BUILDING	190655.2N 0725407.6E	357 FEET	NO	LAKE FLORENCE WING E, LIGHTNING ARRESTER TOP - 108.66 M, DESIGN TOP - 107.25 M, BUILDING TOP(PARAPET WALL) - 95.75 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190654.1N 0725410.0E	284 FEET	NO	LAKE RIVIERA (U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 86.59 M, BUILDING TOP(SLAB) - 76.95 M
In circling area and at AD	BUILDING	190655.5N 0725411.6E	318 FEET	NO	PANCHAVATI CHS, WATER TANK TOP - 96.80 M, BUILDING TOP(PARAPET WALL) - 91.01 M.
In circling area and at AD	BUILDING	190652.6N 0725412.2E	360 FEET	LGTD	SHIV SRISHTI, CELLPHONE MAST TOP - 109.59 M, LIGHTNING ARRESTER TOP - 104.99 M, SOLAR PANEL TOP - 102.86 M, WATER TANK TOP - 102.84 M, BUILDING TOP(PARAPET WALL) - 99.11 M.
In circling area and at AD	BUILDING	190651.4N 0725412.8E	323 FEET	LGTD	KAILASH TOWERS, CELLPHONE MAST TOP - 98.53 M, DESIGN TOP - 92.57 M, STAIRCASE ROOM TOP - 91.67 M, BUILDING TOP(PARAPET WALL) - 88.75 M.
In circling area and at AD	BUILDING	190649.0N 0725412.4E	318 FEET	NO	GUNDECHA HILLS, WATER TANK TOP - 96.89 M, STAIRCASE ROOM TOP - 96.80 M, BUILDING TOP(PARAPET WALL) - 91.44 M.
In circling area and at AD	BUILDING	190648.4N 0725411.4E	303 FEET	NO	BUILDING, WATER TANK TOP - 92.32 M, BUILDING TOP(PARAPET WALL) - 87.55 M.
In circling area and at AD	BUILDING	190645.4N 0725411.1E	226 FEET	NO	JAMA MASJID, MILAR TOP - 68.88 M, PILLAR TOP - 67.74 M, BUILDING TOP(SLAB) - 53.50 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190648.6N 0725414.5E	346 FEET	NO	PANCH RITU, DESIGN TOP - 105.57 M, WATER TANK TOP - 104.49 M, BUILDING TOP(PARAPET WALL) - 100.10 M.
In circling area and at AD	BUILDING	190650.1N 0725414.6E	317 FEET	NO	PANCH SMRUTI, WATER TANK TOP - 96.67 M, STAIRCASE ROOM TOP - 95.59 M, BUILDING TOP(PARAPET WALL) - 90.93
In circling area and at AD	BUILDING	190651.1N 0725414.7E	344 FEET	NO	PANCH SMRUTI, DESIGN TOP - 104.93 M, WATER TANK TOP - 103.99 M, BUILDING TOP(PARAPET WALL) - 99.55 M.
In circling area and at AD	BUILDING	190652.6N 0725414.9E	344 FEET	NO	PANCH MAHAL, DESIGN TOP - 104.92 M, WATER TANK TOP - 103.85 M, BUILDING TOP(PARAPET WALL) - 99.66 M.
In circling area and at AD	BUILDING	190658.7N 0725415.9E	301 FEET	NO	POWAI HIMALAYA, SHED TOP - 91.66 M, STAIRCASE ROOM TOP - 90.04 M, BUILDING TOP(PARAPET WALL) - 86.63 M.
In circling area and at AD	BUILDING	190658.8N 0725414.5E	305 FEET	LGTD	PALAZZIO CHS, OBSTRUCTION LIGHT TOP - 92.99 M, DISH ANTENNA TOP - 92.59 M, WATER TANK TOP - 91.30 M, BUILDING TOP(PARAPET WALL) - 86.87 M.
In circling area and at AD	BUILDING	190659.5N 0725416.0E	304 FEET	NO	POWAI PLANET, LIGHTNING ARRESTER TOP - 92.63 M, STAIRCASE ROOM TOP - 89.93 M, BUILDING TOP(PARAPET WALL) - 88.61 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190700.7N 0725413.1E	318 FEET	NO	THE NEST, ANTENNA TOP - 96.96 M, STAIRCASE ROOM TOP - 89.63 M, BUILDING TOP(PARAPET WALL) - 86.73 M.
In circling area and at AD	BUILDING	190658.6N 0725420.0E	308 FEET	NO	JAI VAYU VIHAR G BLOCK, DISH ANTENNA TOP - 93.84 M, WATER TANK TOP - 92.10 M, BUILDING TOP(PARAPET WALL) - 86.84 M.
In circling area and at AD	BUILDING	190659.9N 0725420.0E	295 FEET	NO	JAI VAYU VIHAR F BLOCK, DISH ANTENNA TOP - 90.01 M, WATER TANK TOP - 88.27 M, BUILDING TOP(PARAPET WALL) - 83.06 M.
In circling area and at AD	BUILDING	190701.1N 0725420.3E	291 FEET	NO	JAI VAYU VIHAR E BLOCK, DISH ANTENNA TOP - 88.76 M, WATER TANK TOP - 86.31 M, BUILDING TOP(PARAPET WALL) - 82.17 M.
In circling area and at AD	BUILDING	190702.5N 0725420.3E	289 FEET	LGTD	JAI VAYU VIHAR D BLOCK, DISH ANTENNA TOP - 88.09 M, OBSTRUCTION LIGHT TOP - 87.05 M, WATER TANK TOP - 86.59 M, BUILDING TOP(PARAPET WALL) - 81.36 M.
In circling area and at AD	BUILDING	190702.5N 0725418.8E	289 FEET	LGTD	JAI VAYU VIHAR C BLOCK, DISH ANTENNA TOP - 88.01 M, OBSTRUCTION LIGHT TOP - 87.56 M, WATER TANK TOP - 86.55 M, BUILDING TOP(PARAPET WALL) - 81.26 M.
In circling area and at AD	BUILDING	190705.2N 0725416.0E	282 FEET	NO	GULMOHAR CHS, WATER TANK TOP - 86.02 M, BUILDING TOP(PARAPET WALL) - 84.76 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190706.4N 0725416.5E	282 FEET	NO	POWAI PANCHARATNA CHS, WATER TANK TOP - 86.00 M, BUILDING TOP(PARAPET WALL) - 82.62 M.
In circling area and at AD	BUILDING	190707.4N 0725416.3E	282 FEET	NO	POWAI PANCHARATNA CHS, WATER TANK TOP - 86.02 M, BUILDING TOP(PARAPET WALL) - 82.67 M.
In circling area and at AD	BUILDING	190707.5N 0725423.2E	391 FEET	NO	AMBROSIA, STAIRCASE ROOM TOP - 119.24 M, BUILDING TOP(PARAPET WALL) - 106.85 M.
In circling area and at AD	BUILDING	190706.0N 0725424.2E	290 FEET	NO	ANJANEYA, STAIRCASE ROOM TOP - 88.52 M, BUILDING TOP(PARAPET WALL) - 78.47 M.
In circling area and at AD	BUILDING	190704.7N 0725430.7E	396 FEET	LGTD	SORRENTO, OBSTRUCTION LIGHT TOP - 120.74 M, WATER TANK TOP - 120.13 M, BUILDING TOP (PARAPET WALL) - 109.21 M.
In circling area and at AD	BUILDING	190705.4N 0725429.0E	378 FEET	NO	NORITO CHS, LIGHTNING ARRESTER TOP - 115.22 M, STATUE TOP - 114.58 M, STAIRCASE ROOM TOP - 112.41 M, BUILDING TOP (PARAPET WALL) - 108.69 M.
In circling area and at AD	BUILDING	190707.8N 0725434.0E	442 FEET	NO	ALANTIS, LIGHTNING ARRESTER TOP - 134.76 M, STAIRCASE ROOM TOP - 132.36 M, BUILDING TOP (PARAPET WALL) - 130.14 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190710.7N 0725434.0E	382 FEET	LGTD	SOLITAIRE CHS, OBSTRUCTION LIGHT TOP - 116.43 M, STAIRCASE ROOM TOP - 114.91 M, BUILDING TOP (PARAPET WALL) - 109.65 M.
In circling area and at AD	BUILDING	190716.3N 0725500.9E	389 FEET	NO	PACIFIC ENCLAVE, LIGHTNING ARRESTER TOP - 118.64 M, SOLAR PANEL TOP - 117.63 M, WATER TANK TOP - 116.88 M, BUILDING TOP (PARAPET WALL) - 114.14 M.
In circling area and at AD	BUILDING	190705.4N 0725505.6E	517 FEET	NO	KANAKIA SILICON VALLEY (U/C), WATER TANK TOP - 157.63 M, BUILDING TOP (PARAPET WALL) - 157.23 M.
In circling area and at AD	BUILDING	190703.7N 0725506.7E	527 FEET	NO	KANAKIA SILICON VALLEY (U/C), BUILDING TOP (PARAPET WALL)
In circling area and at AD	BUILDING	190710.3N 0725448.4E	328 FEET	NO	SIGMA, ANTENNA TOP - 99.90 M, WATER TANK TOP - 94.10 M, BUILDING TOP (PARAPET WALL) - 90.07 M.
In circling area and at AD	BUILDING	190702.2N 0725448.3E	470 FEET	NO	HIRANANDANI REGENT HILL, DESIGN TOP - 143.22 M, WATER TANK TOP - 139.86 M, BUILDING TOP (PARAPET WALL) - 136.69 M.
In circling area and at AD	BUILDING	190700.9N 0725446.3E	470 FEET	NO	HIRANANDANI REGENT HILL, DESIGN TOP - 143.20 M, WATER TANK TOP - 139.67 M, BUILDING TOP (PARAPET WALL) - 136.70 M.
In circling area and at AD	BUILDING	190655.4N 0725436.9E	522 FEET	NO	GLEN CLASSIC, DESIGN TOP - 159.09 M, DESIGN TOP - 143.42 M, BUILDING TOP (PARAPET WALL) - 138.55 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190654.4N 0725435.4E	490 FEET	LGTD	GLEN HEIGHTS, LIGHTNING ARRESTER TOP - 149.50 M, DESIGN TOP - 143.78 M, CELLPHONE MAST TOP - 142.66 M, BUILDING TOP (PARAPET WALL) - 138.14 M.
In circling area and at AD	BUILDING	190650.5N 0725434.1E	577 FEET	NO	VERONA, DESIGN TOP - 175.93 M, STAIRCASE ROOM TOP - 172.26 M, BUILDING TOP (PARAPET WALL) - 154.16 M.
In circling area and at AD	BUILDING	190647.6N 0725438.3E	648 FEET	NO	TORINO, LIGHTNING ARRESTER TOP - 197.42 M, STAIRCASE ROOM TOP - 192.79 M, BUILDING TOP (PARAPET WALL) - 180.24 M.
In circling area and at AD	BUILDING	190644.3N 0725445.9E	493 FEET	LGTD	NOMURA, CELLPHONE MAST TOP - 150.31 M, WATER TANK TOP - 143.66 M, BUILDING TOP (PARAPET WALL) - 141.75 M
In circling area and at AD	BUILDING	190642.4N 0725439.8E	504 FEET	LGTD	HIRANANDANI KENSINGTON A BLOCK, CELLPHONE MAST TOP - 153.47 M, BUILDING TOP (PARAPET WALL) - 149.64 M, WATER TANK TOP - 147.92 M.
In circling area and at AD	BUILDING	190642.4N 0725438.6E	498 FEET	LGTD	HIRANANDANI KENSINGTON B BLOCK, CELLPHONE MAST TOP - 151.76 M, BUILDING TOP (PARAPET WALL) - 149.35 M, WATER TANK TOP - 147.79 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190650.2N 0725427.6E	402 FEET	LGTD	LAKE CASTLE, LIGHTNING ARRESTER TOP - 122.53 M, OBSTRUCTION LIGHT TOP - 121.83 M, STAIRCASE ROOM TOP - 120.81 M, BUILDING TOP (PARAPET WALL) - 113.78 M
In circling area and at AD	BUILDING	190640.2N 0725429.6E	512 FEET	NO	SUPREME, GRILL TOP - 156.07 M, BUILDING TOP (PARAPET WALL) - 149.47 M.
In circling area and at AD	BUILDING	190647.4N 0725420.0E	323 FEET	NO	HIRANANDANI FOUNDATION INTERNATIONAL SCHOOL, DESIGN TOP - 98.44 M, SINTEX TANK TOP - 79.32 M, BUILDING TOP(PARAPET WALL) - 78.37 M.
In circling area and at AD	BUILDING	190649.8N 0725419.6E	362 FEET	NO	HIRANANDANI ZEN MAPLE A WING, DISH ANTENNA TOP - 110.19 M, WATER TANK TOP - 108.86 M, BUILDING TOP(PARAPET WALL) - 103.74 M.
In circling area and at AD	BUILDING	190649.9N 0725418.7E	369 FEET	NO	HIRANANDANI ZEN MAPLE B WING, LIGHTNING ARRESTER TOP - 112.44 M, DISH ANTENNA TOP - 110.16 M, WATER TANK TOP - 108.89 M, BUILDING TOP(PARAPET WALL) - 103.65 M.
In circling area and at AD	BUILDING	190641.2N 0725416.1E	305 FEET	NO	PAWAR PUBLIC SCHOOL, DESIGN TOP - 92.96 M, STAIRCASE ROOM TOP - 84.57 M, BUILDING TOP(SLAB) - 77.03 M.
In circling area and at AD	BUILDING	190641.3N 0725412.6E	219 FEET	NO	SRA, STAIRCASE ROOM TOP - 66.72 M, WATER TANK TOP - 65.80 M, BUILDING TOP(PARAPET WALL) - 63.02 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190641.9N 0725408.0E	351 FEET	NO	SHAPOORJI PALLAONJI VICINIA C BLOCK, DISH ANTENNA TOP - 106.93 M, WATER TANK TOP - 105.39 M, DESIGN TOP - 105.24 M, BUILDING TOP(PARAPET WALL) - 104.05 M.
In circling area and at AD	BUILDING	190640.1N 0725402.1E	264 FEET	NO	PALATIAL HEIGHTS, GRILL TOP - 80.58 M, WATER TANK TOP - 79.63 M, BUILDING TOP(PARAPET WALL) - 77.03 M.
In circling area and at AD	BUILDING	190638.9N 0725407.8E	351 FEET	NO	SHAPOORJI PALLAONJI VICINIA D BLOCK, DISH ANTENNA TOP - 106.95 M, WATER TANK TOP - 105.39 M, DESIGN TOP - 105.37 M, BUILDING TOP(PARAPET WALL) - 104.08 M.
In circling area and at AD	BUILDING	190638.9N 0725409.7E	215 FEET	NO	SRA BLOCK 9, STAIRCASE ROOM TOP - 65.47 M, WATER TANK TOP - 64.58 M, BUILDING TOP(PARAPET WALL) - 61.90 M.
In circling area and at AD	BUILDING	190638.5N 0725410.1E	215 FEET	NO	SRA BLOCK 9, STAIRCASE ROOM TOP - 65.40 M, WATER TANK TOP - 64.64 M, BUILDING TOP(PARAPET WALL) - 61.86 M.
In circling area and at AD	BUILDING	190636.3N 0725407.4E	372 FEET	NO	SHAPOORJI PALLAONJI VICINIA (U/C) E BLOCK, TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 113.26 M, BUILDING TOP(PARAPET WALL) - 103.94 M
In circling area and at AD	BUILDING	190637.2N 0725411.4E	235 FEET	LGTD	SRA, CELLPHONE MAST TOP - 71.50 M, BUILDING TOP(PARAPET WALL) - 65.90 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190635.6N 0725410.2E	210 FEET	NO	SRA, STAIRCASE ROOM TOP - 64.11 M, WATER TANK TOP - 63.33 M, BUILDING TOP(PARAPET WALL) - 60.56 M.
In circling area and at AD	BUILDING	190635.5N 0725410.9E	210 FEET	NO	SRA, WATER TANK TOP - 64.05 M, STAIRCASE ROOM TOP - 63.23 M, BUILDING TOP(PARAPET WALL) - 59.90 M.
In circling area and at AD	BUILDING	190635.4N 0725412.1E	212 FEET	NO	SRA, WATER TANK TOP - 64.59 M, STAIRCASE ROOM TOP - 63.83 M, BUILDING TOP(PARAPET WALL) - 60.43 M.
In circling area and at AD	BUILDING	190634.7N 0725409.8E	213 FEET	NO	SRA, WATER TANK TOP - 64.99 M, BUILDING TOP(PARAPET WALL) - 60.92 M.
In circling area and at AD	BUILDING	190634.6N 0725411.4E	214 FEET	NO	SRA, WATER TANK TOP - 65.06 M, BUILDING TOP(PARAPET WALL) - 60.91 M.
In circling area and at AD	BUILDING	190632.7N 0725411.9E	213 FEET	NO	SRA, WATER TANK TOP - 64.99 M, STAIRCASE ROOM TOP - 64.18 M, BUILDING TOP(PARAPET WALL) - 61.03 M.
In circling area and at AD	BUILDING	190631.7N 0725411.3E	217 FEET	NO	SRA, WATER TANK TOP - 66.24 M, BUILDING TOP(PARAPET WALL) - 62.07 M.
In circling area and at AD	BUILDING	190631.6N 0725411.9E	217 FEET	NO	SRA, WATER TANK TOP - 66.18 M, BUILDING TOP(PARAPET WALL) - 62.00 M.
In circling area and at AD	BUILDING	190629.0N 0725411.6E	220 FEET	NO	SRA, WATER TANK TOP - 66.98 M, BUILDING TOP(PARAPET WALL) - 62.83 M.
In circling area and at AD	TREE	190618.3N 0725420.6E	608 FEET	NO	TREE ON HILL
In circling area and at AD	TREE	190618.6N 0725430.3E	621 FEET	NO	TREE ON HILL
In circling area and at AD	BUILDING	190548.7N 0725403.0E	192 FEET	NO	SRA, BUILDING TOP (PARAPET WALL)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190549.8N 0725408.6E	204 FEET	NO	PUSHPALATHA CHS, STAIRCASE ROOM TOP - 62.10 M, BUILDING TOP - 59.78 M.
In circling area and at AD	BUILDING	190546.0N 0725408.9E	189 FEET	NO	SAI GANESH, BUILDING (U/C) TOP
In circling area and at AD	BUILDING	190545.8N 0725411.1E	193 FEET	NO	NEUMEC SANSKRUTI, DISH ANTENNA TOP - 58.84 M, STAIRCASE ROOM TOP - 57.67 M, BUILDING TOP - 54.53 M.
In circling area and at AD	BUILDING	190537.7N 0725354.3E	199 FEET	NO	OMSHREE SAI DHAM CHS, DISH ANTENNA TOP - 60.69 M, WATER TANK TOP - 59.74 M, BUILDING TOP - 57.00 M.
In circling area and at AD	BUILDING	190539.4N 0725406.1E	188 FEET	NO	BUILDING (U/C) TOP
In circling area and at AD	BUILDING	190539.0N 0725406.9E	189 FEET	NO	INDUS CHS 'A' WING, BUILDING TOP
In circling area and at AD	BUILDING	190544.4N 0725421.1E	255 FEET	NO	HUTMENT TOP
In circling area and at AD	TREE	190543.2N 0725420.5E	273 FEET	NO	TREE ON HILL
In circling area and at AD	BUILDING	190542.3N 0725420.8E	250 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190542.0N 0725420.6E	249 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190541.2N 0725420.4E	245 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190540.9N 0725420.2E	241 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190540.7N 0725420.1E	238 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190539.8N 0725419.9E	233 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190539.5N 0725419.5E	223 FEET	NO	HUTMENT TOP
In circling area and at AD	BUILDING	190620.3N 0725503.9E	450 FEET	NO	MAYFAIR THE VIEW, LIGHTNING ARRESTER TOP - 137.17 M, DISH ANTENNA TOP - 133.34 M, WATER TANK TOP - 131.75 M, BUILDING TOP (PARAPET WALL) - 130.61 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190604.2N 0725455.1E	241 FEET	NO	THE ORCHID RESIDENCY CHS, LIGHTNING ARRESTER TOP - 73.44 M, WATER TANK TOP - 69.69 M, BUILDING TOP (PARAPET WALL) - 68.30 M.
In circling area and at AD	BUILDING	190551.5N 0725446.7E	205 FEET	NO	SWAGAT CHS, GRILL TOP - 62.60 M, WATER TANK TOP - 61.14 M, BUILDING TOP (PARAPET WALL) - 58.09 M.
In circling area and at AD	BUILDING	190551.1N 0725448.2E	188 FEET	NO	PANCHRATNA CHS, WATER TANK TOP - 57.36 M, BUILDING TOP (PARAPET WALL) - 54.21 M.
In circling area and at AD	BUILDING	190550.7N 0725449.2E	192 FEET	NO	PANCHRATNA CHS, PIPE TOP - 58.60 M, WATER TANK TOP - 57.29 M, BUILDING TOP (PARAPET WALL) - 54.15 M.
In circling area and at AD	BUILDING	190548.5N 0725449.1E	193 FEET	NO	MAITRIC CHS, WATER TANK TOP - 58.92 M, BUILDING TOP (PARAPET WALL) - 55.66 M.
In circling area and at AD	BUILDING	190549.8N 0725458.5E	260 FEET	NO	KALPATARU AURA, WATER TANK TOP - 79.37 M, BUILDING TOP (PARAPET WALL) - 78.52 M.
In circling area and at AD	BUILDING	190552.8N 0725500.2E	262 FEET	NO	KALPATARU AURA, PIPE TOP - 79.92 M, WATER TANK TOP - 79.35 M, BUILDING TOP (PARAPET WALL) - 78.49 M.
In circling area and at AD	BUILDING	190552.4N 0725502.3E	266 FEET	LGTD	KALPATARU AURA, OBSTRUCTION LIGHT TOP - 81.18 M, WATER TANK TOP - 79.75 M, BUILDING TOP (PARAPET WALL) - 78.18 M.
In circling area and at AD	BUILDING	190551.8N 0725502.8E	279 FEET	NO	KALPATARU AURA, LIGHTNING ARRESTER TOP - 84.96 M, WATER TANK TOP - 79.60 M, BUILDING TOP - 78.93 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190556.7N 0725507.9E	362 FEET	NO	BOULEYARD-1, PIPE TOP - 110.28 M, BUILDING TOP (PARAPET WALL) - 109.20 M.
In circling area and at AD	BUILDING	190555.7N 0725509.0E	362 FEET	NO	BOULEYARD-2, PIPE TOP - 110.20 M, BUILDING TOP (PARAPET WALL) - 109.22 M.
In circling area and at AD	BUILDING	190554.7N 0725510.1E	361 FEET	NO	BOULEYARD-3, PIPE TOP - 110.13 M, BUILDING TOP (PARAPET WALL) - 109.21 M.
In circling area and at AD	BUILDING	190553.7N 0725511.2E	362 FEET	NO	BOULEYARD-4, PIPE TOP - 110.17 M, BUILDING TOP (PARAPET WALL) - 109.19 M.
In circling area and at AD	BUILDING	190551.2N 0725511.4E	290 FEET	NO	THE ADDRESS VISTA, WATER TANK TOP - 88.32 M, BUILDING TOP (PARAPET WALL) - 85.97 M.
In circling area and at AD	BUILDING	190546.7N 0725505.4E	259 FEET	NO	KALPATARU AURA, LIGHTNING ARRESTER TOP - 78.79 M, DESIGN TOP - 73.56 M, BUILDING TOP - 71.72 M.
In circling area and at AD	BUILDING	190546.5N 0725505.3E	248 FEET	NO	KALPATARU AURA, PIPE TOP - 75.67 M, DESIGN TOP - 74.56 M, WATER TANK TOP - 73.89 M, BUILDING TOP (PARAPET WALL) - 73.68 M
In circling area and at AD	BUILDING	190545.4N 0725505.1E	243 FEET	NO	KALPATARU AURA, PIPE TOP - 74.24 M, BUILDING TOP - 72.55 M.
In circling area and at AD	BUILDING	190502.3N 0725434.8E	196 FEET	NO	AKSHTA VINAYAK, IRON ROD TOP - 59.72 M, WATER TANK TOP - 58.36 M, STAIRCASE TOP - 56.83 M, BUILDING TOP - 55.34 M.
In circling area and at AD	BUILDING	190458.0N 0725424.7E	201 FEET	NO	BUILDING(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.40 M, BUILDING TOP - 59.14 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190455.5N 0725431.0E	199 FEET	NO	KADAK NIKETAN CHS, PIPE TOP - 60.72 M, STAIRCASE ROOM TOP - 59.52 M, IRON ROD TOP - 57.67 M, BUILDING TOP - 56.06 M.
In circling area and at AD	BUILDING	190457.8N 0725443.7E	190 FEET	NO	RAJSHREE STATUS, GRILL TOP - 57.81 M, WATER TANK TOP - 57.22 M, BUILDING TOP - 56.75 M.
In circling area and at AD	BUILDING	190459.0N 0725444.4E	200 FEET	NO	ADITYA RAJ ENCLAVE(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.01 M, STAIRCASE ROOM TOP - 56.57 M, BUILDING TOP - 53.62 M.
In circling area and at AD	BUILDING	190458.6N 0725452.8E	189 FEET	LGTD	PARIJATAK CHS, DISH ANTENNA TOP - 57.66 M, OBSTRUCTION LIGHT TOP - 57.36 M, BUILDING TOP - 56.66 M.
In circling area and at AD	BUILDING	190458.4N 0725453.6E	192 FEET	LGTD	AARADHYA NINE BY MICL, OBSTRUCTION LIGHT TOP - 58.44 M, SHED TOP - 57.59 M, BUILDING TOP - 56.43 M.
In circling area and at AD	BUILDING	190459.4N 0725454.4E	192 FEET	LGTD	AARADHYA NINE BY MICL, OBSTRUCTION LIGHT TOP - 58.37 M, GRILL TOP - 57.36 M, BUILDING TOP - 56.40 M.
In circling area and at AD	BUILDING	190443.7N 0725447.0E	198 FEET	NO	KUKREJA PALACE, ANTENNA TOP - 60.24 M, STAIRCASE ROOM TOP - 54.14 M, BUILDING TOP (PARAPET WALL) - 55.77 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190440.5N 0725448.7E	217 FEET	LGTD	KUKREJA PALACE, CELLPHONE MAST TOP - 65.96 M, STAIRCASE ROOM TOP - 61.11 M, BUILDING TOP (PARAPET WALL) - 55.77 M
In circling area and at AD	BUILDING	190439.7N 0725445.1E	188 FEET	NO	RISHABRAJ VICINIA, HOARDING TOP - 57.42 M, STAIRCASE ROOM TOP - 53.95 M, BUILDING TOP (PARAPET WALL) - 46.88 M.
In circling area and at AD	BUILDING	190435.4N 0725445.7E	204 FEET	LGTD	NEELKANTH TOWER, CELLPHONE MAST TOP - 62.16 M, WATER TANK TOP - 53.72 M, BUILDING TOP (PARAPET WALL) - 51.13 M.
In circling area and at AD	BUILDING	190435.0N 0725444.1E	188 FEET	NO	SHREE SATI ASISH, GRILL TOP - 57.30 M, WATER TANK TOP - 56.25 M, BUILDING TOP (PARAPET WALL) - 53.92 M
In circling area and at AD	BUILDING	190443.3N 0725442.5E	232 FEET	NO	GURUKRUPA GANGAV, LADDER TOP - 70.83 M, WATER TANK TOP - 70.48 M, BUILDING TOP (PARAPET WALL) - 70.28 M.
In circling area and at AD	BUILDING	190443.1N 0725440.0E	220 FEET	NO	ONE 45 EDEN (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 67.02 M, BUILDING TOP (SLAB) - 62.70 M.
In circling area and at AD	BUILDING	190442.4N 0725425.5E	201 FEET	NO	DREAM ARIHANT OASIS(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 61.29 M, BUILDING TOP - 57.20 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190443.3N 0725421.3E	189 FEET	LGTD	REKHA, OBSTRUCTION LIGHT TOP - 57.46 M, GRILL TO - 56.82 M, WATER TANK TOP - 55.60 M, STAIRCASE ROOM TOP - 53.40 M, BUILDING TOP(PARAPET WALL) - 49.90 M.
In circling area and at AD	BUILDING	190447.8N 0725424.9E	189 FEET	NO	BAGHBAN, DISH ANTENNA TOP - 57.56 M, WATER TANK TOP - 56.66 M, BUILDING TOP(PARAPET WALL) - 54.36 M.
In circling area and at AD	BUILDING	190449.2N 0725418.9E	188 FEET	NO	NITIN HEIGHTS, LADDER TOP - 57.21 M, WATER TANK TOP - 56.26 M, BUILDING TOP(PARAPET WALL) - 54.86 M.
In circling area and at AD	BUILDING	190452.8N 0725412.4E	193 FEET	NO	TANISHK HEIGHTS, WATER TANK TOP - 58.81 M, BUILDING TOP(PARAPET WALL) - 54.42 M.
In circling area and at AD	BUILDING	190444.8N 0725410.7E	191 FEET	NO	SHETH EXOTICA, SHED TOP - 58.19 M, WATER TANK TOP - 57.26 M, BUILDING TOP(PARAPET WALL) - 57.19 M.
In circling area and at AD	BUILDING	190443.7N 0725409.4E	189 FEET	NO	SKYE GRANDEUR, GRILL TOP - 57.48 M, WATER TANK TOP - 56.50 M, BUILDING TOP(PARAPET WALL) - 55.26 M.
In circling area and at AD	BUILDING	190440.4N 0725415.2E	218 FEET	LGTD	KAILAS, OBSTRUCTION LIGHT TOP - 66.41 M, GRILL TOP - 66.18 M, STAIRCASE ROOM TOP - 65.76 M, BUILDING TOP(PARAPET WALL) - 60.99 M.
In circling area and at AD	BUILDING	190436.3N 0725424.0E	190 FEET	NO	DEEPAK, LADDER TOP - 58.00 M, WATER TANK TOP - 57.03 M, BUILDING TOP(PARAPET WALL) - 54.61 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190433.9N 0725434.0E	190 FEET	NO	VASANT CHS WING-A, LIGHTNING ARRESTER TOP - 57.93 M, SOLAR PANEL TOP - 56.83 M, BUILDING TOP (PARAPET WALL) - 55.73 M
In circling area and at AD	BUILDING	190433.2N 0725424.5E	197 FEET	NO	CRYSTAL ANANT CHHAYA, STAIRCASE ROOM TOP - 60.05 M, BUILDING TOP(PARAPET WALL) - 58.64 M.
In circling area and at AD	BUILDING	190431.8N 0725421.7E	189 FEET	NO	TRAFALGAR TOWER, LADDER TOP - 57.54 M, STAIRCASE ROOM TOP - 57.03 M, BUILDING TOP(PARAPET WALL) - 54.60 M.
In circling area and at AD	BUILDING	190429.2N 0725423.4E	197 FEET	NO	GARODIA PALACE(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 59.95 M, BUILDING TOP(SLAB) - 58.17 M.
In circling area and at AD	BUILDING	190431.7N 0725417.3E	188 FEET	NO	MAHAVIR VASUNDHARA, SOLAR PANEL TOP - 57.33 M, WATER TANK TOP - 56.90 M, BUILDING TOP(PARAPET WALL) - 54.73 M.
In circling area and at AD	BUILDING	190430.0N 0725415.4E	198 FEET	LGTD	MYSTIC NAVCHHAYA, OBSTRUCTION LIGHT TOP - 60.18 M, LIGHTNING ARRESTER TOP - 58.54 M, GRILL TOP - 58.69 M, BUILDING TOP(PARAPET WALL) - 57.49 M.
In circling area and at AD	BUILDING	190435.0N 0725406.5E	192 FEET	NO	SAHYADRI, LIGHTNING ARRESTER TOP - 58.53 M, SOLAR PANEL TOP - 56.65 M, STAIRCASE ROOM TOP - 55.13 M, BUILDING TOP(PARAPET WALL) - 51.88 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190424.6N 0725428.0E	188 FEET	NO	SRINIKETAN (U/C), WATER TANK TOP - 57.22 M, STAIRCASE ROOM TOP - 57.11 M, BUILDING TOP (PARAPET WALL) - 55.17 M.
In circling area and at AD	BUILDING	190422.7N 0725443.4E	195 FEET	NO	NEELAM SRA, POLE TOP - 59.41 M, STAIRCASE ROOM TOP - 59.01 M, BUILDING TOP (PARAPET WALL) - 50.40 M.
In circling area and at AD	BUILDING	190340.9N 0725438.6E	213 FEET	NO	KUTCHHI SARVODAYA NAGAR TOWER-2, WATER TANK TOP - 64.92 M, DESIGN TOP - 64.60 M, BUILDING TOP(PARAPET WALL) - 61.67 M.
In circling area and at AD	BUILDING	190418.5N 0725418.0E	227 FEET	LGTD	THE BAYA JUNCTION, SHED TOP - 69.08 M, OBSTRUCTION LIGHT TOP - 68.46 M, STAIRCASE ROOM TOP - 68.12 M, BUILDING TOP (PARAPET WALL) - 67.32 M.
In circling area and at AD	OTHER	190407.5N 0725404.6E	194 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190405.4N 0725353.3E	202 FEET	NO	UNION CHS(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.52 M, BUILDING TOP(PARAPET WALL) - 56.90 M.
In circling area and at AD	BUILDING	190411.8N 0725356.4E	201 FEET	NO	PREMIA(U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 61.44 M, BUILDING TOP(PARAPET WALL) - 56.45 M.
In circling area and at AD	BUILDING	190410.2N 0725348.6E	188 FEET	NO	SARVAMANGAL TOWER, STAIRCASE ROOM TOP - 57.25 M, DISH ANTENNA TOP - 55.69 M, BUILDING TOP(PARAPET WALL) - 52.13 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190410.6N 0725344.8E	195 FEET	LGTD	AMRUT CHS, OBSTRUCTION LIGHT TOP - 59.49 M, GRILL TOP - 58.43 M, WATER TANK TOP - 57.34 M, BUILDING TOP(PARAPET WALL) - 55.25 M.
In circling area and at AD	BUILDING	190412.1N 0725345.6E	192 FEET	NO	EKTA CHS, LADDER TOP - 58.49 M, WATER TANK TOP - 57.96 M, BUILDING TOP(PARAPET WALL) - 55.40 M.
In circling area and at AD	BUILDING	190414.1N 0725351.6E	196 FEET	NO	VARAD HEIGHTS, WATER TANK TOP - 59.62 M, BUILDING TOP(PARAPET WALL) - 57.42 M.
In circling area and at AD	BUILDING	190417.8N 0725350.9E	193 FEET	NO	KAMBODHI CHSL, STAIRCASE ROOM TOP - 58.83 M, BUILDING TOP(PARAPET WALL) - 53.80 M
In circling area and at AD	BUILDING	190418.6N 0725354.1E	190 FEET	NO	JAI BHAVANI CHS, DISH ANTENNA TOP - 57.99 M, GRILL TOP - 57.30 M, WATER TANK TOP - 56.51 M, BUILDING TOP(PARAPET WALL) - 54.98 M.
In circling area and at AD	BUILDING	190356.6N 0725255.4E	190 FEET	NO	GULRAJ HEIGHTS, DISH ANTENNA TOP - 57.93 M, WATER TANK TOP - 56.94 M, BUILDING TOP (PARAPET WALL) - 55.61 M.
In circling area and at AD	BUILDING	190350.7N 0725305.0E	205 FEET	NO	GAGAN (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 62.37 M, BUILDING TOP (PARAPET WALL) - 56.86 M.
In circling area and at AD	BUILDING	190348.1N 0725254.0E	197 FEET	NO	E3 PRIME (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 60.05 M, IRON ROD TOP - 58.19 M, BUILDING TOP (SLAB) - 55.45 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190347.3N 0725253.4E	193 FEET	NO	STAR DELUXE, PIPE TOP - 58.83 M, BUILDING TOP (PARAPET WALL) - 57.17 M.
In circling area and at AD	BUILDING	190346.5N 0725252.1E	221 FEET	NO	SWANAND (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 67.36 M, WATER TANK TOP - 63.59 M, BUILDING TOP (PARAPET WALL) - 62.04 M.
In circling area and at AD	BUILDING	190341.3N 0725257.6E	212 FEET	NO	SHRI SIDDHI TOWER, WATER TANK TOP - 64.57 M, STAIRCASE ROOM TOP - 64.08 M, BUILDING TOP (PARAPET WALL) - 63.5 7M.
In circling area and at AD	BUILDING	190337.0N 0725241.8E	194 FEET	NO	GALAXY APARTMENT, STAIRCASE ROOM TOP - 59.05 M, WATER TANK TOP - 58.05 M, BUILDING TOP (PARAPET WALL) - 57.32 M.
In circling area and at AD	BUILDING	190336.6N 0725244.4E	207 FEET	NO	GALAXY APARTMENT, LADDER TOP - 63.06 M, WATER TANK TOP - 61.98 M, BUILDING TOP (PARAPET WALL) - 60.61 M.
In circling area and at AD	BUILDING	190335.5N 0725244.3E	204 FEET	NO	GALAXY APARTMENT, WATER TANK TOP - 62.06 M, BUILDING TOP (PARAPET WALL) - 58.15 M.
In circling area and at AD	OTHER	190328.2N 0725313.8E	215 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190327.6N 0725314.2E	213 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190325.4N 0725311.5E	215 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190323.1N 0725310.2E	196 FEET	NO	VATSALABAI CHS(U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 59.83 M, BUILDING TOP(PARAPET WALL) - 59.14 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190327.0N 0725304.6E	212 FEET	NO	SAFFRON RESIDENCY, GRILL TOP - 64.67 M, WATER TANK TOP - 63.68 M, BUILDING TOP (PARAPET WALL) - 62.91 M.
In circling area and at AD	OTHER	190321.6N 0725306.5E	219 FEET	NO	H.T. TOWER
In circling area and at AD	OTHER	190321.5N 0725305.3E	211 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190316.1N 0725337.7E	190 FEET	NO	NAKCHATRA, LADDER TOP - 57.88 M, WATER TANK TOP - 57.17 M, BUILDING TOP (PARAPET WALL) - 56.06 M.
In circling area and at AD	BUILDING	190301.6N 0725332.7E	196 FEET	NO	HARI KUNJ-III, LIGHTNING ARRESTER TOP - 59.83 M, DISH ANTENNA TOP - 57.57 M, WATER TANK TOP - 56.60 M, BUILDING TOP (PARAPET WALL) - 55.20 M.
In circling area and at AD	BUILDING	190256.4N 0725326.7E	246 FEET	NO	KUKREJA CHEMBUR HEIGHTS, DISH ANTENNA TOP - 74.96 M, BUILDING TOP (PARAPET WALL) - 73.41 M.
In circling area and at AD	BUILDING	190307.0N 0725321.4E	232 FEET	NO	PINNACLE (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 70.71 M, BUILDING TOP (SLAB) - 69.74 M.
In circling area and at AD	BUILDING	190308.3N 0725320.3E	247 FEET	NO	PINNACLE (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 75.16 M, BUILDING TOP (SLAB) - 69.77 M.
In circling area and at AD	BUILDING	190305.2N 0725311.2E	275 FEET	NO	ALTA VISTA, WATER TANK TOP - 83.76 M, BUILDING TOP (PARAPET WALL) - 78.07M.
In circling area and at AD	BUILDING	190259.6N 0725312.5E	216 FEET	NO	ODINA WING A, GRILL TOP - 65.82 M, WATER TANK TOP - 64.78 M, BUILDING TOP (PARAPET WALL) - 61.65 M

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190307.4N 0725255.3E	219 FEET	LGTD	RCF PRIYADARSHINI, ANTENNA TOP - 66.75 M, CELLPHONE MAST TOP - 61.75 M, STAIRCASE ROOM TOP - 52.14 M, BUILDING TOP(PARAPET WALL) - 48.38 M.
In circling area and at AD	OTHER	190311.1N 0725253.0E	201 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190308.2N 0725249.4E	229 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190308.1N 0725248.3E	211 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190302.7N 0725244.3E	241 FEET	NO	RAUNAK GROUP(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 73.43 M, BUILDING TOP(SLAB) - 63.08 M.
In circling area and at AD	BUILDING	190301.5N 0725244.7E	239 FEET	NO	RAUNAK GROUP(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 72.86 M, BUILDING TOP(SLAB) - 56.00 M
In circling area and at AD	OTHER	190301.8N 0725240.3E	198 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190301.2N 0725240.5E	198 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190300.4N 0725236.7E	206 FEET	NO	GODREJ COLISEUM, ANTENNA TOP - 62.93 M, HOARDING TOP - 58.33 M, BUILDING TOP(PARAPET WALL) - 56.74 M.
In circling area and at AD	BUILDING	190256.1N 0725238.7E	190 FEET	NO	RUSTOMJEE ASPIREE, ANTENNA TOP - 57.89 M, BUILDING TOP(PARAPET WALL) - 53.15 M.
In circling area and at AD	OTHER	190256.7N 0725233.8E	190 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190256.3N 0725234.2E	195 FEET	NO	H.T.TOWER
In circling area and at AD	OTHER	190252.8N 0725228.8E	194 FEET	NO	H.T.TOWER

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	190252.0N 0725228.7E	196 FEET	NO	H.T.TOWER
In circling area and at AD	BUILDING	190214.1N 0725241.7E	467 FEET	NO	LODHA ENCHANTE, BUILDING TOP(PARAPET WALL)
In circling area and at AD	STACK	190222.2N 0725315.8E	345 FEET	NO	CHIMNEY
In circling area and at AD	BUILDING	190214.0N 0725425.8E	485 FEET	NO	BUILDING (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 147.73 M, STAIRCASE ROOM TOP - 138.55 M, BUILDING TOP(PARAPET WALL) - 133.43 M.
In circling area and at AD	TREE	190140.1N 0725502.8E	975 FEET	NO	TREE ON HILL
In circling area and at AD	BUILDING	190122.8N 0725204.2E	604 FEET	NO	DOSTI EASTERN BAY, TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 184.19 M, BUILDING TOP(SLAB) - 162.18 M.
In circling area and at AD	BUILDING	185839.1N 0725027.5E	1028 FEET	NO	PIRAMAL ARANYA(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 313.05 M, BUILDING TOP(SLAB) - 293.30 M.
In circling area and at AD	BUILDING	190649.0N 0724946.7E	189 FEET	NO	TULIP, STAIRCASE ROOM TOP - 57.60 M, BUILDING TOP - 54.70 M.
In circling area and at AD	BUILDING	185913.5N 0724939.6E	1041 FEET	NO	MINERVA TOWER - A WING, TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 317.20 M, TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 299.37 M, BUILDING TOP (IRON ROD) - 294.54 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190254.6N 0725155.1E	204 FEET	NO	TEMPLE HILL TOWERS, LIGHTNING ARRESTER TOP - 62.16 M, GRILL TOP - 61.54 M, STAIRCASE ROOM TOP - 60.95 M, BUILDING TOP (PARAPET WALL) - 58.70 M.
In circling area and at AD	BUILDING	190252.1N 0725133.0E	263 FEET	NO	PEARL RESIDENCY, GRILL TOP - 80.17 M, WATER TANK TOP - 78.97 M, BUILDING TOP (PARAPET WALL) - 76.25 M.
In circling area and at AD	BUILDING	190300.4N 0725139.9E	260 FEET	NO	SRA (U/C), IRON ROD TOP - 79.34 M, BUILDING TOP (SLAB) - 77.92 M.
In circling area and at AD	BUILDING	190300.8N 0725145.4E	241 FEET	NO	SHATABTI CHS, LADDER TOP - 73.53 M, WATER TANK TOP - 73.15 M, BUILDING TOP (PARAPET WALL) - 70.41 M.
In circling area and at AD	BUILDING	190302.8N 0725138.7E	192 FEET	NO	SRA (U/C), BUILDING TOP (SLAB)
In circling area and at AD	BUILDING	190352.1N 0725158.3E	212 FEET	NO	JIO WORLD CENTRE, WATER TANK TOP - 64.64 M, BUILDING TOP (PARAPET WALL) - 63.60 M.
In circling area and at AD	BUILDING	190351.7N 0725202.0E	248 FEET	NO	JIO WORLD CONVENTION CENTRE, WATER TANK TOP - 75.53 M, BUILDING TOP (PARAPET WALL) - 74.59 M.
In circling area and at AD	BUILDING	190401.2N 0725158.6E	230 FEET	NO	INS TOWERS, STAIRCASE ROOM TOP - 70.00 M, BUILDING TOP (PARAPET WALL) 63.83 M.
In circling area and at AD	BUILDING	190347.8N 0725127.6E	204 FEET	LGTD	ADANI, LIGHTNING ARRESTER TOP - 62.32 M, OBSTRUCTION LIGHT TOP - 60.84 M, SHED TOP - 59.85 M, BUILDING TOP (PARAPET WALL) - 54.82 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190336.0N 0725106.3E	271 FEET	NO	KALPATARU MAGNUS (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 82.53 M, IRON ROD TOP - 73.25 M, BUILDING TOP (SLAB) - 68.61 M.
In circling area and at AD	BUILDING	190334.4N 0725104.5E	280 FEET	NO	KALPATARU MAGNUS (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 85.36 M, IRON ROD TOP - 73.81 M, BUILDING TOP (SLAB) - 68.66 M.
In circling area and at AD	BUILDING	190333.6N 0725101.0E	224 FEET	NO	AKRUTI, LADDER TOP - 68.35 M, WATER TANK TOP - 67.76 M, BUILDING TOP (PARAPET WALL) - 63.61 M.
In circling area and at AD	BUILDING	190333.5N 0725058.6E	266 FEET	LGTD	HUBTOWN SUNSTONE, OBSTRUCTION LIGHT TOP - 81.19 M, DISH ANTENNA TOP - 80.99 M, LIGHTNING ARRESTER TOP - 80.54 M, WATER TANK TOP - 79.55 M, BUILDING TOP (PARAPET WALL) - 74.89 M.
In circling area and at AD	BUILDING	190329.0N 0725058.5E	236 FEET	LGTD	JADE GARDENS, OBSTRUCTION LIGHT TOP - 71.77 M, DISH ANTENNA TOP - 69.12 M, STAIRCASE ROOM TOP - 67.86 M, BUILDING TOP (PARAPET WALL) - 63.30 M.
In circling area and at AD	BUILDING	190328.2N 0725102.7E	337 FEET	NO	RUSTOMJEE SEASONS WING (D) (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 102.70 M, IRON ROD TOP - 88.21 M, BUILDING TOP (SLAB) - 87.05 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190324.3N 0725057.7E	316 FEET	NO	THE PRESIDENTIAL (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 96.41 M, BUILDING TOP (SLAB) - 74.14 M. M.
In circling area and at AD	BUILDING	190320.0N 0725053.6E	350 FEET	NO	THE PRESIDENTIAL (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 106.68 M, BUILDING TOP (SLAB) - 83.50 M.
In circling area and at AD	BUILDING	190310.4N 0725056.8E	273 FEET	NO	MAKER MAXITY (U/C), GRILL TOP - 83.24 M, WATER TANK TOP - 82.06 M, BUILDING TOP (PARAPET WALL) - 73.08 M.
In circling area and at AD	BUILDING	190336.3N 0725046.0E	202 FEET	NO	KALA CHS (U/C), BUILDING TOP (SLAB)
In circling area and at AD	BUILDING	190322.4N 0725010.7E	280 FEET	LGTD	WESTBAY TIRUMALA RESIDENCY CHS, OBSTRUCTION LIGHT TOP - 85.34 M, SHED TOP - 85.23 M, WATER TANK TOP - 84.81 M, BUILDING TOP (PARAPET WALL) - 83.45 M.
In circling area and at AD	BUILDING	190325.8N 0724950.9E	251 FEET	NO	PARK REACH (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 76.53 M, BUILDING TOP (PARAPET WALL) - 75.73 M.
In circling area and at AD	BUILDING	190328.7N 0724956.3E	193 FEET	NO	VINRITA, STAIRCASE ROOM TOP - 58.68 M, BUILDING TOP (PARAPET WALL) - 56.26 M.
In circling area and at AD	BUILDING	190327.5N 0724958.3E	191 FEET	NO	ALMEIDA, SHED TOP - 58.34 M, GRILL TOP - 56.59 M, BUILDING TOP (PARAPET WALL) - 55.12 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190330.8N 0724958.9E	191 FEET	LGTD	ESTRELLA, SINTEX TANK TOP - 58.07 M, OBSTRUCTION LIGHT TOP - 57.42 M, STAIRCASE ROOM TOP - 55.62 M, BUILDING TOP (PARAPET WALL) - 53.54 M.
In circling area and at AD	BUILDING	190332.2N 0724959.2E	191 FEET	NO	BENEZET, DISH ANTENNA TOP - 58.26 M, BUILDING TOP (SLAB) - 57.30 M.
In circling area and at AD	BUILDING	190333.1N 0725018.5E	218 FEET	LGTD	VIDEOCON MATRIX, OBSTRUCTION LIGHT TOP - 66.32 M, STAIRCASE ROOM TOP - 65.79 M, BUILDING TOP (PARAPET WALL) - 62.97 M.
In circling area and at AD	BUILDING	190332.6N 0724947.3E	203 FEET	NO	TOSCANO, DISH ANTENNA TOP - 62.00 M, STAIRCASE ROOM TOP - 61.05 M, BUILDING TOP (PARAPET WALL) - 58.56 M.
In circling area and at AD	BUILDING	190336.3N 0724943.4E	251 FEET	LGTD	WHITE ROSE, OBSTRUCTION LIGHT TOP - 76.61 M, WATER TANK TOP - 75.96 M, BUILDING TOP (PARAPET WALL) - 69.28 M.
In circling area and at AD	BUILDING	190343.0N 0724957.1E	215 FEET	NO	DURU MEHR, GRILL TOP - 65.41 M, WATER TANK TOP - 64.15 M, BUILDING TOP (PARAPET WALL) - 59.73 M.
In circling area and at AD	BUILDING	190345.6N 0724954.4E	198 FEET	NO	SATGURU PAMAN, PLANTATION TOP - 60.35 M, DISH ANTENNA TOP - 58.55 M, BUILDING TOP (PARAPET WALL) - 57.14 M.
In circling area and at AD	BUILDING	190347.4N 0724951.8E	192 FEET	NO	Z16, DISH ANTENNA TOP - 58.59 M, WATER TANK TOP - 57.30 M, BUILDING TOP (PARAPET WALL) - 55.76 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190348.5N 0724950.5E	213 FEET	NO	PALI PALMS, LIGHTNING ARRESTER TOP - 65.02 M, DISH ANTENNA TOP - 63.89 M, STAIRCASE ROOM TOP - 62.93 M, BUILDING TOP (PARAPET WALL) - 61.01 M.
In circling area and at AD	BUILDING	190351.5N 0724955.9E	201 FEET	NO	SUPREME RESIDENCY, DESIGN TOP - 61.37 M, BUILDING TOP (PARAPET WALL) - 59.82 M.
In circling area and at AD	BUILDING	190353.0N 0724943.3E	269 FEET	NO	GIRNAR BUNGALOW, PLANTATION TOP - 82.09 M, STAIRCASE ROOM TOP - 81.27 M, BUILDING TOP (PARAPET WALL) - 79.46 M.
In circling area and at AD	BUILDING	190355.0N 0724956.1E	272 FEET	LGTD	SUPREME, OBSTRUCTION LIGHT TOP - 82.86 M, STAIRCASE ROOM TOP - 82.37 M, BUILDING TOP (PARAPET WALL) - 81.05 M.
In circling area and at AD	BUILDING	190357.7N 0725005.9E	254 FEET	LGTD	EXCEL (U/C), OBSTRUCTION LIGHT TOP - 77.33 M, WATER TANK TOP - 75.58 M, BUILDING TOP (PARAPET WALL) - 68.39 M.
In circling area and at AD	BUILDING	190400.5N 0725006.3E	193 FEET	NO	JASWANT HEIGHTS, SHED TOP - 58.94 M, BUILDING TOP (PARAPET WALL) - 56.74 M.
In circling area and at AD	BUILDING	190401.4N 0725005.8E	222 FEET	LGTD	KHATRI HOUSE, OBSTRUCTION LIGHT TOP - 67.77 M, GRILL TOP - 66.58 M, STAIRCASE ROOM TOP - 65.53 M, BUILDING TOP (PARAPET WALL) - 62.64 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190358.8N 0724959.7E	207 FEET	LGTD	ANY SQUARE (U/C), OBSTRUCTION LIGHT TOP - 63.13 M, WATER TANK TOP - 62.72 M, BUILDING TOP (PARAPET WALL) - 59.52 M.
In circling area and at AD	BUILDING	190401.4N 0724956.3E	238 FEET	NO	SURAT PRAKASH, TEMPORARY CONSTRUCTION LIFT STRUCTURE - 72.43 M, WATER TANK TOP - 70.38 M, BUILDING TOP (PARAPET WALL) - 66.39 M.
In circling area and at AD	BUILDING	190403.6N 0724954.0E	191 FEET	NO	MANGAL CHHAYA, DISH ANTENNA TOP - 58.25 M, WATER TANK TOP - 56.47 M, BUILDING TOP (PARAPET WALL) - 55.11 M.
In circling area and at AD	BUILDING	190402.1N 0724941.6E	282 FEET	NO	PRESTIGE DAFFODILS (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 86.01 M, BUILDING TOP (SLAB) - 78.92 M.
In circling area and at AD	BUILDING	190400.9N 0724941.9E	242 FEET	NO	KUKREJA HEIGHTS, LIGHTNING ARRESTER TOP - 73.84 M, SHED TOP -72.28 M, BUILDING TOP (PARAPET WALL) - 68.42 M.
In circling area and at AD	BUILDING	190358.6N 0724939.1E	219 FEET	NO	NIBBANA ANNEX, SHED TOP - 66.73 M, DISH ANTENNA TOP - 65.94 M, BUILDING TOP (PARAPET WALL) - 64.60 M.
In circling area and at AD	BUILDING	190356.1N 0724937.5E	217 FEET	NO	NIBBANA APARTMENTS, LIGHTNING ARRESTER TOP - 66.16 M, GRILL TOP - 65.19 M, WATER TANK TOP - 64.34 M, BUILDING TOP (PARAPET WALL)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190400.9N 0724935.8E	190 FEET	NO	HARMONY APARTMENTS, DISH ANTENNA TOP - 57.86 M, STAIRCASE ROOM TOP - 56.71 M, BUILDING TOP (PARAPET WALL) - 53.26 M.
In circling area and at AD	BUILDING	190405.9N 0724936.7E	216 FEET	NO	APSARA, STAIRCASE ROOM TOP - 65.85 M, BUILDING TOP (PARAPET WALL) - 60.08 M.
In circling area and at AD	BUILDING	190413.2N 0724927.3E	224 FEET	NO	SAMARPAN, BUILDING, GRILL TOP - 68.25 M, WATER TANK TOP - 66.63 M, BUILDING TOP - 62.29 M.
In circling area and at AD	BUILDING	190420.2N 0724929.1E	208 FEET	NO	PADAMSEE APPARTMENT, LIGHTNING ARRESTER TOP - 63.35 M, DESIGN TOP - 59.25 M, STAIRCASE TOP - 57.67 M, BUILDING TOP - 56.13 M.
In circling area and at AD	BUILDING	190422.9N 0724930.8E	210 FEET	NO	RESIDENCY APARTMENT, ANTENNA TOP - 64.10 M, DESIGN TOP - 61.08 M, BUILDING TOP - 57.95 M.
In circling area and at AD	BUILDING	190425.0N 0724927.2E	199 FEET	NO	QUANTUM PARK (A-WING), AC CHILLER TOP - 60.82 M, DESIGN TOP - 60.66 M, BULIDING TOP - 58.71 M.
In circling area and at AD	BUILDING	190419.1N 0724938.2E	188 FEET	NO	LILIAN, DISH ANTENNA TOP - 57.24 M, WATER TANK TOP - 56.40 M, BUILDING TOP (PARAPET WALL) - 54.16 M.
In circling area and at AD	BUILDING	190420.0N 0724940.1E	205 FEET	NO	LOK NIRMAL CHS, WATER TANK TOP - 62.50 M, BUILDING TOP (PARAPET WALL) - 59.16 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190421.4N 0724941.5E	194 FEET	NO	RAJGRUHA-A SRA, LIGHTNING ARRESTER TOP - 59.16 M, DESIGN TOP - 58.30 M, WATER TANK TOP - 56.50 M, BUILDING TOP (PARAPET WALL) - 52.57 M.
In circling area and at AD	BUILDING	190421.0N 0724941.4E	191 FEET	NO	RAJGRUHA-B SRA, DESIGN TOP - 58.26 M, WATER TANK TOP - 56.43 M, BUILDING TOP (PARAPET WALL) - 52.59 M.
In circling area and at AD	BUILDING	190416.9N 0724944.7E	208 FEET	NO	KONKANASTA (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 63.31 M, IRON ROD TOP - 59.48 M, BUILDING TOP (SLAB) - 55.74 M.
In circling area and at AD	BUILDING	190416.8N 0724948.2E	235 FEET	NO	NIRVAN (U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 71.59 M, IRON ROD TOP - 67.46 M, BUILDING TOP (SLAB) - 61.50 M.
In circling area and at AD	BUILDING	190417.5N 0724958.1E	189 FEET	NO	EKTA IRIS, LADDER TOP - 57.75 M, WATER TANK TOP - 56.77 M, BUILDING TOP (PARAPET WALL) - 54.22 M.
In circling area and at AD	BUILDING	190425.5N 0724951.2E	232 FEET	LGTD	THE 50 SEVEN, OBSTRUCTION LIGHT TOP - 70.84 M, WATER TANK TOP - 70.12 M, BUILDING TOP (PARAPET WALL) - 67.41 M.
In circling area and at AD	BUILDING	190425.5N 0724952.7E	234 FEET	LGTD	EKTA VERVE, OBSTRUCTION LIGHT TOP - 71.19 M, WATER TANK TOP - 70.38 M, BUILDING TOP (PARAPET WALL) - 65.33 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190415.5N 0725011.9E	193 FEET	NO	PARK VISTA, DISH ANTENNA TOP - 58.83 M, WATER TANK TOP - 57.92 M, BUILDING TOP (PARAPET WALL) 56.37 M.
In circling area and at AD	BUILDING	190412.3N 0725016.0E	196 FEET	NO	PLATINA (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 59.58 M, BUILDING TOP (SLAB) - 55.16 M.
In circling area and at AD	BUILDING	190410.9N 0725053.3E	218 FEET	NO	SRA, WATER TANK TOP - 55.22 M, BUILDING TOP (PARAPET WALL) - 52.04 M.
In circling area and at AD	BUILDING	190430.5N 0725100.1E	191 FEET	NO	PRIMUS RESIDENCES, LIGHTNING ARRESTER TOP - 58.27 M, DESIGN TOP - 56.21 M, BUILDING TOP (PARAPET WALL) - 53.54 M.
In circling area and at AD	BUILDING	190429.8N 0725014.3E	225 FEET	NO	NEW LIGHT APARTMENTS (U/C), WATER TANK TOP - 68.47 M, BUILDING TOP (PARAPET WALL) - 64.77 M.
In circling area and at AD	BUILDING	190432.2N 0725013.0E	207 FEET	NO	PR PLATINA (U/C), TEMPORARY CONSTRUCTION LIFT STRUCTURE TOP - 63.14 M, BUILDING TOP (PARAPET WALL) - 56.67 M.
In circling area and at AD	BUILDING	190432.4N 0725010.3E	223 FEET	NO	KANTA APARTMENTS, IRON ROD TOP - 68.14 M, BUILDING TOP (SLAB) - 66.28 M.
In circling area and at AD	BUILDING	190431.5N 0725009.3E	188 FEET	NO	PAVANGIRI CHS, DISH ANTENNA TOP - 57.43 M, WATER TANK TOP - 56.57 M, BUILDING TOP (PARAPET WALL) - 54.54 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190434.2N 0724944.6E	270 FEET	LGTD	RUSTOMJEE PARAMOUNT, LIGHTNING ARRESTER TOP - 82.42 M, OBSTRUCTION LIGHT TOP - 82.30 M, STAIRCASE ROOM TOP - 80.45 M, BUILDING TOP (PARAPET WALL) - 74.10 M.
In circling area and at AD	BUILDING	190434.9N 0724943.7E	280 FEET	NO	RUSTOMJEE PARAMOUNT, LIGHTNING ARRESTER TOP - 85.23 M, STAIRCASE ROOM TOP - 84.58 M, BUILDING TOP (PARAPET WALL) - 82.77 M.
In circling area and at AD	BUILDING	190436.4N 0724944.0E	280 FEET	LGTD	RUSTOMJEE PARAMOUNT, OBSTRUCTION LIGHT TOP - 85.25 M, STAIRCASE ROOM TOP - 84.73 M, BUILDING TOP (PARAPET WALL) - 82.71 M.
In circling area and at AD	BUILDING	190435.6N 0724945.5E	205 FEET	NO	SRA, GRILL TOP - 62.35 M, WATER TANK TOP - 61.34 M, BUILDING TOP (PARAPET WALL) - 57.00 M.
In circling area and at AD	BUILDING	190439.3N 0724948.0E	195 FEET	NO	MIRCHANDANI TRITON(U/C), TEMPORARY CONSTRUCTION CRANE STRUCTURE TOP - 59.45 M, BUILDING TOP (SLAB) - 51.64 M.
In circling area and at AD	BUILDING	190447.6N 0724950.0E	188 FEET	NO	SAVERIA SUDESH CONDOMUNIUM, LADDER TOP - 57.29 M, WATER TANK TOP - 57.11 M, BUILDING TOP (PARAPET WALL) - 55.83 M.
In circling area and at AD	BUILDING	190444.1N 0724958.9E	208 FEET	LGTD	INDRA DHANUSH, OBSTRUCTION LIGHT TOP - 63.41 MM, WATER TANK TOP - 63.34 M, BUILDING TOP (PARAPET WALL) - 60.86 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190442.4N 0725001.5E	192 FEET	NO	KISMAT APARTMENT, DESIGN TOP - 58.48 M, BUILDING TOP (SLAB) - 56.83 M.
In circling area and at AD	BUILDING	190437.7N 0725013.7E	191 FEET	NO	GREEN FIELDS CHS, SOLAR PANEL TOP - 58.11 M, BUILDING TOP (PARAPET WALL) - 56.31 M.
In circling area and at AD	BUILDING	190437.8N 0725014.4E	190 FEET	NO	GREEN FIELDS CHS, SOLAR PANEL TOP - 57.94 M, BUILDING TOP (PARAPET WALL) - 57.18 M.
In circling area and at AD	BUILDING	190436.2N 0725024.2E	199 FEET	LGTD	SERENITY TOWERS, LIGHTNING ARRESTER TOP - 60.63 M, OBSTRUCTION LIGHT TOP - 59.68 M, WATER TANK TOP - 55.21 M, BUILDING TOP (PARAPET WALL) - 53.02 M.
In circling area and at AD	BUILDING	190456.8N 0725045.4E	190 FEET	NO	SIGMA EMERALD, LADDER TOP - 57.85 M, WATER TANK TOP - 57.01 M, BUILDING TOP - 55.61 M.
In circling area and at AD	OTHER	190539.1N 0725118.0E	306 FEET	NO	AERODROME BEACON
In circling area and at AD	BUILDING	190608.7N 0725025.9E	191 FEET	LGTD	INSIGNIA, OBSTRUCTION LIGHT TOP - 58.19 M, STAIRACSE ROOM TOP - 56.61 M, BUILDING TOP (PARAPET WALL) - 54.11 M.
In circling area and at AD	BUILDING	190611.2N 0725008.2E	188 FEET	NO	SHIV KRUPA, PIPE TOP - 57.45 M, BUILDING TOP (PARAPET WALL) - 56.34 M.
In circling area and at AD	BUILDING	190611.5N 0725008.7E	188 FEET	NO	KANAKIA ART HOUSE, PIPE TOP - 57.27 M, BUILDING TOP (PARAPET WALL) - 56.56 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190617.3N 0725000.8E	190 FEET	NO	AKASHDEEP, PIPE TOP - 57.93 M, STAIRCASE ROOM TOP - 57.16 M, BUILDING TOP (PARAPET WALL) - 52.05 M.
In circling area and at AD	BUILDING	190617.7N 0725000.6E	188 FEET	NO	KALPANA, GRILL TOP - 57.24 M, STAIRCASE ROOM TOP - 56.22 M, BUILDING TOP (PARAPET WALL) - 52.95 M.
In circling area and at AD	BUILDING	190630.5N 0724953.2E	190 FEET	NO	VIHAAN, SHED TOP - 57.93 M, BUILDING TOP (PARAPET WALL) - 56.40 M.
In circling area and at AD	BUILDING	190633.4N 0724954.6E	203 FEET	NO	ISMAAB (U/C), TEMPORARY LIFT STRUCTURE TOP - 61.93 M, GRILL TOP - 59.41 M, BUILDING TOP (PARAPET WALL) - 57.12 M.
In circling area and at AD	BUILDING	190634.7N 0724953.2E	192 FEET	NO	DAYANIKETAN, TEMPORARY LIFT STRUCTURE TOP - 58.63 M, IRON ROD TOP - 58.35 M, BUILDING TOP (PARAPET WALL) - 56.32 M.
In circling area and at AD	BUILDING	190635.5N 0724954.9E	202 FEET	NO	MADHUBAN, LIGHTNING ARRESTER TOP - 61.58 M, DISH ANTENNA TOP - 57.81 M, WATER TANK TOP - 56.39 M, BUILDING TOP (PARAPET WALL) - 52.59 M.
In circling area and at AD	BUILDING	190639.8N 0725006.5E	189 FEET	NO	K.L INAYAA, GRILL TOP - 57.53 M, BUILDING TOP (PARAPET WALL) - 56.69 M.
In circling area and at AD	BUILDING	190640.0N 0725003.2E	197 FEET	NO	KALPATARU SOLITAIRE, LIGHTNING ARRESTER TOP - 59.92 M, PLANTATION TOP - 58.47 M, BUILDING TOP (PARAPET WALL) - 56.10 M.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190641.6N 0725000.8E	205 FEET	NO	JUHU VISHAL SOCIETY (U/C), TEMPROARY CONSTRUCTION LIFT STRUCTURE TOP - 62.51 M, BUILDING TOP - 56.95 M.
In circling area and at AD	BUILDING	190646.8N 0724949.7E	191 FEET	NO	PARINEE 11 WEST, HOARDING TOP - 58.15 M, PIPE TOP - 57.61 M, BUILDING TOP - 56.44 M.
In circling area and at AD	BUILDING	190649.0N 0724948.8E	225 FEET	NO	ANANYA(U/C), TEMPROARY CONSTRUCTION CRANE STRUCTURE TOP - 68.54 M, BUILDING TOP - 51.23 M.
In circling area and at AD	BUILDING	190617.0N 0725133.6E	195 FEET	NO	ELANZA (U/C), LIFT TOP - 59.33 M, BUILDING TOP (SLAB) - 57.03 M.
In circling area and at AD	BUILDING	190612.2N 0725148.4E	220 FEET	NO	SHREM FAIRMONT HOTEL (U/C), CRANE TOP - 67.06 M, CRANE TOP - 65.32 M, BUILDING TOP (SLAB) - 53.89 M.
In circling area and at AD	TREE	190143.3N 0725437.5E	685 FEET	NO	TREE ON HILL
In circling area and at AD	TREE	190123.6N 0725503.8E	872 FEET	NO	TREE ON HILL
In circling area and at AD	OTHER	190815.2N 0725231.6E	330 FEET	NO	H.T TOWER
In circling area and at AD	BUILDING	191101.6N 0725140.2E	968 FEET	LGTD	OMKAR ALTA MOUNT (GANDOLA TOP - 295.16 M, LIGHTED TOP - 294.01 M, OHT TOP - 292.94 M, BUILDING TOP - 287.25 M)
In circling area and at AD	BUILDING	190336.8N 0725005.5E	210 FEET	NO	OHT - 63.87 M

VABB AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	MWO Mumbai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H 24

3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Mumbai TAFs Valid 30 hrs for International Flights 00-06 / 06-12 / 12-18 / 18-24 (Only for VABB) TAFs Valid 09 hrs for National Flights Valid 00-09 / 03-12 / 06-15 / 09-18 / 12-21 / 15-24 / 18-03 / 21-06 (For VABB/ VAAU/ VOND/ VASD/ VOLT/ VASL/ VAKP/ VOSR/ VAJL)
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend forecast appended to each METAR at every half an hour HH+10 & HH+40 UTC. Also appended to each SPECI as and when issued.
5	Information on how briefing and/or consultation is provided	Provided Round the clock manually as well as through On Line Briefing
6	Types of flight documentation supplied and language(s) used in flight documentation	Chart form English as per ICAO code
7	Charts and other information displayed or available for briefing or consultation	Charts and other information available for briefing or consultation. SIG Wx. (SWM for FL 100-250 & SWH for FL 250-630) Area Forecast/ Local Forecast/ Take off data Upper Level Charts: - 100, 150, 200, 250, 300, 400, 500, 600, 700, 850. hPa. (i.e. From U10, U15, U20, U25, U30,U40,U50,U60,U70,U85)
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	AMSS, DMDD, Tele-Fax, ,On Line Briefing system (OLBS) available. All the Met briefing products like METARs/ SPECIs/TAFORS/ SIGMETS/ Warnings/ Area Forecasts/Satellite pictures/ Radar pictures/ Upper Air charts along with SIG Wx charts below FL630 issued from WAFC centre, are uploaded in OLBS at scheduled timings. These products can be accessed on this office website: http:// amssmumbai.gov.in by the registered users who are provided with user Id and pass word on request. This OLBS facility is in addition to existing standard practice of manual Met briefing as well as centralized OLBS available on IMD website: http://amssdelhi.gov.in
9	The air traffic services unit(s) provided with meteorological information	Mumbai ATS & ACS
10	Additional information, e.g. concerning any limitation of service.	• Tel 022-26819493/Fax-022-26828009 E mail: supterm01@rediffmail.com& aviationmomumbai@gmail.com • Drishti Transmissometer available for RWY 09/14 & 27. • IAAMS (Integrated Airport Automatic Met system) installed for current weather observations with laser ceilometers and transmissometer at RWY 09/14 & 27. • Doppler Weather Radar available at Colaba used to track and know Convective clouds CB /TCU and their heights /distance. • DCWI system with Ceilometer available on RWY 32. • Tel 022-26819493 •AWOS systems(metrological aids.) commissioned at touchdown RWY 27/RWY 14/RWY 09/RWY 32 MID RWY 09/27 AND MID RWY 14/32

VABB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCR) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
14	134.52 DEG	2871 x 45 M	862/F/A/W/T Asphalt	THR: 190545.63N 0725135.71E RWY END: 190449.70N 0725236.42E
32	314.52 DEG	2871 x 45 M	862/F/A/W/T Asphalt	THR: 190454.19N 0725231.56E RWY END: 190554.67N 0725125.89E
09	89.52 DEG		862/F/A/W/T Asphalt	THR: 190518.44N 0725057.28E RWY END: 190519.89N 0725241.51E
27	269.52 DEG		862/F/A/W/T Asphalt	THR: 190519.79N 0725233.88E RWY END: 190518.37N 0725052.48E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 39.7FT TDZ: 39.3FT	0.18%	NIL	NIL	2991 x 280 M
THR: 25.2FT TDZ: 24.5FT	0.18%	NIL	NIL	2991 x 280 M
THR: 16.4FT TDZ: 16.0FT	0.15%	NIL	NIL	NIL
THR: 23.4FT TDZ: 22.6FT	0.15%	NIL	NIL	NIL

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M		Not Defined	1. PCR 2037/R/D/W/T (Rigid Pavement) 2. Portion of RWY 14 between TWY W7 up to TWY N-N1 Junction used as taxiway. Dual lighting system provided between TWY W6 & TWY N/N1 intersections. 3. Shoulder width of RWY 14/32 is 15m. 4. PCR of Shoulder: 1181/F/C/W/T 5. RWY PCR 862/F/A/W/T, ASPHALT
150M x 100M		Not Defined	1.PCR 2037/R/D/W/T Concrete Beginning 2. Shoulder width of RWY 14/32 is 15 M. 3. PCR of Shoulder: 1181/F/C/W/T 4. RWY PCR 862/F/A/W/T, ASPHALT
240M x 120M		Not Defined	1. Shoulder width of RWY 09/27 is 7.5m. 2. PCR of Shoulder: 699/F/B/W/T 3. Dimension of Strip : 3308 X 280M 4. RWY PCR 862/F/A/W/T, ASPHALT 5. PCR 699/F/B/W/T SHOULDER 6. Dimensions of RWY 3188x60 M
240M x 120M		Not Defined	1. Shoulder width of RWY 09/27 is 7.5m. 2. PCR 2037/R/D/W/T (CONCRETE BEGINNING) 3. PCR of Shoulder: 699/F/B/W/T. 4. Dimension of Strip: 3568 X 280M 5. RWY PCR 862/F/A/W/T, ASPHALT 6. PCR 699/F/B/W/T SHOULDER 7. PCR 2037/R/D/W/T CONCRETE BEGINNING 8. Dimension of RWY 3448x60 M

VABB AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
14	2871	2871	2871	2471	E9 – 2774 M (TORA, TODA, ASDA), W7 – 2409 M (TORA, TODA, ASDA), W6 – 2311 M (TORA, TODA, ASDA), W4 - 1794 M (TORA, TODA, ASDA)
32	2871	2871	2871	2673	W1 – 2823 M (TORA, TODA, ASDA), F5 – 1869 M (TORA, TODA, ASDA), F4 – 1824 M (TORA, TODA, ASDA), RWY Intersection - 1559 M (TORA, TODA, ASDA)
09	3188	3188	3188	3048	N11 – 3048 M (TORA, TODA, ASDA), N10 – 2849 M (TORA, TODA, ASDA), F1 – 2021 M (TORA, TODA, ASDA), N6 – 1882 M (TORA, TODA, ASDA), Q - 1320 M (TORA, TODA, ASDA)

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
27	3448	3448	3448	2965	N1R – 3383 M (TORA,TODA,ASDA) N3 – 3188 M (TORA,TODA,ASDA), N4 – 2814 M (TORA,TODA,ASDA), E1- 2394 M (TORA,TODA,ASDA), E – 2349 M (TORA,TODA,ASDA), Q – 1878 M (TORA,TODA,ASDA),

VABB AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
14	CAT I 740 M LIH	Green WBAR lights on each side of RWY.	PAPI LEFT/3.00 DEG MEHT (64.17FT)	
32	SALS 420 M LIH	Green WBAR lights on each side of RWY.	PAPI LEFT/3.26 DEG MEHT (66.71FT)	
09	CAT I 540 M LIH	Green N/A	PAPI RIGHT/3.00 DEG MEHT (73.93FT)	
27	CAT II 900 M LIH	Green WBAR lights on each side of RWY.	PAPI LEFT/3.00 DEG MEHT (73.93FT)	900 M

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
2871 M 15 M LIH	2871 M 60 M LIH	Red		1. RWY CL Lights Variable White, Last 300M Red, BTN last 300M to last 900M alternate Red 2. RWY Edge Lights Variable White, 400M pre THR Red, Last 600m Yellow in approach direction. 3. PAPI RWY 14 at a distance of 410 m from THR of RWY 14. 4. Barrette with cross bar at 300M, 1st 450M inset. Rest elevated.
2871 M 15 M LIH	2871 M 60 M LIH	Red		1. RWY CL Lights Variable white, Last 300M Red, BTN last 300M to last 900M alternate Red 2. RWY Edge Lights Variable white, 198M pre THR Red, Last 600m Yellow in approach direction. 3. PAPI RWY 32 at a distance of 387 m from THR of RWY 32. 4. 1st 240M inset.

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
3188 M 30 M LIH	3188 M 60 M LIH	Red		1. RWY CL Lights Variable white, Last 300M Red, BTN last 300M to last 900M alternate Red 2. RWY Edge Lights Variable white, 140M pre THR Red, Last 600m Yellow in approach direction. 3. PAPI RWY 09 location 475 m from THR of RWY 09 on right. 4. Barrett/ Truncated Cross Bar at 300 M, 1st 150M. Inset. Rest elevated LIH, INTST LVL.
3448 M 30 M	3448 M 60 M LIH	Red		1. RWY CL Lights Variable white, Last 300M Red, BTN last 300M to last 900M alternate Red 2. RWY Edge Lights Variable white, 483M Pre THR Red, Last 600M Yellow in approach direction. 3. PAPI RWY 27 at a distance of 408 m from THR of RWY 27. 4. Barrett with cross bar at 150M and 300M. 1st 480M inset. Rest Elevated LIH. 5. LIH sequenced FLG LGT supplementing ALS of RWY 27 commissioned. LGT are operated under following conditions: i. BTN 1st Day of OCT upto last Day of MAY whenever reported VIS 3000M or Less, ii. BTN 1st Day of JUN upto last Day of SEP whenever reported VIS 5000M or Less, iii. Whenever reported WX HZ/RA/TS/FU/FG and BKN Clouds with Base 1500FT or less, iv. LGT Intensity adjustable on Pilot request.

VABB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Above New ATC Tower Building, Flashes alternating with white flashes – Frequency 20 per minute, H24
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Not available
		Anemometer	Anemometers is part of Integrated Airport instrument system only.
3	Taxiway edge and taxiway centre line lights;	Edge	REFER AD 2.23
		Centre Line	REFER AD 2.23
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD. Switch Overtime: 15 sec.	
5	Remarks	Rapid Exit Taxiways Indicator Lights Provided: On RWY 27 for Rapid Exit TWY N7, Rapid Exit TWY N8 & Rapid Exit TWY N9. On RWY 09 for Rapid Exit TWY N5. On RWY 14 for Rapid Exit TWY E4. On RWY 32 for Rapid Exit TWY E8 and Rapid Exit TWY W5.	

VABB AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VABB AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by 184851.48N 0725835.19E to 185346.14N 0724833.45E then along a clockwise arc of radius 12 NM centred at 190530N 0725158E to 191601.52N 0725753.92E to 191034.92N 0730933.74E then along a clockwise arc of radius 12 NM centred at 185939.79N 0730412.96E to the point of origin, excluding airspace of TSA509.
2	Vertical limits	FL 95
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Mumbai Tower / Mumbai Approach / Juhu Tower, English
5	Transition altitude	6000 FT

6	Hours of applicability	H24
7	Remarks	**1**. Airspace below 4000 FT AMSL is classified as Class 'D' and airspace at or above 4000 FT AMSL is classified as Class 'C'. **2**. Approach Control Service for Navi Mumbai will be provided by Mumbai APP**.** **3.** Except for airspace in the APCH and TKOF path of VABB RWY 09/27 and 14/32 and airspace under jurisdiction of Shikra ATC, airspace between radial 200 to 340 clockwise up to 25NM from BBB and airspace between radial 341 to 199 clockwise up to 12 NM from BBB up to 1200 FT AMSL for operation of VFR and special VFR flights shall be under jurisdiction of Juhu ATC. **4.** All Helicopters operating within 25 NM from BBB shall address FPL to VAJJZTZX in addition to VABFZQZX. **5.** Except departures from Mumbai all helicopters departing as VFR within 25 NM from BBB shall obtain positive clearance from Juhu ATC prior to departure. **6.** Except when instructed otherwise, all helicopters operating under VFR and special VFR within 30 NM from BBB between radial 200 to 340 clockwise and within 15NM from BBB between radial 341 TO 199 clockwise shall contact JUHU ATC on VHF 124.350 MHZ/ 118.750 MHZ.

VABB AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
SAR	-	123.100 MHZ	SHORT CODE :441931 PSTN : 8991117564
APP	Mumbai Approach	119.300 MHZ	
APP	Mumbai Approach	120.350 MHZ	
APP	Mumbai Approach	124.650 MHZ	
APP	Mumbai Approach	125.450 MHZ	
APP	Mumbai Approach	126.975 MHZ	
APP	Mumbai Approach	127.900 MHZ	
TWR	Mumbai Tower	118.100 MHZ	
TWR	Mumbai Tower	122.500 MHZ	
ATIS	Mumbai information	126.400 MHZ	
ACC	MUMBAI CONTROL/ RADAR	133.425 MHZ	
ACC	Mumbai Control/Radar	120.500 MHZ	SHORT CODE : 441901 PSTN : 0091 22 20888088
ACC	Mumbai Control/Radar	125.350 MHZ	SHORT CODE : 441901 PSTN : 0091 22 20888088
ACC	Mumbai Control/Radar	127.150 MHZ	SHORT CODE : 441920 PSTN : 8991117565
ACC	Mumbai Control/Radar	132.700 MHZ	SHORT CODE : 441901 PSTN : 0091 22 20888088
ACC	Mumbai Control/Radar	133.300 HZ	SHORT CODE : 441901 PSTN : 0091 22 20888088
ACC	Mumbai Control/Radar	133.850 MHZ	SHORT CODE : 441901 PSTN : 0091 22 20888088
ACC	Mumbai Control/Radar	133.925 MHZ	
ACC	Mumbai Control/Radar	135.750 MHZ	SHORT CODE : 441920 PSTN : 8991117565
ALRS	----	121.500 MHZ	
SMC	Mumbai Delivery	121.850 MHZ	
SMC	Mumbai Ground	121.750 MHZ	
SMC	Mumbai Ground	121.900 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	H24	Search and Rescue

Logon address, as appropriate	Hours of operation	Remarks
	H24	1. Approach Arrival 2. Main Frequency
	H24	1.Backup Frequency 2.Combined Backup Frequency for Approach Arrival and Approach Departure
	H24	1. Approach Departure 2. Main Frequency
	H24	1. Approach Arrival 2. Main Frequency
	H24	1. Backup Frequency 2. Combined Backup Frequency for Approach Arrival and Approach Departure
	H24	1. Approach Departure 2. Main Frequency
	H24	NIL
	H24	Tower Backup Frequency
	H24	NIL
	H24	Lower Area Control 1
	H24	RSR (Backup Frequency)
	H24	RSR (S), RCAG at Goa
	H24	NIL
	H24	RSR (N), RCAG at VAAU & VAPR
	H24	Area West, RCAG facility at VAPR
	H24	Area Backup Frequency, RCAG facility at VASU
	H24	Lower Area Control 2
	H24	REMOTE OPERATION AT VAPR
	H24	Emergency Frequency
	H24	Clearence Delivery
	H24	SMC-2
	H24	SMC-1

VABB AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	ISCZ	110.300 MHz	H24
LOC 09 CAT I	IBOM	109.500 MHz	H24
LOC 14 CAT I	IBBY	110.100 MHz	H24
GP 27		335.000 MHz	H24
GP 09	IBOM	332.600 MHz	H24
GP 14		334.400 MHz	H24
DME ILS 27	ISCZ	CH40X	H24
DME ILS 09	IBOM	CH32X	H24
DME ILS 14	IBBY	CH38X	H24
DVOR/DME	BBB	116.600 MHz CH113X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
190518.2N 0725042.0E			LOC inner Coverage of +/- 35 DEG available at 17 NM and outer coverage of +/- 10 DEG available at 25 NM above 3500 FT (AMSL). As per IAP Chart highest obstruction in the INNER SECT is 2690 FT.
190520.0N 0725252.0E			
190446.2N 0725240.2E			
190515.6N 0725222.3E			GP ANGLE 3 DEG. GP Azimuth Coverage +/- 8 DEG available at 2000 FT (AMSL) at 10NM (Obstruction of 1329 FT 9.7 NM)
190514.6N 0725109.0E			GLIDE ANGLE: 3.0 DEG Glidepath Coverage restricted to 7.5 Degree on left side of the centreline
190540.7N 0725147.1E			GP ANGLE 3 DEG. GP Coverage is restricted to 1700FT ABV THR at 10NM.

190515.4N 0725222.3E	42 FT		1. Collocated with GP27 2. Elevation in EGM-08
190514.5N 0725109.0E	36 FT		CollocatedwithGP09 Vertical datum: EGM-08
190540.8N 0725147.2E	59 FT		Elevation in EGM-08
190511.2N 0725227.1E	56 FT		DMECollocatedwithDVOR. Vertical Datum: EGM-08

VABB AD 2.20 LOCAL AERODROME REGULATIONS

I. AIRCRAFT PUSHBACK AND STARTUP PROCEDURES:

1.These procedures shall apply to activities of all agencies involved in aircraft pushback and start-up at Mumbai Airport.

2.The objective of the pushback and startup procedure is to reduce ground conflicts in pushback and startup of aircraft, reduce ground delays and reduce radiotelephony congestion thereby enhancing the operational efficiency of Mumbai Airport.

3.All departures should request for startup within five minutes of the filed EOBT. The aircraft, which fails to request start up within five minutes of the filed EOBT will lose its priority and be considered for startup depending upon the traffic situation and subject to delay

4.The aircraft should be in a position to commence its taxi not more than five minutes after the issue of startup clearance failing which the startup clearance will be cancelled and the aircraft will lose its priority and be considered for startup depending upon the traffic situation and subject to delay.

5.Aircraft on all stands at CSMI Airport, except on stands C21 to C26, shall be pushed back from the stand towards the taxilane/ taxiway centerline, taking into account the taxi route to be followed.

6.MUMBAI GROUND (on frequency 121.9/121.75 MHz, or any alternate frequency) shall be contacted for pushback and startup permission only after the Pilot-In-Command has established that the aircraft is ‘ready’ for pushback/start up.

Note: For the purpose of clarity, ‘ready’ means all doors of the aircraft are closed, the Passenger Boarding Bridge (s) (PBB) / Step Ladder (s) are disconnected / withdrawn, the tug is connected to the aircraft and the ground engineer is in position and in contact with the Pilot-In-Command (PIC).

7.On receiving the above mentioned information, ATC will allow pushback and startup of the aircraft depending on the traffic.

8.ATC may deviate from the standard pushback procedures as stated vide pushback charts for reasons such as traffic or work in progress.

9.Simultaneous push back from adjacent stands is not permitted.

Note: Adjacent stands shall include associated 'L' (left) and 'R' (right) stands except wherever specified otherwise.

10.Simultaneous startup of aircraft engine(s) at adjacent stands may be allowed subject to the airline operator / GHA ensuring safety of personnel / aircraft / property.

11.To approve the pushback and startup request from pilot, phraseology used by ATC may be as given below:

"ATC: [Call sign of Aircraft] –- GROUND, RUNWAY---, PUSHBACK AND STARTUP APPROVED"

12.When deviating from the standard pushback procedure due to any reason, ATC may use any other phraseology other than the one mentioned above.

13.The pilot shall adhere strictly to SOP by aircraft manufacturer/ relevant operational manuals for starting up engine(s) at idle power or breakaway at locations as described below.

14.At all times ground crew must strictly follow the safety instructions on hazard zones set out by aircraft manufacturer / relevant operational manuals.

15.Deployment of wing walkers/wing guards by airline is mandatory prior to undertaking pushback from any stand at CSMI Airport.

16.On receipt of the clearance, the PIC shall read back the pushback clearance given by ATC, then co-ordinate with the ground crew for the pushback and start-up of the aircraft. The ground crew must ensure that the area in the front, behind and around the aircraft is clear of personnel, vehicles, equipment and other obstructions before commencing pushback and startup of the aircraft.

17.The PIC may start one engine, on idle power, before commencing pushback on the aircraft stand, in coordination with the ground crew.

18.Starting of 2nd engine on idle power, before commencing pushback on the aircraft stand, shall be permitted after PIC confirms to ATC that the 2nd engine is being started with appropriate power unit and necessary ground precautions have been ensured.

19.No cross-bleed startup by aircraft is permitted till the pushback and/or pull ahead procedure is complete and the Aircraft is aligned with the taxilane / taxiway centerline marking. Prior to starting the cross bleed, PIC shall seek confirmation from the ground crew for hazard free zone. At all times ground crew must follow the safety instructions on hazard zones set out by aircraft manufacturer/ relevant Operational manuals.

20.Ground crew of aircraft intending to do a cross bleed start must assess the clearance behind and in-front of aircraft and in case they feel that there is insufficient clearance, they shall request SMC for repositioning the aircraft to a position from where cross bleed start can take place. As a broad guideline a separation distance equivalent to 3 (three) aircraft length should be clear behind the aircraft so that there is no jet blast impact behind the aircraft due to cross bleed start.

21.Vehicle or movement of personnel is NOT permitted behind the aircraft once the Anti-collision beacons of the aircraft have been switched ON.

22.For aircraft stands without dedicated pushback lines, stand lead-in line may be used for pushback guidance.

23.Tug Release Points have been provided, wherever necessary, for ease of identifying the point for releasing tug.

24. Nomenclature for Tug release points begins with letter 'T' followed by a numeral / or combination of numeral followed by letter.

25.Pilots shall adhere to the pushback and startup procedures and will use minimum breakaway power.

NOTE: At South East Pier of Apron V, the majority of aircraft operations consist of Code C, whereas the aircraft parking stands provided are MARS which can accommodate parking of two Code C or one Code E type alternatively.

26.Refer AD 2.24 for Pushback charts of respective stands.

Note:

i.At Old Airport (General Aviation apron, South of RWY 09/27), parking of aircraft is non-standard and is Owner's/ Operator's responsibility.

ii.Aircraft on all stands at CSMI Airport, except on stands C21 to C26, shall be pushed back from the stand towards the taxilane/taxiway centerline, taking into account the taxi route to be followed for taxiing.

iii.TWYs/taxilane W6, W7, is suitable for aircraft wing span up to but not including 36 m.

iv.The ground marking and lights of centerlines of TWYs/Taxilanes at South East Pier apron as is given below:

a.B1, B3, B4, Y1, Y3, Y4, Link 4, Link 5, Link 6 & Link 7: Yellow / Centerline lights Green.

b.H1, H3 & portion of TWY M4 between TWY Y1 & Taxilane H1: Centerline lights alternate Orange & Green.

v.All stands on Apron A, G, K, R, S and V have fuel hydrant facility (Except A12, G5L, G5, G5R, V3L and V3R).

vi.To enhance usability, MARS (Multiple Aircraft Receiving Stand) stands have been provided with multiple marking of stand lead line, wherein main parking stand is marked in continuous yellow colour and 'L' and / or 'R' stand marked in interrupted yellow colour.

vii.To enhance usability, Code E Stands S1, S2 and S3 can alternatively be used for parking Code C aircraft on stands S1L, S1R, S2R, S3L and S3R respectively. In such alternative arrangement of parking following restrictions shall apply:

a.When a Code E aircraft is parked on S1 code C aircraft cannot be parked on Stand S1L or S1R.

b.When a Code E aircraft is parked on S2 code C aircraft cannot be parked on Stand S2R, S1R or S3L.

c.When a Code E aircraft is parked on S3 code C aircraft cannot be parked on Stand S3L or S3R.

viii.Pushback from any of the stands V26, V27, V28, onto Taxilane B3, pilot to take caution to ensure clearance from aircraft pushing back from any of the stands K4, K5 or K6 onto Taxilane Y3.

ix.Intermediate holding positions are provided on taxiways/taxilanes as appropriate. However, the following restriction shall apply:

a.When an aircraft above Code C is holding on taxiway M5, short of taxiway M, it will prohibit aircraft taxiing on Taxilane H to H1 and vice versa.

b.However, when a Code C aircraft is holding on taxiway M5, short of taxiway M, aircraft up to Code C can taxi behind it.

x.Simultaneous aircraft movement to/from adjacent stands is not permitted.

xi. PCN value of General Aviation Apron: 60/F/A/W/T (Asphalt), 10/F/A/W/T (Asphalt), 150/R/D/W/T (Concrete)

xii. Portion of H1 (between TWY B1 and Link 5 northern segment), portion of TWY M4 (between TWY Y1 & Taxilane H1) and taxilane H3 shall be used under Follow Me service only.

II.Taxiing Restrictions:

1. Aircraft holding on TWY N1 at holding position RWY 14/32 will prohibit aircraft taxing on TWY E.
2. Aircraft holding on TWY N at holding position RWY 14/32 will prohibit aircraft taxing on TWY W4.
3. Aircraft holding on TWY N at holding position RWY 09/27 will prohibit aircraft taxing on TWY N11:
4. Aircraft holding on TWY N11, N10, N6, W and W4 will prohibit aircraft to taxi on TWY N.
5. Aircraft holding on portion of TWY E (between TWY N1 and RWY09/27) will prohibit aircraft taxiing on TWY N1, behind it.
6. Aircraft holding on TWY N3 or N4 at holding position RWY 27:
 a. If a code C aircraft is holding at RWY 27 holding position on TWY N3 – aircraft up to code C only, can taxi on TWY N1 behind TWY N3.
b. If a code C aircraft is holding at RWY 27 holding position on TWY N4 aircraft up to code C only, can taxi on TWY N1 behind TWY N4.
7. Aircraft holding on TWY F5 at RWY holding position RWY 14/32 will prohibit aircraft taxing on TWY E1 behind.
8. Simultaneous taxiing on TWYs B1/Y1, taxilane B3/Y3 and TWYs B4/Y4 by aircraft up to Code C is permitted.
9. Aircraft taxiing on parallel code C TWYs B1 / Y1 and TWY B4 / Y4 shall not exceed taxiing speed of 10 knots.
10. When RWY 27 is in use, entry to Apron A is only via TWY L1 and Exit only via TWY L4. TWY L3 to be used only in case of contingency.
11. Portion of taxilane W7 from its junction with TWY 'N' up to holding point RWY 14 designated as Taxilane W7 and the portion beyond holding position RWY14 up to junction of RWY 14 is TWY W7.
12. Portion of TWY W6 from its junction with TWY 'N' up to holding point RWY14 designated as taxilane W6 and the portion beyond holding position RWY14 up to junction of RWY14 is TWY W6.
13. Portion of TWY W1 between holding position RWY 32 up to behind aircraft stand J8 designated as aircraft stand taxilane W1.
14. Aircraft for stand no. C21 to C26 to taxi in from South to North only, via TWY N and taxilane W6 and taxi out via taxilane W7 with right turn only.
15. Aircraft entering RWY 27 from TWY N1 to strictly follow the centerline marking and lights. No lock turn for lining up on RWY 27 from TWY N1 is permitted.
16. Aircraft to use minimum thrust while entering/lining up on RWY 14 from TWY E10.
17. ACFT shall cross RWY in use only after obtaining Positive Clearence on TWR FREQ 118.1.
18. Pilots/Operators shall take all ground precautions and use minimum required power in exiting the stands notified as power-in/push-back stands.
19. Air taxiing of Helicopter not allowed in old Airport Apron.
20. Discretion to line up from taxiway N1 or taxiway N1R (right) lies with the pilot in order to improve runway capacity by reducing runway occupancy time.
21. Taxiway F1 will be preferred exit taxiway for Runway 27 for aircraft up to code C allotted parking at General Aviation
.22. TWY F1 meets all requirements of Rapid Exit Taxiway (RET) as per DGCA Civil Aviation Requirements though the same is currently not published as a RET.
23. Aircraft up to code D (wing span up to but not including 52 m) vacating RWY 27 via TWY F1 shall continue on Taxiway F1 up to Taxiway F1/ F3 junction
24. No aircraft are permitted to turn left after vacating Runway 27 via taxiway F1 to join taxiway 'D1' for parking at General Aviation Apron, Taxiway F3 shall be used for access to General Aviation Apron
25. Taxiway intermediate holding position provided on south of side Taxiway F1 / F3 junction for holding of aircraft taxiing / towing from Jet Airways and Indian Navy hangar.
26. Taxiway centerline lights for taxiway F1 are provided until the junction of taxiway F1 with taxiway F3.
27. Taxiway F3 is suitable for taxiing aircraft up to Code C (wing span up to but not including 36m) only.
28. Aircraft above Code C are not permitted to taxi on Taxiway F3.
29. Link 'C9' is available for taxiing of aircraft up to Code C only. Change over from Taxilane W7 to Taxilane W6 or vice versa is permitted after coordination with ATC.

30. Intermediate Holding Position short of Link ‘C9’ is provided for holding of aircraft on Taxilane W7 clear of Link ‘C9’.
31. ACFT HLDG on RWY HLDG PSN TWY N11 for RWY 09 will restrict taxi and HLDG of ACFT on TWY N behind. ACFT HLDG on RWY HLDG PSN TWY N for RWY 09 will restrict taxi and HLDG of ACFT on TWY N11 behind.
32. Taxi of ACFT A380 permitted on TWY N1, N1R, N3, N4, N5,N6, W, N8, N9, N10, N11, N, M, M5, M6, M7, M8, E, E1 , E3, E4, E5, F5, W4, E7, E8, E9, E10, portion of M4 BTN TWY N1 and TWY M, and portion of taxilane H BTN TWY M7 and TWY M5.
33. Under Follow Me service Towing or Taxi of A380 permitted on portion of Taxilane P BTN TWY E5 and Taxilane H and portion of Taxilane H BTN Taxilane P and TWY M7.
34. Portion of Taxilane H1 between junction of TWY B1/H1 up to TWY Link-5 not available for ACFT taxi, However portion is available for ACFT towing under Follow Me Service.
35. Portion of Taxilane H3 between TWY Link 6 up to behind ACFT Stand V31 not available for ACFT taxi, However portion is available for ACFT towing under Follow Me Service.
36. Simultaneous holding or taxiing of ACFT at RWY holding position TWY E9 and RWY holding position TWY E10 not permitted.
37. The following precautions and restrictions are applicable for use of TWY Z:
i. Whenever there is pushback from stands V3L to V6R, aircraft taxiing via taxiway Z shall hold on to intermediate holding position on TWY Z abeam stand V7.
ii. Aircraft movement on TWY Z and TXL T are interdependent beyond Intermediate Holding Position abeam stand V7.
38. At SE Pier Apron from stands V23 up to V32 and from stands K3 up to K6 code D & E aircraft shall Tow / Taxi under follow-me service only.
39. When code F aircraft (B-748/AN-124) pushback is in progress on taxilane P or taxiing on taxilane P, no aircraft above code C is permitted between Link 1 upto junction of Taxilane H/T.
40. Simultaneous taxiing of Code E aircraft on TXL P and TXL T is Permitted. Separation Distance Between TXL P and TXL T Is 75m.
41. Aircraft holding on TWY M at holding position RWY 14/32 will prohibit aircraft taxing on TWY E.
42. Right and left turns from TWY M towards TWY N1 and TWY E5, and vice versa not available
43. Aircraft shall not hold on to any LINKS during taxi. In case unable due exigency, aircraft shall inform controller immediately. Pilots to exercise caution while taxiing on LINKS.

III.AIRPORT COLLABORATIVE DECISION MAKING (A-CDM, MUMBAI)

1. INTRODUCTION

1.1 Efficiency of Air Transport System is highly dependent on traffic predictability. A-CDM effectively enhances predictability (this reduces buffer times for resource planning and flight times), overall efficiency and punctuality by linking and sharing of accurate and timely information amongst Aircraft Operators, Airport Operator, ATC etc.

1.2 A-CDM is a Common Information Sharing Platform introduced to process timely and accurate information for quick and precise decision making. A-CDM takes into consideration the ETAs of arriving aircraft, Target Off Block Times of departures, Runway-in-use and the handling capacity of the runway, and determines the arrival and departure sequence. Based on the sequence and the parking position, it calculates the Target Take-Off Times & Target Start up Times of departures and Target In-Block Times for arrivals.

2. TWO KEY PARAMETERS OF A-CDM: TOBT and TSAT

2.1 TARGET OFF-BLOCK TIME (TOBT)

2.1.1 Definition: The time that an Aircraft Operator estimates that an aircraft will be ready, all doors closed, boarding bridge removed, push back vehicle available and ready to start up/push back immediately upon reception of clearance from the SMC (GROUND). It is the real time target of ensuring readiness of an aircraft and therefore, more accurate than the static departure time mentioned in the flight plan and hence, an ideal milestone to be used by all airport partners.

2.1.2 Communication of TOBT:

In case, 'No delay' is expected:

If there is no revision of EOBT, EOBT will be treated as the TOBT. There is no need of any communication from the Aircraft Operator to the ARO.

In case, delay is expected:

i. If delay is within the validity period of Air Defence Clearance (ADC), TOBT shall be changed in ACDM interface by the Aircraft Operator and optionally EOBT may be revised via AFTN through DLA/CHG message or by informing ARO. ARO will originate DLA/CHG message on receiving such information.

ii. If delay is outside the validity period of Air Defence Clearance (ADC), EOBT shall be revised through DLA message or by informing ARO. (Option of change of TOBT will not be available in this case).

iii. ADC Validity Period: (-)15 minutes to (+)45 minutes of EOBT in FPL or subsequent revision of EOBT by DLA/CHG message.

Once Target Start-up Approval Time (TSAT) is allocated by system, at TOBT- 30 minutes, the TOBT can be updated thrice.

2.1.3 Accuracy: TOBTs must be updated to an accuracy of +/- 5 minutes.

2.2 TARGET START UP APPROVAL TIME (TSAT)

2.2.1 Definition: The time calculated by A-CDM application taking into account TOBT, CTOT and/or the traffic situation that an aircraft can expect to start-up/push back for departure.

Note: In case there is no congestion, ATC may allow the aircraft actual start up approval (ASAT) even before the TSAT.

2.2.2 Calculation of TSAT: TSAT is calculated automatically by A-CDM Application. The TSAT is calculated by taking into account TOBT, priority of aircraft, variable taxi times, and the runway capacity. Any revision of EOBT will trigger the A-CDM application to recalculate a new TSAT for that flight as well as to re-allocate earlier TSAT to next flight who meets the requisite conditions. TSAT is displayed in various ACDM interfaces in the following colour coded information.

- Blue colour: TSAT -15 minutes up to TSAT -5 minutes
- Green colour: TSAT -5 minutes up to TSAT +5 minutes
- Red colour: After TSAT +5 minutes.

2.2.3 Generation of TSAT: TSAT is generated by ACDM interface at TOBT - 30minutes.

2.2.4 Communication of TSAT: TSAT will be displayed in various A-CDM interfaces. The AO/GHA shall advise flight crew of TSAT, displayed in the A-CDM interface.

2.2.5 Priorities for generation of TSAT:

The following aircraft will be accorded priority by A-CDM application at the time of generating TSATs:

- VVIP flights
- Ambulance aircraft
- Aircraft in relief missions
- Aircraft returning to stand after push back/taxiing out for any reason.

2.2.6 Airlines/GHAs are required to monitor the A-CDM interface regularly to get information on the revised TSAT if any, in respect of their aircraft. It may please be noted that the earlier allocated TSAT may get changed due to the following reasons:

i. Change of runway

ii. Change in taxi times

iii. Revised TOBT of the subject aircraft

iv. Cancellation/ revision in TOBT of other aircraft in the departure sequence.

v. Priority handling

vi. Unusual Occurrences, etc.

vii. Application of ATFM regulation or ATC restriction resulting in new CTOT or start up delay

viii. Inclement Weather

ix. Bird activity*

x. Change of route (SID)*

* [Future provision]

2.2.7 Accuracy: The TSAT will remain valid for +/- 5 minutes.

3. Co-ordination with the Air Traffic Flow Management Unit (ATFMU)

3.1 A fully automatic data exchange with the ATFMU is established. A-CDM system is receiving ELDT and CTOT from C-ATFM.

3.2 The data sent from A-CDM to C-ATFM enables accurate and efficient CTOT calculations.

4. A-CDM Start-up/Push-back procedures

4.1 Pre-Departure Sequence: Pre-Departure sequence is the order, in which the ATC plans the aircraft to depart from their Gate/Stands. It should not be confused with the Pre-Take-off sequence where ATC decides on the order in which the aircraft at holding points of the runway will depart.

4.2 Start-Up and Push-Back Procedure:

i. The aircraft must be ready for Start-up/Push-back at TOBT. Any revisions in TOBT shall be updated by the aircraft operator at the earliest.

ii. The Pilot will contact Clearance Delivery (CLD) and request for Pre-Departure Clearance between TSAT -15 minutes to TSAT-5 minutes. (Blue Zone)

iii. Pilot shall contact SMC (GROUND) for Start-up/Push-back between TSAT-5 minutes and TSAT+ 5 minutes (Green Zone), subject to change over from CLD.

Note: The system may prepone TSAT up to TOBT

iv. If by TSAT +5 minutes (Red Zone after TSAT+5 minutes), ATC has not received Start-up/Push-back request, the aircraft will lose its position in sequence. In such case:

a. Aircraft Operator shall update the TOBT

b. A revised TSAT will be issued because of resequencing done based on new TOBT.

v. ATC should normally be able to issue start-up/push-back at TSAT. Pilots will be informed by ATC if there is a delay.

vi. Taxi clearance shall be requested within 5 minutes of Start-up/Push-back approval time.

Note: If this has not occurred, SMC (GROUND) must be notified of the extent of delay. In such cases, aircraft may lose its departure slot and a new TOBT may be required. Aircraft Operator shall be responsible to obtain new ADC number from IAF-MLU.

vii. The Pre-Departure (Off- block) Sequence will be determined in accordance with Target Start up Approval Time (TSAT) and NOT in accordance with the Start-up Request. Pre-Departure Sequence will not have any bearing on Actual Departure sequence.

(Note: Actual Departure sequence may differ from pre-departure sequence in order to optimize the Runway and Airspace utilization.)

5. INFORMATION DISSEMINATION TO A-CDM STAKEHOLDERS

Relevant information for stakeholders, available with A-CDM system, is disseminated through following means:

i. Access controlled application interface provided to representatives of Airline Operators, Ground Handlers and Airport Operator.

ii. Web interface, www.acdm.in that can be accessed after registering on the website.

iii. Display boards on the airside at certain parking stands, in the viewable area of cockpit crew, where limited information is disseminated.

6. TERMS AND ABBREVIATIONS

All Acronyms are time parameters which have a standard length of four characters and have been arranged as per aircraft movement sequence.

[While developing the A-CDM procedures, the guidance material published by Euro control, ICAO and other Organizations has been used].

S. NO.	ACRONYMS	DEFINITION	EXPLANATION
6.1	ELDT	Estimated Landing Time	The estimated time that an aircraft will touchdown on the runway. (Equivalent to ATC ETA = Estimated Time of Arrival = landing).
6.2	ALDT	Actual Landing Time	The time that an aircraft lands on a runway. (Equivalent to ATC ATA = Actual Time of Arrival = Landing, ACARS = ON).
6.3	EXIT	Estimated Taxi-In Time	The estimated taxi time between landing and in- Block.
6.4	AXIT	Actual Taxi-In Time	AXIT = AIBT – ALDT
6.5	SIBT	Scheduled In-Block Time	The time that an aircraft is scheduled to arrive at its first parking position.
6.6	EIBT	Estimated In-Block Time	The estimated time that an aircraft will arrive in-blocks. (Equivalent to Aircraft Operator's ETA = Estimated Time of Arrival).
6.7	AIBT	Actual In-Block Time	The time that an aircraft arrives in-blocks. (Equivalent to Aircraft Operator's ATA = Actual Time of Arrival, ACARS = IN).
6.8	STTT	Scheduled Turnaround Time	STTT = SOBT – SIBT
6.9	ETTT	Estimated Turnaround Time	The time estimated by the AO/GH on the day of operation to turnaround a flight taking into account the operational constraints.
6.10	MTTT	Minimum Turnaround Time	The minimum turnaround time agreed with an AO/GH for a specified flight or aircraft type.
6.11	ATTT	Actual Turnaround Time	ATTT = AOBT – AIBT
6.12	ASRT	Actual Start Up Request Time	Time the pilot requests start up clearance.
6.13	TSAT	Target Start Up Approval Time	The time provided by ATC taking into account TOBT, *CTOT** and/or the traffic situation that an Aircraft can expect start-up / push back approval. Note: The actual start up approval (ASAT) can be given in advance of TSAT.
6.14	ASAT	Actual Start Up Approval Time	Time that an aircraft receives its start-up approval.
6.15	SOBT	Scheduled Off-Block Time	The time that an aircraft is scheduled to depart from its parking position.
6.16	EOBT	Estimated Off-Block Time	The estimated time at which the aircraft will start movement associated with departure (ICAO).
6.17	TOBT	Target Off-Block Time	The time that an Aircraft Operator estimates that an aircraft will be ready, all doors closed, boarding bridge removed, push back vehicle available and ready to start up / push back immediately upon reception of clearance from the SMC (GROUND).
6.18	AOBT	Actual Off-Block Time	Time the aircraft pushes back / vacates the parking position. (Equivalent to Aircraft Operator's ATD = Actual Time of Departure & ACARS = OUT)
6.19	ARDT	Actual Ready Time (for Movement)	When the aircraft is ready for start-up/push back or taxi immediately after clearance delivery, meeting the requirements set by the TOBT definition.
6.20	EXOT	Estimated Taxi-Out Time	The estimated taxi time between off-block and take off. This estimate includes any delay buffer time at the holding point prior to take off.

6.21	AXOT	Actual Taxi-Out Time	AXOT = ATOT – AOBT
6.22	ETOT	Estimated Take Off Time	The estimated take off time taking into account the EOBT plus EXOT.
6.23	CTOT*	Calculated Take Off Time*	A time calculated and issued by the appropriate Central Management unit, as a result of tactical slot allocation, at which a flight is expected to become airborne. (ICAO Doc 7030/4 – EUR, Table 7)*
6.24	TTOT	Target Take Off Time	The Target Take Off Time taking into account the TOBT/TSAT plus the EXOT. Each TTOT on one runway is separated from other TTOT or TLDT to represent vortex and/or SID separation between Aircraft.
6.25	ATOT	Actual Take Off Time	The time that an aircraft takes off from the runway. (Equivalent to ATC ATD = Actual Time of Departure, ACARS = OFF).

IV. STOP BARS AND NO-ENTRY BARS:

1. SYSTEM DESCRIPTION OF STOP BAR AND NO-ENTRY BAR:

1.1 Stop bar

1.1.1 Stop bar consists of lights spaced at uniform intervals of not more than 3m across the taxiway, showing red in the intended direction of approach to the runway - holding position.

1.1.2 Stop bars installed at a runway-holding position are unidirectional and shall show red in the direction of approach to the runway.

1.1.3 Total twenty-eight (28) stop bars are installed at CSMIA across the taxiways at runway holding positions as given below:

a) For RWY 09/27 - TWY N1 (TWY N1 at beginning of RWY 27), TWY N3, TWY N4, TWY E, TWY E1 (E1 holding position for RWY 09/27) , TWY W, TWY Q, TWY N6, TWY N10 and TWY N11, TWY N (TWY N at beginning of RWY 09), TWY D1 and TWY F1.

b) For RWY 14/32 –TWY E10, TWY E9, TWY E7, TWY W7, TWY W6, TWY W4, TWY E5, TWY N (at intersection of TWY N and RWY 14/32), TWY N1 (intersection of TWY N1 and RWY 14/32), TWY F5, TWY F4, TWY E3 and TWY E1 and TXY M(TWY M holding point for RWY 14/32) and TWY W1.

1.1.4 When a stop bar is illuminated, any taxiway centreline lights installed beyond the stop bar shall not be illuminated for a distance of at least 90m.

1.1.5 Taxiways where taxiway centreline lights are installed beyond stop bars are:

(a) For RWY 09/27 - TWY N1 (TWY N1 at beginning of RWY 27), TWY N3, TWY N4, TWY E, TWY E1 (E1 holding position for RWY 09/27), TWY W, TWY Q, TWY N10, TWY N11, TWY N (TWY N at beginning of RWY 09) and TWY F1.

(b) For RWY 14/32 – TWY E5, TWY W4, TWY W7, TWY N (at TWY N and RWY 14/32 intersection), TWY N1 (at TWY N1 and RWY 14/32 intersection) and TWY M.

1.1.6 Taxiway centreline lights are not installed beyond the Stop bars on following nine (09) locations on taxiways:

(a) For RWY 09/27 - TWY N6.

(b) For RWY 14/32 – TWY E1, TWY E3, TWY F4, TWY F5, TWY W6, TWY E7, TWY E9, TWY E10. TWY M (TWY M holding point for RWY 14/32), TWY D1 and TWY W1.

1.1.7 Stop bars are interlocked with the taxiway centreline lights such that when a stop bar is ON, taxiway centreline lights beyond the stop bar are OFF and vice versa.

1.2 No-entry Bar

2.2.1 A no-entry bar should be located across the taxiway at the end of an exit only taxiway where it is desired to prevent traffic from entering the taxiway in the wrong direction.

1.2.2 No-entry bar consists of unidirectional lights spaced at uniform intervals of not more than 3 m showing red in the intended direction(s) of approach to the runway

1.2.3 At CSMIA, no-entry bars are installed at RET N5, RET N8, RET N9 and RET W5, RAPID EXIT TWY E4, RAPID EXIT TWY E8 AND RAPID EXIT TWY N7.

2. OPERATING PROCEDURE FOR STOP BARS:

2.1 ATC clearance issued on tower frequency shall be the primary clearance to enter / cross the runway in use and stop bar indications shall be additional visual clearance. Both primary and visual clearance, wherever applicable, are mandatory for entering the runway in use except the conditions mentioned in para 2.1.2.2.

2.1.1 Operations of stop bars by Tower Controller: Stop bars shall be operated manually by tower controller. Stop bars can be operated either in sequence control mode or static control mode.

(a) Sequence Control Mode Operation: Switching off of a Stop bar through sequence control switch turns OFF a stop bar and turns ON the taxiway centreline lights at least up to a distance of 90 meters ahead of the stop bar (wherever provided) for a duration of 30 seconds after which the system shall automatically turn ON the stop bar and turn OFF the taxiway centreline line lights.

(b) Static Control Mode Operation: When a Stop Bar is switched off from static control switch, the stop bar remains OFF and the taxiway centreline lights at least up to a distance of 90 meters ahead of the stop bar (wherever provided) remain ON until the static control switch is again operated by tower controller to turn ON the stop bar lights and turn OFF the taxiway centreline lights.

2.1.2 Operations of Stop bars as per prevalent RVR conditions:

2.1.2.1 Operations of Stop bars when RVR is less than 550M: **All** available stop bars provided on taxiways associated with Runway in use shall be 'ON', and tower controller will operate the stop bar(s) in sequence control mode wherever required.

2.1.2.2 Operations of Stop bars when RVR is 550M or more:

2.1.2.2.1 As per the runway in use, given below is the status of stop bars:

(a) RWY in use 27 :

(i) Stop Bars at the following taxiways shall be kept '**ON**': TWY N4, TWY E, TWY W, TWY Q , TWY N6 , TWY N10 , TWY N11 , TWY N TWY E1 (at Runway holding position RWY 09/27) TWY D1 and TWY F1

(ii) Stop Bars at the following taxiways shall be kept in '**OFF' position**: TWY N1 (at Runway holding position 27) and TWY N3.

(b) RWY in use 09:

(i) Stop Bars at the following taxiways shall be kept '**ON**': TWY N11, TWY N6, TWY W, TWY Q, TWY E (at Runway holding position RWY 09 /27), TWY N4, TWY N3, TWY N1, TWY E1 (at Runway holding position RWY 09/27) TWY D1 and TWY F1

(ii) Stop Bars installed at the following taxiways shall be kept in **'OFF' position**: TWY N (at Runway holding position RWY 09), and TWY N10.

(c) RWY in use 14:

(i) Stop Bars at the following taxiways shall be kept **'ON'** : TWY E1, TWY E3, TWY F4, TWY N (at Runway holding position RWY 14/32), TWY W4, TWY E7, TWY E9, TWY F5, TWY W1 and TWY M.

(ii) Stop Bars at the following shall be kept in **'OFF' position** : TWY N1 (at Runway holding position RWY 14/32) , TWY E5, TWY E10, TWY W7, TWY W6.

(d) RWY in use 32:

(i) Stop Bars installed at the following taxiways shall be kept '**ON**' : TWY E3, TWY F5, TWY N1 (at Runway holding position RWY 14/32) , TWY E5, TWY E10, TWY W7, TWY W6, TWY W4, TWY F4, TWY E7, TWY E9, TWY W1 and TWY M.

(ii) Stop Bars installed at the following taxiways shall be kept in **'OFF' position**: TWY E1, TWY N (at Runway holding position RWY 14/32).

CAUTION: Aircraft and Vehicles are not permitted to enter / cross the runway without positive clearance from ATC on radio telephony even though the stop bars ahead are non-illuminated.

2.1.3 Stop bars associated with the runway not in use for takeoff and landing shall normally be kept 'OFF'.

2.1.4 Operations of Stop Bars during change of runway: During the realignment of the traffic on ground when runway in use is being changed, tower controller shall operate stop bars as per the traffic scenario.

2.1.5 Notwithstanding the above, Air Traffic controller may deviate from the Above mentioned procedures in the interest of flight safety and operational efficiency.

3. Information about unserviceability / maintenance of stop bars and no-entry bars will be promulgated through NOTAM.

V. ADVERSE WEATHER OPERATIONS PLAN:

1.0 INTRODUCTION

1.1 The purpose of this Adverse Weather Operations Plan (AWOP) is to ensure that aviation operations at Chhatrapati Shivaji Maharaj International Airport, Mumbai, are carried out safely with minimum possible and anticipated disruptions causing least passenger inconvenience.

1.2 The procedures mentioned hereunder highlight the important aspects of the Adverse Weather Operations Plan (AWOP) of CSMI Airport to be used by the concerned stakeholders (Airlines, ANSP, Regulator, etc.) during adverse weather at the airport.

2.0 OBJECTIVE

2.1 The objective of the AWOP is to have a response that is predetermined and agreed upon by all stakeholders, to an adverse weather that is likely to endanger any operation in airside.

3.0 SCOPE

3.1 Mumbai typically faces the following adverse weather conditions:

a) Strong winds (due to gale, squall, storm, tropical cyclone, etc.)

b) Rain (causing flooding in some cases)

c) Thunderstorm

d) Low visibility (due to rain / fog / smog)

3.2 AWOP therefore covers only the above listed adverse weather phenomena from (a) through (d), and does not cover others such as ice, frost, freezing rain, snow, etc.

3.3 The AWOP covers aircraft and airside operations at CSMI Airport, Mumbai.

4.0 APPLICABILITY

4.1 It applies to all concerned stakeholders in airside operations, Airlines, Ground Handling Agencies, Air Navigation Services Provider (ATM, CNS, AIM of AAI), India Meteorological Department (IMD), Aircraft Fuelling Companies, etc.

5.0 ACTIVATION AND WITHDRAWAL OF PROVISIONS IN ADVERSE WEATHER OPERATIONS PLAN.

5.1 Depending on the present and forecast weather information received from IMD, the aerodrome operator will decide on activating or withdrawal of the provisions laid down in the adverse weather operations plan.

NOTE:

i) Stakeholders, on their part, shall continue to monitor the developing adverse weather situation themselves for taking necessary incident/accident prevention measures and not wait for the aerodrome to inform them of the approaching adverse weather.

ii) Stakeholders shall comply with the DGCA / Manufacturer / Company requirements and guidelines with respect to all weather / adverse weather operations as issued from time to time.

iii) Stakeholders shall follow company operating minima or AWOP minima, whichever is more restrictive.

6.0 HANDLING OF AIRCRAFT EMERGENCIES DURING ADVERSE WEATHER

a) Restrictions specified in AWOP will not be applicable to aircraft under emergency.

b) The Pilot-In-Command of an aircraft shall have final authority as to the operations of the aircraft while in command.

7.0 HIGHLIGHTS OF RESRICTIONS IMPOSED DURING ADVERSE WEATHER CONDITIONS

7.1 Strong Winds

A) When surface wind speed greater than or equal to 27 kts

i) Ensure passenger safety in airside on non-contact stands. Consider ceasing operations from non-contact stands

(Action By: Airlines, GHA, Aerodrome Operator)

B) When surface wind speed greater than or equal to 37 kts

i) Shut down all activities in airside (aviation and non-aviation) and staff be advised to stay indoors, except when responding to an emergency. (Action By: Airlines, GHA, Aerodrome Operator)

ii) No vehicle / equipment movement to be allowed in airside except that for the purposes of emergency, safety and security. (Action By: Airlines, GHA, Aerodrome Operator)

iii) Aircraft boarding / de-boarding to be stopped and PBBs to be secured in its parking position using chocks. (Action By: Airlines, GHA, Aerodrome Operator)

iv) Aircraft cargo loading / offloading to be stopped and equipment, etc. to be taken to its normal parking locations and secured properly. (Action By: Airlines, GHA)

v) Notify temporary non-availability of runways for landing and takeoff to aircraft, airlines, GHA, C-ATFM and other stakeholders. (Action By: ATC, Aerodrome Operator)

7.2 Rain

A) When rainfall intensity is heavy or higher and surface wind speed greater than or equal to 27 kts:

i) No vehicle / equipment movement to be allowed in airside except that for the purposes of emergency, safety and security. (Action By: Airlines, GHA, Aerodrome Operator)

ii) Notify temporary non-availability of runways for landing and takeoff to aircraft, airlines, GHA, C-ATFM and other stakeholders. (Action By: ATC, Aerodrome Operator)

iii) Aircraft cargo loading / offloading to be stopped and equipment, etc. to be taken to its normal parking locations and secured properly. (Action By: Airlines, GHA)

B) When the rainfall intensity is very heavy or higher:

i) No vehicle / equipment movement to be allowed in airside except that for the purposes of emergency, safety and security. (Action By: Airlines, GHA, Aerodrome Operator)

C) When the rainfall intensity is extremely heavy:

i) Shut down all activities in airside (aviation and non-aviation) and staff be advised to stay indoors, except when responding to an emergency. (Action By: Airlines, GHA, Aerodrome Operator)

Note: Rain is liquid precipitation in the form of water drops of radius between about 500 micrometer and 2500 micrometer and may be classified as hereunder in Table 1:

Table 1

Descriptive Term Used	Rainfall Amount Per Hour
No Rain	0.0 mm
Very light Rain	0.1- 2.4 mm
Light Rain	2.5 – 15.5 mm
Moderate Rain	15.6 – 64.4 mm
Heavy Rain	64.5 – 115.5 mm
Very Heavy Rain	115.6 – 204.4 mm
Extremely Heavy Rain	> 204.4 mm

7.3 Thunderstorm

A) When there is heavy lightening over the airfield and its immediate surroundings:

i) The following activities on the airside shall be stopped:

- Fueling of aircraft
- Carrying headsets and use of headset connection with aircraft
- Loading/unloading (inclusive catering)
- To be out in the open or beneath an aircraft

(Action By: Airlines, GHA, Aerodrome Operator)

7.4 Low visibility

A) When reported RVR < 550 m:

i) Notify temporary non-availability of runways for landing and take-off to aircraft, airlines, GHA, C-ATFM and other stakeholders except if LVP/LVTO is in progress (refer Part VIII) LOW VISIBILITY PROCEDURE) (Action By: ATC, Aerodrome Operator)

B) When reported RVR < 300 m:

i) Shut down all activities in airside (aviation and non-aviation), except for emergency response to any event.

(Action By: Airlines, GHA, Aerodrome Operator)

ii) No vehicle / equipment movement to be allowed in airside except that for the purposes of emergency, safety and security.

(Action By: Airlines, GHA, Aerodrome Operator)

8.0 PROCEDURES AND LIMITATIONS:

i) When Runway 27 is in use, all arrival operations shall be suspended, and departures will be permitted. Conversely, when Runway 09 is in use, arrivals will be permitted, and departures shall be suspended until completion of pushback.

ii) Aircraft pushback procedures shall be conducted via Taxiway L1, following the designated, white-dotted guideline onto Taxiway N:

Facing east when Runway 27, Runway 14, or Runway 32 is in use.

Facing west when Runway 09 is in use.

iii) Section of Taxiway L behind Stands A9 to A12 shall be unavailable during VVIP movement and whenever an aircraft is parked on Stand A11.

iv) Additionally, the portion of the back-of-stand service road between Stand A12 and Stand A9 shall remain closed during VVIP movement.

v) During VVIP operations at Stand A11, adjacent Stands A12, A10, and A9 shall be kept vacant.

vi) Taxi-in and pushback operations for Code E aircraft from Apron A is authorized exclusively via Taxiway L1.

vii) An A-VDGS shall be available at Aircraft Parking Stand A11 for Code E operations. In the event of A-VDGS unavailability, aircraft shall dock under the guidance of a marshaller.

viii) During docking into Stand A11 via Taxiway L1, and during subsequent pushback operations from Stand A11, the perimeter road west of Taxiway L1 shall be closed to vehicular traffic to ensure safe aircraft manoeuvring.

ix) Aircraft pushing back facing east from stands A7 and A8 for RWY 27/14/32 shall release the tug clear-off Intermediate Holding Position (IHP) located abeam Stand A7, on Taxiway L due unavailability of tug release point T3 during VVIP Movement from stand A11.

x) Refer eAIP India VABB AD 2 VABB 1-407, Aircraft pushback procedure for RWY 14/32/27 for Stands A5 to A8.

xi) Aircraft pushing back facing west from stands A7 and A8 on TXL L shall release the tug at tug release point T2 abeam stand A4 for RWY 09 departure.

xii) Tug Release Point T3 shall not be available during VVIP movement on stand A11.

8.1 Location: STAND A11 AT APRON A.

8.2 Refer **CHART I** for Arrival of VVIP code E aircraft on stand A11.

8.3 Refer **CHART II** for Departure of VVIP code E aircraft from stand A11 for RWY 27, RWY 14 and RWY 32.

8.4 Refer **CHART III** for Departure of VVIP code E aircraft from stand A11 for RWY 09.

VABB AD 2.21 NOISE ABATEMENT PROCEDURES

Consistent with safety of aircraft operations and in consideration of high intensity runway operations, pilots should minimize the use of reverse thrust after landing to reduce disturbance in areas adjacent to the aerodrome.

VABB AD 2.22 FLIGHT PROCEDURES

I.RUNWAY CAPACITY ENHANCEMENT MEASURES

Runway Occupancy Time (ROT) is one of the key determinants of the airport runway capacity and is especially critical for an airport like Chhatrapati Shivaji Maharaj International Airport (CSMIA) which is experiencing a robust growth in air traffic in recent years. Following procedures are aimed at reducing the ROT and enhancing runway utilization and capacity at CSMIA.

1.Taxi procedure

1.1Taxiing aircraft should maintain a minimum taxiing speed of not less than 15 Knots on the straight portion of taxiways and between 8-12 knots during turning manoeuvres.

1.2ATC may alter the departure sequence of an aircraft, which is not adhering to the procedure enumerated in Para 1.1, to optimize the runway utilization.

1.3Based on the aircraft type and its performance characteristics, ATC may issue taxi instructions so as to depart from the nearest runway intersection from where adequate take-off run is available. Pilot unable to accept departure from intersection may request ATC for alternate take-off position. Pilots requiring departure from the beginning of runway should make such request at the time of Pushback/Start-up. However, such requests will be considered by ATC subject to delay.

2.Take - off procedure

2.1Pilot shall complete all mandatory pre-departure checks and cabin procedures before entering the active runway for departure.

2.2When the aircraft is issued with line-up and take-off clearance at the runway holding position, it shall be in a position to line-up and initiate an immediate take-off in one continuous movement. In case aircraft is unable to do so, pilot shall advise ATC accordingly.

2.3When the aircraft is issued with take-off clearance after lining up on the runway, it shall commence take-off roll immediately.

2.4If the controller observes a delay in aircraft commencing Take-off run after issuance of take-off clearance, the take-off clearance will be cancelled and the aircraft shall be instructed to vacate the runway immediately at the nearest taxiway to make way for the subsequent arrival or departure.

Note: With the objective of expediting the flow of traffic, ATC may authorize departure from other intersections also.

2.5Unless instructed otherwise by ATC, airborne aircraft shall contact Mumbai Radar on 127.9 MHz after passing 800 feet.

2.6Refer AD 2.24 for charts related to Take-off Run Available from different entry taxiways in respect of RWY 27, RWY 09, RWY 32 and RWY 14.

3.Arrivals

3.1Pilots are advised that rapid exits from the runway enable ATC to apply minimum spacing between aircraft on final approach to maximise runway utilization.

3.2Unless instructed otherwise, aircraft vacating the runway should not stop on any Rapid Exit Taxiway (RET) or exit taxiway, but proceed to the next taxiway as instructed by ATC.

3.3Unless instructed otherwise by ATC, pilots shall contact Surface Movement Control frequency (121.9 MHz) after vacating the runway.

3.4To facilitate realization of minimum Runway Occupancy Time on RWY 27-09, standard runway markings, signage and lightings have been provided, in compliance with the ICAO design specifications.

3.5Rapid Exit Taxiway Indicator Lights (RETILs) are provided for RETs N7, N8 & N9 on RWY 27, and RET N5 for RWY 09, providing a 3-2-1 countdown pattern in accordance with ICAO Aerodrome Design Manual (DOC 9157-Part-2).

3.6Taxiway centreline lights are provided for RETs N5, N7, N8 & N9 in accordance with ICAO Annex-14.

3.7When Runway 27 is in use, Pilots of all Code C, D, E & F aircraft shall plan to vacate Runway 27 via RET N8. In case the aircraft is unable to vacate RWY 27 via RET N8, the pilot shall endeavour to vacate using RET N9.

3.8Exit Taxiways N10, N11 & N should be used only in case the aircraft is unable to vacate the runway using the preferred taxiways.

3.9General Aviation aircraft, Code A, B and C, should vacate runway 27 via TWY F1. Code D Aircraft (Military) should vacate RWY 27 via TWY F1 to Indian Naval Enclave.

3.10Pilots unable to vacate runway via the preferred RET/taxiways due to operational reasons, should notify Aerodrome Control tower, as early as feasible.

3.11The spacing between the successive arrivals is provided based on the assumption that aircraft would vacate RWY 27 as specified at Para 3.12 and will continue taxiing.

3.12The preferred exit points for RWY 27 and 09 are:

RWY Designation	**Aircraft Type**	**TWY**	**Distance (M)**	**Design Exit Speed**
27	Code C, D, E and F	RET N8	1878*	Code C: 50 KTS Code D/E/F: 30 KTS
27	Code B, AT42, AT72, Q400 & CRJ	RET N7	1574*	50 KTS
27	General Aviation Aircraft Code A, B and C	TWY F1	1753	Code C 30 KTS
09	Code C, D, E and F	RET N5	2014*	Code C/D/E: 50 KTS Code F: 30 KTS

*Distance: The distances mentioned are the distances from the runway threshold to the RET Turn off curve i.e. the point at which an aircraft starts the turn to exit the RWY.

3.13Refer AD 2.24 for charts related to locations of exit taxiways including Rapid Exit Taxiways (RETs), with respect to threshold for all runways.

II.Procedure for Issuing Landing Clearance based on Anticipated Separation at CSMIA Mumbai:

1. When ATC PROC specified in local SOP are complied with, RWY surface is dry, visibility is 3000M or more,tailwind is 5KT or less and no WS is reported, AD controller may issue LDG CLR to an ACFT on its final APCH when there is reasonable assurance that it will not cross the RWY THR until the preceding DEP ACFT has crossed the end of the RWY-in-use, or has started a turn, or preceding LDG ACFT is clear of RWY in use.

2. The TFC INFO to LDG ACFT on final shall be passed by ATC If preceding LDG ACFT is yet to CLR RWY in use or preceding DEP ACFT has not crossed the end of the RWY in use, or has not started a turn.

3. ATC shall ensure wake turb separation minima while applying anticipated separation.

4. ACFT shall not land on a RWY that is occupied by another ACFT, even if a CLR to land was received for that RWY. A pilot should not hesitate to ask the controller about the TFC on the RWY. If the FLY CREW at any point during APP perceives that it is not safe to continue APCH then they must initiate Go Around.

5. PROC is applicable BTN 30 MIN after Sunrise to 30 MIN before Sunset only.

6. Specific condition for RWY 27 - TWY N8, N9 with rapid exit TWY indicator lights shall be AVBL.

7. Specific condition for RWY 09, RWY 14 and RWY 32 -PROC Applicable only BTN preceding departing and LDG ACFT

III.Speed control Procedure:

a)Speed control Procedure under non Radar environment shall be as specified in ENR1.1 para 2.5 of eAIP India.

b)Speed control procedure under Radar environment refer ENR 1.6 para 8 of eAIP India.

IV. All scheduled flights equipped with Aircraft Communications Addressing and Reporting System (ACARS) and compliant with AEEC 623 (Airlines Electronic Engineering Committee) operating from Mumbai are required to include AFTN address VABBZTZD in the FPL/CHG/DLA message addresses for DCL utilization.

V.MUMBAI TMA ROUTING

Route Designator	Mumbai TMA routing	Remarks
L 301 (From West)	KARKU (N210902.5 E0680000) - EXOLU (N201249.8 E0713410.4) – 134 DEG (R-314)/100NM – MUMBAI BBB VOR (N190511.2 E0725226.8)	
L 301 (From East)	BUSBO (N191458.2 E0780730.3) – OPAKA (N193621 E0743258) – 253 DEG (R- 073)/100NM MUMBAI BBB VOR (N190511.2 E0725226.8)	

N 571 (From West)	SUGID (N193303 E0692059.4) – AROTA (N190803 E0701259) – 092 DEG (R-272) / 151NM MUMBAI BBB VOR (N190511.2 E0725226.8).	
N 571 (From East)	AGELA (N163624 E0752757)–317 DEG (R137)/210NM – MUMBAI BBB VOR (N190511.2 E0725226.8).	
P 574	BBM VOR (N155122.2 E0743701) – 319 DEG /106NM MABTA (N170828.8 E0732145.6) – 347DEG (R-167) /120NM MUMBAI BBB VOR (N190511.2 E0725226.8).	

VI.RADIO COMMUNICATION FAILURE PROCEDURES:

1.GENERAL:

1.1RCF can be of four types:

1.1.1Aircraft receiver failure but transmitter functioning.

1.1.2Aircraft receiver and transmitter both failed.

1.1.3Aircraft transmitter failure but receiver functioning.

1.1.4Ground communication failure

1.2In cases 1.1.1 and 1.1.2 above Pilot is not able to receive any transmission. In case 1.1.3 the cockpit crew will be able to receive instructions from ATC. Ground communication failures are rare however temporary failure of a specific ground frequency for very short duration cannot be ruled out.

1.3. Ground station communication failure must be first ruled out prior to proceeding with other causes of communication failure. Cockpit crew can ascertain this by testing functionality of RT kit on board with nearby airborne stations or ground stations. A non-functional RT Kit would possibly mean Ground comm. failure.

1.4. In case of likely ground communication failure, cockpit crew may change frequency to that of the previous control unit or the next expected control unit and inform the COMM status and follow instructions issued by ATC. Aircraft that are FANS 1A data link capable may logon to VABF and inform COMM status.

1.5. In case the cockpit crew is able to receive instructions from ATC on VHF, ATC will issue appropriate instruction to guide the crew and the crew shall comply with the instructions issued by ATC.
[Standard ATC instructions in such cases would instruct crew to squawk ident, execute specific turn manoeuvres, etc.to confirm receipt of ATC transmissions]

1.6. In case the cockpit crew is unable to receive instructions from ATC on VHF the under mentioned procedures given in Para 3 & 4 shall be followed.

1.7. In case of RCF, whether complete or partial, cockpit crew must make a blind transmission of all his actions on RT, e.g. descending/climbing to FL, proceeding to way- point/destination, returning to departure station, proceeding for the jettisoning of fuel, or commencing approach etc. This will ensure ATC has information of the flight manoeuvres.

1.8. In all cases of RCF the cockpit crew will set SQUAWK 7600 at the earliest.
[Note: This Requirement of Setting transponder to Mode A/C code 7600 in no way imposes any restriction on the pilot's decision to set transponder to Mode A/C code 7500 or 7700, whenever required].

1.9.If the Communication Failure occurs during the departure phase of flight while either on radar vectors or on pilot navigations, the procedure to be implemented by the pilot must ensure that the aircraft remains in the controlled airspace and has the required obstacle clearance.

1.10. Pilot shall not overfly VAP 2 (Prohibited Area) situated 09 NM South West of Mumbai Airport under any circumstances.

2. ASSIGNED RUNWAY AND ITS AVAILABILITY FOR RCF AIRCRAFT

2.1. In case of arriving aircraft, when Runway for landing has already been advised to the aircraft by ATC, such runway shall be considered as assigned runway. In case arriving aircraft has not been advised any runway, Runway 27 shall be considered as assigned runway for such arrival. During the notified periods of maintenance/closure of Runway 27, Runway 14 shall be considered as assigned runway.

2.2. In case of departures from Mumbai returning on account of RCF, the departure runway of such aircraft shall be considered as assigned runway for landing except during the notified periods of maintenance/closure of departure runway.

2.3 Runway lights, PAPI & Approach lights in 'SWITCHED ON' mode shall indicate the availability of runway for aircraft experiencing RCF. Switch off ILS for RWY not in use.
2.4. Irrespective of visibility/weather conditions, Runway and Approach light in 'SWITCHED OFF' mode shall indicate non-availability of runway for aircraft experiencing RCF. In such cases, alternate runway shall be made available for such aircraft.
2.5. Aerodrome operator will verify the status of runway lights when so requested by ATC.

3 **ACTION BY PILOT IN CASE OF RCF AT DIFFERENT STAGES OF FLIGHT AFTER DEPARTURE:**

PHASE OF FLIGHT	PIC INTENTIONS	
	PROCEED TO DESTINATION	**RETURN TO DEPARTURE STATION**
Immediately after departure (*no contact with departure control*)	Climb to FL070. Maintain FL070 on SID or as per heading/ track last issued and acknowledged. Squawk 7600. 2 minutes after setting squawk 7600 climb to FL090. Maintain FL090 for further 2min. thereafter Climb to filed flight planned level. Continue to follow the SID and flight planned route to destination.	Climb to FL070. Maintain FL070 on SID or as per heading/track last issued and acknowledged. Squawk 7600. 2 minutes after setting squawk 7600 climb to FL100. Maintain FL100 for further 2 mins. Thereafter make shorter arc to come over BBB. Join BBB hold. Descend to FL055 in hold and leave BBB follow the laid down procedure for assigned runway up to landing. [refer para 2 for assigned runway and landing clearance]
RCF after establishing contact with radar	Squawk 7600 Initially Climb to cleared flight level or F090 whichever is higher Maintain cleared heading or SID until 2 minutes after setting code 7600. Thereafter, proceed to the next point of Flight Planned Route. 2 minutes after setting code 7600 also climb to filed flight planned level and continue to destination.	Squawk 7600. If below FL100, continue on current clearance until 2 minutes after setting code 7600.Thereafter climb to FL100. Reaching FL100, make a shorter arc to join BBB hold. If above FL100, continue on current clearance until 2 minutes after setting code 7600. Thereafter, stop climb and make a shorter arc to join BBB hold descending to FL100. Descend to FL055 in hold and leave BBB follow the laid down procedure for assigned runway.
Aircraft intending to return to Mumbai and requiring fuel jettisoning		Aircraft requiring to jettison the fuel will join the Hold at F100 and after one hold overhead will proceed on R220 to the jettisoning area defined by R205 to R245 BBB between 25NM to 45NM from BBB-DME. After jettisoning the fuel aircraft will come over BBB via R230 at F100 and then descend to FL55 in the hold and then leave BBB for the laid down procedure and continue descend as per procedure. Alternate fuel dumping area-area bounded by Radials 305 and 335 from BBB VOR and within distance 30NM and 50NM BBB for aircraft between flight level 090 and flight level 220 both inclusive

ACTION BY PILOT IN CASE OF RCF AT DIFFERENT STAGES OF FLIGHT ARRIVING AT MUMBAI

PHASE OF ARRIVAL	PICPROCEDURES	ACTION BY CONTROLLER (ON MONITORING SQUAWK 7600 FOR 2 MINUTES)
Any phase except final approach	Squawk 7600. 2 minutes after squawking7600 proceed direct to BBB and join BBB hold for the assigned runway. Within 100NM BBB, may commence descend to 3800 feet and join BBB hold for assigned runway. Cross 25 NM BBB at or above FL070. d. Follow the laid down procedure for assigned runway.	ATC will provide appropriate separation to the RCF aircraft.

If landing clearance not received	If aircraft on final approach has not received landing clearance, it will carry out missed approach, Squawk 7600 Proceed for next approach from BBB for the same runway.	ATC will keep the runway approach light in switched on mode for next approach.

Note:
i.In case of arrival, if RCF happens to be outside of Mumbai TMA, the PIC shall commence RCF manoeuvre after 2 minutes of squawking 7600 or entering Mumbai TMA, whichever is later.
ii.The PIC must maintain the last assigned clearance for minimum of 2 minutes after squawking 7600 in all cases to alert the controller.
iii.The above procedures do not restrict the PIC from taking appropriate action as deemed fit in case the aircraft receives GPWS / TCAS warning at any phase of the flight.

3.1. In the event of communications failure after being informed by ATC to expect/or is being vectored for RNP Y approach, the pilot of arrival aircraft should follow the procedures detailed in para-VI. Proceed direct to BBB descending to FL070, after reaching BBB follow the procedure given below:

For RWY 09:

Proceed direct to BB092; descending to FL060 and carry out RNP Y RWY 09 approach via IAF BB092.

For RWY 14:

Proceed direct to BB481; descending to 3800FT and carry out RNP Y RWY 14 approach via IAF BB481.

For RWY 27:

Proceed direct to EMROS; descending to FL055 and carry out RNP Y RWY 27 approach via IAF EMROS.

When an aircraft has been cleared for RNP Y approach but has not received landing clearance it should carry out a missed approach or an aircraft carrying out MAP experiences RCF, then;

For RWY 09:

Proceed to BB092 at 3800 FT, make one hold at BB092 and carry out RNP Y RWY 09 Approach.

For RWY 14:

Proceed to BB489 climbing to FL080, make one hold at BB489 and then proceed to BB481 descending to 3800FT for approach,

For RWY 27:

Proceed to EMROS climbing to FL055, make one hold at EMROS and carry out RNP Y RWY 27 Approach

VII.TRANSPONDER OPERATING PROCEDURES ON GROUND

1.Introduction:

Advanced Surface Movement Guidance and Control System (A-SMGCS) using Mode-S Multi-lateration has been commissioned at Bangalore, Chennai, Delhi, Hyderabad, Kolkata & Mumbai International Airports.

The Aircraft Transponder Operating Procedures, particularly in the movement area of the airport(s), where A-SMGCS has been commissioned, is as given below:

2.Departure:

i.At the Gate/Stand:

Select STBY

Enter the discrete SSR code received from Clearance Delivery/Surface Movement Control. Enter the three letter ICAO designator followed by the flight identification number (e.g. AIC748) through the FMS or the Transponder control panel, depending on the avionics.

ii.On requesting Pushback/Taxi (whichever is earlier):

Select Transponder or equivalent and AUTO if available

This action will enable the aircraft ID, used as the Call sign by ATC, to be displayed on the surveillance display of ATC. ATC can verify the data and use it for necessary identification.

iii.When Lining up:

Select TCAS

Select TCAS only after receiving the clearance to line up, to ensure that the performance of systems based on SSR frequencies (including airborne TCAS units, SSR and A-SMGCS) is not compromised.

3.ARRIVAL:

1.When on the Runway:

Keep TCAS selected

2.After vacating the Runway:

Select Transponder or equivalent and AUTO if available

There is a need that the Transponder remains able to exchange data with the A-SMGCS system. However to ensure that the performance of systems based on SSR frequencies (including airborne TCAS Unit, SSR & A-SMGCS) is not compromised, TCAS shall be deselected when vacating the Runway.

3.Parked on Stand:

Select STBY

The Transponder will not reply to interrogation. The discrete SSR Code given to that particular flight can now be recycled for other flights.

Note:When on ground the aircraft must squawk Mode C, in order to provide the altitude information to the surveillance system, and thereby prevent:

i)clutter on Terminal Approach Radar Display (and)

ii)false automatic detection of departure for aircraft still on ground.

VIII) **LOW VISIBILITY PROCEDURE**

1. **BACKGROUND**

Until the latest amendment of DGCA Civil Aviation Requirements (CAR) Section 8, Series 'C', Part-I on All-weather Operations, low visibility procedures were required at aerodromes for the purpose of ensuring safe operations during categories II and III approaches and/or low visibility take-offs (LVTO).

However, in latest amendment to CAR (Rev. 10) Para 5.3 following provision regarding low visibility procedures is added. 'An operator shall not conduct take-off with RVR/ visibility less than standard category I conditions of 550M RVR/800M visibility unless low visibility procedures are enforced.' This provision necessitated the need of low visibility procedures for accommodating/permitting departures in visibility/RVR less than 800M/550M even at such airports where there are no CAT-II and CAT-III operations.

Accordingly, low visibility take-off procedures have been developed for Chhatrapati Shivaji Maharaj International Airport, Mumbai to accommodate/permit departures in visibility/RVR less than 800M/550M from RWY 09, RWY 27, RWY 14 and RWY 32 (runway served with RVR instruments, equipped with Runway Centre line lights, Touch Down Zone Lights, and Precision Approach lights, CAT-I or II).

2. **DEFINITIONS & ABBREVIATIONS**

2.1 Instrument Approach Operations: An approach and landing using instruments for navigation guidance based on an instrument approach procedure. There are two methods for executing instrument approach operations:

a) A two-dimensional (2D) instrument approach operation, using lateral navigation guidance only; and

b) A three-dimensional (3D) instrument approach operation, using both lateral and vertical navigation guidance.

Note. — Lateral and vertical navigation guidance refers to the guidance provided either by:

a) A ground-based radio navigation aid; or

b) Computer-generated navigation data from ground-based, space-based, self- contained navigation aids or a combination of these.

Instrument approach operations shall be classified based on the designed lowest operating minima below which an approach operation shall only be continued with the required visual reference as follows:

a) Type A: a minimum descent height or decision height at or above 75 m (250 ft); and

b) Type B: a decision height below 75 m (250 ft).

Type B Instrument runway operations are categorized as:

a) Precision approach runway, category I (CAT I): A runway served by visual aids and non-visual aid(s) intended for landing operations following an instrument approach operation type B with a decision height (DH) not lower than 60m (200ft.) and either a visibility not less than 800 m or a runway visual range not less than 550 m

b) Precision approach runway, category II (CAT II): A runway served by visual aids and non-visual aid(s) intended for landing operations following an instrument approach operation type B with a decision height (DH) lower than 60 m (200 ft) but not lower than 30 m (100 ft.) and a runway visual range not less than 300 m.

c) Precision approach runway, category III (CAT III): A runway served by visual aids and non-visual aid(s) intended for landing operations following an instrument approach operation type B with a decision height (DH) lower than 30 m (100 ft), or no decision height and a runway visual range less than 300m or no runway visual range limitations.

Note 1.— Where decision height (DH) and runway visual range (RVR) fall into different categories of operation, the instrument approach operation would be conducted in accordance with the requirements of the most demanding category (e.g. an operation with a DH in the range of CAT III but with an RVR in the range of CAT III would be considered a CAT III operation or an operation with a DH in the range of CAT II but with an RVR in the range of CAT I would be considered a CAT II operation).

Note 2. — The required visual reference means that section of the visual aids or of the approach area which should have been in view for sufficient time for the pilot to have made an assessment of the aircraft position and rate of change of position, in relation to the desired flight path. In the case of a circling approach operation the required visual reference is the runway environment.

Note 3. — Guidance on approach classification as it relates to instrument approach operations, procedures, runways and navigation systems is contained in the Manual of All-Weather Operations (Doc 9365).

2.2 Decision Altitude (DA) or Decision Height (DH): A specified altitude or height in a 3D instrument approach operation at which a missed approach must be initiated if the required visual reference to continue the approach has not been established.

Note 1 — Decision altitude (DA) is referenced to mean sea level and decision height (DH) is referenced to the threshold elevation.

Note 2 — The required visual reference means that section of the visual aids or of the approach area which should have been in view for sufficient time for the pilot to have made an assessment of the aircraft position and rate of change of position, in relation to the desired flight path. In Category III operations with a decision height the required visual reference is that specified for the particular procedure and operation.

Note 3 — For convenience where both expressions are used, they may be written in the form “decision altitude/height” and abbreviated “DA/H”.

2.3 ILS Critical Area: An area of defined dimensions about the localizer and glide path antennas where aircraft and vehicles are excluded during all ILS operations. The critical area is protected because the presence of vehicles / or aircraft inside its boundaries will cause unacceptable disturbance to the ILS signal-in-space

2.4 ILS Sensitive Area: An area extending beyond the ILS critical area where the parking and/or movement of vehicles, including aircraft, are controlled to prevent the possibility of unacceptable interference to the ILS signal during ILS operations. The sensitive area is protected to provide protection against interferences caused by large moving objects outside the critical area but still normally within the airfield boundary.

2.5 Low Visibility operations (LVO): Approach operations in RVRs less than 550 m and/ or with a DH less than 60 m (200 ft) or take-off operations in RVRs less than 400 m.

2.6 Low Visibility Procedures (LVP): Specific procedures applied at an aerodrome for the purpose of ensuring safe operations during Categories II and III approaches and/or low visibility take-offs.

2.7 Low Visibility Take-Off (LVTO): A term used in relation to flight operations referring to a take-off on a runway where the RVR is less than 400m.

2.8 Runway Visual Range: The range over which the pilot of an aircraft on the centreline of a runway can see the runway surface markings or the lights delineating the runway or identifying its centreline.

2.9 Safeguarding Procedures: Safeguarding Procedures (SP) are instructions for relevant airport departments and airside operators to prepare ground services and facilities for low visibility operations, in order that when LVP are implemented all SP are complete and airport is configured for Low Visibility Procedures and Low Visibility Take-offs.

2.10 Visibility: Visibility for aeronautical purposes is the greater of

a) The greatest distance at which a black object of suitable dimensions, situated near the ground, can be seen and recognized when observed against a bright background.

b) The greatest distance at which lights in the vicinity of 1000 candelas can be seen and identified against an unlit background.

Note 1 — The two distances have different values in air of a given extinction co- efficient, and the latter b) varies with the background illumination. The former a) is represented by the meteorological optical range (MOR).

Note 2 — The definition applies to the observations of visibility in local routine and special reports, to the observations of prevailing and minimum visibility reported in METAR and SPECI and to the observations of ground visibility.

2.11 The abbreviations used in descriptions of Low Visibility Procedures at Chhatrapati Shivaji Maharaj International Airport have the following meanings:

ADC : Aerodrome Control
ARFF : Aerodrome Rescue & Fire Fighting
AGL : Aeronautical Ground Light
AOCC : Airport Operations Control Centre
APM : Airside Operations Manager
ASMGCS : Advanced Surface Movement Guidance Control System
ATC : Air Traffic Control
ATM : Air Traffic Management
MIAL : Mumbai International Airport Limited
CAT : Category
CAR : Civil Aviation Requirement
CCR : Constant Current Regulator
CFT : Crash Fire Tender
DATIS : Datalink Automatic Terminal Information Service
DG : Diesel generator (also known as a diesel Genset)
DGCA : Directorate General of Civil Aviation
DME : Distance measuring Equipment
EAMS : Emergency Alert Management system

FM : Follow Me
GP : Glide Path
ILS : Instrument Landing System
LFD : Lamp Failure Detection
LLZ : Localizer
IHP : Intermediate Holding Position
LOC : Localizer
LSA : Localizer Sensitive Area
LVP : Low Visibility Procedure
LVTO : Low visibility take-off
MET : Meteorology
MFS : Main Fire Station
NAV AIDS : Navigational Aids
NM : Nautical Mile
PAPI : Precision Approach Path Indicator
PDP : Pre-Determined Position
RVR : Runway Visual Range
RT : Radio Telephony
RWY : Runway
SFS : Sub Fire Station
SMR : Surface movement Radar
SP : Safeguarding Procedures
TDZ : Touchdown Zone
TMRS : Trunk Mobile Radio System
TWR : Tower
TWY : Taxiway
UPS : Uninterruptible power supply
VIS : Visibility
WSO : Watch Supervisory Officer

3. INTRODUCTION:

3.1 Modes of Operations at CSMI Airport

3.1.1. RWY 09, RWY 27, RWY 14 and RWY 32 are available for operations in LVP/LVTO for departures.

3.2 General

3.2.1 Safeguarding Procedures (SP)/Low Visibility Procedure will be applicable for the entire Aerodrome.

3.2.2 Only essential vehicles with transponders shall be permitted in movement area when LVP is in force.

3.2.3 Follow-me service will be provided on request whenever LVP / LVTO is in force.

a) Towing of only 01 aircraft is permitted under Follow me.

3.2.4 When LVP/Low Visibility Take-Offs (LVTO) is in force conditions of adverse weather operation plan para 7.4 will not be applicable. Only the conditions of the low visibility procedure of para IX VABB AD 2.22 shall be applicable. Refer VABB AD 2.20 Local Aerodrome Regulations, V Adverse Weather Operations Plan Para 7.4 will not be applicable. Despite the provisions of AWOP for the purpose of LVTO, the movements related to departures will be permitted at the airport.

3.2.5 The following equipment shall be serviceable to the required standard to support CAT I operations: -

a) ILS localizer Transmitters (Both Main and Stand by).
b) ILS glide path Transmitter (Both Main and Stand by).
c) ILS DME
d) Airfield ground lighting system (AGL)
e) Instrument RVR system.
f) Standby power supply for ILS.
g) UPS/ Standby DG Set power for aeronautical ground lighting system.
h) Surface Movement Radar (SMR).
(DGCA CAR Section 4 Series B Part 1, Para 9.8.7. — Surface movement radar for the maneuvering area shall be provided at an aerodrome intended for use in runway visual range conditions less than a value of 350 m.)
i) RVR Display System in Tower/Approach.

When any equipment and facilities listed above in Para 3.2.5 above become unserviceable during periods of LVP, the ATC unit concerned shall advise all aircraft and suspend LVP/LVTO operations. Information to this effect shall be included in ATIS broadcast. The pilot shall ensure that he is suitably qualified and certified to carry out the required LVP/LVTO operations.

3.2.6 The system of preventive maintenance employed for a precision approach runway category I shall have as its objective that, during any period of category I operations, all approach and runway lights are serviceable, and that in any event at least 85 per cent of the lights are serviceable in each of the following:

a) Precision approach category I lighting system.
b) Runway threshold lights.
c) Runway edge lights; and
d) Runway end lights.

In order to provide continuity of guidance an unserviceable light shall not be permitted to be adjacent to another unserviceable light unless the light spacing is significantly less than that specified.

Any status of unserviceability of AGL shall be instantaneously communicated byApron Control to ATC.

Note: In barrettes and crossbars, guidance is not lost by having two adjacent unserviceable lights

3.2.7 The system of preventive maintenance employed for a runway meant for take-off in runway visual range conditions less than a value of 550 m shall have as its objective that, during any period of operations, all runway lights are serviceable and that in any event:

a) at least 95 per cent of the lights are serviceable in the runway centre line lights (where provided) and in the runway edge lights; and
b) at least 75 per cent of the lights are serviceable in the runway end lights.

In order to provide continuity of guidance, an unserviceable light shall not be permitted adjacent to another unserviceable light.

3.3 ILS SENSITIVE AND CRITICAL AREAS

3.3.1 The critical and sensitive areas of ILS are protected during CAT-I operations.

4. IMPLEMENTATION OF SAFEGUARDING PROCEDURES (SP)

4.1 Criteria for Safeguarding Procedures: Safeguarding Procedures shall be initiated when:

a) The RVR is less than 1500 m and/or visibility is forecast to deteriorate to 800 m or less; and/or
b) The cloud ceiling is 400 ft and is forecast to fall to 200 ft or less.

Note 1: Though LVP is implemented when RVR is less than 800m, ILS CAT-I operation will continue till RVR of runway 27 is not less than 550m.

Safeguarding procedures include:

a) Positioning of CFTs:

As per para 9.2.1

b) Stopping all maintenance works on the maneuvering area, ILS sensitive and critical area, as well as the removal of all men and mobile equipment/ material from the said area.
c) Ensuring readiness of secondary power supply, UPS and DG for change over time of maximum one second for essential lights during LVP implementation.
i. For Runway 09-27 and Runway 14-32 all AGL critical circuits RWY edge, RWY center line and RWY end lights, threshold lights and RETILS lights are supported by UPS for zero switch over time with 30 mins of power backup.

4.2 Process of initiation of Safeguarding Procedures:

4.2.1 When meteorological conditions meet the criteria for initiation of SP as stipulated in Para 4.1, the Tower Supervisor will inform the Apron Control, AOCC, ARFF, and the WSO.

5. Criteria for implementation of Low Visibility Procedures:

5.1 Low Visibility Procedures shall be implemented when
a) RVR is less than 800 m; and/or Cloud ceiling is less than 200 ft.
Note: Though LVP is implemented when RVR is less than 800m, ILS CAT I operation will continue till RVR RWY 09, RWY 27, RWY 14 and RWY 32 is not less than 550m.

5.2 Actions to be taken upon Implementation of Low Visibility Procedures:
Whenever conditions meet the criteria for LVP as stipulated in Para 5.1, Tower Supervisor in coordination with WSO shall implement Low Visibility Procedures.

5.3 Upon implementation of LVP, Tower Supervisor in consultation with WSO shall inform:
a) ARFF
b) AOCC
c) Apron Control
And ensure that "**LOW VISIBILITY PROCEDURES IN FORCE"** is included in ATIS Broadcast.
5.3.1 When LVP is in force, take-off from CSMI Airport can be permitted when the RVR is less than 550m and up to an RVR 350M. The facilities and conditions of the undermentioned Table 2 shall be applicable.
5.3.2 The take-off minima established by the airline operator must be expressed as RVR/Visibility values not lower than the values given in Table 2.

Table 2
RVR/Visibility for Take-off (Commercial Transport Aeroplanes)

Take-off RVR/Visibility	
Facilities	**RVR/VIS (Refer Note l) Cat A, B, C, & D**
Adequate Visual reference (Day Only) Refer Note 2)	**500M**
Runway edge lights or Runway center line markings (Refer Note 3)	**400M**
Runway edge lights and Runway center line markings (Refer Note 3)	**300M**
Runway edge lights and Runway center line lights	**200 M**
Runway edge lights, Runway center line lights and relevant RVR information (Refer Note 4)	**150 M**
High Intensity Runway edge lights and Runway center line lights (spacing 15m or less) and relevant RVR information (Refer Note 4).	**125M**
High Intensity Runway edge lights and Runway center line lights (spacing 15m or less), approved lateral guidance system and relevant RVR information (Refer Note 4)	**75M**

Note-1: The TDZ RVR/VIS may be assessed by the pilot.
Note-2: Adequate Visual Reference means that a pilot can continuously identify the take-off surface and maintain directional control.
Note-3: For night operations at least Runway edge lights or center line lights and Runway end lights are available.
Note-4: The required RVR must be achieved for all relevant RVR reporting points (touchdown, midpoint and stop-end/roll -out). The governing RVR shall be the lowest of the reported RVRs.
Note-5: An operator shall not conduct low visibility take-offs in less than 400m RVR unless approved by DGCA.
Note-6: An operator shall not conduct take-off with visibility / RVR less than Category- I condition unless low visibility procedures are enforced.

6. TERMINATION OF LOW VISIBILITY PROCEDURES AND SAFEGUARDING PROCEDURE

6.1 ATC Tower Supervisor may terminate LVP when:

6.1.1 Meteorological conditions improve when RVR is 800m or more and the cloud ceiling is 200 ft or higher, and trend is for improvement.

6.2 The ATC Tower Supervisor should consult the Meteorological Office for forecast before cancelling LVP.

6.3 Tower Supervisor shall notify WSO, AOCC, Apron Control, and ARFF about resumption of normal operations. These agencies shall, in turn, communicate same to all personnel who were previously notified.

6.4 On cancelling LVP, Tower Supervisor shall include it in the subsequent two ATIS broadcasts that "LOW VISIBILITY PROCEDURES ARE CANCELLED". Tower supervisor will also inform all the concerned agencies.

Tower supervisor will also inform all the concerned agencies.

6.5 Tower Supervisor may terminate Safeguarding procedures when:

a) Meteorological conditions improve and RVR and/or visibility is greater than 1500m or more and trend is for improvement. and

b) The cloud ceiling is 400 ft or higher, and the trend is for improvement.

7. AERONAUTICAL GROUND LIGHTING SYSTEM:

a) The Precision Approach CAT-II lighting is installed for RWY 27, Precision Approach CAT-I lighting system for RWY 09, Precision Approach CAT-I lighting system for RWY 14 and Simple approach lighting system for RWY 32.

b) All AGL critical circuits RWY edge, RWY center line and RWY end lights, threshold lights and RETILS lights are supported by UPS for zero switch over time with 30 mins of power backup.

c) In case of power failure during low visibility UPS will take over without interruption (seamless transition) without impacting any AGL facility.

d) In case commercial powers supply is not restored even after 30 min, the DG shall takeover.

e) When LVP is in force, the Aeronautical Ground Lighting shall comply with the following minimum serviceability requirement:

The Electrical Power Supply Systems for AGL are so designed that the time interval between failure of the primary source of power and the complete restoration of the services for visual aids associated with CAT I operations is 1 second. It is, in accordance with maximum switch-over times in Table 8-1 of Para 8 of DGCA CAR, Section 4 Series B Part I.

f) All AGL critical circuits, which include RWY edge, RWY center line and RWY end lights are supported by UPS for zero switch over time with 30 minutes of power backup.

g) Stop Bars: All Stop Bars to be kept ON when RVR below 550m. Stop bars have been provided as follows.

I. For RWY 09/27 - TWY N1 (TWY N1 at beginning of RWY 27), TWY N3, TWY N4, TWY E TWY E1 (E1 holding position for RWY 09/27), TWY W, TWY Q, TWY N6, TWY N10 and TWY N11, TWY N (TWY N at beginning of RWY 09), TWY D1, TWY F1.

II. For RWY 14/32 –TWY E10, TWY E9, TWY E7, TWY W7, TWY W6, TWY W4, TWY E5, TWY N (at intersection of TWY N and RWY 14/32), TWY N1 (intersection of TWY N1 and RWY 14/32), TWY F5, TWY F4, TWY E3, TWY E1 and TWY M, TWY W1.

h) NO ENTRY Bars: No entry bar lights are installed at RET

I. For RWY 09/27: RET N5, N7, N8, N9

II. For RWY 14/32: RET W5, E4, E8

i) Taxiways where taxiway center line lights are installed beyond stop bars are:

(a) For RWY 09/27 - TWY N1 (TWY N1 at beginning of RWY 27), TWY N3, TWY N4, TWY E, TWY E1 (E1 holding position for RWY 09/27), TWY W, TWY Q, TWY N10 and TWY N11, TWY N (TWY N at beginning of RWY 09).

(b) For RWY 14/32 - TWY E5, TWY W4, TWY W7, TWY N (at TWY N and RWY 14/32 intersection), TWY N1 (at TWY N1 and RWY 14/32 intersection) and TWY M.

(c) Runway Guard lights:

Runway guard lights configuration A available on TWY N, N1, E10, E9, E8,E7, E5, E3, E4, E1, W6, W7, W4, F5, F4, W1 and TWY M for RWY 09/27 East and West of Intersection of RWYs for RWY 14/32 on TWY N, N1, N3, N4, N5, N6, N8, N9, N10, N11, W, Q, E, E1, D1, F1 and on RWY 14 North & South of intersection for RWY 09/27.

RWY Guard Lights 'Configuration B' provided on RWY 14 short of intersection of RWYs.

7.1 Lighting Inspection Procedures

AGL Shift Supervisor shall carry out close monitoring of serviceability of AGL through ILCMS monitoring system.

7.2 Surface Movement Control Procedures (below 550m RVR)

a) Pushbacks during Low visibility (below RVR 550 M) may be restricted as follows:

i). Maximum one pushback on Domestic Apron.

ii). Maximum two pushbacks on International Apron subject to traffic.

7.3 Low Visibility Procedure

(a) Follow me, service will be provided whenever deemed necessary by ATC or requested by the pilot.

7.4 Runway Visual Range (RVR)

(a) 03 transmissometers are available for Runway 09, Runway 27 and Runway 14. Runway 32 is equipped with a forward scattometer.

(b) RVR is reported in the following scales:

i) From 2000m to 1200m, increments of 100m

ii) From 1200m to 800m, increments of 50m

iii) From 800m to 50m, increments of 25m

8. ACTIONS TO BE TAKEN BY VARIOUS AGENCIES

8.1 Before commencement of monsoon season, a meeting will be held by Head Airside Ops, MIAL/ GM (ATM), AAI in the month of May every year to inform all airlines and agencies operating at airport about their roles/ responsibilities and create awareness to ensure cooperation for safe airport operations during periods of low visibility.

9. ACTIONS BY AIRPORT OPERATOR (MIAL)

9.1 **Action by Airside Operations**

9.1.1 When LVP is in force, inform shift manager (Electrical & Airside Civil), Operational Area Maintenance to ensure that all civil work in progress in the manoeuvring area, are stopped and that the work area is restored in complete serviceable condition and confirm to Airside Operations accordingly.

9.1.2 Facilitate MET Officer for manual RVR in case of unserviceability of RVR equipment.

9.1.3 Inform ATC of the unserviceability of stop bar, whenever observed.

9.1.4 Towing of only one aircraft is permitted.

9.1.5 Apron Control would advise Tower Supervisor when all actions are completed for commencement of LVP.

9.1.6 Apron Control will inform unserviceability or any change in status of any facility/systems.

9.2 Actions by ARFF

9.2.1 **Positioning of CFTs**

RWY in use RWY 09:

a) 01 CFT from MFS to PDP between TWY N4 and RET N5.

RWY in use RWY 27:

a) 01 CFT from SFS to PDP in between TWY N11 and N10.

RWY in use RWY 14:

a) 01 CFT from MFS to PDP in between RET E4 and TWY F5.

R**WY in use RWY 32:**

a) 01 CFT from SFS to PDP on emergency road near RET W5.

9.2.2 ARFF/ CFTs must obtain clearances from ATC prior to entry to any aircraft movement area other than the designated service roads.

10. ACTIONS BY DUTY OFFICER (METEOROLOGICAL OFFICE)

10.1 The Duty Meteorological Officer would issue an 'Outlook for Low Visibility Procedures' to the Watch Supervisory Officer (WSO) of air traffic services whenever he expects that the RVR and/or cloud ceiling will fall below 800 m and/or 200ft or less respectively.

10.2 Whenever the Duty Meteorological Officer visualizes that RVR is likely to fall below 800m and/or cloud ceiling to 200ft or less within next 2 hours, he will issue an 'Advisory Message' to WSO to this effect.

10.3 When the RVR and/or cloud ceiling are 800m and/or 200ft respectively and the trend is towards improvement in these elements of weather conditions the Duty Met Officer may, when requested by WSO, advise him about such improving weather conditions for the purpose of termination of LVP.

10.4 The Duty Met Officer would ensure that the RVR displays in ATC units in the Control Tower and Approach Control are serviceable. He would also ensure that RVR/visibility recorders are serviceable.

10.5 In case of unserviceability of RVR equipment with automated displays in ATC units, LVP shall be suspended.

VABB AD 2.23 ADDITIONAL INFORMATION

I. AIRCRAFT PARKING STAND DETAILS

APRON - A

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS

A1	35.99	46	931/R/C/W/T	190529.98N0725121.65E	A321 (WL), B737 Max 10
A2	35.99	46	959/R/D/W/T	190529.97N0725120.26E	A321 (WL), B737 Max 10
A3	35.99	46	931/R/C/W/T	190529.95N0725118.88E	A321 (WL), B737 Max 10
A4	35.99	46	959/R/D/W/T	190529.93N0725117.49E	A321 (WL), B737 Max 10
A5	35.99	46	931/R/C/W/T	190529.91N0725116.11E	A321 (WL), B737 Max 10
A6	35.99	46	931/R/C/W/T	190529.90N0725114.72E	A321 (WL), B737 Max 10
A7	35.99	46	931/R/C/W/T	190529.94N0725113.14E	A321 (WL), B737 Max 10
A8	42	48	670/R/D/W/T	190529.92N0725111.22E	B757-200 (WL)
A9	42	48	852/R/C/W/T	190529.89N0725109.11E	B757-200 (WL)
A10	42	48	931/R/C/W/T	190529.88N0725107.29E	B757-200 (WL)
A11	42	48	1765/R/C/W/T	190529.85N0725105.62E	B757-200 (WL)
A12	42	48	959/R/D/W/T	190529.94N0725103.94E	B757-200 (WL)

i. Aircraft Parking Stands of ‘Apron A’ from Stand A1 to A7 are ‘Code C’ stands suitable for most critical aircraft up to A321 (Neo) and B737 (Max10).

ii. Aircraft Parking Stands of ‘Apron A’ from Stand A8 to A12 are ‘Code D’ stands suitable for most critical aircraft up to maximum wing span of 41.15 m and B757-200 (WL).

iii. All Aircraft Parking Stand of ‘Apron A’ are Power in-Pushback stands.

iv. Aircraft Parking Stands of ‘Apron A’ from A1 to A8 are Contact parking stands. Aircraft Parking Stands of ‘Apron A’ from A9 to A12 are remote parking stands. However, stand A8 will be used as remote stand for B757-200 (WL) aircraft due to operational limitations.

v. Aircraft Parking Stands A1 to A11 have been provide with fuel hydrant points and AVDGS. A-VDGS will be operational, 24X7 in all weather conditions..

APRON - C

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
C10	27.5	46	631/R/C/W/T	190539.40N 0725132.06E	ATR 72
C11	35.99	46	906/R/B/W/T	190537.98N 0725131.28E	B-739, A-321
C12	35.99	46	754/R/C/W/T	190536.84N 0725130.58E	B-739, A-321
C13	35.99	46	931/R/C/W/T	190535.71N 0725129.88E	B-739, A-321
C14	35.99	46	906/R/B/W/T	190534.57N 0725129.18E	B-739, A-321
C15	35.99	46	732/R/C/W/T	190533.43N 0725128.48E	B-739, A-321
C16	35.99	46	737/R/C/W/T	190532.29N 0725127.78E	B-739, A-321
C17	35.99	46	736/R/D/W/T	190531.20N 0725127.26E	B-739, A-321
C18	35.99	46	931/R/C/W/T	190529.78N 0725126.40E	B-739, A-321
C19	35.99	46	761/R/C/W/T	190528.36N 0725125.54E	B-739, A-321
C20	29	46	931/R/C/W/T	190527.95N 0725124.53E	ATR 72
C21	35.99	46	906/R/B/W/T	190536.51N 0725134.32E	B-739, A-321

C22	35.99	46	906/R/B/W/T	190534.92N 0725133.34E	B-739, A-321
C23	35.99	46	906/R/B/W/T	190533.30N 0725132.34E	B-739, A-321
C24	35.99	46	906/R/B/W/T	190531.70N 0725131.35E	B-739, A-321
C25	35.99	46	906/R/B/W/T	190530.10N 0725130.37E	B-739, A-321
C26	35.99	46	906/R/B/W/T	190528.49N 0725129.38E	B-739, A-321
C27	29	46	906/R/B/W/T	190534.63N 0725137.92E	Q-400
C28	35.99	46	906/R/B/W/T	190533.56N 0725137.30E	B-739, A-321
C29	35.99	46	906/R/B/W/T	190532.31N 0725136.64E	B-739, A-321
C30	35.99	46	906/R/B/W/T	190531.15N 0725135.82E	B-739, A-321
C31	35.99	46	906/R/B/W/T	190530.01N 0725135.12E	B-739, A-321
C32	35.99	46	906/R/B/W/T	190528.87N 0725134.43E	B-739, A-321
C33	35.99	46	906/R/B/W/T	190527.73N 0725133.72E	B-739, A-321
C80	35.99	45	655/F/A/W/T	190528.278N 0725145.160E	B739WL, A321, Q-400
C81	35.99	45	931/R/C/W/T	190529.647N 0725143.284E	B738WL, A321
C82	35.99	44.5	931/R/C/W/T	190530.551N 0725142.291E	B-739, A-321
C83	35.99	44.5	931/R/C/W/T	190531.469N 0725141.287E	B-739, A-321
C84	35.99	44.5	931/R/C/W/T	190532.382N 0725140.290E	B-739, A-321
C85	35.99	42.25	931/R/C/W/T	190533.303N 0725139.288E	B739, A320
C86	35.99	42.25	931/R/C/W/T	190527.865N 0725138.775E	B739, A320
C87	35.99	42.25	662/R/C/W/T	190528.776N 0725137.785E	B739, A320
C88	35.99	42.25	931/R/C/W/T	190529.697N 0725136.794E	B739, A320

*All parking stands are remote stands.

Note:

i. Pilots to use minimum engine power while taxing in and out of stands.

ii. Single engine taxi-in to aircraft parking stands of Apron C is not permitted; pilots are advised to taxi on both engines.

iii. Single engine taxi-out from aircraft parking stands of C21 to C26 is not permitted.

iv. Aircraft Parking Stand C29 is kept vacant to provide the connectivity between the TWY U and taxilane W6. However, this stand is used as last arrival and first departure from Apron C.

APRON - G

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
G1	35.99	47	786/R/C/W/T	190539.96N0725159.88E	A321
G2	44	48	820/R/C/W/T	190541.20N0725201.11E	A310, B752
G3	65	74	736/R/C/W/T	190542.99N0725202.28E	B744
G4L	35.99	46	959/R/D/W/T	190543.67N0725204.31E	A321 (Neo), B737 Max 10
G4	65	74	959/R/D/W/T	190544.57N0725204.12E	B744
G4R	35.99	46	931/R/C/W/T	190544.55N0725205.37E	A321 (Neo), B737 Max 10
G5L	35.99	46	931/R/C/W/T	190545.66N 0725206.72E	B737 Max 10, A321 (Neo)
G5	74	71	2037/R/D/W/T	190546.68N0725206.76E	B744, A124

G5R	35.99	46	1696/R/D/W/T	190546.59N 0725207.82E	B737 Max 10, A321 (Neo)

Notes:

i. Aircraft Stands G1, G2,G3, G4L, G4, G4R, G5L, G5 and G5R are Power in, and Pushback stands.

ii. Aircraft Stands of G1, G2, G3, G4L, G4, G4R, G5L, G5 and G5R are remote parking stands.

iii. Aircraft Stands G1, G2, G3 and G4 have been provided with fuel hydrant facilities. However, stands G4L, G4R, G5L, G5 and G5R do not have fuel hydrants facility.

iv. Aircraft Stands G1, G2, G3, G4L, G4, G4R, G5L, G5 and G5R have been provided with aircraft stand identification signs and A-VDGS.

v. Aircraft Stands, G5L and G5R have been provided with aircraft stand identification signs. A-VDGS provided.

APRON - K

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
K1	35.99	45	906/R/B/W/T	190541.985N 0725246.009E	A321, B739
K2	35.99	45	906/R/B/W/T	190543.195N 0725246.726E	A321, B739
K3L	35.99	45	906/R/B/W/T	190545.992N 0725248.127E	A321, B739
K3	65	76	1506/R/B/W/T	190545.646N 0725248.091E	B744,A346
K3R	35.99	45	906/R/B/W/T	190544.445N 0725247.203E	A321, B739
K4L	35.99	45	906/R/B/W/T	190549.032N 0725246.904E	A321, B739
K4	65	76	1506/R/B/W/T	190548.456N 0725247.543E	B744,A346
K4R	35.99	45	906/R/B/W/T	190547.643N 0725247.878E	A321, B739
K5L	35.99	45	906/R/B/W/T	190551.744N 0725245.244E	A321, B739
K5	65	76	1175/R/A/W/T	190551.140N 0725245.648E	B744,A346
K5R	35.99	45	906/R/B/W/T	190550.621N 0725246.281E	A321, B739
K6L	35.99	45	931/R/C/W/T	190553.411N 0725243.199E	A321, B739
K6	65	76	1506/R/B/W/T	190553.005N 0725243.546E	B744,A346
K6R	35.99	45	906/R/B/W/T	190552.338N 0725243.927E	A321, B739

All aircraft parking stands are remote stands.

APRON - J

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
J1	30	30	906/R/B/W/T	190450.178N 0725224.052E	AT72
J2	30	30	931/R/C/W/T	190450.639N 0725223.084E	AT72
J3	35.99	45	906/R/B/W/T	190451.251N 0725222.030E	B739, A321
J4	35.99	45	906/R/B/W/T	190451.840N 0725220.791E	B739, A321
J5	35.99	45	906/R/B/W/T	190452.427N 0725219.552E	B739, A321
J6	35.99	45	906/R/B/W/T	190453.013N 0725218.311E	B739, A321
J7	35.99	45	906/R/B/W/T	190453.603N 0725217.070E	B739, A321
J8	35.99	45	906/R/B/W/T	190454.195N 0725215.828E	B739, A321
J9	30	30	931/R/C/W/T	190456.459N 0725219.800E	AT72
J10	30	30	906/R/B/W/T	190456.918N 0725218.835E	AT72

*All parking stands are remote stands.

APRON - R

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
R1L	35.99	45	906/R/B/W/T	190534.140N 0725228.738E	A321, B739
R1	65	76	1506/R/B/W/T	190534.566N 0725227.877E	B744, A346
R1R	35.99	45	906/R/B/W/T	190535.325N 0725227.974E	A321, B739
R2L	35.99	45	906/R/B/W/T	190532.648N 0725231.254E	A321, B739
R2	80	76	1765/R/C/W/T	190532.656N 0725230.348E	A388
R2R	35.99	45	906/R/B/W/T	190533.293N 0725230.015E	A321, B739
R3	35.99	45	869/R/A/W/T	190532.419N 0725232.513E	A321, B739
R4	35.99	45	869/R/A/W/T	190532.096N 0725228.758E	A321, B739
R5	35.99	45	906/R/B/W/T	190533.413N 0725228.736E	A321, B739

All aircraft parking stands are remote stands.

APRON - S

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
S1L	35.99	45	906/R/B/W/T	190532.198N 0725207.784E	A321, B739 WL
S1	65	76	1506/R/B/W/T	190531.909N 0725207.219E	B744, A346
S1R	35.99	45	906/R/B/W/T	190532.844N 0725206.518E	A321, B739 WL
S2	65	76	1506/R/B/W/T	190533.590N 0725205.480E	B744, A346
S2R	35.99	45	869/R/A/W/T	190533.953N 0725205.710E	A321, B739 WL
S3L	35.99	45	906/R/B/W/T	190534.975N 0725204.827E	A321, B739 WL
S3	68.5	76	1506/R/B/W/T	190534.860N 0725204.070E	B748, A346
S3R	35.99	45	906/R/B/W/T	190535.660N 0725203.603E	A321, B739 WL

All aircraft parking stands are remote stands.

APRON - V

STAND NO.	WING SPAN (M)	LENGTH (M)	PCR	COORDINATES	REMARKS
V3L	35.99	46	906/R/B/W/T	190555.127N 0725218.278E	B739,A321
V3R	35.99	46	**931/R/C/W/T**	190554.137N 0725220.523E	B739,A321
V4L	35.99	45	869/R/A/W/T	190552.423N 0725220.624E	B739,A321
V4	65	76	1506/R/B/W/T	190552.328N 0725221.957E	B744, A346
V4R	35.99	45	906/R/B/W/T	190552.042N 0725222.223E	B739,A321
V5	65	76	1506/R/B/W/T	190548.638N 0725223.150E	B744, A346
V6L	35.99	45	906/R/B/W/T	190546.992N 0725220.998E	B739,A321
V6	65	76	1506/R/B/W/T	190545.706N 0725221.035E	B744, A346
V6R	35.99	45	906/R/B/W/T	190545.511N 0725220.653E	B739,A321
V7L	35.99	45	906/R/B/W/T	190545.067N 0725219.035E	B739,A321
V7	65	76	1506/R/B/W/T	190543.747N 0725219.007E	B744, A346
V7R	35.99	45	906/R/B/W/T	190543.586N 0725218.589E	B739,A321

V8L	35.99	45	869/R/A/W/T	190543.175N 0725217.147E	B739,A321
V8	65	76	1506/R/B/W/T	190542.003N 0725217.214E	B744, A346
V8R	35.99	45	906/R/B/W/T	190541.891N 0725216.929E	B739,A321
V9	65	76	1506/R/B/W/T	190540.378N 0725215.346E	B744, A346
V10	65	76	1506/R/B/W/T	190539.021N 0725213.745E	B744, A346
V11	65	76	1506/R/B/W/T	190537.664N 0725212.469E	B744, A346
V12	65	76	1506/R/B/W/T	190536.704N 0725214.035E	B744, A346
V13	65	76	1765/R/C/W/T	190536.286N 0725215.751E	B744, A346
V14	65	76	1765/R/C/W/T	190536.435N 0725217.384E	B744, A346
V15	65	76	1506/R/B/W/T	190536.468N 0725219.377E	B744, A346
V16	65	76	1765/R/C/W/T	190537.030N 0725220.906E	B744, A346
V17L	35.99	45	906/R/B/W/T	190538.433N 0725222.176E	A321,B739 WL
V17	80	76	1765/R/C/W/T	190539.407N 0725221.516E	B744, A346, A380
V17R	35.99	45	906/R/B/W/T	190539.835N 0725221.728E	A321, B739 WL
V18L	35.99	45	906/R/B/W/T	190540.822N 0725223.871E	A321, B739
V18	80	76	1506/R/B/W/T	190541.950N 0725223.870E	A388
V18R	35.99	45	906/R/B/W/T	190542.204N 0725223.941E	A321, B739
V19	65	76	1506/R/B/W/T	190543.675N 0725226.829E	B744,A346
V20L	35.99	45	906/R/B/W/T	190542.539N 0725230.266E	A321, B739
V20	80	76	1765/R/C/W/T	190542.905N 0725231.232E	A388
V20R	35.99	45	906/R/B/W/T	190542.697N 0725231.559E	A321, B739
V21L	35.99	45	906/R/B/W/T	190540.84N 0725232.39E	A321, B739
V21	80	76	1765/R/C/W/T	190541.362N 0725233.539E	A388
V21R	35.99	45	931/R/C/W/T	190541.343N 0725233.704E	A321, B739
V22	65	76	1765/R/C/W/T	190539.688N 0725235.219E	B744,A346
V23	65	76	1765/R/C/W/T	190540.695N 0725236.595E	B744,A346
V24	65	76	1506/R/B/W/T	190542.042N 0725237.335E	B744,A346
V25	65	76	1506/R/B/W/T	190543.416N 0725238.226E	B744,A346
V26L	35.99	45	931/R/C/W/T	190544.492N 0725238.265E	A321, B739
V26	65	76	1175/R/A/W/T	190544.673N 0725237.147E	B744,A346
V26R	35.99	45	906/R/B/W/T	190544.901N 0725236.854E	A321, B739
V27L	35.99	45	906/R/B/W/T	190546.145N 0725236.268E	A321, B739
V27	65	76	1175/R/A/W/T	190546.043N 0725234.872E	B744,A346
V27R	35.99	45	906/R/B/W/T	190546.250N 0725234.740 E	A321, B739
V28L	35.99	45	931/R/C/W/T	190548.593N 0725234.100E	A321, B739
V28	65	76	1175/R/A/W/T	190549.326N 0725233.484E	B744,A346
V28R	35.99	45	906/R/B/W/T	190549.799N 0725232.902E	A321, B739
V29	65	76	1506/R/B/W/T	190552.818N 0725234.074E	B744,A346
V30L	35.99	45	931/R/C/W/T	190553.790N 0725236.290E	A321, B739
V30	65	76	1175/R/A/W/T	190554.980N 0725235.968E	B744,A346
V30R	35.99	45	869/R/A/W/T	190555.390N 0725236.227E	A321, B739
V31L	35.99	45	717/R/C/W/T	190556.000N 0725237.794E	A321, B739
V31	65	76	1506/R/B/W/T	190557.247N 0725237.391E	B744,A346
V31R	35.99	45	906/R/B/W/T	190557.542N 0725237.666E	A321, B739
V32L	35.99	45	906/R/B/W/T	190558.310N 0725239.100E	A321, B739
V32	65	72	1175/R/A/W/T	190559.508N 0725238.720E	B772,B744

V32R	35.99	45	906/R/B/W/T	190559.723N 0725239.155E	A321, B739

All aircraft parking stands are contact stands.

Notes (Stands V3L and V3R):

i. Aircraft Stands V3L and V3R are Power-in and Pushback stands.

ii. Aircraft Stands V3L and V3R are remote stands.

iii. Aircraft Stands V3L and V3R, stands do not have fuel hydrants facility.

iv. Aircraft Stands V3L and V3R have been provided with aircraft stand identification signs and A-VDGS. A-VDGS will be operational, 24X7.

II. Taxiways

Designation	Width/ Shoulders (M)	PCR	Location	Lighting system	Remarks / Length (M)
N	25/17.5	1765/R/C/W/T	From holding point RWY 09 on TWY N up to holding point RWY 14/32 on TWY N.	Edge / centreline	Code F / 2006
N11	25/17.5	1765/R/C/W/T	12.5m beyond RWY 09 Threshold, at 90 DEG North of RWY.	Edge/ centreline	Code F / 163
N10	25/17.5	1765/R/C/W/T	211m beyond RWY 09 Threshold, at 90 DEG North of RWY.	Edge/ centreline	Code F / 180
RET N9	25/17.5	1765/R/C/W/T	525m beyond RWY 09 Threshold, at 150 DEG North of RWY.	Edge/ centreline/ RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code F / Distance from RWY 27 threshold 2300 m. & distance at point of turn off 2152 m. / Length 375.
RET N8	25/17.5	1765/R/C/W/T	825m beyond RWY 09 Threshold, at 155 DEG North of RWY.	Edge/ centreline/ RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code F / Distance from RWY 27 threshold 2000 m. & distance at point of turn off 1878M. / Length 334.

F1	23/10.5	1278/R/C/W/T	1072m beyond RWY 09 threshold at 150 DEG South of RWY	Edge/ centreline/ RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code E / Distance from RWY 27 threshold 1702 m & distance at point of turn off 1574m / TWY Length 361m up to TWY F3 junction / Length 542
RET N7	23/10.5	1765/R/C/W/T	1123m beyond RWY 09 Threshold, at 148 DEG North of RWY.	Edge/ centreline/ RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code E / Distance from RWY 27 threshold 1702m & distance at point of turn off 1574m / Length 358
N6	23/10.5	1765/R/C/W/T	1072m beyond RWY 09 Threshold, at 40 DEG North of RWY.	Edge	Code F / 294
Q	25/17.5	1506/R/B/W/T	1688m beyond RWY 09 Threshold, at 45 DEG South of RWY.	Edge	Code F / 269
W	25/17.5	1506/R/B/W/T	1688m beyond RWY 09 Threshold, at 135 DEG North of RWY	Edge / centreline	Code F / 269
E	23/10.5	1506/R/B/W/T	2215m beyond RWY 09 Threshold, at 135 DEG North of RWY	Edge/ centreline (C/L provided between RWY 27 and TWY P)	Code F / 635
E1	23/10.5	1765/R/C/W/T	2215m beyond RWY 09 Threshold, at 45 DEG South of RWY. TWY E1 joins RWY 09 to the extremity of RWY 32 on the east.	Edge	Code F / 1179

RET N5	25/17.5	1765/R/C/W/T	2145m from threshold, at 30 DEG North of RWY 09	Edge / centreline / RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code F / Distance at point of turn off 2014M./ TWY length 415 M.
N4	23/10.5	1506/R/B/W/T	2662m beyond RWY 09 Threshold, at 89 DEG North of RWY.	Edge / centreline	Code F / 190
N3	25/17.5	1765/R/C/W/T	3035m beyond RWY 09 Threshold, at 90 DEG North of RWY. TWY N3 is last exit TWY during RWY 09 operations.	Edge / centreline	Code F / 190
N1	25/17.5	1765/R/C/W/T	From holding point RWY 27 on TWY N1 up to holding point RWY 14/32 on TWY N1.	Edge/ centreline	Code F / 1701
N1R	25/17.5	904/F/B/W/T	South-West of TWY N1 Centre line after 20m from RWY holding position on TWY N1	Edge/ centreline	Code F / 151
E10	25/17.5	1765/R/C/W/T	387m before RWY 14 Threshold, at 90 DEG East of RWY.	Edge	Code F / 598
E9	25/17.5	1127/R/B/W/T	290m before RWY 14 Threshold, at 90 DEG East of RWY.	Edge	Code F / 190
RET E8	25/17.5	1765/R/C/W/T	101m beyond RWY 14 Threshold, at 150 DEG East of RWY.	Edge/ centreline RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code F / Distance from RWY 32 threshold 2175 m & distance at point of turn off 2054m / Length 380.
E7	25/17.5	1765/R/C/W/T	69m beyond RWY 14 Threshold, at 104 DEG East of RWY.	Edge	Code F / 196

W7	23/10.5	931/R/C/W/T	69m beyond RWY 14 Threshold, at 76 DEG West of RWY.	Edge /centreline	Code C / Centreline / Edge lights (Between RWY holding position to RWY 14) / Length 677m
W6	23/10.5	1506/R/B/W/T	167m beyond RWY 14 Threshold, at 76 DEG West of RWY.	Edge	Code C / Edge lights provided on TWY W6 beyond holding position of RWY 14 / Length 597
RET W5	18/10	908/F/A/W/T (150m from edge of RWY 14) 931/R/C/W/T (84m from edge of rigid portion up to TWY W6 junction)	822m beyond RWY 14 beginning, at 150 degrees west of RWY 14	Edge/ centreline RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code C / Distance from RWY 32 threshold 1851m & point of turn off at 1706m from threshold of RWY 32 / Designed exit Speed-50 knots (93kmph) / Length 261
W4	23/10.5	1765/R/C/W/T	692m beyond RWY 14 Threshold, at 95 DEG West of RWY.	Edge/ centreline	Code F / 223
E5	23/10.5	1506/R/B/W/T	691m beyond RWY 14 Threshold, at 85 DEG East of RWY.	Edge/ centreline	Code F / 191
N	25/17.5	1765/R/C/W/T	From holding point RWY 09 on TWY N up to holding point RWY 14/32 on TWY N. TWY N joins extremity of RWY 09 to RWY 14 on the west.	Edge/ centreline	Code F / 2006
N1	25/17.5	1765/R/C/W/T	From holding point RWY 27 on TWY N1 up to holding point RWY 14/32 on TWY N1.	Edge/ centreline	Code F / 1701

F5	25/17.5	1765/R/C/W/T	1429m beyond RWY 14 Threshold, at 45 DEG East of RWY.	Edge	Code F / 258
F4	25/17.5	1506/R/B/W/T	1429m beyond RWY 14 Threshold, at 135 DEG West of RWY.	Edge	Code E / 269
E3	23/10.5	1506/R/B/W/T	2115m beyond RWY 14 Threshold, at 30 DEG East of RWY.	Edge/ centreline	Code F / 253
RET E4	23/10.5	1765/R/C/W/T	1700m beyond RWY 14 Threshold, at 30 DEG East of RWY.	Edge/ centreline/ RETILs (Yellow colour lights, in 3-2-1 countdown pattern)	Code F / Distance at point of turn off 1573m / Length 364
E1	23/10.5	1765/R/C/W/T	2436m beyond RWY 14 Threshold, at 90 DEG East of RWY.	Edge	Code F / 1179
W1	25/17.5	931/R/C/W/T	2411m beyond RWY 14 Threshold, at 90 DEG West of RWY.	Edge	Code C / 619
D1	18/3.5	723/R/C/W/T	Off TWY F1 across Non-Scheduled Area.	Edge	Code C / 146
F3	15/5	931/R/C/W/T	Between Taxiway F1 up to Taxiway D1	Edge	Code C / 222
Taxi lane L	23/10.5	1765/R/C/W/T	From TWY L1 up to behind Aircraft Stand A1.	Edge(Southern side)/ centreline	Code D / Compliant for taxiing of aircraft up to wing span of 41.15M & for B757-200 (WL) / Length 521

L1	23/10.5	1506/R/B/W/T	Off TWY N onto Apron A.	Edge/ centreline	Code D / Compliant for taxiing of aircraft up to wing span of 41.15M & for B757-200 (WL) / Length 77M
L3	84/10.5	1506/R/B/W/T	Off TWY N onto Apron A.	Edge/ centreline	Code D / Compliant for taxiing of aircraft up to wing span of 41.15M & for B757-200 (WL) / Length 77M
L4	23/10.5	1506/R/B/W/T	Off TWY N onto Apron A.	Edge/ centreline	Code D / Compliant for taxiing of aircraft up to wing span of 41.15M & for B757-200 (WL) / Length 77
U	23/10.5	959/R/D/W/T	North of TWY N on to Apron D.	None	Code C / 299
Taxi lane P	23/10.5	1506/R/B/W/T	From the junction of TWY E5/E up to behind Aircraft Stand G5	Edge/ centreline	Code E (Flexible use up to Code F) / 497
Taxi lane T	23/10.5	1765/R/C/W/T	From Taxi lane H up to behind Aircraft Stand V4L	Centreline	Code E / 543
Taxi lane T	23/10.5	1765/R/C/W/T	From Stand V4L up to behind Aircraft Stand V3R	Centreline	Code C / 65
Taxi lane H	23/10.5	1506/R/B/W/T	From Taxi lane P up to TWY M7	Centreline	Code E (Flexible use up to Code F) / 565
	25/17.5		Between TWY M7 and TWY M5	Centreline	Code F/ 634

Taxi lane H1	23/10.5	1175/R/AW/T	From TWY M5 up to northern segment of TWY Link 5, between TWY B1 and TWY Y1.	Centreline (Alternate orange and green light)	Code E/ Length 488
Taxi lane H3	23/10.5	1506/R/B/W/T	Between TWY Link 6 up to behind stand V31	Centreline (Alternate orange and green light)	Code E/ Length 216
M8	23/10.5	1765/R/C/W/T	Between TWY M and taxi lane H, west of TWY M7	Centreline	Code F / 110
M7	25/17.5	1765/R/C/W/T	North of TWY N1 from TWY N1 to taxi lane H	Edge/ centreline	Code F / 191
M6	25/17.5	1765/R/C/W/T	From Taxiway N1 up to TWY M	Edge/ centreline	Code F / 98
M5	25/17.5	1175/R/AW/T	Between TWY M and Taxi lane H	Centreline	Code F / 133
M4	25/17.5	1506/R/B/W/T	Between TWY N1 and TWY M	Edge / Centreline	Code F / 125
	23/10.5		Between TWY M up to Taxilane H1	Edge (Edge lights provided at east side only)/ Centreline (Alternate Orange & Green between TWY Y1 & Taxilane H1)	Code E / 255
M	25/17.5	1765/R/C/W/T	Between TWY M6 and TWY M4, parallel to TWY N1 on North.	Edge (only at Southern side)/ Centreline	Code F / 370
	25/17.5		Between TWY E and TWY M7, parallel to TWY N1 on North.	Edge (only at southern side)/ Centreline	Code F / 529
	23/10.5	PCR 1848/F/D/W/T 2037/R/D/W/T	Between RWY 14/32 and TWY E – N1 junction	TWY Edge Lights, TWY Center line Lights, RWY Guard lights, Stop Bar Lights	Code F/ 75
M	23/10.5	1400/R/D/W/T	Between TWY M7 and TWY M6	TWY Edge Lights, TWY Center line Lights	Code F /104
B1	18/3.5	906/R/B/W/T	From Taxi lane H1 up to southern segment of TWY Link 5, parallel to TWY Y1	Centreline	Code C / 313
Y1	18/3.5	906/R/B/W/T	From TWY M4 up to southern segment of TWY Link 5,Parallel to TWY B1	Centreline	Code C / 370

Taxilane B3	23/10.5	1506/R/B/W/T	Between northern segment of TWY Link 5 and TWY Link 6, parallel to Taxi lane Y3	Centreline	Code E / 215
Taxilane Y3	23/10.5	1506/R/B/W/T	Between northern segment of TWY Link 5 and TWY Link 6, parallel to taxi lane B3	Centreline	Code E / 146
B4	18/3.5	906/R/B/W/T	Between TWY Link 6 up to behind aircraft stand V32R	Centreline	Code C / 309
Y4	18/3.5	906/R/B/W/T	Between TWY Link 6 up to behind aircraft stand V31R	Centreline	Code C / 229
Z	15/5	906/R/B/W/T	Northeast of TXL P, Parallel to TXL T	Centre Line Lights: Not Provided Edge Lights: Not Provided	Code C / 347
Z1	15/5	906/R/B/W/T	Northeast of TWY Z and TXL T.	Centre Line Lights: Not Provided Edge Lights: Not Provided	Code C / 49
Link 1	23/10.5	1506/R/B/W/T	Connecting Taxi lane P to Taxi lane T and Vice versa.	Centre Line Lights: Not Provided Edge Lights: Not Provided	Code E / 112 (Southern Segment)
			Connecting TWY Z to TXL T and Vice versa.	Centre Line Lights: Not Provided Edge Lights: Not Provided	Code C / 114.19 (North segment)
Link 4	18/3.5	906/R/B/W/T	Linking TWYs B1 and Y1	Centreline	Code C / 69
Link 5	23/10.5	1765/R/C/W/T	Behind stand K5/V26, linking TWYs B3/Y3.	Centreline	Code E / 118 (Northern segment)
	18/3.5	1765/R/C/W/T	Behind stand K4, linking TWYs B1/Y1	Centreline	Code C / 98 (Southern segment)
Link 6	23/10.5	1765/R/C/W/T	Behind stand V27R/K6R, linking Taxi lanes Y3 / B3.	Centreline	Code E / 118
Link 7	18/3.5	906/R/B/W/T	Linking TWYs B4 and Y4 (Behind Stand V31)	Centreline	Code C / 69
Link C3	18/3.5	906/R/B/W/T	Behind parking stand V30 linking TWY B4 & Y4.	Centre Line Lights: Not Provided Edge Lights: Not Provided	Code C / 89
Link 3	18/3.5	906/R/B/W/T	Linking TWYs B1 and Y1	Centre Line Lights: Not Provided Edge Lights: Not Provided	Code C / 68.5 (Northern Segment) & 64.69 (Southern Segment)

Link C9	15/5	655/F/A/W/T	Connecting Taxilanes W7 and W6 behind aircraft parking stand C27	NONE	Code C / 141
TWY H	23/10.5	1506/R/B/W/T	Southeast pier between taxiway M4 and taxiway M5	C/L lights and Edge lights: Not Provided	Code E/129

Note 1:

i. Taxiway L1, L3, L4 and Taxilane L are suitable for taxiing of aircraft up to wing Span 41.15m and compliant for taxiing of B757-200 (WL).

ii. Pilots are advised to use minimum engine power while taxiing in and out from Apron A.

Note 2:

i. Rapid Exit Taxiway W5 is suitable for aircraft up to Code C only.

ii. Code D, E and F aircraft are not permitted to vacate RWY 32 via RET W5.

iii. Entry on TWY W5 is not permitted from TWY W6; NO ENTRY BAR is installed at TWY W6 and TWY W5 junction.

iv. Taxiway N1 centerline lights will be kept ON and Taxiway N1R centerline lights will be kept in OFF position. The taxiway centerline lights of taxiway N1R will be switched ON only in case requested by pilot.

v. Taxilane T from Taxilane H up to aircraft stand V4 is compatible for aircraft up to Code E.

vi. Taxilane T from aircraft stand V4L up to aircraft stand V3R is compatible for aircraft up to Code C.

Note 3 (TWY Z, Z1 AND TWY LINK C4 LINK 3):

i. Taxiway Z is compatible for aircraft up to Code C only and aircraft can taxi bidirectionally on taxiway Z and taxilane T.

ii. Taxiway Z1 connects taxiway Z with and taxilane T and vice versa. which can help aircraft to dock into stand V4L.

iii. Intermediate Holding Position provided for holding aircraft on TWY Z short of TWY Z-Z1 junction abeam Stand V7.

iv. Link 3 is compatible for aircraft up to Code C only, which connects taxiway B1 to taxiway Y1 and vice versa. Aircraft taxiing on Link 3 is clear-off an aircraft holding on tug release point T24 facing southeast on taxiway B1 after push back. Aircraft holding short of Link 3 on taxiway Y1 is clear-off aircraft taxiing on Link 3.

v. Retroreflective centre line marking is provided for adequate conspicuity.

III. FLEXIBLE USE OF TAXIWAY W7

1. INTRODUCTION

During the use of Runway 09/27, Taxiway W7 is used for taxiing of aircraft up to Code C. However, during the period when Runway 14/32 in use, to eliminate any requirement for backtrack on the runway by aircraft above Code C, taxiway W7 can be temporarily upgraded up to Code F after implementing mitigation measures for safe aircraft operations.

The procedures described below are used when TWY W7 is upgraded for taxing of aircraft upto code F during the specified periods.

1.1 **Specifications of TWY W7 as Code C TWY:**

The specification of TWY W7 are given in table above in Para II Taxiway.

1.2 Additional Information:

i) Taxiway minimum separation distances for aircraft stand taxilane centreline to object of 22.5m for Aircraft Code C is provided as per DGCA CAR Section 4, Series-B, Part 1, Table 3-1.

1.3 **Specifications of Taxiway W7 as Code F Taxiway:**

Specification mentioned vide Table above in Para II Taxiway remains unchanged, however,

a) Additional Information:

i) Taxiway minimum separation distances for Taxiway other than aircraft stand taxilane, centreline to object of 51m for Aircraft Code F is provided as per DGCA CAR Section 4, Series-B, Part 1, Table 3-1.

Note:

I) Minimum turning radius (radius of curve) of 48.75m (suitable for aircraft up to A-380) is provided at the junction of RWY 14.

II) Transverse and longitudinal slope requirements of Apron / aircraft stand taxilane are compliant.

2.0 Procedure:

Taxiway W7 shall be used as a Code C Taxiway when Runway 09/27 is in use. But the said taxiway shall be used as a Code F taxiway during use of Runway 14/32, which may be due to the following reasons.

2.1 Planned use of runway 14/32 (during maintenance of Runway 09/27 etc.)

2.1.1 **Mondays (0845 UTC to 1030 UTC) and Thursdays, (0830 UTC to 1030 UTC),**

Runway 09/27 is closed for maintenance and Runway 14/32 is used.

The following actions shall be taken for using taxiway W7 as Code F:

2.1.1.1 Aircraft stands of Apron C from C10 to C20 and from C21 to C26 shall be closed and and kept vacant 01 hour prior to the upgradation of W7 until Runway 14-32 is in operation to provide minimum separation distance required for Code F i.e. 51m.

2.1.1.2 Red (obstruction) flags shall be placed at a distance of 51 m from centreline of W7 on North West of TWY W7 to demarcate and delineate the Code F Taxiway strip.

2.1.1.3 Head of stand (HOS) road provided in front of Stand 21 to 26 will be closed for vehicle operations by placing obstruction lights/markers.

2.1.1.4 Vehicular lane provided between C10 and C11 stands to C21 shall be closed by placing barricades for vehicular traffic.

2.1.1.5 No vehicle, person or equipment is allowed within the demarcated Taxiway strip of code F. Enhanced vigil by 'Follow Me' vehicle shall be maintained to ensure the compliance.

2.1.1.6 Any extension of Taxiway W7 upgradation for code F shall be notified by promulgating a separate NOTAM.

2.1.1.7 Upgradation of Taxiway W7 as Code F shall be broadcasted in D-ATIS for information of all concerned.

Note: NOTAM shall be promulgated when TWY W7 is not upgraded as Code F taxiway on planned days as mentioned in para 2.1.1 above i.e. Mondays and Thursdays.

2.2 Reversal of W7 from Code F Taxiway to Code C taxilane:

2.2.1 Once the operations on RWY 14/32 are suspended, ATC shall intimate Apron Control for reversal of Taxiway W7 from Code F to Code C.

2.2.2 After completion of all action points mentioned below Apron Control shall intimate to ATC on R/T that Taxiway W7 is downgraded as Code C.

2.2.2.1 Red flags deployed for demarcation of Code F Taxiway strip and the obstruction lights deployed for road closure shall be removed.

2.2.2.2 Barricades deployed to close the vehicular lane between the C10 and C11 shall be removed.

2.2.2.3 After completion of action mentioned above from 2.2.2.1 and 2.2.2.2 Apron Control shall intimate AOCC about availability stands from C10 to C26 of Apron C.

2.2.2.4 Reversal of Taxiway W7 from Code F to Code C Taxiway will be broadcast on ATIS up to 30 minutes after the suspension of operations on RWY 14/32.

2.3 Procedure for upgradation of Taxiway W7 during unplanned / emergency use of Runway 14/32, (non-availability of Runway 09/27, non-availability of a critical taxiway or any reason whatsoever).

The duration of the estimated emergency closure for Runway 09/27 and its impact on the operations will be assessed by Mumbai International Airport Ltd. (MIAL) in coordination with concerned department including WSO (AAI ATC).

If the duration and impact on operations mandates the upgradation of Taxiway W7 for Code F operations. MIAL AOCC shall coordinate with respective airlines and initiate the process of shifting of aircraft parked on stands from C10 to C26. After coordination with airlines about the shifting of aircraft, Apron Control will determine the time by which the Taxiway W7 can be upgraded and intimated to all concerned.

NOTAM shall be promulgated regarding upgradation of TWY W7 as code F and broadcasted on ATIS.

Note:

Unplanned / Emergency upgradation of TWY W7 for code F cannot be foreseen and anticipated. The duration of upgradation of TWY W7 is subject to the conditions prevailing during such emergency situation and shall be dependent on various other operational parameters and availability of resources.

3.Roof top heliport(Jio heliport) under private use CAT established At LCA Dhirubhai Ambani International Convention And Exhibition Centre(DAICEC) Bandra Kurla Complex(BKC) Mumbai With Geographical Coord 190346.69N 0725158.22E in Mumbai FIR.

IV. PERIODIC CLOSURE OF RUNWAY FOR PREVENTIVE MAINTENANCE

1.RWY 09/27 closed for preventive maintenance every Monday BTN 0845-1030 UTC and EV Thursday between 0830-1030 UTC subject to weather and visibility. RWY restoration time is 30min.

2.RWY 14/32 closed for preventive maintenance every Wednesday between 0545 UTC up to 0745 UTC. Runway will be restored within 30 minutes with prior notice.

3.RWY 09/27 and RWY 14/32 closed daily except Friday between 2150 UTC to 2230 UTC for landing and take-off due to periodic maintenance of intersection of runways. In case of emergency runway restoration period is 10 minutes.

4.Intersection of RWY 09/27 and RWY 14/32 closed on every Monday between 0830 and 0845 UTC for inspection of RWY Intersection area.

V.ADS/CPDLC SYSTEM

1.Available 24 HRs within Mumbai FIR on segments of ATS routes N519, L301, L505, N571, P574, N563, M300, P570, L894, P751, UL425, UM551, P323, G450, G424, B459, T940, A474, G465, N628, R461, L875 and L756 over Arabian sea oceanic airspace. The service is available to all aircraft suitably equipped with data link capability. The data link capable ACFT while operating in Mumbai FIR shall follow procedures as given below:

i.Data link and ADS capability shall be indicated in the FPL by indicating appropriate designator in item 10 and 18.
ii.The AFN log on address of Mumbai FIR is ‘VABF’.
iii.The arriving ACFT shall log on 10 min prior to entering Mumbai FIR. ADS/CPDLC capable aircraft entering Mumbai FIR via ORLID to LOGON VABF 15 minutes prior to enter Mumbai FIR.
iv.Aircraft departing/transiting from/within Mumbai FIR shall LOGIN within 15 minutes prior to leaving Mumbai TMA limits.
v.CPDLC will be the primary means of communication and VHF/HF will be secondary means of communication for the aircraft successfully logged on to ADS/CPDLC when operating in Mumbai OCC. When operating inside TMA, VHF shall be primary means of communication for the aircraft.
vi.During the period when aircraft is logged on to ADS/CPDLC, voice position reporting will be to supplement CPDLC Position report only when requested by ATC.
vii.SELCAL checking is required to verify the HFRT connectivity.
viii.VOICE positioning shall be resumed in case of ADS/CPDLC link failure. Pilots unable to establish data link connection shall inform appropriate ATS unit through Voice communication on VHF 132.700, 125.350,133.300, 133.425, 135.750, 133.925, 133.850, 120.500, 127.150 MHZ or HF 10018/13288/5658/3467/6661/8879/3476KHZ.

2. In keeping with the policy BEST EQUIPPED BEST SERVED, Mumbai Oceanic Control will accord priority to FANS-1A aircraft LOGIN ON to Mumbai ADS-C/CPDLC over other aircraft in allocation of preferred cruising level on ATS routes UL425, M300, N571, P570 and P574. Aircraft equipped with ADS-C/CPDLC are encouraged to LOG ON while operating in Arabian sea region for optimum use of airspace.

VI.ACC SECTORS:

1.H-24 VABB ACC sectors reorganized into four sectors as ACC NORTH, ACC SOUTH, ACC WEST and LOWER AREA CONTROL (LAC) within TMA.

2.Lower Area Control between FL145 to FL245 up to 50 NM from BBB and FL070 to FL245 from 50 NM to 100 NM from BBB.

3.Sector North bounded by BBB VOR R353 to R100 excluding area within LAC.

4.Sector South bounded by BBB VOR R100 to R172 clockwise excluding area within LAC.

5.Sector West bounded by BBB VOR R172 to R353 clockwise excluding area within LAC.

6.Depending on the traffic, ATC may change the sector configuration.

7.Vertical limits are same as published in AIP INDIA.

8.RCAG frequency 125.350 MHz VABB/VOGO sector commissioned & operational.

9.RCAG frequency 132.700 MHz VABB/VAAU and VABB/VAPR sector commissioned & operational.

10.RCAG frequency 133.300 MHz VABB/VAPR sector commissioned & operational.

11.All West bound flights on L301/L505, N571 and P574 must report position KARKU, SUGID AND BISET respectively to VABB Radio in addition to VABB AREA CONTROL

VII. Pilot shall not initiate request for DCT routing between FL 140 on Mumbai Approach Control Frequency 127.900 MHz and 119.300 MHz to reduce radio telephony congestion.

VIII. Bird activity in and around the airfield due to grass cutting operations along the basic strip of RWY. Pilot to exercise caution.

IX. No turn Pad available for RWY 09, 27, 14 and 32.

X. Last available exit TWY for RWY 09 is TWY N3.

XI. H24 Aircraft taxing or towing shall not cross any RWY without positive clearance from tower.

XII. RWY 14/32 upgraded for ACFT OPS upto CODE F.

XIII. ACFT OPS upto CODE F permitted from all RWY.

XIV. ASMGCS commissioned to enhance visual surveillance.

XV. Exemptions Granted by DGCA:

(a) DGCA India has granted exemption vide letter dated 30.08.2022 for the period up to 31.12.2026 for the following:

(i)Security fence on southern side of RWY 27 beginning is located within the runway strip against provisions in CAR Section 4 Series B Part I Para 3.4.6.

(ii)Security fence on eastern and western side of RWY 14 beginning is located within the runway strip against provisions in CAR Section 4 Series B Part I Para 3.4.6.

(iii)Jet airways GSD and Engg. Structures located on western side of RWY 14/32 are situated within RWY strip.

(iv)General Aviation, Navy & Airforce Hangars penetrating transitional surface of RWY 09/27 against provisions in CAR Section 4 Series B Part I Para 4.2.21.

(v)ATS Technical block and Antenna penetrating transitional surface of RWY 14/32 against provisions in CAR Section 4 Series B Part I Para 4.2.21.

(vi)General Aviation aircraft are parked on GA apron (old airport) without standard clearances between stands against provisions in CAR Section 4 Series B Part I Para 3.13.6.

XVI. **Tug Release Points:**

Tug Release point	Location	Coordinates	Remarks
T6A	On Taxilane W6 behind Stand C30	190532.19N 0725133.91E	Compliant for aircraft up to code C only
T11B	On Taxilane T behind Stand V4L	190551.24N 0725218.40E	Compliant for aircraft up to code C only
T23A	On Taxilane H between stand V21 and stand V22	190535.71N 0725233.38E	Compliant for aircraft up to code C only
T26A	On Taxiway B1 behind stand V25	190542.73N 0725241.87E	Compliant for aircraft up to code C only
T25A	On Taxiway Y1 between Link 4 and stand K1	190541.28N 0725242.81E	Compliant for aircraft up to code C only
T10	On TWY Z Parallel to TRP T11	190548.96N 0725215.56E	Compliant for aircraft up to code C only
T10A	On TWY Z Parallel to TRP T11A	190545.93N 0725212.45E	Compliant for aircraft up to code C only
XVII. Daily concentration of birds in and around vicinity of aerodrome. Birds with weight between 400gm to 2Kg. Maximum size of flock of birds upto 50 birds. Daily between 0030 - 0500 and 0800 - 1300 hrs UTC. Pilots to exercise caution during landing or take-off.			

VABB AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart (29 OCT 2026)
2 Aerodrome Chart - Hot Spot (29 OCT 2026)
3 Aerodrome Chart - Colour Coded TWY/Taxilane compatibility (29 OCT 2026)
4 Aerodrome Chart - Tug Release Points(29 OCT 2026)
5 Aircraft Parking/Docking Chart - Apron A(29 OCT 2026)
6 Aircraft Parking/Docking Chart - Apron C (16 APR 2026)
7 Aircraft Parking/Docking Chart - Apron C (When Taxilane W7 is upgraded as Code F TWY)(22 JAN 2026)
8 Aircraft Parking/Docking Chart - Apron G (29 OCT 2026)
9 Aircraft Parking/Docking Chart - Apron K (29 OCT 2026)
10 Aircraft Parking/Docking Chart - Apron J (27 NOV 2025)
11 Aircraft Parking/Docking Chart - Apron R (29 OCT 2026)
12 Aircraft Parking/Docking Chart - Apron S (27 NOV 2025)
13 Aircraft Parking/Docking Chart - Apron V (29 OCT 2026)
14 Aerodrome Obstacle Chart - Type A (Operating Limitations) Runway 09 (03 October 2024)
15 Aerodrome Obstacle Chart - Type A (Operating Limitations) Runway 27 (03 October 2024)
16 Aerodrome Obstacle Chart - Type A (Operating Limitations) Runway 14 (03 October 2024)
17 Aerodrome Obstacle Chart - Type A (Operating Limitations) Runway 32 (22 JAN 2026)
18 Aerodrome Obstacle Chart - Type B (07 August 2025)
19 Take-off Run Available from Intersection RWY 09(22 JAN 2026)
20 Take-off Run Available from Intersection RWY 27(22 JAN 2026)
21 Take-off Run Available from Intersection RWY 14(22 JAN 2026)
22 Take-off Run Available from Intersection RWY 32(22 JAN 2026)
23 Location of Different Exit TWYs RWY 09(22 JAN 2026)
24 Location of Different Exit TWYs RWY 27(22 JAN 2026)
25 Location of Different Exit TWYs RWY 14(22 JAN 2026)
26 Location of Different Exit TWYs RWY 32(22 JAN 2026)
27 Ground Movement Chart – Apron V (Code C Aircraft on TXL T) (07 August 2025)
28 Ground Movement Chart – Apron V (Code E Aircraft on TXL T) (07 August 2025)
29 Ground Movement Chart –Taxiway H between Taxiway M5 and Taxiway M4 (upto to Code E Aircraft) (07 August 2025)
30 Aircraft Pushback Procedure RWY 09, Stands: A1, A2, A3 & A4
31 Aircraft Pushback Procedure RWY 09, Stands: A5 to A12
32 Aircraft Pushback Procedure (For Code D) RWY 09, Stands: A8-A12
33 Aircraft Pushback Procedure RWY 14/32/27, Stands: A1 - A4
34 Aircraft Pushback Procedure RWY 14/32/27, Stands: A5 - A8
35 Aircraft Pushback Procedure RWY 14/32/27, Stands: A9, A10, A11 & A12
36 Aircraft Pushback Procedure (For Code D) RWY 14/32/27, Stands: A8-A12
37 Aircraft Pushback Procedure RWY 32, Stands: C10 & C11(07 August 2025)
38 Aircraft Pushback Procedure RWY 32, Stands: C12 TO C20(07 August 2025)
39 Aircraft Pushback Procedure RWY 09, Stands: C10 TO C18(07 August 2025)
40 Aircraft Pushback Procedure RWY 09, Stands: C19 & C20
41 Aircraft Pushback Procedure RWY 14/27, Stands: C10 TO C16(07 August 2025)
42 Aircraft Pushback Procedure RWY 14/27, Stands: C17 TO C20

43 Aircraft Pushback Procedure RWY 14/09/27, Stands: C21 TO C26 (07 August 2025)
44 Aircraft Pushback Procedure RWY 32, Stands: C21 TO C26 (07 August 2025)
45 Aircraft Pushback Procedure RWY 09, Stands: C27 TO C33 (07 August 2025)
46 Aircraft Pushback Procedure RWY 14/27 Stands: C27 TO C33 (07 August 2025)
47 Aircraft Pushback Procedure RWY 32, Stands: C27 TO C33 (07 August 2025)
48 Aircraft Pushback Procedure RWY 14/32/09/27, Stands: C80
49 Aircraft Pushback Procedure RWY 14/09, Stands: C81-C85(07 August 2025)
50 Aircraft Pushback Procedure RWY 27/32, Stands: C81-C85(07 August 2025)
51 Aircraft Pushback Procedure RWY 14/09, Stands: C86-C88(07 August 2025)
52 Aircraft Pushback Procedure RWY 27/32, Stands: C86-C88(07 August 2025)
53 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: G1 to G5 (07 August 2025)
54 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: K1-K2 (29 OCT 2026)
55 Aircraft Pushback Procedure RWY 09/27/14/32 Stands: K3L-K3R (29 OCT 2026)
56 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: K3 (29 OCT 2026)
57 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: K4R, K4L, K5R, K5L, K6R, K6L (29 OCT 2026)
58 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: K4, K5 & K6 (29 OCT 2026)
59 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: J1 to J5
60 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: J6 to J10
61 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: R1L, R1, R1R, R2L, R2, R2R(22 JAN 2026)
62 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: R3(29 OCT 2026)
63 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: R4 - R5(22 JAN 2026)
64 Aircraft Pushback Procedure RWY 09/14, Stands: S1L - S3R(02 OCT 2025)
65 Aircraft Pushback Procedure RWY 27/32, Stands: S1L - S3R(02 OCT 2025)
66 Aircraft Pushback Procedure RWY 09/27/14/32 Stands: V6R (07 August 2025))
67 Aircraft Pushback Procedure RWY 09/27/14/32 Stands: V7L & V7R (07 August 2025)
68 Aircraft Pushback Procedure RWY 09/27/14/32 Stands: V8L & V8R (07 August 2025)
69 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V4 - V8 (07 August 2025)
70 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V 9 & V 10 (07 August 2025)
71 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V11 (02 OCT 2025)
72 Aircraft Pushback Procedure RWY 09/14, Stands: V12 - V15(22 JAN 2026)
73 Aircraft Pushback Procedure RWY 27/32, Stands: V12 - V15(22 JAN 2026)
74 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V 16 - V 17(22 JAN 2026)
75 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V18L, V18, V18R & V19(22 JAN 2026)
76 Aircraft Pushback Procedure RWY 09/27/14/32 Stands: V20L, V20R & V21L(29 OCT 2026)
77 Aircraft Pushback Procedure (For Code C) RWY 09/27/14/32 Stands: V21R & V22 (29 OCT 2026)
78 Aircraft Pushback Procedure (For Code D & E) RWY 09/27/14/32 Stands: V20, V21 & V22 (22 JAN 2026)
79 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V 23 & V 24 (29 OCT 2026)
80 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: V23 & V24 (29 OCT 2026)
81 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V25 (29 OCT 2026)
82 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: V25 (29 OCT 2026)
83 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V 26L, V 26R, V 27L & V27R (29 OCT 2026)
84 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: V26 & V27 (29 OCT 2026)
85 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V28L & V28R(22 JAN 2026)
86 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: V28(22 JAN 2026)
87 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V29, V30L, V30R & V31L(22 JAN 2026)
88 Aircraft Pushback Procedure (For Code D & E ACFT) RWY 09/27/14/32, Stands: V29, V30 & V31(22 JAN 2026)

89 Aircraft Pushback Procedure RWY 09/27/14/32, Stands: V 31R, V 32L & V 32R(22 JAN 2026)
90 Aircraft Pushback Procedure RWY 09/14, Stands: General Aviation(02 OCT 2025)
91 Aircraft Pushback Procedure RWY 27/32, Stands: General Aviation(02 OCT 2025)
92 Instrument Approach Chart - ILS Procedure RWY09
93 Instrument Approach Chart - ILS (Z) (DME Required) Procedure RWY 27
94 Instrument Approach Chart - ILS (Y) Procedure RWY27
95 Instrument Approach Chart - ILS or LOC Y Procedure RWY 14 (17 APR 2025)
96 Instrument Approach Chart - RNP Y Procedure RWY 09
97 Coding Table - RNP Y Procedure RWY 09
98 Instrument Approach Chart - RNP Y Procedure RWY 14
99 Coding Table - RNP Y Procedure RWY 14
100 Instrument Approach Chart - VOR Procedure RWY 09
101 Instrument Approach Chart - VOR Procedure RWY 27
102 Instrument Approach Chart - VOR Procedure RWY 14
103 Instrument Approach Chart - VOR Procedure RWY 32
104 ATC Surveillance Minimum Altitude Chart
105 Location Of Stop Bars & No Entry Bars (29 OCT 2026)
106 Aircraft Pushback Procedure RWY 09/27/14/32 Stands: V3L - V3R-V4L(11 JUN 2026)
107 Aircraft Pushback Procedure (For Code C) RWY 09/27/14/32 Stands: V4R,V5 & V6L(11 JUN 2026)
108 VVIP Arrival for Stand A11(29 OCT 2026)
109 VVIP Departure from Stand A11 for Rwy-27-14-32 (29 OCT 2026)
110 VVIP Departure from Stand A11 for Rwy-09 (29 OCT 2026)

VABB AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3