AD 2. AERODROMES

VAMA AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VAMA - MUNDRA AIRPORT, MUNDRA

VAMA AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	225007N 0694554E 237 DEG/978M from extremity of RWY 23	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	096 DEG/4.2KM from Mundra Bus Stand	
3	Aerodrome elevation and reference temperature	17 FT / 40.0 DEG C	
4	Magnetic variation, date of information and annual change	0.25 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Mundra International Airport Pvt. Ltd. Adani House, Nr Mithakali Six Roads, Navarangapura , Ahmedabad-380009,	
		Telephone:	(91) 79 25556660
		Fax:	(91) 79 25556112
		AFS:	
		Email:	MIAPL@adani.com
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	NIL	

VAMA AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-SAT : 0400-1230 (0930-1800 IST) SUN+ HOL : Nil
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	NIL
5	ATS reporting office (ARO)	NIL
6	MET Briefing office	NIL
7	Air Traffic Service	Consult Current NOTAM for ATS HR.
8	Fuelling	NIL
9	Handling	NIL
10	Security	As ATS
11	De-icing	NIL
12	Remarks	Outside of ATS hours, services are available O/R with 24 HR PN to AD.

VAMA AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	NIL
3	Fuelling facilities and capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL

7	Remarks	NIL

VAMA AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Mundra City
2	Restaurant(s) at or in the vicinity of aerodrome	Mundra City
3	Transportation possibilities	Taxis from city to AD.
4	Medical Facilities	Adani Hospital / Govt Hospital
5	Bank and post office at or in the vicinity of aerodrome	Banks: Mundra City Post office: Mundra City
6	Tourist office	NIL
7	Remarks	NIL

VAMA AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical Aircraft for the Airport is ATR 72 2. Primary responsibility for removal of disabled aircraft removal rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Manager: +91 9979855956 email: Supratim.Sengupta@adani.com
4	Remarks	Name : Sh.Supratim Sengupta, Tele : +91-9426600642 , Mail: Supratim.sengupta@adani.com

VAMA AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VAMA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: Apron Surface: Asphalt Strength: PCN 64/F/B/X/T
2	Designation, width, surface and strength of taxiways	Designator: TWY A Width: 22 M Surface: Asphalt Strength: PCN 64/F/B/X/T
3	Location and elevation of altimeter checkpoints	Location: At Apron Elevation: 17 FT
4	Location of VOR checkpoints	On TWY A Holding PSN, 250.60 DEG 0.6 NM
5	Position of INS checkpoints	NIL
6	Remarks	NIL

VAMA AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T.
2	Runway and taxiway markings and lights	RWY Markings: THR, Centreline, Designation ,Aiming Point, TDZ, Side strip RWY Lights: Edge lights, Threshold lights, Runway End lights. TWY Marking: Centreline, Holding Position, Side Strip, Information Marking TWY Lights: Taxiway edge lights, Signage
3	Stop bars (if any)	NIL
4	Remarks	NIL

VAMA AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	225004.4N 0694338.5E	72.337 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225004.6N 0694338.9E	69.558 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225008.3N 0694332.8E	80.729 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225007.7N 0694308.6E	57.314 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225008.4N 0694306.4E	51.58 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225024.7N 0694323.0E	61.211 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225025.6N 0694256.5E	52.872 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225341.9N 0695347.1E	227.04 M	NIL	Chimney
In circling area and at AD	OTHER	225027.6N 0694425.6E	54.953 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225145.2N 0694446.4E	68.767 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225105.7N 0694408.9E	57.057 M	NIL	Mobile Tower
In circling area and at AD	OTHER	225040.0N 0694626.0E	29.657 M	NIL	IT Tower
In circling area and at AD	OTHER	224851.3N 0693145.9E	281.01 M	NIL	CGPL – Chimney South
In circling area and at AD	OTHER	224859.4N 0693145.9E	280.93 M	NIL	CGPL – Chimney North
In circling area and at AD	OTHER	224919.6N 0693259.8E	281.14 M	NIL	APL – Chimney West 1
In circling area and at AD	OTHER	224919.6N 0693259.5E	174.339 M	NIL	APL – Chimney West 2
In circling area and at AD	OTHER	224920.0N 0693314.6E	281.11 M	NIL	APL – Chimney West 3

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	224919.6N 0693323.6E	280.97 M	NIL	APL – Chimney West 4
In circling area and at AD	OTHER	225008.0N 0694547.9E	27.415 M	NIL	High Mast 1
In circling area and at AD	OTHER	225009.2N 0694549.7E	26.817 M	NIL	High Mast 2

VAMA AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	NIL
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	NIL
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Ahmedabad 9 and 24 Hrs
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	DCWIS
9	The air traffic services unit(s) provided with meteorological information	Mundra ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	Documentation provided A/R.

VAMA AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
05	54.62 DEG	1898 x 30 M	64/F/B/X/T Asphalt	THR: 224947.68N 0694528.21E RWY END: 225023.15N 0694622.69E
23	234.62 DEG	1898 x 30 M	64/F/B/X/T Asphalt	THR: 225023.15N 0694622.69E RWY END: 224947.68N 0694528.21E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 17.0FT TDZ:	0.00%			2018 x 150 M
THR: 17.0FT TDZ:	0.00%			2018 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
170M x 60M			NIL
170M x 60M			NIL

VAMA AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
05	1898	1898	1898	1898	
23	1898	1898	1898	1898	

VAMA AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	**2**	**3**	**4**	**5**
05	NIL	Green	PAPI LEFT/3.00 DEG	
23	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	**7**	**8**	**9**	**10**
	1898 M 60 M White LIH	Red		NIL
	1898 M 60 M White LIH	Red		NIL

VAMA AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building , FLG W&G EV 2 SEC
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	61M North East of ARP, Lighted
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	NIL
4	Secondary power supply including switch-over time;	02 DG SET 140KVA &125 KVA available Switch over Time 5 Sec.	
5	Remarks	NIL	

VAMA AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VAMA AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	Not established
2	Vertical limits	Not established
3	Airspace classification	G
4	Call sign and language(s) of the air traffic services unit providing service;	MUNDRA TOWER, English
5	Transition altitude	4000 FT
6	Hours of applicability	As ATS
7	Remarks	ACFT to coordinate for Climb / Descend With Bhuj ATC

VAMA AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
TWR	MUNDRA TOWER	122.450 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	As ATS	NIL

VAMA AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	**2**	**3**	**4**
DVOR/DME	MND	113.500 MHz CH82X	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	**6**	**7**	**8**
225016.9N 0694627.4E	48 FT		

VAMA AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VAMA AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VAMA AD 2.22 FLIGHT PROCEDURES

NIL

VAMA AD 2.23 ADDITIONAL INFORMATION

1. Approach control services are provided by Air Force Bhuj.

VAMA AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking / Docking Chart
3. VOR Procedure RWY 05
4. VOR Procedure RWY 23

VAMA AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3