## AD 2. AERODROMES

### VANP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

**VANP - DR BABASAHEB AMBEDKAR INTERNATIONAL AIRPORT , NAGPUR**

### VANP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | | |
|---|---|---|---|
| 1 | Aerodrome reference point coordinates and its site | 210530N 0790254E<br>129 DEG/118M from RWY intersection | |
| 2 | Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves | 214 DEG, 08KM from Nagpur | |
| 3 | Aerodrome elevation and reference temperature | 1037 FT / 43.0 DEG C | |
| 4 | Magnetic variation, date of information and annual change | 0.35 DEG W (2010) /0.0167 DEG E | |
| 5 | Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available) | Sr. Airport Director<br>Old terminal building,<br>Dr. Babasaheb Ambedkar International Airport,<br>Nagpur – 440005, | |
| | | Telephone: | 91 712 6781500 |
| | | Fax: | (91) 712 6781501 |
| | | AFS: | VANPYHYX |
| | | Email: | sr.apd@mihanindia.org<br>aocc@mihanindia.org |
| 6 | Types of traffic permitted (IFR/VFR) | IFR/VFR | |
| 7 | Remarks | 1. ANS Provider:<br>General Manager (ATM),<br>Airports Authority of India,<br>ATS Complex, DBAI Airport,<br>Nagpur 440005<br><br>Tele: +91-712-2807502<br>+91-712-2807522<br><br>Fax: +91-712-2288007<br>+91-712-2807504<br><br>AFS: VANPYDYX<br><br>Email:<br>vanp.ats@aai.aero<br>vanp.wso@aai.aero<br><br>2. AD Reference Code: 4D | |

### VANP AD 2.3 OPERATIONAL HOURS

| | | |
|---|---|---|
| 1 | Aerodrome Operator | MON-FRI: 0400-1230 (0930-1800 IST)<br>SAT+SUN+HOL: NIL |
| 2 | Custom and immigration | H24 |

| | | |
|---|---|---|
| 3 | Health and sanitation | First Aid Room AVBL in Arrival Hall at New Terminal Bldg. |
| 4 | AIS briefing office | H24 |
| 5 | ATS reporting office (ARO) | H24 |
| 6 | MET Briefing office | H24 |
| 7 | Air Traffic Service | H24 |
| 8 | Fuelling | H24 |
| 9 | Handling | H24 |
| 10 | Security | H24 |
| 11 | De-icing | NIL |
| 12 | Remarks | The ATS approved hourly RWY traffic handling capacity is as follows:<br>Maximum number of arrivals and departures - 12 (The average spacing between two successive arrivals is normally 7 minutes)<br>Maximum number of arrivals only - 9<br>Maximum number of departures only - 20 |

**VANP AD 2.4 HANDLING SERVICES AND FACILITIES**

| | | |
|---|---|---|
| 1 | Cargo-handling facilities | Up to 20MT Export and 34.10MT Import Handling possible per Day |
| 2 | Fuel and Oil types | JET A1<br>AVGAS 100LL / OIL: NIL |
| 3 | Fuelling facilities and capacity | IOCL:<br>Capacity: JET A1 - 960KL,<br>Bowsers: 27 KL (One), 16 KL (Four),<br><br>BPCL:<br>Capacity: JET A1 - 445 KL<br>Bowsers: 15 KL (Two), 16 KL (One), 23KL (One),<br><br>Reliance Aviation Fuel:<br>Capacity: JET A1 - 147 KL<br>Bowsers: 25KL (One), 18 KL (One), 06 KL (Two)<br><br>HPCL:<br>Capacity: Jet A1 - 30KL<br>Bowser: 15KL (Three) |
| 4 | De-icing facilities | NIL |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | NON SKD (Code C, D, & E) aircrafts should ensure availability of tow bar on board or with their ground handling agent. |

**VANP AD 2.5 PASSENGER FACILITIES**

| | | |
|---|---|---|
| 1 | Hotel(s) at or in the vicinity of aerodrome | Near the AD and in the city |
| 2 | Restaurant(s) at or in the vicinity of aerodrome | At the AD and in the city |
| 3 | Transportation possibilities | Taxi, Car Hire from AD and Buses from the City. |
| 4 | Medical Facilities | First aid at AD. Hospitals in the city. |
| 5 | Bank and post office at or in the vicinity of aerodrome | Banks: At AD. Open 0430-0930 UTC (1000-1500 IST). From Mon-Fri except on holidays.<br><br>Post office: In the City. |
| 6 | Tourist office | In the city. |

| | | |
|---|---|---|
| 7 | Remarks | ATM facility available both in Departure lounge as well as outside Terminal Building |

## VANP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

| | | |
|---|---|---|
| 1 | Aerodrome category for fire fighting | Within ATS HR: CAT-7 |
| 2 | Rescue equipment | AVBL as per Category |
| 3 | Capability for removal of disabled aircraft | 1. The Critical Aircraft for the Airport is A321.<br>2. Primary responsibility for removal of disabled aircraft rests with the concerned airline.<br>3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit.<br>4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations:<br>Sr. Airport Director, MIHAN India Ltd.,<br>DBAI Airport, Nagpur-05<br>TEL- 0712-6781504 /500/540<br>sr.apd@mihanindia.org |
| 4 | Remarks | CAT 8 AVBL with 12 Hrs prior notice<br>Critical aircraft A321 |

## VANP AD 2.7 SEASONAL AVAILABILITY CLEARING

| | | |
|---|---|---|
| 1 | Type(s) of clearing equipment | NIL |
| 2 | Clearance priorities | NIL |
| 3 | Remarks | NIL |

## VANP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

| | | |
|---|---|---|
| 1 | Designation, surface and strength of aprons | Refer Parking Docking Chart |
| 2 | Designation, width, surface and strength of taxiways | Refer remarks column and parking docking chart |
| 3 | Location and elevation of altimeter checkpoints | Location At apron T. Elevation 1004 FT |
| 4 | Location of VOR checkpoints | At Holding Point TWY A. |
| 5 | Position of INS checkpoints | NIL |

<table>
<tr><td>6</td><td>Remarks</td><td>1. Aircraft stand Taxi Lane ’L’ from B2 to A restricted for up to Code-C Aircraft.<br>2. Parking for code E aircraft of Air India available at stand 17 with revised aircraft stand markings, CL in broken yellow lines, pushback guidance line in broken white lines and ACFT stand safety marking in broken red lines; Bay 17 (PCR 810/R/A/W/T) and also at East end of TWY-B1 facing West (PCR 910/F/A/W/T).<br>3. Isolation bay –East end of TWY-B1 (facing east)).<br>4. Secondary Isolation Bay-on TWY C1, 270M ahead of TWY F intersection (facing West).<br>5. All the Bays are Power-in / Push-Back except Stand No.7 and Isolation Bay.<br>6. Bay No. 01 and 02 are Contact Bays with VDGS.<br>7.Details of TWY C1 & C2
<table>
<tr><td>TWY</td><td>Location</td><td>Lenght</td><td>Shoulder</td><td>Aircraft Suitability</td></tr>
<tr><td>C1</td><td>883.50M from Threshold Runway 32</td><td>1890 M</td><td>10.5M</td><td>CODE E</td></tr>
<tr><td>C2</td><td>From Air India MRO to C1 End</td><td>1350 M</td><td>10.5M</td><td>CODE E</td></tr>
</table>
8.Intermediate Holding Position is provided on Taxiway C1 after crossing F Intersection.<br>9Intermediate Holding Position is provided on Taxiway C2 at a location just before C1.<br>10. Aircraft Stand No. 07 is restricted for aircraft up to maximum tail height of 8m,Wingspan 30m and length 30m.<br>11. Designation: APRON R (Stand 14 to 18)<br>Surface: Concrete<br>Strength: PCR 810/R/A/W/T<br>Designation: APRON T (Stand 1 to 12)<br>Surface: Concrete<br>Strength: PCR 960/R/A/W/T</td></tr>
<tr><td></td><td></td><td></td></tr>
</table>

| | | |
|---|---|---|
| | | 12. Taxiways<br>Designator: A<br>Width: 23 M<br>Surface: Asphalt<br>Strength: PCR 910/F/A/W/T<br>Designator: B1<br>Width: 23 M<br>Surface: Asphalt<br>Strength: PCR 910/F/A/W/T<br>Designator: B2<br>Width: 23 M<br>Surface: Asphalt<br>Strength: PCR 910/F/A/W/T<br>Designator: C1<br>Width: 23 M<br>Surface: Asphalt<br>Strength: PCR 910/F/A/W/T<br>Designator: C2<br>Width: 25 M<br>Surface: Concrete<br>Strength:PCR 980/R/A/W/T<br>Designator: F<br>Width: 15 M<br>Surface: Concrete<br>Strength: PCR 440/R/A/W/T<br>Designator: L TAXILANE<br>Surface: Concrete PCR 960/R/A/W/T |

## VANP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|---|---|
| 1 | Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands | Aircraft Stand and Taxiway guidelines available. Taxiing guidance provided on R/T by ATC. Aerobridge with VDGS for Stand 1 & 2 |
| 2 | Runway and taxiway markings and lights | RWY Markings: Designation, THR, TDZ, Centerline, Edge, Aiming Point, and till 01 NOV 2027 the Displaced Threshold marking<br><br>RWY Lights: THR, End, Edge<br><br>TWY Marking: Edge, Centerline, RWY holding positions, Intermediate Holding Positions.<br><br>TWY Lights: Edge LGT on TWY A, B1, B2, & C1 (lighted up to Secondary Isolation Bay, rest portion of C1 not lighted), TWY C2 (not lighted) |
| 3 | Stop bars (if any) | NIL |
| 4 | Remarks | Edge LGTS on TWY C1 and C2 placed at 60 M. |

## VANP AD 2.10 AERODROME OBSTACLES

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| 32/TKOF<br>14/APCH | POLE | 210655.2N<br>0790150.6E | 1083 FT | LGTD | Lamp Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210705.2N<br>0790148.4E | 1102 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | BUILDING | 210706.2N<br>0790142.9E | 1110 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | BUILDING | 210715.0N<br>0790127.8E | 1141 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | BUILDING | 210714.2N<br>0790124.2E | 1144 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210655.2N<br>0790145.4E | 1089 FT | LGTD | Solar on Building |
| 32/TKOF<br>14/APCH | TREE | 210644.1N<br>0790150.4E | 1066 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210716.5N<br>0790129.3E | 1142 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210645.3N<br>0790145.3E | 1073 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210656.8N<br>0790144.1E | 1094 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | NAVAID | 210634.0N<br>0790201.0E | 1038 FT | LGTD | Approach Light |
| 32/TKOF<br>14/APCH | BUILDING | 210648.0N<br>0790144.4E | 1079 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210650.5N<br>0790139.8E | 1088 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210647.3N<br>0790143.3E | 1080 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210655.5N<br>0790145.0E | 1091 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210700.6N<br>0790149.5E | 1094 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210657.7N<br>0790148.6E | 1091 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | POLE | 210655.3N<br>0790151.2E | 1084 FT | LGTD | Electric Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210658.5N<br>0790148.2E | 1092 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210654.5N<br>0790154.7E | 1079 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | POLE | 210716.6N<br>0790141.1E | 1130 FT | LGTD | Metro Electric Pole |
| 32/TKOF<br>14/APCH | TREE | 210650.9N<br>0790156.4E | 1071 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210655.2N<br>0790146.4E | 1090 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210659.9N<br>0790148.7E | 1095 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | POLE | 210716.3N<br>0790141.1E | 1130 FT | LGTD | Metro Electric Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210654.7N<br>0790143.8E | 1092 FT | LGTD | Pipe on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| 32/TKOF<br>14/APCH | TREE | 210652.8N<br>0790146.0E | 1086 FT | NIL | Group of Trees |
| 32/TKOF<br>14/APCH | POLE | 210655.7N<br>0790151.5E | 1085 FT | LGTD | Lamp Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210642.7N<br>0790148.3E | 1068 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210654.1N<br>0790141.9E | 1094 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210647.5N<br>0790140.8E | 1084 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210700.0N<br>0790150.9E | 1093 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | TREE | 210646.1N<br>0790143.0E | 1080 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | TREE | 210645.2N<br>0790156.8E | 1063 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210709.4N<br>0790141.1E | 1120 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | POLE | 210655.8N<br>0790152.2E | 1085 FT | LGTD | Electric Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210654.2N<br>0790147.5E | 1088 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | OTHER | 210642.8N<br>0790156.5E | 1060 FT | LGTD | Arrester on LOC Hut |
| 32/TKOF<br>14/APCH | BUILDING | 210656.2N<br>0790149.8E | 1089 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210713.7N<br>0790132.1E | 1138 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210707.8N<br>0790125.3E | 1136 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210656.9N<br>0790142.4E | 1099 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | TREE | 210643.0N<br>0790149.1E | 1069 FT | LGTD | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210652.6N<br>0790153.6E | 1080 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210653.5N<br>0790144.2E | 1092 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210647.8N<br>0790144.6E | 1083 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | TREE | 210643.1N<br>0790148.1E | 1071 FT | NIL | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210655.5N<br>0790142.2E | 1099 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210714.6N<br>0790136.5E | 1137 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210709.2N<br>0790120.9E | 1145 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210650.6N<br>0790141.9E | 1092 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210658.7N<br>0790148.6E | 1097 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210710.2N<br>0790132.4E | 1135 FT | LGTD | Water Tank on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| 32/TKOF<br>14/APCH | OTHER | 210714.3N<br>0790129.1E | 1145 FT | LGTD | Metro Elect Pole |
| 32/TKOF<br>14/APCH | TREE | 210651.6N<br>0790155.6E | 1078 FT | NIL | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210643.6N<br>0790146.6E | 1075 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210710.6N<br>0790119.0E | 1151 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | TREE | 210643.3N<br>0790149.3E | 1072 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | POLE | 210710.4N<br>0790116.1E | 1154 FT | LGTD | Metro Electric Pole |
| 32/TKOF<br>14/APCH | TREE | 210645.7N<br>0790155.6E | 1069 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210643.2N<br>0790144.8E | 1078 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210710.1N<br>0790119.2E | 1150 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210657.2N<br>0790150.3E | 1094 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | POLE | 210710.1N<br>0790116.2E | 1154 FT | LGTD | Metro Electric Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210707.7N<br>0790127.2E | 1138 FT | LGTD | Solar on Building |
| 32/TKOF<br>14/APCH | TREE | 210645.5N<br>0790145.8E | 1081 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210716.2N<br>0790135.5E | 1142 FT | LGTD | Hoarding on Building |
| 32/TKOF<br>14/APCH | TREE | 210644.7N<br>0790158.2E | 1067 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210643.2N<br>0790146.5E | 1077 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | POLE | 210711.3N<br>0790118.2E | 1155 FT | LGTD | Metro Electric Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210707.9N<br>0790134.7E | 1131 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210709.4N<br>0790116.9E | 1154 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210644.0N<br>0790146.6E | 1079 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | POLE | 210711.1N<br>0790118.4E | 1155 FT | LGTD | Metro Electric Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210644.8N<br>0790143.3E | 1084 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210658.1N<br>0790142.5E | 1107 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210710.0N<br>0790131.8E | 1139 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210642.7N<br>0790147.5E | 1078 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | TREE | 210643.9N<br>0790200.0E | 1066 FT | NIL | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210718.0N<br>0790141.2E | 1143 FT | LGTD | Pipe on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| 32/TKOF<br>14/APCH | TREE | 210647.7N<br>0790145.0E | 1090 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | TREE | 210642.1N<br>0790147.6E | 1078 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | OTHER | 210716.7N<br>0790142.2E | 1140 FT | LGTD | Metro Elect Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210655.5N<br>0790153.6E | 1093 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210716.2N<br>0790132.9E | 1150 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210711.8N<br>0790144.7E | 1131 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210641.5N<br>0790146.4E | 1080 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | OTHER | 210710.0N<br>0790115.6E | 1161 FT | LGTD | Metro Elect Pole |
| 32/TKOF<br>14/APCH | BUILDING | 210700.9N<br>0790147.6E | 1111 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | TREE | 210643.5N<br>0790149.8E | 1080 FT | NIL | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210717.1N<br>0790135.4E | 1152 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210715.1N<br>0790129.5E | 1156 FT | LGTD | Cell Phone Mast on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210716.0N<br>0790133.5E | 1153 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210659.4N<br>0790149.5E | 1109 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210712.3N<br>0790143.5E | 1138 FT | LGTD | Water Tank on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210706.5N<br>0790144.8E | 1127 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210706.3N<br>0790144.6E | 1128 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | TREE | 210644.2N<br>0790144.5E | 1092 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210712.3N<br>0790144.2E | 1139 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210657.9N<br>0790152.0E | 1107 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | TREE | 210643.2N<br>0790145.7E | 1093 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | BUILDING | 210700.5N<br>0790144.4E | 1122 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210710.2N<br>0790118.0E | 1171 FT | LGTD | Cell Phone Mast on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210657.5N<br>0790151.1E | 1114 FT | LGTD | Pipe on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210706.9N<br>0790135.2E | 1148 FT | LGTD | Obstacle Light on Building |
| 32/TKOF<br>14/APCH | BUILDING | 210707.9N<br>0790144.8E | 1144 FT | LGTD | Cell Phone Mast on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| 32/TKOF<br>14/APCH | BUILDING | 210716.6N<br>0790133.3E | 1148 FT | LGTD | Building |
| 32/TKOF<br>14/APCH | TREE | 210655.3N<br>0790140.6E | 1114 FT | NO | Group of Trees |
| 32/TKOF<br>14/APCH | TREE | 210701.6N<br>0790131.4E | 1127 FT | NO | Group of Trees |
| 32/APCH<br>14/TKOF | TREE | 210458.4N<br>0790325.2E | 1045 FT | NIL | Group of Trees |
| 32/APCH<br>14/TKOF | NAVAID | 210440.6N<br>0790330.3E | 1080 FT | LGTD | Middle Marker Antenna |
| 32/APCH<br>14/TKOF | TREE | 210456.6N<br>0790327.4E | 1052 FT | NO | Group of Trees |
| 32/APCH<br>14/TKOF | TREE | 210459.2N<br>0790324.0E | 1044 FT | NO | Group of Trees |
| 32/APCH<br>14/TKOF | TREE | 210459.2N<br>0790324.6E | 1060 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210625.1N<br>0790436.5E | 1186 FT | LGTD | Antenna on Building |
| In circling area and at AD | BUILDING | 210611.1N<br>0790002.2E | 1186 FT | NO | Building |
| In circling area and at AD | BUILDING | 210618.3N<br>0790409.7E | 1186 FT | LGTD | Antenna on Building |
| In circling area and at AD | BUILDING | 210625.1N<br>0785949.7E | 1187 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | BUILDING | 210607.3N<br>0790010.4E | 1189 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210708.0N<br>0790249.3E | 1190 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210604.5N<br>0790024.5E | 1192 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210612.2N<br>0790020.8E | 1192 FT | LGTD | Building |
| In circling area and at AD | TANK | 210621.4N<br>0790010.7E | 1193 FT | LGTD | Over Head Water Tank |
| In circling area and at AD | BUILDING | 210607.8N<br>0790026.8E | 1193 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TREE | 210447.5N<br>0790017.3E | 1195 FT | NO | Tree on Hill |
| In circling area and at AD | TREE | 210446.8N<br>0790018.5E | 1197 FT | NO | Tree on Hill |
| In circling area and at AD | BUILDING | 210606.9N<br>0790028.4E | 1198 FT | LGTD | Shed on Building |
| In circling area and at AD | TANK | 210537.4N<br>0790033.7E | 1200 FT | LGTD | Over Head Water Tank |
| In circling area and at AD | BUILDING | 210546.6N<br>0790019.8E | 1204 FT | LGTD | Solar on Building |
| In circling area and at AD | BUILDING | 210547.4N<br>0790020.0E | 1205 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210604.1N<br>0790032.5E | 1206 FT | NO | Group of Trees |
| In circling area and at AD | OTHER | 210550.4N<br>0790013.8E | 1207 FT | LGTD | Cell Phone Mast |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 210544.6N 0790015.2E | 1208 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210548.6N 0790020.1E | 1209 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210549.5N 0790020.0E | 1212 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | BUILDING | 210618.5N 0790012.9E | 1212 FT | LGTD | Building |
| In circling area and at AD | TREE | 210446.8N 0790017.6E | 1216 FT | NO | Tree on Hill |
| In circling area and at AD | BUILDING | 210619.5N 0790012.5E | 1216 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | BUILDING | 210619.6N 0790012.1E | 1216 FT | LGTD | Hoarding on Building |
| In circling area and at AD | BUILDING | 210548.5N 0790015.6E | 1218 FT | LGTD | Pipe on Building |
| In circling area and at AD | TANK | 210551.8N 0790031.3E | 1219 FT | LGTD | Over Head Water Tank |
| In circling area and at AD | BUILDING | 210549.8N 0790015.5E | 1219 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210605.5N 0790030.5E | 1220 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | OTHER | 210607.3N 0790031.0E | 1220 FT | LGTD | Cell Phone Mast |
| In circling area and at AD | BUILDING | 210606.5N 0790030.0E | 1221 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | BUILDING | 210607.2N 0790031.0E | 1221 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | OTHER | 210601.0N 0785952.4E | 1223 FT | LGTD | Mast |
| In circling area and at AD | OTHER | 210601.3N 0790000.1E | 1224 FT | LGTD | Cell Phone Mast |
| In circling area and at AD | TANK | 210603.3N 0790031.1E | 1227 FT | LGTD | Over Head Water Tank |
| In circling area and at AD | BUILDING | 210605.7N 0790003.7E | 1232 FT | LGTD | Hoarding on Building |
| In circling area and at AD | OTHER | 210510.1N 0790301.3E | 1013 FT | LGTD | Electric Panel Box |
| In circling area and at AD | SIGN | 210515.1N 0790307.4E | 1014 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210515.1N 0790307.3E | 1014 FT | LGTD | Sign Board |
| In circling area and at AD | TREE | 210501.7N 0790322.8E | 1041 FT | NO | Group of Trees |
| In circling area and at AD | POLE | 210515.5N 0790311.0E | 1035 FT | LGTD | CCTV Pole |
| In circling area and at AD | SIGN | 210514.9N 0790307.8E | 1015 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210518.3N 0790304.5E | 1016 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210518.0N 0790304.8E | 1016 FT | LGTD | Sign Board |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | SIGN | 210517.4N 0790303.4E | 1017 FT | LGTD | Sign Board |
| In circling area and at AD | NAVAID | 210515.5N 0790311.0E | 1036 FT | LGTD | Windsock |
| In circling area and at AD | SIGN | 210507.6N 0790306.9E | 1015 FT | LGTD | Sign Board |
| In circling area and at AD | ANTENNA | 210510.0N 0790314.1E | 1025 FT | LGTD | Antenna |
| In circling area and at AD | TREE | 210515.7N 0790254.6E | 1045 FT | NO | Group of Trees |
| In circling area and at AD | ANTENNA | 210510.0N 0790314.0E | 1023 FT | LGTD | Antenna |
| In circling area and at AD | BUILDING | 210514.6N 0790258.4E | 1022 FT | LGTD | Glide Path Hut |
| In circling area and at AD | TREE | 210457.5N 0790326.9E | 1064 FT | NO | Group of Trees |
| In circling area and at AD | ANTENNA | 210512.5N 0790300.3E | 1031 FT | LGTD | Obstacle Light on GP Monitor Antenna |
| In circling area and at AD | NAVAID | 210512.5N 0790300.3E | 1032 FT | LGTD | Glide Path Monitor Antenna |
| In circling area and at AD | NAVAID | 210514.4N 0790258.2E | 1037 FT | LGTD | Glide Path DME Antenna |
| In circling area and at AD | NAVAID | 210513.8N 0790309.4E | 1043 FT | LGTD | IMD Antenna |
| In circling area and at AD | NAVAID | 210514.5N 0790258.6E | 1057 FT | LGTD | Glide Path Antenna |
| In circling area and at AD | ANTENNA | 210514.5N 0790258.6E | 1058 FT | LGTD | Obstacle Light on GP Antenna |
| In circling area and at AD | OTHER | 210514.5N 0790258.6E | 1063 FT | LGTD | Arrester on Glide Path Antenna |
| In circling area and at AD | BUILDING | 210643.2N 0790143.9E | 1075 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210636.0N 0790149.3E | 1079 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TOWER | 210722.9N 0790141.5E | 1172 FT | LGTD | Pylon Mast |
| In circling area and at AD | BUILDING | 210637.6N 0790149.7E | 1062 FT | LGTD | Security Cabin |
| In circling area and at AD | BUILDING | 210642.2N 0790143.6E | 1088 FT | LGTD | Steel Rod on U/C Building |
| In circling area and at AD | BUILDING | 210704.9N 0790120.8E | 1136 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210640.4N 0790147.0E | 1067 FT | NO | Group of Trees |
| In circling area and at AD | POLE | 210620.0N 0790219.0E | 1046 FT | LGTD | Lamp Pole |
| In circling area and at AD | BUILDING | 210637.6N 0790206.8E | 1066 FT | LGTD | Antenna on Building |
| In circling area and at AD | FENCE | 210619.4N 0790219.7E | 1049 FT | LGTD | Fencing on Airport Boundary Wall |
| In circling area and at AD | BUILDING | 210622.0N 0790219.9E | 1073 FT | LGTD | Pipe on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 210638.4N 0790205.8E | 1061 FT | LGTD | Solar on Building |
| In circling area and at AD | BUILDING | 210636.8N 0790149.3E | 1074 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210659.2N 0790153.7E | 1106 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210621.5N 0790220.9E | 1080 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210635.2N 0790149.8E | 1083 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210635.8N 0790207.3E | 1057 FT | LGTD | Water Tank on Building |
| In circling area and at AD | POLE | 210627.3N 0790213.7E | 1053 FT | LGTD | Electric Pole |
| In circling area and at AD | BUILDING | 210638.3N 0790206.1E | 1065 FT | LGTD | Antenna on Building |
| In circling area and at AD | BUILDING | 210638.1N 0790205.5E | 1057 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210635.2N 0790208.9E | 1070 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210632.1N 0790209.8E | 1052 FT | LGTD | Building Corner |
| In circling area and at AD | POLE | 210642.8N 0790201.6E | 1054 FT | LGTD | Electric Pole |
| In circling area and at AD | BUILDING | 210631.5N 0790210.5E | 1055 FT | LGTD | Steel Rod on Building |
| In circling area and at AD | POLE | 210619.3N 0790219.6E | 1047 FT | LGTD | Lamp Pole |
| In circling area and at AD | FENCE | 210618.7N 0790220.3E | 1050 FT | LGTD | Fencing on Airport Boundary Wall |
| In circling area and at AD | POLE | 210716.8N 0790142.5E | 1134 FT | LGTD | Metro Electric Pole |
| In circling area and at AD | BUILDING | 210625.0N 0790219.1E | 1093 FT | LGTD | Pipe on Building |
| In circling area and at AD | SIGN | 210631.1N 0790200.2E | 1040 FT | LGTD | Sign Board |
| In circling area and at AD | BUILDING | 210635.3N 0790207.8E | 1060 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210654.6N 0790155.4E | 1087 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210622.0N 0790218.3E | 1060 FT | NIL | Group of Trees |
| In circling area and at AD | POLE | 210618.5N 0790220.1E | 1048 FT | LGTD | Lamp Pole |
| In circling area and at AD | BUILDING | 210655.9N 0790155.0E | 1094 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210628.9N 0790213.2E | 1064 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210632.9N 0790210.9E | 1073 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210710.9N 0790104.5E | 1189 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210713.8N 0790144.9E | 1136 FT | LGTD | Pipe on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 210640.2N 0790147.0E | 1072 FT | LGTD | Pipe on Building |
| In circling area and at AD | POLE | 210617.8N 0790220.7E | 1049 FT | LGTD | Lamp Pole |
| In circling area and at AD | POLE | 210716.6N 0790142.5E | 1134 FT | LGTD | Metro Electric Pole |
| In circling area and at AD | BUILDING | 210712.0N 0790104.6E | 1189 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210632.6N 0790210.9E | 1072 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210627.5N 0790214.1E | 1063 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210628.4N 0790214.5E | 1076 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210652.0N 0790157.5E | 1090 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | BUILDING | 210631.8N 0790211.1E | 1068 FT | LGTD | Shed Corner |
| In circling area and at AD | TREE | 210632.2N 0790209.7E | 1055 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210704.8N 0790150.4E | 1121 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210636.0N 0790150.1E | 1077 FT | LGTD | Building Corner |
| In circling area and at AD | TREE | 210629.7N 0790211.6E | 1055 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210618.9N 0790220.4E | 1056 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210625.3N 0790216.9E | 1075 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TREE | 210631.1N 0790210.6E | 1056 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210628.1N 0790213.4E | 1062 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210630.1N 0790212.6E | 1070 FT | NO | Group of Trees |
| In circling area and at AD | OTHER | 210658.2N 0790158.5E | 1155 FT | LGTD | Cell Phone Mast |
| In circling area and at AD | BUILDING | 210623.5N 0790218.3E | 1076 FT | LGTD | Building |
| In circling area and at AD | TREE | 210626.1N 0790214.5E | 1058 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210628.2N 0790213.2E | 1062 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210634.7N 0790208.4E | 1066 FT | LGTD | Stairs on Building |
| In circling area and at AD | BUILDING | 210627.0N 0790214.0E | 1061 FT | LGTD | Building |
| In circling area and at AD | TREE | 210627.2N 0790213.9E | 1061 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210623.9N 0790217.1E | 1069 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TREE | 210639.2N 0790148.0E | 1076 FT | NO | Group of Trees |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | POLE | 210709.7N 0790115.0E | 1166 FT | NO | Metro Electric Pole |
| In circling area and at AD | BUILDING | 210717.3N 0790142.4E | 1144 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210640.1N 0790147.1E | 1079 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210641.9N 0790202.7E | 1067 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210621.4N 0790218.4E | 1063 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210619.9N 0790221.4E | 1082 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210656.6N 0790155.2E | 1110 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210634.7N 0790209.2E | 1078 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210618.2N 0790221.0E | 1064 FT | LGTD | Building |
| In circling area and at AD | TREE | 210634.3N 0790208.9E | 1072 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210632.5N 0790210.0E | 1068 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210626.4N 0790214.4E | 1065 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210634.5N 0790208.9E | 1074 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | BUILDING | 210619.3N 0790220.5E | 1070 FT | LGTD | Building Corner |
| In circling area and at AD | BUILDING | 210713.6N 0790144.0E | 1135 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | BUILDING | 210619.9N 0790221.0E | 1082 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210622.2N 0790218.3E | 1073 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210644.3N 0790141.8E | 1104 FT | LGTD | Antenna on Building |
| In circling area and at AD | BUILDING | 210633.7N 0790209.7E | 1079 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210634.3N 0790208.0E | 1066 FT | NO | Group of Trees |
| In circling area and at AD | TREE | 210621.0N 0790201.9E | 1090 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210624.0N 0790218.5E | 1093 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210620.4N 0790219.2E | 1068 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TREE | 210619.4N 0790219.7E | 1067 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210644.2N 0790143.3E | 1092 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210624.1N 0790216.3E | 1072 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210618.6N 0790220.6E | 1070 FT | LGTD | Water Tank on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | TREE | 210625.1N 0790215.2E | 1071 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210705.9N 0790115.3E | 1207 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210620.2N 0790219.7E | 1077 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210625.5N 0790215.7E | 1082 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | BUILDING | 210620.0N 0790222.0E | 1103 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210624.2N 0790217.8E | 1095 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210619.6N 0790220.1E | 1081 FT | LGTD | Building |
| In circling area and at AD | TREE | 210637.3N 0790149.4E | 1095 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210658.0N 0790153.1E | 1116 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | OTHER | 210755.9N 0790022.8E | 1214 FT | LGTD | Obstacle Light on Over Head Water Tank |
| In circling area and at AD | BUILDING | 210622.7N 0790218.2E | 1092 FT | LGTD | Pipe on Building |
| In circling area and at AD | NAVAID | 210625.6N 0790202.5E | 1071 FT | LGTD | IMD Antenna |
| In circling area and at AD | BUILDING | 210650.8N 0790135.6E | 1134 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | BUILDING | 210620.3N 0790220.2E | 1103 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210623.2N 0790216.9E | 1094 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | TOWER | 210747.6N 0790024.8E | 1231 FT | LGTD | Pylon Mast |
| In circling area and at AD | TOWER | 210758.2N 0790024.5E | 1241 FT | LGTD | Pylon Mast |
| In circling area and at AD | TOWER | 210758.2N 0790025.2E | 1261 FT | LGTD | Pylon Mast |
| In circling area and at AD | OTHER | 210800.3N 0790021.6E | 1274 FT | LGTD | Cell Phone Mast |
| In circling area and at AD | SIGN | 210530.1N 0790253.7E | 1019 FT | LGTD | Sign Board |
| In circling area and at AD | NAVAID | 210527.8N 0790301.8E | 1043 FT | LGTD | Windsock |
| In circling area and at AD | OTHER | 210521.8N 0790254.5E | 1017 FT | LGTD | Electric Panel Box |
| In circling area and at AD | OTHER | 210520.6N 0790255.5E | 1017 FT | LGTD | Electric Panel Box |
| In circling area and at AD | FENCE | 210612.8N 0790225.0E | 1046 FT | LGTD | Fencing on Airport Boundary Wall |
| In circling area and at AD | BUILDING | 210547.6N 0790244.7E | 1038 FT | LGTD | Fencing on Airport Boundary Wall |
| In circling area and at AD | OTHER | 210519.5N 0790256.3E | 1017 FT | LGTD | Solar |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 210614.7N 0790228.4E | 1100 FT | LGTD | Pipe on Building |
| In circling area and at AD | POLE | 210612.7N 0790224.8E | 1043 FT | LGTD | Lamp Pole |
| In circling area and at AD | SIGN | 210536.5N 0790248.3E | 1025 FT | LGTD | Sign Board |
| In circling area and at AD | BUILDING | 210608.4N 0790228.8E | 1046 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210611.5N 0790226.7E | 1052 FT | LGTD | Pipe on Building |
| In circling area and at AD | FENCE | 210613.4N 0790224.5E | 1047 FT | LGTD | Fencing on Airport Boundary Wall |
| In circling area and at AD | BUILDING | 210609.8N 0790228.3E | 1053 FT | LGTD | Building |
| In circling area and at AD | SIGN | 210538.5N 0790246.7E | 1026 FT | LGTD | Sign Board |
| In circling area and at AD | BUILDING | 210614.4N 0790229.1E | 1105 FT | LGTD | Antenna on Building |
| In circling area and at AD | SIGN | 210548.5N 0790234.6E | 1025 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210534.7N 0790246.3E | 1025 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210532.5N 0790245.6E | 1025 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210528.7N 0790251.1E | 1022 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210530.5N 0790245.8E | 1024 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210532.6N 0790245.6E | 1025 FT | LGTD | Sign Board |
| In circling area and at AD | POLE | 210610.9N 0790227.2E | 1052 FT | LGTD | Electric Pole |
| In circling area and at AD | SIGN | 210527.0N 0790255.9E | 1020 FT | LGTD | Sign Board |
| In circling area and at AD | SIGN | 210530.6N 0790245.8E | 1024 FT | LGTD | Sign Board |
| In circling area and at AD | POLE | 210558.9N 0790236.6E | 1045 FT | LGTD | Lamp Pole |
| In circling area and at AD | POLE | 210613.4N 0790224.2E | 1045 FT | LGTD | Lamp Pole |
| In circling area and at AD | FENCE | 210617.6N 0790221.1E | 1051 FT | LGTD | Fencing on Airport Boundary Wal |
| In circling area and at AD | POLE | 210614.2N 0790223.6E | 1046 FT | LGTD | Lamp Pole |
| In circling area and at AD | OTHER | 210615.4N 0790228.1E | 1104 FT | LGTD | Cell Phone Mast |
| In circling area and at AD | TREE | 210558.6N 0790237.2E | 1050 FT | NO | Group of Trees |
| In circling area and at AD | FENCE | 210616.3N 0790222.2E | 1051 FT | LGTD | Fencing on Airport Boundary Wall |
| In circling area and at AD | BUILDING | 210615.4N 0790228.0E | 1104 FT | LGTD | Cell Phone Mast on Building |
| In circling area and at AD | BUILDING | 210604.4N 0790232.2E | 1047 FT | LGTD | Pipe on Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | POLE | 210614.9N 0790223.0E | 1047 FT | LGTD | Lamp Pole |
| In circling area and at AD | BUILDING | 210606.2N 0790231.1E | 1053 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210610.8N 0790228.9E | 1072 FT | LGTD | Building Corner |
| In circling area and at AD | BUILDING | 210600.4N 0790234.0E | 1031 FT | LGTD | Hut |
| In circling area and at AD | BUILDING | 210611.4N 0790228.2E | 1069 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210608.8N 0790228.4E | 1048 FT | LGTD | Building |
| In circling area and at AD | POLE | 210616.4N 0790221.8E | 1049 FT | LGTD | Lamp Pole |
| In circling area and at AD | POLE | 210615.6N 0790222.4E | 1049 FT | LGTD | Lamp Pole |
| In circling area and at AD | BUILDING | 210609.8N 0790229.1E | 1065 FT | LGTD | Water Tank on Building |
| In circling area and at AD | POLE | 210558.3N 0790236.9E | 1046 FT | LGTD | Electric Pole |
| In circling area and at AD | TREE | 210516.4N 0790252.8E | 1060 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210612.6N 0790230.0E | 1102 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210545.9N 0790231.1E | 1050 FT | LGTD | Tree |
| In circling area and at AD | TREE | 210556.3N 0790239.0E | 1054 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210606.4N 0790230.4E | 1050 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210611.3N 0790228.9E | 1079 FT | NO | Group of Trees |
| In circling area and at AD | TREE | 210559.9N 0790236.2E | 1055 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210558.9N 0790237.6E | 1061 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210605.7N 0790231.4E | 1056 FT | LGTD | Water Tank on Building |
| In circling area and at AD | POLE | 210556.1N 0790238.4E | 1047 FT | LGTD | Electric Pole |
| In circling area and at AD | BUILDING | 210609.9N 0790228.4E | 1063 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210608.8N 0790228.8E | 1057 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210609.9N 0790228.2E | 1062 FT | LGTD | Pipe on Building |
| In circling area and at AD | POLE | 210557.1N 0790237.5E | 1047 FT | LGTD | Electric Pole |
| In circling area and at AD | BUILDING | 210611.6N 0790228.2E | 1077 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210609.3N 0790227.9E | 1054 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210618.0N 0790221.9E | 1070 FT | LGTD | Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 210612.7N 0790226.6E | 1072 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210557.6N 0790239.1E | 1068 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210558.1N 0790236.9E | 1049 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210616.5N 0790222.5E | 1063 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210600.9N 0790236.9E | 1076 FT | LGTD | Building |
| In circling area and at AD | BUILDING | 210556.6N 0790238.7E | 1058 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210613.7N 0790225.5E | 1071 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210604.1N 0790232.1E | 1054 FT | LGTD | Water Tank on Building |
| In circling area and at AD | BUILDING | 210607.8N 0790229.2E | 1057 FT | LGTD | Building |
| In circling area and at AD | TREE | 210556.9N 0790237.5E | 1050 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210613.9N 0790225.0E | 1072 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TREE | 210519.6N 0790250.2E | 1073 FT | NO | Group of Trees |
| In circling area and at AD | OTHER | 210521.5N 0790250.0E | 1059 FT | LGTD | Flood Light Mast |
| In circling area and at AD | TREE | 210616.8N 0790221.9E | 1067 FT | NO | Groups of Trees |
| In circling area and at AD | BUILDING | 210610.0N 0790229.7E | 1087 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210521.1N 0790249.9E | 1065 FT | NO | Group of Trees |
| In circling area and at AD | TREE | 210616.0N 0790222.9E | 1071 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210557.4N 0790238.4E | 1068 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210612.9N 0790225.7E | 1073 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210613.4N 0790225.3E | 1073 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210614.9N 0790227.1E | 1106 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210607.4N 0790230.2E | 1070 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210606.2N 0790230.3E | 1060 FT | NO | Group of Trees |
| In circling area and at AD | TREE | 210556.8N 0790239.2E | 1074 FT | NO | Group of Trees |
| In circling area and at AD | TREE | 210518.8N 0790251.6E | 1068 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210613.0N 0790228.2E | 1103 FT | LGTD | Solar on Building |
| In circling area and at AD | TREE | 210520.0N 0790250.8E | 1069 FT | NO | Group of Trees |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation | Marking/LGT | Remarks |
| In circling area and at AD | TREE | 210617.2N 0790223.2E | 1089 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210614.7N 0790223.9E | 1075 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210605.2N 0790231.9E | 1074 FT | LGTD | Obstacle Light on Building |
| In circling area and at AD | BUILDING | 210607.6N 0790230.3E | 1079 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210607.2N 0790229.5E | 1067 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210602.4N 0790234.3E | 1075 FT | LGTD | Building Corner |
| In circling area and at AD | BUILDING | 210615.4N 0790223.2E | 1077 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210613.9N 0790226.5E | 1098 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210611.5N 0790226.0E | 1071 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210602.1N 0790235.1E | 1082 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210615.7N 0790224.7E | 1097 FT | LGTD | Pipe on Building |
| In circling area and at AD | BUILDING | 210615.5N 0790223.6E | 1084 FT | LGTD | Water Tank on Building |
| In circling area and at AD | TREE | 210613.9N 0790224.1E | 1078 FT | NIL | Group of Trees |
| In circling area and at AD | BUILDING | 210611.2N 0790227.4E | 1087 FT | LGTD | Pipe on Building |
| In circling area and at AD | TREE | 210615.2N 0790223.2E | 1082 FT | NO | Group of Trees |
| In circling area and at AD | TREE | 210612.7N 0790225.2E | 1080 FT | NO | Group of Trees |
| In circling area and at AD | BUILDING | 210622.0N 0790217.9E | 1065 FT | LGTD | Building (U/C) |
| In circling area and at AD | TREE | 210634.4N 0790151.4E | 1076 FT | NO | Tree |
| In circling area and at AD | OTHER | 210652.5N 0790129.2E | 1156 FT | NO | Cell Phone Mast |

## VANP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|---|---|---|
| 1 | Name of the associated meteorological office | AMO NAGPUR under RMC NAGPUR |
| 2 | Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours | H24 |
| 3 | Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts | Nagpur<br>Long TAF ( 30 Hrs) for<br>VANP 00-06, 06-12, 12-18,18-24<br><br>Short TAF (09 Hrs) for<br>VANP 00-09, 03-12, 06-15,09-18, 12-21, 15-24,18-03,21-06.<br>VEBU 03-12, 06-15.<br>VEJR 03-12, 06-15.<br>VERP 18-03,21-06, 00-09 |

| | | |
|---|---|---|
| 4 | Availability of the trend forecast for the aerodrome and interval of issuance | YES<br>HALF HOURLY METAR / METAR with TREND |
| 5 | Information on how briefing and/or consultation is provided | All METAR, ARFOR, Met data supplied to ATC and uploaded on OLBS |
| 6 | Types of flight documentation supplied and language(s) used in flight documentation | ROFOR / ARFOR / FLIGHT Folder (generated through OLBS)<br>English |
| 7 | Charts and other information displayed or available for briefing or consultation | Synergie ( MFI), MET CAP, IMD website |
| 8 | Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images; | DWR Nagpur, Satellite imagery. RADAR image on IMD website |
| 9 | The air traffic services unit(s) provided with meteorological information | VANP Nagpur ATC and ACS |
| 10 | Additional information, e.g. concerning any limitation of service. | Instrumental RVR reading for RWY 14/32 AVBL THRU present VIS detector EQPT series PWD22. |

**VANP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

| Designations | TRUE Bearings | Dimensions of RWY (M) | Strength of pavement (PCR) and associated data) and surface of runway and associated stopways | Geographical coordinates for threshold and runway end |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |
| 14 | 143.52 DEG | 3200 x 45 M | 910/F/A/W/T<br>Asphalt | THR:<br>210632.38N<br>0790202.22E<br>RWY END:<br>210508.85N<br>0790308.28E |
| 32 | 323.52 DEG | 3200 x 45 M | 910/F/A/W/T<br>Asphalt | THR:<br>210508.84N<br>0790308.30E<br>RWY END:<br>210632.38N<br>0790202.22E |

| THR elevation and highest elevation of TDZ of precision APP RWY | Slope of runway and associated stopway | Dimensions of stopway (M) | Dimensions of clearway (M) | Dimensions of strips (M) |
|---|---|---|---|---|
| 6 | 7 | 8 | 9 | 10 |
| THR: 1037.0FT<br>TDZ: | -0.24% | NIL | NIL | 3320 x 280 M |
| THR: 1011.0FT<br>TDZ: | 0.24% | NIL | NIL | 3320 x 280 M |

| Dimensions of runway end safety areas | Location and description of arresting system (if any) | Existence of an obstacle-free zone | Remarks. |
|---|---|---|---|
| 11 | 12 | 13 | 14 |
| 240M x 90M | N/A | --- | 1. THR RWY 14 temporarily displaced by 455M till 01 NOV 2027<br>2. DTHR Coordinates: 210620.55N 0790211.62E, Elevation:1037 FT<br>3. Vertical Datum : EGM 08 |
| 240M x 90M | N/A | --- | 1. Vertical Datum : EGM 08 |

## VANP AD 2.13 DECLARED DISTANCES

| RWY Designator | Take-off run available TORA (M) | Take-off distance available TODA (M) | Accelerate distance available ASDA (M) | Landing distance available LDA (M) | Remarks (including runway entry or start point where alternative reduced declared distances have been declared) |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 14 | 3200 | 3200 | 3200 | 3200 | 1. Slope 1:50<br>2. Till 01 NOV 2027 the LDA RWY 14 is 2745 M due temporarily displacement by 455M of THR RWY 14. |
| 32 | 3200 | 3200 | 3200 | 3200 | 1. Slope 1:50<br>2. Declared Distance for departure RWY 32 from TWY A intersection TORA / TODA 2980M. From TWY B1/C1 intersection TORA / TODA 2316M. |

## VANP AD 2.14 APPROACH AND RUNWAY LIGHTING

| Runway Designator | Type, length and intensity of approach lighting system | Runway threshold lights, colour and wing bars | Type of visual slope indicator system | Length of runway touchdown zone lights |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |
| **14** | SALS<br>420 M<br>LIH | Green<br>AVBL | PAPI<br>LEFT/3.00 DEG<br>MEHT<br>(46.00FT) | |
| **32** | CAT I<br>900 M<br>LIH | Green | PAPI<br>LEFT/3.00 DEG | |

| Length, spacing, colour and intensity of runway centre line lights | Length, spacing, colour and intensity of runway edge lights | Colour of runway end lights and wing bars | Length and colour of stopway lights | Remarks |
|---|---|---|---|---|
| 6 | 7 | 8 | 9 | 10 |
| | 3200 M<br>60 M<br>White<br>LIH | Red | | 1. The PAPI, wingbar and SALS information for RWY 14 is valid till 01 NOV 2027 due to temporary displacement of THR RWY 14. |
| | 3200 M<br>60 M<br>White<br>LIH | Red | | NIL |

## VANP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | | |
|---|---|---|---|
| 1 | Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any) | ABN | At Tower Building, FLG W&G EV2SEC.<br><br>At Tower Building, FLG W&G EV2SEC. |
| | | IBN | Nil |
| 2 | Location and lighting (if any) of anemometer/ landing direction indicator; | LDI | 250M ESE of ARP,LIGHTED |
| | | Anemometer | On MET building |
| 3 | Taxiway edge and taxiway centre line lights; | Edge | AVBL on TWY A, B1, B2, C1 (lighted only up to Secondary Isolation bay, rest portion of C1 is not lighted), TWY C2 not lighted |
| | | Centre Line | Not AVBL |
| 4 | Secondary power supply including switch-over time; | Secondary Power supply to all lighting at AD. Switch-over time: 15 SEC. UPS backup of 2 x 160 KVA is provided at CPH for CCR of Runway Airfield Lightings. | |
| 5 | Remarks | NIL | |

## VANP AD 2.16 HELICOPTER LANDING AREA

| | | |
|---|---|---|
| 1 | Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area | Not Established |
| 2 | TLOF and/or FATO area elevation: | Not Established |
| 3 | TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking; | Not Established |
| 4 | True bearings of FATO; | Not Established |
| 5 | Declared distances available | Not Established |
| 6 | Approach and FATO lighting; | Not Established |
| 7 | Remarks | Not Established |

## VANP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

| | | |
|---|---|---|
| 1 | Airspace designation, geographical coordinates and lateral limits | CTR: Circular area centered on 210530N 0790254E within a 15NM radius. |
| 2 | Vertical limits | FL 75 |

| | | |
|---|---|---|
| 3 | Airspace classification | D |
| 4 | Call sign and language(s) of the air traffic services unit providing service; | Nagpur Tower / Nagpur Approach, English |
| 5 | Transition altitude | 5000 FT |
| 6 | Hours of applicability | H24 |
| 7 | Remarks | NIL |

## VANP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

| Service Designation | Call sign | Channel(s) | SATVOICE Number(s), if available |
|---|---|---|---|
| 1 | 2 | 3 | 4 |
| APP | Nagpur Approach | 120.400 MHZ | |
| APP | Nagpur Approach | 125.600 MHZ | |
| TWR | Nagpur Tower | 118.100 MHZ | |
| ATIS | --- | 128.325 MHZ | |
| ACC | Nagpur Control Nagpur Radar | 123.900 MHZ | |
| ACC | Nagpur Control Nagpur Radar | 133.650 MHZ | |
| ALRS | Emergency Frequency | 121.500 MHZ | |
| SMC | Nagpur Ground | 121.900 MHZ | |

| Logon address, as appropriate | Hours of operation | Remarks |
|---|---|---|
| 5 | 6 | 7 |
| | H24 | ATS Surveillance Service using ADS-B / or MSSR available between 0030-1700 UTC. |
| | H24 | Backup Frequency |
| | H24 | Standby frequency 121.9MHZ |
| | H24 | Updating & Monitoring |
| | H24 | Sector Nagpur North,<br>Standby Frequency 132.3 MHz |
| | H24 | Sector Nagpur South,<br>Standby Frequency 132.3 MHz |
| | H24 | Monitoring H24 |
| | H24 | SMC Combined with Nagpur Tower<br>H24 |

## VANP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid | Identification | Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate | Hours of operation, as appropriate; |
|---|---|---|---|
| 1 | 2 | 3 | 4 |
| LOC 32<br>CAT I | INGR | 110.300 MHz | H24 |
| GP 32 | INGR | 335.000 MHz | H24 |

| Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid | Identification | Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate | Hours of operation, as appropriate; |
|---|---|---|---|
| DME ILS 32 | INGR | CH40X | H24 |
| DVOR/DME | NNP | 112.700 MHz<br>CH74X | H24 |

| Geographical coordinates of the position of the transmitting antenna | Elevation of transmitting antenna of DME/ elevation of GBAS reference point | Service volume radius from the GBAS reference point | Remarks |
|---|---|---|---|
| 5 | 6 | 7 | 8 |
| 210641.2N<br>0790155.3E | | | |
| 210514.5N<br>0790258.6E | | | 3 DEG |
| 210514.7N<br>0790258.5E | 1023 FT | | Collocated with GP32 |
| 210455.1N<br>0790322.2E | 1033 FT | | (I) CONTROLLING AUTHORITY: AIRPORTS AUTHORITY OF INDIA<br>(II) GRAVITY MODEL: EGM-08<br>(III) DME COLOCATED WITH DVOR |

## VANP AD 2.20 LOCAL AERODROME REGULATIONS

NIL

## VANP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

## VANP AD 2.22 FLIGHT PROCEDURES

1. ADS-B based Enroute ATS Surveillance services are provided to suitably equipped aircraft on opportunity basis within the coverage area of Nagpur ADS-B sensors in jurisdiction of Nagpur Area Control.

ADS-B equipped aircraft flying within the jurisdiction of Nagpur Area Control to comply with relevant provisions.

2. MSSR and or ADS-B based ATS Surveillance services are provided to suitably equipped aircraft BTN 0030-1700 UTC within the coverage area of Nagpur Approach Control.

SSR Transponder/ADS-B equipped aircraft flying within Nagpur Approach Control to comply with relevant provisions.

In ADDN the ABV Service may be provided at other times also for ATCO training.

## VANP AD 2.23 ADDITIONAL INFORMATION

1. RCAG Frequency 123.900 MHz, VANP/VABP/VAJB Sector (ACC-N) AVBL.

RCAG Frequency 132.300 MHz, VANP/VABP sector stand by frequency (for ACC-N and ACC-S)AVBL.

Frequency 133.650 MHz VANP sector(ACC-S) AVBL.

2. “Nagpur control area, within the existing vertical and lateral limits, has been bifurcated as

ACC North and ACC South. Area of jurisdiction and operational frequencies as follows:

ACC North: As per ENR 2.1. FREQ: 123.900 MHz

ACC South: As per ENR 2.1 FREQ: 133.650 MHz

3. ADS-B GND REC FAC commissioned at VANP REC FREQ 1090 MHZ. The COORD are as FLW: - 210524N 0790335E

ALT: 1093 FT

4. H24 PRKG stand for B777 of Air India AVBL at stand 17 with revised aircraft stand markings. CL in broken yellow lines, pushback guidance line in broken white lines and aircraft stand safety markings in broken red lines.

5. Indra Aircon2100 System Commissioned.

## VANP AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(09 JULY 2026)
2. Aerodrome Chart [With DTHR RWY 14] (Valid till 01 NOV 2027)(09 JULY 2026)
3. Aircraft Parking/Docking Chart (09 JULY 2026)
4. Aerodrome Obstacle Chart Type – A (Obstacle Limitations) RWY 14, [With DTHR RWY 14] (Valid till 01 NOV 2027)
5. Aerodrome Obstacle Chart Type – A (Obstacle Limitations) RWY 32, [With DTHR RWY 14] (Valid till 01 NOV 2027)
6. Aerodrome Obstacle Chart Type – A (Obstacle Limitations) RWY 14
7. Aerodrome Obstacle Chart Type – A (Obstacle Limitations) RWY 32
8. Instrument Approach Chart - ILS or LOC Procedure RWY 32 (17 APR 2025)
9. Instrument Approach Chart - VOR (Z) Procedure RWY 14 (Valid till 01 NOV 2027)
10. Instrument Approach Chart - VOR Procedure RWY 32 (17 APR 2025)
11. ATC Surveillance Minimum Altitude Chart
12. Instrument Approach Chart - RNP Y Procedure RWY 32
13. Coding Table - RNP Y Procedure RWY 32

## VANP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

| Procedure | Procedure Minima | VSS Penetration |
|---|---|---|
| 1 | 2 | 3 |
| | | |