AD 2. AERODROMES

VEPY AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEPY - PAKYONG AIRPORT, PAKYONG

VEPY AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	271333N 0883509E Mag Brg 082.8 DEG 90M from physical extremity of RWY 02.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	32 Km south of Gangtok City .	
3	Aerodrome elevation and reference temperature	4646 FT / 30.0 DEG C	
4	Magnetic variation, date of information and annual change	0.00 DEG (2010) /0.00	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Pakyong Airport Sikkim-737106,	
		Telephone:	(91) 3592-267011
		Fax:	(91) 3592-267014
		AFS:	
		Email:	apdpakyong@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	NIL	

VEPY AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL: Nil
2	Custom and immigration	NOT AVBL
3	Health and sanitation	AS ATS
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AS ATS
7	Air Traffic Service	Consult NOTAMs for current ATS HR.
8	Fuelling	AVBL
9	Handling	AVBL
10	Security	AS ATS
11	De-icing	NOT AVBL
12	Remarks	1. ATS approved hourly RWY traffic handling capacity is as follows: MAX NR of ARR and DEP (PER HR)- 05 (MNM spacing between two successive ARR shall not be less than 10 MIN BTN similar PER ACFT) MAX NR of ARR ONLY-03 MAX NR of DEP ONLY-02 2. 24 Hours prior notice required for all nonscheduled flights and 2 Hours prior notice required for extension Of watch for scheduled flights outside of ATS hours

VEPY AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	ATF
3	Fuelling facilities and capacity	Two Bowser, Mobile Storage
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VEPY AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City
2	Restaurant(s) at or in the vicinity of aerodrome	In the City
3	Transportation possibilities	Taxi
4	Medical Facilities	First Aid at AD. Primary Health Centre at Pakyong.
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the City Post office: In the City
6	Tourist office	FRRO AVBL AT AD.
7	Remarks	NIL

VEPY AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	Available as per Category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is DH8D-Q400. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: M/S Bharat Constructions India Pvt Ltd Contact No: 91 6230717626 Email: bciplpakyong936@gmail.com
4	Remarks	NIL

VEPY AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VEPY AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	NIL
4	Location of VOR checkpoints	Holding point Taxiway 'A'
5	Position of INS checkpoints	NIL

6	Remarks	NIL

VEPY AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance provided on R/T guidelines at apron
2	Runway and taxiway markings and lights	RWY: Markings: Designation, THR, TDZ, Center line, Aiming point, Edge. Lights: RWY02: Simple approach, THR, Edge, Ends, PAPI. RWY20: Edge, Ends. TWY: Markings: Centerline , Edge ,Holding position Lights: Edge light
3	Stop bars (if any)	NIL
4	Remarks	PAPI for RWY02 (Right side) have been installed (Glide angle 3 deg.)

VEPY AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
20/APCH 02/TKOF	NATURAL HIGHPOINT	271432.7N 0883533.3E	4704 FT	NIL	NATURAL HIGHPOINT
20/APCH 02/TKOF	TREE	271432.5N 0883533.5E	4741 FT	NIL	TREE
20/APCH 02/TKOF	BUILDING	271434.1N 0883537.0E	4656 FT	NIL	HOUSE
20/APCH 02/TKOF	NATURAL HIGHPOINT	271436.6N 0883536.8E	4804 FT	NIL	NATURAL HIGHPOINT
20/APCH 02/TKOF	TREE	271437.1N 0883536.2E	4870 FT	NIL	GROUP OF TREES
20/APCH 02/TKOF	OTHER	271436.9N 0883537.2E	4816 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV.= 1462.9+5M.)
20/APCH 02/TKOF	POLE	271437.0N 0883537.4E	4824 FT	NIL	ELECTRIC POLE
20/APCH 02/TKOF	TREE	271436.6N 0883537.5E	4815 FT	NIL	GROUP OF TREES
20/APCH 02/TKOF	NATURAL HIGHPOINT	271436.3N 0883538.6E	4804 FT	NIL	NATURAL HIGHPOINT
20/APCH 02/TKOF	NATURAL HIGHPOINT	271436.2N 0883539.1E	4735 FT	NIL	NATURAL HIGHPOINT
20/APCH 02/TKOF	TREE	271435.4N 0883540.2E	4740 FT	NIL	GROUP OF TREES
20/APCH 02/TKOF	NATURAL HIGHPOINT	271434.5N 0883539.4E	4674 FT	NIL	NATURAL HIGHPOINT
20/APCH 02/TKOF	BUILDING	271434.4N 0883539.6E	4692 FT	NIL	SCHOOL
20/APCH 02/TKOF	BUILDING	271434.1N 0883540.4E	4696 FT	NIL	SCHOOL

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	271416.8N 0883519.8E	4907 FT	NIL	GROUP OF TREES
In circling area and at AD	NATURAL HIGHPOINT	271423.8N 0883527.1E	4748 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271428.3N 0883530.0E	4709 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271800.4N 0883723.9E	5378 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271800.5N 0883730.1E	5540 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271800.8N 0883739.0E	5684 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271810.7N 0883807.3E	6076 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271810.6N 0883822.6E	6247 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271812.2N 0883833.3E	6391 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271644.4N 0883741.6E	5401 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271843.4N 0883930.2E	7651 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271343.1N 0883504.7E	4804 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271340.8N 0883506.6E	4653 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271344.0N 0883504.0E	4883 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271341.4N 0883501.7E	4875 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271342.3N 0883500.7E	4980 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271340.2N 0883503.3E	4775 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271338.3N 0883505.6E	4654 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271335.9N 0883504.6E	4656 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271336.4N 0883503.3E	4743 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271337.2N 0883501.1E	4862 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271334.3N 0883503.7E	4655 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271334.6N 0883502.3E	4739 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271335.0N 0883459.9E	4852 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271335.3N 0883458.6E	4946 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271333.4N 0883458.3E	4883 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271333.3N 0883500.1E	4790 FT	NIL	NATURAL HIGHPOINT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	271333.1N 0883502.6E	4710 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271330.0N 0883459.8E	4745 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271330.1N 0883500.2E	4719 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	TREE	271318.5N 0883515.3E	4842 FT	NIL	GROUP OF TREES
In circling area and at AD	NATURAL HIGHPOINT	271251.1N 0883523.3E	5095 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270801.7N 0883458.6E	6938 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270833.5N 0883427.3E	6302 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270850.1N 0883410.6E	5967 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270852.3N 0883357.5E	5430 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270623.4N 0883225.7E	6344 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270627.6N 0883224.3E	6260 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270639.4N 0883215.6E	5735 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	NATURAL HIGHPOINT	270655.7N 0883203.8E	5139 FT	NIL	GROUP OF TREES ON HILL
In circling area and at AD	OTHER	270518.8N 0883010.6E	5686 FT	NIL	CELL MAST
In circling area and at AD	OTHER	270520.6N 0883008.3E	5663 FT	NIL	FLAG POLE
In circling area and at AD	NATURAL HIGHPOINT	271328.1N 0883448.9E	4886 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271329.4N 0883449.7E	5049 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271328.6N 0883449.5E	4936 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	BUILDING	271415.4N 0883512.7E	5008 FT	NIL	HOUSE
In circling area and at AD	BUILDING	271413.8N 0883509.8E	5027 FT	NIL	HOUSE
In circling area and at AD	BUILDING	271414.2N 0883507.4E	5252 FT	NIL	HOUSE
In circling area and at AD	BUILDING	271408.1N 0883515.7E	4749 FT	NIL	HOUSE
In circling area and at AD	NATURAL HIGHPOINT	271404.3N 0883518.9E	4638 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271404.5N 0883518.3E	4678 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271404.2N 0883517.2E	4734 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271401.0N 0883517.7E	4636 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271401.1N 0883515.3E	4742 FT	NIL	NATURAL HIGHPOINT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	271404.0N 0883513.4E	4902 FT	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	271405.1N 0883509.9E	4936 FT	NIL	HOUSE
In circling area and at AD	NATURAL HIGHPOINT	271400.4N 0883513.6E	4792 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271359.1N 0883515.6E	4678 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271359.4N 0883514.1E	4745 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271357.9N 0883515.7E	4646 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271356.6N 0883515.0E	4647 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271355.0N 0883514.6E	4648 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271355.9N 0883513.0E	4729 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	TREE	271359.1N 0883510.9E	4937 FT	NIL	GROUP OF TREES
In circling area and at AD	NATURAL HIGHPOINT	271358.9N 0883509.8E	4900 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271353.3N 0883513.6E	4658 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271353.4N 0883512.7E	4695 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271353.5N 0883511.0E	4788 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	TREE	271352.9N 0883506.3E	5000 FT	NIL	GROUP OF TREES
In circling area and at AD	NATURAL HIGHPOINT	271349.1N 0883509.2E	4791 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271350.4N 0883507.9E	4860 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271344.9N 0883509.9E	4652 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271347.2N 0883508.5E	4786 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271348.8N 0883506.7E	4872 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271347.7N 0883504.9E	4954 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271346.0N 0883505.8E	4854 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271344.9N 0883507.0E	4776 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271342.6N 0883508.0E	4657 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271344.7N 0883503.4E	4949 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271342.3N 0883500.7E	4979 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271329.2N 0883500.6E	4688 FT	NIL	NATURAL HIGHPOINT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	271328.0N 0883501.4E	4665 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271327.8N 0883502.4E	4668 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	NATURAL HIGHPOINT	271327.7N 0883503.8E	4660 FT	NIL	NATURAL HIGHPOINT
In circling area and at AD	OTHER	271258.8N 0883530.5E	4966 FT	NIL	CELL MAST
In circling area and at AD	OTHER	271257.0N 0883528.6E	4966 FT	NIL	CELL MAST
In circling area and at AD	NATURAL HIGHPOINT	271253.7N 0883525.3E	5013 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271521.1N 0883805.9E	7138 FT	NIL	GROUP OF TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271644.4N 0883741.6E	5401 FT	NIL	GROUP OF TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	271800.4N 0883723.9E	5378 FT	NIL	GROUP OF TREE ON HILL

VEPY AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Pakyong Airport
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	During notified watch hour
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Pakyong Airport MET office 30 Minute
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend 30 Minute
5	Information on how briefing and/or consultation is provided	Provided
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	Pakyong ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	AMS met office, TS Warning , Aerodrome Warning

VEPY AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
02	25.37 DEG	1700 x 30 M	23/R/B/W/T Concrete	THR: 271333.69N 0883505.84E RWY END: 271423.00N 0883532.00E
20	205.37 DEG	1700 x 30 M	23/R/B/W/T Concrete	THR: 271423.00N 0883532.00E RWY END: 271333.11N 0883505.53E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 4646.0FT TDZ: 4646.0FT		NIL	NIL	1820 x 80 M
THR: 4617.0FT TDZ: 4629.0FT		NIL	NIL	1820 x 80 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
60M x 90M	NIL	NIL	1. THR RWY 02 Coordinates are Calculated Coordinates based upon 20M displacement 2. Slope of RWY: 0.4 % to 0.7%
60M x 90M	NIL	NIL	Slope of RWY: 0.4 % to 0.7%

VEPY AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
02	NIL	NIL	NIL	1680	
20	1700	1700	1700	NIL	

VEPY AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
02	BARRETTE TYPE APPROACH LIGHT SINGLE BAR INSTALLED 180 M FROM THR RWY 02	Green	PAPI RIGHT/3.00 DEG MEHT (1904.00FT)	
20	NIL	NIL	NIL	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1700 M 60 M White LIH	Red		NIL
	1700 M 60 M White LIH	Red		NIL

VEPY AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Along control Tower on separate structure. 30 flashes/Minute Alternate White & Green
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available (Runway 02)
		Anemometer	AVBL
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL
		Centre Line	Not AVBL
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD Switch-over time: 15 sec	
5	Remarks	02 Nos DG sets of capacity 500 KVA 01 No 125 KVA DG set as standby 100 KVA UPS with 30 minute backup for RWY lights for 100% load	

VEPY AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	NIL
2	TLOF and/or FATO area elevation:	NIL
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	NIL
4	True bearings of FATO;	NIL
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	NIL

VEPY AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	ATZ: Circular area centered on 271333N 0883509E within a 5NM radius.
2	Vertical limits	8000 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Pakyong Tower, English
5	Transition altitude	24000 FT
6	Hours of applicability	AS ATS
7	Remarks	VFR Operation

VEPY AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
TWR	Pakyong Tower	118.250 MHZ	
TWR	Pakyong Tower	118.625 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	AS ATS	See AD 2.23 for VHF coverage restrictions.
	AS ATS	1. Standby Frequency 2. See AD 2.23 for VHF coverage restriction

VEPY AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	PKG	117.800 MHz CH125X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
271347.0N 0883517.6E	4656 FT		1.Verticaldatum:EGM08 2. DVOR/DME not usable BTN 245 DEG TO 325 DEG due to VOR alignment error/ DME accuracy, Which is beyond ICAO tolerance limit. 3. DME co-located with DVOR

VEPY AD 2.20 LOCAL AERODROME REGULATIONS

1. Due to terrain configuration persistent unpredictable wind behaviour exists in the vicinity of runway. All pilots to exercise caution while landing/takeoff.
2. Operation restrictions imposed for "RESTRICTED USE OF VEPY AIRPORT" due hill proxmity along transitional surface (western side) of RWY 02/20. All pilots to exercise caution while landing/take off.
3. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VEPY AD 2.21 NOISE ABATEMENT PROCEDURES

VEPY AD 2.22 FLIGHT PROCEDURES

VEPY AD 2.23 ADDITIONAL INFORMATION

I) VHF Coverage Restrictions:

VHF coverage shall be restricted due to mountainous terrain and AVBL in area bounded by coordinates in clockwise:

AT FL050

271830.73N 883539.35E, 27 833.79N 884040.83E, 271051.63N 883538.39E

27 522.52N 882938.06E, 27 425.08N 883333.76E, 27 07.74N 883147.78E

26557.29N 883141.01, 265658.77N 88280.48E, 261928.35N 881230.76E

262422.74N 875841.03E, 26559.12N 882154.53E, 27 347.87N 882339.24E

271341.50N 882921.31E

AT FL100

272711.18 883547.51E, 271543.82N 884831.68E, 27 811.76N 884434.19E

27053.75N 884624.04E, 265550.72N 883350.49E, 264419.88N 882242.25E

262144.64N 881053.49E, 262517.57N 88 338.04E, 26 547.29N 875043.32E,

26749.45N 874520.58E, 265144.40N 88110.14, 27 425.92N 88 65.80E

27169.97N 883153.14E

AT FL150

273852.25N 883341.10E, 27135.05N 89 329.36E, 262223.16N 884030.11E,

26246.73N 882632.38E, 254947.28N 882235.01E, 255943.84N 88 244.10E

251219.52N 874337.95E, 251615.27N 87 853.00E, 263250.14N 874455.82E,

264238.19N 873458.84E, 27 659.01N 88 920.19E

Outside these area VHF coverage may not be available.

II) Minimum friction level at Pakyong Airport of RWY 02/20 as follows:

Coefficient of friction 0.50, Friction tester vehicle at 65 KMPH

Coefficient of friction 0.35, Friction tester vehicle at 95 KMPH.

VEPY AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking/Docking Chart
3. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 20
4. Aerodrome Obstacle Chart Type B
5. RNP Y Procedure RWY 02
6. Coding Table - RNP Y Procedure RWY 02
7. Standard Instrument Departure RWY 20 - RNP1 GNSS

8. Standard Instrument Departure RWY 20 - RNP1 GNSS - Coding Table

VEPY AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**