AD 2. AERODROMES

VIPT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VIPT - PANTNAGAR AIRPORT, PANTNAGAR

VIPT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	290156N 0792821E 0265.09 DEG/ 677 M From Physical Extremity of RWY 28	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	16.2NM SSW of Haldwani	
3	Aerodrome elevation and reference temperature	772 FT / 34.6 DEG C	
4	Magnetic variation, date of information and annual change	0.75 DEG E (2010) /0.016 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Pantnagar Airport, Pantnagar - 263145 Dist. Udham Singh Nagar Uttarakhand	
		Telephone:	(91) 594 4233685 (91) 594 4233732
		Fax:	(91) 594 4233103
		AFS:	VIPTYHYX
		Email:	apd_vipt@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Elevation in EGM 08	

VIPT AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN & HOL: NIL	
2	Custom and immigration		
3	Health and sanitation		
4	AIS briefing office	As ATS	
5	ATS reporting office (ARO)	As ATS	
6	MET Briefing office	0730-1330 IST DAILY (0200-0800 UTC)	
7	Air Traffic Service	As ATS	
8	Fuelling	Refuelling not AVBL	
9	Handling	NIL	
10	Security	As ATS	
11	De-icing	NIL	
12	Remarks	i. Outside of ATS hour services are available O/R with 24 HR PN to AD. ii.All Flights to obtain positive clearance for parking space before departure to Pantnagar.	
		ATS approved hourly runway traffic handling capacity	i. Maximum number of arrival and departure- 04 ii.Maximum number of arrival only – 02 iii.Maximum number of departure only -02

VIPT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	NIL
3	Fuelling facilities and capacity	Refuelling not AVBL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VIPT AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In City
2	Restaurant(s) at or in the vicinity of aerodrome	In City
3	Transportation possibilities	Taxi available
4	Medical Facilities	Hospital at Rudrapur / City
5	Bank and post office at or in the vicinity of aerodrome	Banks: In city Post office: In city
6	Tourist office	NIL
7	Remarks	NIL

VIPT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4
2	Rescue equipment	Available as per category.
3	Capability for removal of disabled aircraft	1.The critical aircraft for the airport is Q400. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3.The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4.Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Pantnagar Airport Contact Nos.: 05944-233685/7900598000 Email: apd_vipt@aai.aero
4	Remarks	NIL

VIPT AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VIPT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: APRON
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart
3	Location and elevation of altimeter checkpoints	Location: --- Elevation: ---

4	Location of VOR checkpoints	Coordinates of Taxi Holding Position TWY: 290157.42008N 0792825.30673 E ELEV: 767.9954068FT Elevation in EGM-08
5	Position of INS checkpoints	
6	Remarks	APRON DIMENSION 90M X 94M

VIPT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	NIL
2	Runway and taxiway markings and lights	RWY Markings: Designator, THR, Centreline, Edge. Lighting: NIL TWY Markings: Centreline Lighting: NIL
3	Stop bars (if any)	NIL
4	Remarks	

VIPT AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/TKOF 10/APCH	TREE	290205.5N 0792743.8E	800 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290201.5N 0792742.9E	800 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290202.8N 0792723.3E	840 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290200.7N 0792738.0E	811 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290207.1N 0792749.5E	792 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290216.6N 0792717.9E	848 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290215.3N 0792725.0E	825 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290216.2N 0792710.6E	858 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290201.6N 0792730.9E	812 FT	NO	Group of Tree
28/TKOF 10/APCH	FENCE	290202.9N 0792749.8E	776 FT	NO	Airport Boundary Wall Fencing
28/TKOF 10/APCH	FENCE	290204.5N 0792750.2E	776 FT	NO	Airport Boundary Wall Fencing
28/TKOF 10/APCH	FENCE	290206.5N 0792750.7E	776 FT	NO	Airport Boundary Wall Fencing
28/TKOF 10/APCH	TREE	290212.8N 0792736.5E	813 FT	NO	Group of Tree
28/TKOF 10/APCH	OTHER	290209.9N 0792749.3E	784 FT	NO	Mobile Road Traffic (Road Elev 234.1 M. + 5.0 M. Traffic Ht.)
28/TKOF 10/APCH	TREE	290201.1N 0792744.8E	810 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290210.2N 0792746.8E	830 FT	NO	Group of Tree
28/TKOF 10/APCH	TREE	290207.0N 0792734.0E	811 FT	NO	Group of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/TKOF 10/APCH	OTHER	290204.1N 0792753.4E	770 FT	LGTD	Approach Light
28/APCH 10/TKOF	TREE	290152.8N 0792854.1E	802 FT	NO	Group of Tree
28/APCH 10/TKOF	POLE	290155.0N 0792854.9E	786 FT	NO	Electric Pole
28/APCH 10/TKOF	TREE	290151.1N 0792900.7E	835 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290201.2N 0792923.7E	875 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290155.0N 0792854.0E	817 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290152.2N 0792849.2E	817 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290150.4N 0792855.3E	843 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290154.8N 0792905.1E	821 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290159.5N 0792909.4E	842 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290159.4N 0792905.4E	841 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290158.2N 0792857.6E	815 FT	NO	Group of Tree
28/APCH 10/TKOF	BUILDING	290156.7N 0792901.2E	798 FT	NO	Masjid
28/APCH 10/TKOF	POLE	290153.7N 0792854.8E	792 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290153.0N 0792852.5E	791 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290152.7N 0792851.2E	787 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290154.7N 0792855.5E	787 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290154.7N 0792856.7E	788 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290155.9N 0792857.0E	789 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290156.8N 0792857.3E	790 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290155.5N 0792853.4E	787 FT	NO	Electric Pole
28/APCH 10/TKOF	TREE	290201.0N 0792902.0E	851 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290201.1N 0792853.6E	831 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290201.2N 0792850.8E	822 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290159.5N 0792859.0E	833 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290158.6N 0792855.7E	823 FT	NO	Group of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/APCH 10/TKOF	TREE	290157.2N 0792850.8E	783 FT	NO	Group of Tree
28/APCH 10/TKOF	TREE	290159.4N 0792848.8E	785 FT	NO	Bushes Type Tree
28/APCH 10/TKOF	OTHER	290156.3N 0792856.6E	792 FT	NO	Flag on House (House Top - 239.4 M Sintex Top - 240.4 M.)
28/APCH 10/TKOF	FENCE	290153.1N 0792851.3E	779 FT	NO	AAI Boundary Wall with Fencing
28/APCH 10/TKOF	POLE	290152.7N 0792849.8E	788 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	290152.6N 0792848.5E	789 FT	NO	Electric Pole
28/APCH 10/TKOF	TREE	290150.1N 0792916.0E	831 FT	NO	Tree (Pipal)
28/APCH 10/TKOF	TREE	290155.1N 0792915.9E	848 FT	NO	Group of Tree
28/APCH 10/TKOF	FENCE	290159.0N 0792850.7E	777 FT	NO	Airport B Wall Fencing
28/APCH 10/TKOF	OTHER	290152.7N 0792853.8E	788 FT	NO	Mobile Road Traffic (Road Elev. 235.1M + Mobile Traffic 5M.)
28/APCH 10/TKOF	OTHER	290158.9N 0792850.2E	785 FT	NO	Mobile Road Traffic (Road Elev. 234.2 M + Mobile Traffic 5M.)
28/APCH 10/TKOF	TREE	290201.2N 0792915.3E	840 FT	NO	Group of Tree
28/APCH 10/TKOF	OTHER	290154.6N 0792857.8E	791 FT	NO	Water Tank on Top of Building
28/APCH 10/TKOF	OTHER	290155.2N 0792858.7E	792 FT	NO	Water Tank on Top of Building
28/APCH 10/TKOF	POLE	290156.9N 0792853.0E	782 FT	NO	Electric Pole
28/APCH 10/TKOF	OTHER	290151.8N 0792849.7E	788 FT	NO	Mobile Road Traffic (Road Elev. 235.1 + Mobile Traffic 5 M.)
28/APCH 10/TKOF	OTHER	290156.7N 0792850.5E	784 FT	NO	Mobile Road Traffic (Road Elev. 233.9 + Mobile Traffic 5 M.)
28/APCH 10/TKOF	OTHER	290201.5N 0792850.1E	784 FT	NO	Mobile Road Traffic (Road Elev. 234.1M + Mobile Traffic 5 M.)
In circling area and at AD	TREE	290158.5N 0792809.4E	790 FT	NO	Group of Tree
In circling area and at AD	TREE	290205.7N 0792809.0E	790 FT	NO	Group of Tree
In circling area and at AD	TREE	290159.6N 0792800.2E	784 FT	NO	Group of Tree
In circling area and at AD	TREE	290206.3N 0792755.8E	783 FT	NO	Bushes Type Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	ANTENNA	290158.7N 0792804.6E	799 FT	LGTD	Met Antenna
In circling area and at AD	TREE	290159.1N 0792736.5E	834 FT	NO	Group of Tree
In circling area and at AD	TREE	290159.5N 0792742.7E	795 FT	NO	Group of Tree
In circling area and at AD	TREE	290208.6N 0792811.7E	838 FT	NO	Group of Tree
In circling area and at AD	TREE	290159.2N 0792751.4E	792 FT	NO	Group of Tree
In circling area and at AD	TREE	290157.5N 0792750.7E	824 FT	NO	Group of Tree
In circling area and at AD	TREE	290156.2N 0792754.9E	817 FT	NO	Group of Tree
In circling area and at AD	TREE	290211.8N 0792747.2E	844 FT	NO	Group of Tree
In circling area and at AD	TREE	290209.9N 0792800.2E	848 FT	NO	Group of Tree
In circling area and at AD	TREE	290211.3N 0792756.2E	840 FT	NO	Group of Tree
In circling area and at AD	TREE	290155.3N 0792759.1E	828 FT	NO	Group of Tree
In circling area and at AD	TREE	290212.7N 0792742.4E	822 FT	NO	Group of Tree
In circling area and at AD	TREE	290215.2N 0792731.9E	843 FT	NO	Group of Tree
In circling area and at AD	TREE	290152.7N 0792847.2E	815 FT	NO	Group of Tree
In circling area and at AD	TREE	290200.2N 0792843.1E	782 FT	NO	Bushes Type Tree
In circling area and at AD	POLE	290153.6N 0792840.5E	789 FT	NO	Electric Pole
In circling area and at AD	POLE	290153.8N 0792838.6E	788 FT	NO	Electric Pole
In circling area and at AD	POLE	290154.7N 0792837.3E	788 FT	NO	Electric Pole
In circling area and at AD	OTHER	290155.2N 0792835.9E	774 FT	NO	Sec Hut
In circling area and at AD	FENCE	290200.6N 0792846.5E	777 FT	NO	Old Boundary wall with Fencing on Top
In circling area and at AD	OTHER	290153.5N 0792831.1E	796 FT	NO	Hangar (Amber Aviation) L/C Top
In circling area and at AD	TREE	290204.7N 0792858.7E	874 FT	NO	Group of Tree
In circling area and at AD	TREE	290150.2N 0792852.2E	833 FT	NO	Group of Tree
In circling area and at AD	TREE	290151.5N 0792846.5E	827 FT	NO	Group of Tree
In circling area and at AD	TREE	290152.7N 0792844.0E	812 FT	NO	Group of Tree
In circling area and at AD	TREE	290207.2N 0792843.2E	879 FT	NO	Group of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	290205.8N 0792851.2E	856 FT	NO	Group of Tree
In circling area and at AD	POLE	290152.8N 0792844.7E	790 FT	NO	Electric Pole
In circling area and at AD	POLE	290151.9N 0792842.3E	790 FT	NO	Electric Pole
In circling area and at AD	TREE	290206.7N 0792835.3E	871 FT	NO	Group of Tree
In circling area and at AD	TREE	290149.8N 0792843.7E	828 FT	NO	Group of Tree
In circling area and at AD	TREE	290202.0N 0792908.9E	851 FT	NO	Group of Tree
In circling area and at AD	TREE	290202.7N 0792851.5E	816 FT	NO	Group of Tree
In circling area and at AD	TREE	290149.9N 0792855.3E	845 FT	NO	Group of Tree
In circling area and at AD	TREE	290203.3N 0792825.9E	800 FT	NO	Group of Tree
In circling area and at AD	POLE	290157.8N 0792812.9E	788 FT	NO	Electric Pole
In circling area and at AD	TREE	290158.1N 0792813.1E	786 FT	NO	Group of Tree
In circling area and at AD	TREE	290204.4N 0792820.1E	799 FT	NO	Group of Tree
In circling area and at AD	TREE	290205.1N 0792813.4E	792 FT	NO	Group of Tree
In circling area and at AD	TREE	290153.5N 0792844.2E	805 FT	NO	Group of Tree
In circling area and at AD	SIGN	290159.0N 0792826.6E	773 FT	NO	Sign Board
In circling area and at AD	SIGN	290159.2N 0792824.9E	773 FT	NO	Sign Board
In circling area and at AD	OTHER	290157.9N 0792813.1E	778 FT	NO	Structure
In circling area and at AD	FENCE	290205.4N 0792810.4E	776 FT	NO	Old Boundary Wall with Fencing on Top
In circling area and at AD	OTHER	290155.3N 0792819.1E	793 FT	LGTD	WDI
In circling area and at AD	OTHER	290152.1N 0792822.7E	835 FT	NO	Mast
In circling area and at AD	OTHER	290152.1N 0792823.3E	822 FT	LGTD	Beacon Top (Lighted)
In circling area and at AD	TREE	290208.1N 0792816.0E	842 FT	NO	Group of Tree
In circling area and at AD	TREE	290206.6N 0792828.2E	831 FT	NO	Group of Tree
In circling area and at AD	TREE	290209.9N 0792825.6E	870 FT	NO	Group of Tree
In circling area and at AD	POLE	290156.2N 0792816.0E	790 FT	NO	Pole
In circling area and at AD	TREE	290208.3N 0792818.3E	851 FT	NO	Group of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	290155.6N 0792819.3E	786 FT	NO	Old WDI Pipe
In circling area and at AD	TREE	290150.8N 0792835.0E	833 FT	NO	Group of Tree
In circling area and at AD	TREE	290209.1N 0792831.6E	865 FT	NO	Group of Tree
In circling area and at AD	TREE	290210.5N 0792822.4E	865 FT	NO	Group of Tree
In circling area and at AD	OTHER	290327.3N 0793027.6E	920 FT	NO	Pylon Mast
In circling area and at AD	OTHER	290318.9N 0793029.4E	978 FT	NO	Pylon Mast
In circling area and at AD	STACK	290351.6N 0793105.5E	1114 FT	NO	Chimney

VIPT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Met Office Pantnagar
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	NIL
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	VIPT MET Briefing office
10	Additional information, e.g. concerning any limitation of service.	

VIPT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
10	98.45 DEG	1372 x 30 M	16/F/C/W/T Asphalt	THR: 290203.82N 0792755.69E RWY END: 290157.27N 0792845.85E
28	278.45 DEG	1372 x 30 M	16/F/C/W/T Asphalt	THR: 290157.27N 0792845.85E RWY END: 290203.82N 0792755.69E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 769.0FT TDZ: 769.0FT	0.22%	NIL	NIL	1492 x 150 M
THR: 772.0FT TDZ: 772.0FT	-0.22%	NIL	NIL	1492 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M			Elevation in EGM 08
90M x 60M			Elevation in EGM 08

VIPT AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
10	1342	1342	1342	1342	
28	1372	1372	1372	1372	

VIPT AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
10	SALS 420 M LIH			
28				

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1097 M 60 M (when one circuit in OPS) 30M (when both circuit in OPS) Variable White LIM			ONE CROSS BAR OF 30 METER WID AT A DIST OF 300 METER
	1097 M 60 M (when one circuit in OPS) 30M (when both circuit in OPS) Variable White LIM			NIL

VIPT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	NIL
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	
		Centre Line	
4	Secondary power supply including switch-over time;	Secondary Power supply for VHF and NDB.	
5	Remarks		

VIPT AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	NIL

VIPT AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 290156N 0792821E within a 10NM radius.
2	Vertical limits	6500 FT
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Pantnagar Tower, English
5	Transition altitude	11000 FT
6	Hours of applicability	HO
7	Remarks	Pantnagar Approach Control Unit is combined with Pantnagar Aerodrome Control Tower.

VIPT AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Pantnagar Tower	118.450 MHZ	
APP	Pantnagar Tower	119.150 MHZ	
TWR	Pantnagar Tower	118.450 MHZ	
TWR	Pantnagar Tower	119.150 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Backup FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1. Main FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
		SDY FREQUENCY
	AS ATS	NIL

VIPT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
NDB	HW	400 kHz	AS ATS
DME	PTN	CH59X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
290151.6N 0792825.9E			
290151.5N 0792825.2E	764 FT		DME co-located with NDB

VIPT AD 2.20 LOCAL AERODROME REGULATIONS

1. HJ DLY EXC SUN training flights in progress in the local flying area covering 5NM around Pantnagar airfield.

   Lower Limit: GND

   Upper limit: 2000FT.

2. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VIPT AD 2.21 NOISE ABATEMENT PROCEDURES

VIPT AD 2.22 FLIGHT PROCEDURES

VIPT AD 2.23 ADDITIONAL INFORMATION

i. Lighted windsock AVBL at 290155N0792826E, appx 50m SW from ARP.
ii. Pilot to EXER CTN while landing and take-off due bird menace.
iii. Wild animals are occasionally spotted in the operational area, Pilot to EXER CTN while landing and take-off.
iv. Trees are penetrating in the obstacle limiting surfaces of RWY 28/10.Pilot to EXER CTN while landing and take off
v. Sunrise to 1700 Daily, Flying Training in progress in the Local Flying Area covering 5NM around Pantnagar Airfield.
   Lower Limit: GND
   Upper Limit: 2000FT AMSL

VIPT AD 2.24 CHARTS RELATED TO AN AERODROME

1	Aerodrome Chart
2	Aircraft Parking/Docking Chart
3	Aerodrome Obstacle Chart Type - A, (Operating Limitations) RWY 10
4	Aerodrome Obstacle Chart Type - A, (Operating Limitations) RWY 28
5	Instrument Approach Chart - NDB Z Procedure RWY 10 (CAT A/B) (21 March 2024)
6	Instrument Approach Chart - NDB Y Procedure RWY 10 (CAT A/B) (21 March 2024)
7	Instrument Approach Chart - RNP Y Procedure RWY 10 (CAT A/B) (08 August 2024)
8	Tabular Description - RNP Y Procedure RWY 10 (CAT A/B) (08 August 2024)
9	Instrument Approach Chart - RNP Z Procedure RWY 10 (CAT A/B) (17 April 2025)
10	Tabular Description 1 - RNP Z Procedure RWY 10 (CAT A/B) (17 April 2025)
11	Tabular Description 2 - RNP Z Procedure RWY 10 (CAT A/B) (17 April 2025)
12	Instrument Approach Chart - RNP Z Procedure RWY 28 (CAT A/B) (17 April 2025)
13	Tabular Description 1 - RNP Z Procedure RWY 28 (CAT A/B) (17 April 2025)
14	Tabular Description 2 - RNP Z Procedure RWY 28 (CAT A/B) (17 April 2025)

VIPT AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**