AD 2. AERODROMES

VAPR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VAPR - PORBANDAR AIRPORT, PORBANDAR

VAPR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	213901N 0693931E MAG. BRG. 278.50 DEG / 468 M from physical beginning of RWY 27	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	090 DEG, 5KM from the city	
3	Aerodrome elevation and reference temperature	26 FT / 32.0 DEG C	
4	Magnetic variation, date of information and annual change	0.25 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Porbandar Airport, Porbandar - 360577,	
		Telephone:	91 286 2220650 91 286 2220033
		Fax:	(91) 286 2220033
		AFS:	VAPRYDYX
		Email:	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM08	

VAPR AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL: NIL
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult NOTAM for Current ATS HR.
8	Fuelling	As ATS
9	Handling	NIL
10	Security	H24
11	De-icing	NIL
12	Remarks	1. Outside of ATS hour's services are available O/R with 24 HR PN to AD. 2. The ATS approved hourly RWY TFC handling capacity is as follows: Max number of ARR and DEP -12 (the minimum spacing between two successive arrivals shall be more than five min) Max number of arrivals only - 06 Max number of departures only - 10

VAPR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1

3	Fuelling facilities and capacity	2 Refueller, 9000 /6000 litres,6 liters/min
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VAPR AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city.
2	Restaurant(s) at or in the vicinity of aerodrome	In the city.
3	Transportation possibilities	Taxi Available
4	Medical Facilities	In the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the city. Post office: In the city.
6	Tourist office	
7	Remarks	NIL

VAPR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is DHC-8-402. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director , Porbandar Airport Office : 0286-2222234 , Mob - 9925012668 Email : apdporbandar@aai.aero
4	Remarks	NIL

VAPR AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VAPR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location At apron Elevation 20FT
4	Location of VOR checkpoints	On TWY A
5	Position of INS checkpoints	NIL

6	Remarks	1. Coordinates of RWY Holding Positions: **TWY** **Coordinates** **Elevation** TWY A 213856.20N 0693931.74E 19 FT TWY B 213855.76N 0693919.98E 20 FT TWY C 213856.72N 0693949.48E 15 FT TWY N 213855.41N 0693909.67E 22 FT 2. Coordinates of RWY & Taxi Intersection: **TWY** **Coordinates** **Elevation** TWY A 213858.64N 0693931.65E 20 FT TWY B 213858.26N 0693919.84E 22 FT TWY N 213857.94N 0693909.64E 23 FT 3. For New Apron Longitudinal Slope = 0%, Transverse Slope=0.58% (Average) on both sides. 4. All elevations in EGM08

VAPR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxi guidance provided on R/T, Guidelines at Apron Mandatory Signage and Info Signs Available.
2	Runway and taxiway markings and lights	RWY Markings: Lights: Edge, End & THR TWY Marking: Lights: TWY A, EDGE
3	Stop bars (if any)	NIL
4	Remarks	LDG “T” AVBL.

VAPR AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	213902.4N 0693849.7E	42 FT	LGTD	Building (Lighted)
27/TKOF 09/APCH	OTHER	213857.3N 0693849.9E	41 FT	NO	Mobile Road Traffic (Road Elev.=7.5m + 5m Mobile Traffic)
27/TKOF 09/APCH	BUILDING	213902.3N 0693852.3E	41 FT	LGTD	Building (Lighted)
27/TKOF 09/APCH	BUILDING	213852.5N 0693852.2E	45 FT	NO	Water Tank on Weather Building (Building Top=12.0m)
27/TKOF 09/APCH	BUILDING	213853.2N 0693853.0E	36 FT	NO	Shed on Building
27/TKOF 09/APCH	BUILDING	213902.4N 0693854.1E	41 FT	NO	Building (Lighted)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
27/TKOF 09/APCH	FENCE	213902.4N 0693854.6E	36 FT	NIL	Airport Boundary Wall with Fencing Top
27/TKOF 09/APCH	OTHER	213902.3N 0693855.0E	42 FT	NIL	Mobile Road Traffic (Road Elev.=7.9m + 5m Mobile Traffic)
27/TKOF 09/APCH	FENCE	213852.6N 0693855.0E	33 FT	NIL	Airport Boundary Wall with Fencing Top
27/TKOF 09/APCH	POLE	213900.2N 0693855.1E	32 FT	NIL	Light Pole
27/TKOF 09/APCH	POLE	213854.8N 0693855.2E	32 FT	NIL	Light Pole
27/TKOF 09/APCH	OTHER	213852.6N 0693855.3E	41 FT	NIL	Mobile Road Traffic (Road Elev.=7.6m + 5m Mobile Traffic)
27/TKOF 09/APCH	POLE	213853.8N 0693848.7E	47 FT	NIL	Electric Pole
27/TKOF 09/APCH	TREE	213853.2N 0693848.5E	56 FT	NIL	Group of Tree
27/TKOF 09/APCH	POLE	213852.8N 0693847.5E	47 FT	NIL	Electric Pole
27/TKOF 09/APCH	TREE	213851.9N 0693845.8E	54 FT	NIL	Group of Tree
27/TKOF 09/APCH	POLE	213856.3N 0693844.5E	55 FT	NIL	Electric Pole
27/TKOF 09/APCH	TREE	213858.8N 0693843.4E	72 FT	NIL	Group of Tree
27/TKOF 09/APCH	TREE	213857.5N 0693841.9E	80 FT	NIL	Group of Tree
27/TKOF 09/APCH	TREE	213859.3N 0693840.9E	78 FT	NIL	Group of Tree
27/TKOF 09/APCH	OTHER:M	213902.3N 0693822.1E	105 FT	NIL	Cellphone Mast
27/TKOF 09/APCH	BUILDING	213849.6N 0693818.5E	101 FT	NIL	Building (Apartments)
27/TKOF 09/APCH	OTHER	213900.1N 0693815.0E	120 FT	NIL	Cellphone Mast
27/TKOF 09/APCH	OTHER	213845.5N 0693810.1E	157 FT	NIL	Cellphone Mast
27/TKOF 09/APCH	OTHER	213843.3N 0693757.5E	169 FT	NIL	Pylon Mast
27/TKOF 09/APCH	FENCE	213900.4N 0693854.6E	35 FT	NIL	Airport Boundary Wall with Fencing Top
27/TKOF 09/APCH	TREE	213900.7N 0693854.4E	43 FT	NIL	Neem Tree
27/TKOF 09/APCH	FENCE	213854.5N 0693854.9E	31 FT	NIL	Airport Boundary Wall.
27/TKOF 09/APCH	FENCE	213854.5N 0693854.8E	34 FT	NIL	Airport Boundary Wall with Fencing Top.
27/TKOF 09/APCH	OTHER	213853.2N 0693853.8E	51 FT	NIL	Wind Indicator

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
27/TKOF 09/APCH	FENCE	213900.4N 0693852.7E	35 FT	NIL	Airport Boundary Wall with Fencing Top.
27/TKOF 09/APCH	BUILDING	213852.1N 0693852.3E	48 FT	NIL	Building.
27/TKOF 09/APCH	BUILDING	213854.7N 0693849.7E	44 FT	NIL	Building U/C
27/TKOF 09/APCH	POLE	213852.9N 0693848.8E	47 FT	NIL	Electric Pole
27/TKOF 09/APCH	POLE	213852.0N 0693848.9E	46 FT	NIL	Electric Pole
27/TKOF 09/APCH	BUILDING	213852.3N 0693847.2E	49 FT	NIL	Water Tank on Building Top
27/TKOF 09/APCH	TREE	213855.2N 0693843.8E	61 FT	NIL	Group of Tree
27/TKOF 09/APCH	TREE	213858.1N 0693841.8E	77 FT	NIL	Coconut Tree
27/TKOF 09/APCH	TREE	213855.9N 0693841.5E	66 FT	NIL	Group of Tree
27/TKOF 09/APCH	OTHER	213834.9N 0693707.6E	184 FT	NIL	Railway Mast
27/APCH 09/TKOF	OTHER	213854.6N 0693949.8E	32 FT	NIL	Mobile Road Traffic (Road Elev.=4.7m + 5m Mobile Traffic)
27/APCH 09/TKOF	OTHER	213904.1N 0693951.3E	30 FT	NIL	Mobile Road Traffic (Road Elev.=4.1m + 5m Mobile Traffic)
27/APCH 09/TKOF	OTHER	213859.3N 0693952.1E	31 FT	NIL	Mobile Road Traffic (Road Elev.=4.3m + 5m Mobile Traffic)
27/APCH 09/TKOF	FENCE	213854.3N 0693952.3E	25 FT	NIL	Airport Boundary Wall with Fencing Top.
27/APCH 09/TKOF	BUILDING	213903.6N 0693952.6E	30 FT	NIL	Security Hut
27/APCH 09/TKOF	BUILDING	213854.6N 0693952.8E	32 FT	NIL	Security Hut
27/APCH 09/TKOF	BUILDING	213854.4N 0693959.0E	38 FT	NIL	Security Hut
27/APCH 09/TKOF	POLE	213854.3N 0693953.4E	34 FT	NIL	Light Pole
27/APCH 09/TKOF	POLE	213854.4N 0693955.0E	33 FT	NIL	Light Pole
27/APCH 09/TKOF	BUILDING	213853.8N 0693956.8E	40 FT	NIL	Water Tank on Building Top
27/APCH 09/TKOF	POLE	213854.5N 0693957.8E	40 FT	NIL	Solar Light Pole
27/APCH 09/TKOF	FENCE	213859.2N 0693952.5E	25 FT	NIL	Airport Boundary Wall with Fencing Top.
In circling area and at AD	STACK	213931.2N 0693905.5E	227 FT	LGTD	Chimney on Orient Abrasives
In circling area and at AD	STACK	213938.2N 0693859.6E	206 FT	LGTD	Chimney on Orient Abrasives (Lighted)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	213802.6N 0693801.4E	198 FT	NIL	Cellphone Mast
In circling area and at AD	STACK	213739.5N 0693732.8E	357 FT	LGTD	Chimney (Nirma)
In circling area and at AD	BUILDING	213734.9N 0693722.0E	251 FT	NIL	Factory Top
In circling area and at AD	OTHER	213832.7N 0693712.4E	177 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	213744.9N 0693713.0E	201 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	213831.2N 0693705.0E	194 FT	LGTD	Doordarshan Tower
In circling area and at AD	OTHER	214012.2N 0694048.1E	206 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	214146.0N 0693628.4E	597 FT	NIL	Windmill
In circling area and at AD	OTHER	214205.6N 0693445.2E	607 FT	NIL	Windmill
In circling area and at AD	TREE	214403.2N 0694300.7E	982 FT	NIL	TREE ON NATURAL HIGH POINT. Tree on Hill Top (Hill Top=291.4m)
In circling area and at AD	OTHER	214216.1N 0693148.1E	530 FT	NIL	Windmill
In circling area and at AD	OTHER	214210.0N 0693229.5E	535 FT	NIL	Windmill
In circling area and at AD	OTHER	214227.6N 0693239.8E	552 FT	NIL	Windmill
In circling area and at AD	OTHER	214247.1N 0693244.1E	539 FT	NIL	Windmill
In circling area and at AD	OTHER	214158.6N 0693247.8E	551 FT	NIL	Windmill
In circling area and at AD	OTHER	214245.2N 0693306.8E	543 FT	NIL	Windmill
In circling area and at AD	OTHER	214149.1N 0693317.7E	535 FT	NIL	Windmill
In circling area and at AD	OTHER	214233.9N 0693323.2E	542 FT	NIL	Windmill
In circling area and at AD	OTHER	214216.3N 0693337.0E	555 FT	NIL	Windmill
In circling area and at AD	OTHER	214205.3N 0693348.4E	545 FT	NIL	Windmill
In circling area and at AD	OTHER	214153.5N 0693403.7E	557 FT	NIL	Windmill
In circling area and at AD	OTHER	214144.3N 0693417.6E	551 FT	NIL	Windmill
In circling area and at AD	OTHER	214206.0N 0693530.5E	579 FT	NIL	Windmill
In circling area and at AD	NATURAL HIGHPOINT	214413.9N 0694232.8E	777 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	214340.5N 0694330.5E	861 FT	NIL	Hill Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	214323.3N 0694401.5E	778 FT	NIL	Hill Top
In circling area and at AD	POLE	214258.5N 0694404.7E	615 FT	NIL	Pole on Hill (Hill Top=179.0 M)
In circling area and at AD	BUILDING	213901.9N 0693906.9E	34 FT	NIL	Temple (Lighted)
In circling area and at AD	OTHER	213855.8N 0693946.3E	32 FT	NIL	Mobile Road Traffic (Road Elev.=4.9m + 5m Mobile Traffic)
In circling area and at AD	OTHER	213856.3N 0693934.8E	22 FT	NIL	Landing 'T'
In circling area and at AD	OTHER	213902.6N 0693939.7E	51 FT	LGTD	MET Antenna Light
In circling area and at AD	STACK	213853.6N 0693939.5E	50 FT	NIL	Chimney on Building Top
In circling area and at AD	BUILDING	213850.9N 0693925.9E	68 FT	NIL	Fire Building Top
In circling area and at AD	ANTENNA	213852.0N 0693939.7E	70 FT	NIL	Antenna on Building Top
In circling area and at AD	ANTENNA	213851.4N 0693939.8E	71 FT	NIL	Antenna on Building Top
In circling area and at AD	BUILDING	213853.3N 0693945.8E	37 FT	NIL	Water Pipe on Building Top
In circling area and at AD	FENCE	213854.2N 0693948.5E	26 FT	NIL	Airport Boundary Wall with Fencing Top.
In circling area and at AD	TREE	213904.0N 0693907.1E	56 FT	NIL	Coconut Tree
In circling area and at AD	ANTENNA	213850.2N 0693902.0E	71 FT	NIL	Antenna on Building Top
In circling area and at AD	ANTENNA	213850.2N 0693901.4E	85 FT	NIL	Antenna on Building Top
In circling area and at AD	BUILDING	213903.3N 0693854.5E	45 FT	NIL	Building U/C
In circling area and at AD	OTHER	213910.4N 0693802.5E	163 FT	LGTD	Mobile Tower Light
In circling area and at AD	FENCE	213854.2N 0693950.0E	27 FT	NIL	Airport Boundary Wall with Fencing Top.
In circling area and at AD	FENCE	213854.3N 0693951.4E	26 FT	NIL	Airport Boundary Wall with Fencing Top.
In circling area and at AD	TREE	213905.2N 0693955.2E	36 FT	NIL	Group of Tree
In circling area and at AD	POLE	213853.4N 0693955.8E	45 FT	NIL	Light Pole
In circling area and at AD	BUILDING	213853.6N 0693957.5E	41 FT	NIL	Water Tank on Building Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	NAVAID	213904.5N 0693920.6E	46 FT	NIL	DVOR DME Antenna
In circling area and at AD	BUILDING	213902.9N 0693851.9E	42 FT	LGTD	Building (Lighted)
In circling area and at AD	OTHER	213903.1N 0693857.2E	42 FT	NIL	Mobile Road Traffic (Road Elev.=7.7m + 5m Mobile Traffic)
In circling area and at AD	OTHER	213852.0N 0693857.6E	41 FT	NIL	Mobile Road Traffic (Road Elev.=7.5m + 5m Mobile Traffic)
In circling area and at AD	ANTENNA	213850.0N 0693903.6E	73 FT	NIL	Antenna on Building (Building Top=15.9m)
In circling area and at AD	BUILDING	213851.5N 0693904.1E	57 FT	LGTD	Light on Building (Hangar)
In circling area and at AD	BUILDING	213851.8N 0693906.3E	46 FT	NIL	Security Hut (Pipe Top)
In circling area and at AD	OTHER	213849.6N 0693907.5E	81 FT	NIL	Flood Light Mast
In circling area and at AD	OTHER	213849.6N 0693910.1E	81 FT	NIL	Flood Light Mast
In circling area and at AD	OTHER	213904.7N 0693919.9E	53 FT	NIL	L/C Rod on DVOR
In circling area and at AD	OTHER	213904.3N 0693921.0E	52 FT	NIL	L/C Rod on DVOR
In circling area and at AD	OTHER	213852.7N 0693923.3E	40 FT	NIL	WDI Top
In circling area and at AD	OTHER	213850.9N 0693926.0E	73 FT	NIL	L/C Rod on Fire Station
In circling area and at AD	OTHER	213849.6N 0693932.4E	90 FT	NIL	Flood Light Mast
In circling area and at AD	OTHER	213849.7N 0693933.7E	89 FT	NIL	Flood Light Mast
In circling area and at AD	OTHER	213904.3N 0693937.9E	41 FT	NIL	WDI Top
In circling area and at AD	OTHER	213854.1N 0693938.2E	27 FT	NIL	MET Observatory
In circling area and at AD	BUILDING	213852.0N 0693938.8E	59 FT	NIL	Terminal Building Top
In circling area and at AD	OTHER	213851.7N 0693939.0E	97 FT	NIL	L/C Rod on ATC
In circling area and at AD	BUILDING	213853.8N 0693939.5E	52 FT	LGTD	Powerhouse Light
In circling area and at AD	POLE	213854.5N 0693948.6E	23 FT	NIL	Light Pole
In circling area and at AD	BUILDING	213853.3N 0693957.2E	41 FT	NIL	Water Tank on Building (Building Top=11.4m)
In circling area and at AD	TREE	213904.9N 0693909.1E	66 FT	NIL	Group of Tree
In circling area and at AD	POLE	213903.1N 0693848.7E	55 FT	NIL	Electric Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	POLE	213903.6N 0693848.6E	50 FT	NIL	Electric Pole
In circling area and at AD	POLE	213903.5N 0693847.0E	51 FT	NIL	Electric Pole
In circling area and at AD	TANK	213905.3N 0693837.8E	81 FT	NIL	O.H.W.T.
In circling area and at AD	OTHER	213909.4N 0693817.5E	175 FT	NIL	Cellphone Mast

VAPR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Porbandar
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Ahmadabad 00-09, 03-12, 06-15
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Telephone +91-286-2220955
9	The air traffic services unit(s) provided with meteorological information	Porbandar TWR
10	Additional information, e.g. concerning any limitation of service.	Documentation provided A/R.Wind cone AVBL.

VAPR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	88.06 DEG	1371 x 45 M	27/F/B/W/T Asphalt	THR: 213857.62N 0693859.46E RWY END: 213859.12N 0693947.15E
27	268.06 DEG	1371 x 45 M	27/F/B/W/T Asphalt	THR: 213859.12N 0693947.15E RWY END: 213857.62N 0693859.46E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 26.0FT TDZ: 26.0FT	-0.18%	NIL		1491 x 280 M
THR: 17.0FT TDZ: 20.0FT	0.18%	NIL		1491 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M			1. Transverse Slope of RWY: 0.80% 2. Elevation in EGM 08
90M x 90M			1. Transverse Slope of RWY: 0.80% 2. Elevation in EGM 08

VAPR AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	1361	1361	1361	1361	
27	1371	1371	1371	1371	

VAPR AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	NIL		PAPI MEHT (28.00FT)	
27	NIL		PAPI MEHT (29.00FT)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	LIH			NIL
	LIH			NIL

VAPR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, FLG W&G EV2SEC As ATS HR
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Front of TWY,LGTD
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	TWY A
		Centre Line	
4	Secondary power supply including switch-over time;	Secondary Power supply to all lighting.	
5	Remarks	APRON EDGE LGT AVBL.APRON FLOOD LGT,LDI &ABN LGHT AVBL.	

VAPR AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VAPR AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 214502N 0692659E; 215002N 0693459E; 215202N 0695759E; 213902N 0700459E; 212902N 0694359E to point of origin.
2	Vertical limits	FL 105
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Porbandar Tower, English
5	Transition altitude	6000 FT
6	Hours of applicability	HO
7	Remarks	Porbandar Approach Control Unit is combined with Porbandar Aerodrome Control Tower.

VAPR AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Porbandar Tower	118.700 MHZ	
APP	Porbandar Tower	118.850 MHZ	
TWR	Porbandar Tower	118.700 MHZ	
TWR	Porbandar Tower	118.850 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1.Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Main FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	As ATS	Backup Frequency
	As ATS HR	NIL

VAPR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	**2**	**3**	**4**
DVOR/DME	PBN	112.400 MHz CH71X	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
213904.8N 0693920.5E	46 FT		Vertical datum: EGM08

VAPR AD 2.20 LOCAL AERODROME REGULATIONS

1. Aircraft to follow Turn Pad Markings at the end of the RWY positively after landing.

2. Bird activity observed. Peak hours 0100-0200 and 1200-1300.

3. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VAPR AD 2.21 NOISE ABATEMENT PROCEDURES

VAPR AD 2.22 FLIGHT PROCEDURES

VAPR AD 2.23 ADDITIONAL INFORMATION

Details of TWY's	Length of TWY	Width of shoulder	Distance of TWY from RWY 27 beginning
TWY 'A'	168.00 M	7.50 M	442.0M
TWY 'B'	289.0 M	---	785.0M

VAPR AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(17 April 2025)
2. Aircraft Parking Docking Chart(17 April 2025)
3. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 09(17 April 2025)
4. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 27(17 April 2025)
5. Aerodrome Obstacle Chart – (Operating Limitations) Type B(17 April 2025)
6. VOR Procedure RWY09 (CAT A/B)
7. VOR Procedure RWY27 CAT A/B)
8. RNP Y Procedure RWY 09 (17 April 2025)
9. Coding Table - RNP Y Procedure RWY 09 (17 April 2025)
10. RNP Y Procedure RWY 27 (17 April 2025)
11. Coding Table - RNP Y Procedure RWY 27 (17 April 2025)
12. Instrument Approach Chart - RNP Z Procedure RWY 27 (CAT A/B) (LPV Only) (08 August 2024)
13. Tabular Description - RNP Z Procedure RWY 27 (08 August 2024)
14. FAS Data Block Table - RNP Z Procedure RWY 27 (08 August 2024)

VAPR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**