AD 2. AERODROMES

VORY AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VORY - RAJAHMUNDRY AIRPORT, RAJAHMUNDRY

VORY AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	170634N 0814910E 227.25 DEG/ 924 M from beginning of RWY 23	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	7.3 NM North of Rajahmundry Railway Station (TR 014°)	
3	Aerodrome elevation and reference temperature	156 FT / 39.0 DEG C	
4	Magnetic variation, date of information and annual change	1.17 DEG W (2010) /0.0167 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	The Airport Director Airports Authority of India Rajahmundry Airport Madurapudi (Post) Rajahmundry-533102 Andhra Pradesh,	
		Telephone:	918832007838 919490742058
		Fax:	(91) 8832487852
		AFS:	----
		Email:	apdry@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM08	

VORY AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI: 0400-1230 UTC (0930-1800 IST) Sat/Sun/Holiday: NIL
2	Custom and immigration	NIL
3	Health and sanitation	Available at Rajahmundry 19 KMs from Airport
4	AIS briefing office	Not available
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Refer current NOTAM for ATS watch hours.
8	Fuelling	As ATS
9	Handling	NIL
10	Security	As ATS
11	De-icing	NIL
12	Remarks	1. Rajahmundry airport available for night operations. 2. Minimum 24 Hours prior notice required for Extension of watch hours. 3. The ATS approved hourly RWY traffic handling capacity as follows: Maximum number of arrivals and departures -12 Maximum number of arrivals only -06 Maximum number of departures only -10

VORY AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	03 Bowzers, 33KL/Static tanks 02 .65KL and 70KL. Tel No. +91-883-2487305 Mobile: +91-9652399929
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VORY AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available at Rajahmundry city 19 Kms from Airport
2	Restaurant(s) at or in the vicinity of aerodrome	Tea/Coffee wending machine, Packaged drinking water and soft drinks available
3	Transportation possibilities	Car rental services available at Airport
4	Medical Facilities	Available at Rajahmundry City 19 KMs from Airport. First Aid facility Available at Aerodrome.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available at Rajahmundry city 19 KMs from Airport Post office: Available at Rajahmundry city 19 KMs from Airport
6	Tourist office	Available at Rajahmundry city 19 KMs from Airport
7	Remarks	NIL

VORY AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	As per the category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Rajahmundry Airport, Contact Details: 0883-2020111, 0883-2487852(TELEFAX) Email: apdry@aai.aero
4	Remarks	1. First Aid Room Available. 2. Standard operating procedure for disabled aircraft removal available. Aerodrome Coordinator :airport Director, Rajahmundry Airport, Contact Details : 0883-2020111, 0883-2487852(TELEFAX) Email: apdry@aai.aero

VORY AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL

3	Remarks	N/A

VORY AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart.
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart.
3	Location and elevation of altimeter checkpoints	Location Elevation Stand 1 146 FT Stand 2 148 FT TWY holding Point 144 FT
4	Location of VOR checkpoints	TWY B : 170630.51N0814906.15E
5	Position of INS checkpoints	NIL
6	Remarks	1. Coordinates of Taxi Holding Position TWY A: 170631.75866N 0814910.87396E/ELEV: 148FT TWY B: 170630.72700N 0814905.97696E/ELEV: 142FT 2. Coordinates of RWY & Taxi Intersection TWY A: 170635.70457N 0814907.81046E/ELEV: 147FT TWY B: 170633.07469N 0814904.14737E/ELEV: 142FT 3. Isolation Bay: i. Designation: Isolation Bay ii. Surface: Concrete iii. Strength: 64/R/B/W/T iv. Dimensions: 91 M X 76 M v. Aircraft Stand's Coordinates: 170641.84N 0814857.35E vi. Connecting TWY: TWY C 4. Taxiway C: i. Designation: TWY C ii. Surface: Concrete iii. Strength: 64/R/B/W/T iv. Length and Width: 257.5M X 23 M v. Shoulder: 7.5M on both sides vi. Coordinates of intersection of RWY and TWY:170633.67N 0814903.69E 5. All elevations are in EGM 08

VORY AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxi guidelines AVBL from Runway to Parking stand 1 & 2.
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, Centreline, edges, end, TDZ and aiming point. RWY Lighting: Edge, End, Wingbar TWY Markings: Centreline, holding position, TWY side strip and TWY designation. TWY Lighting: Edge
3	Stop bars (if any)	NIL
4	Remarks	LDG area LGT FAC AVBL.

VORY AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
23/TKOF 05/APCH	BUILDING	170547.1N 0814749.2E	121 FT	NIL	Security Hut
23/TKOF 05/APCH	OTHER	170549.1N 0814803.0E	89 FT	NIL	Approach Light
23/APCH 05/TKOF	TREE	170704.2N 0814954.5E	216 FT	NIL	Tree
23/APCH 05/TKOF	OTHER	170653.1N 0814932.0E	158 FT	NIL	Approach Light
23/APCH 05/TKOF	TREE	170707.5N 0815001.9E	238 FT	NIL	Group of Trees
23/APCH 05/TKOF	TREE	170705.2N 0814959.5E	230 FT	NIL	Group of Trees
23/APCH 05/TKOF	TREE	170701.6N 0814956.6E	223 FT	NIL	Group of Trees
23/APCH 05/TKOF	TREE	170708.0N 0814954.6E	211 FT	NIL	Group of Trees
In circling area and at AD	OTHER	170555.4N 0814802.3E	103 FT	NIL	Mobile Road Traffic (Road Elev. 26.3 M+ 5m Mobile Traffic)
In circling area and at AD	TREE	170537.0N 0814759.5E	143 FT	NIL	Group of Trees
In circling area and at AD	TREE	170530.6N 0814751.6E	149 FT	NIL	Group of Trees
In circling area and at AD	TREE	170548.0N 0814749.3E	149 FT	NIL	Group of Trees
In circling area and at AD	TREE	170551.6N 0814753.8E	144 FT	NIL	Group of Trees
In circling area and at AD	TREE	170555.6N 0814759.7E	132 FT	NIL	Group of Trees
In circling area and at AD	TREE	170600.5N 0814806.8E	148 FT	NIL	Group of Trees
In circling area and at AD	OTHER	170556.8N 0814811.6E	94 FT	NIL	PAPI Light
In circling area and at AD	TREE	170700.8N 0814930.0E	223 FT	NIL	Tree
In circling area and at AD	TREE	170708.0N 0814939.2E	202 FT	NIL	Group of Trees
In circling area and at AD	TREE	170658.0N 0814952.5E	216 FT	NIL	Group of Trees
In circling area and at AD	TREE	170654.5N 0814921.6E	200 FT	NIL	Group of Trees
In circling area and at AD	TREE	170658.6N 0814927.7E	213 FT	NIL	Group of Trees
In circling area and at AD	TREE	170705.5N 0814936.5E	206 FT	NIL	Group of Trees
In circling area and at AD	TREE	170604.0N 0814812.2E	166 FT	NIL	Group of Trees
In circling area and at AD	TREE	170632.1N 0814850.5E	186 FT	NIL	Group of Trees
In circling area and at AD	NAVAID	170635.1N 0814854.7E	173 FT	LGTD	DVOR DME Antenna

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	170635.0N 0814855.0E	180 FT	LGTD	Lightning Arrestor on DVOR
In circling area and at AD	TREE	170642.1N 0814906.1E	195 FT	NO	Group of Trees
In circling area and at AD	OTHER	170633.1N 0814915.3E	177 FT	LGTD	Flood Light Mast
In circling area and at AD	OTHER	170634.1N 0814916.0E	181 FT	NO	Rod on Bldg (Building Top 52.8m.)
In circling area and at AD	OTHER	170631.1N 0814907.8E	166 FT	LGTD	WDI
In circling area and at AD	BUILDING	170613.5N 0814826.4E	130 FT	NO	Security Hut
In circling area and at AD	TREE	170623.0N 0814837.5E	182 FT	NO	Group of Trees
In circling area and at AD	TREE	170628.6N 0814845.2E	194 FT	NIL	Group of Trees
In circling area and at AD	OTHER	170635.5N 0814854.1E	180 FT	NIL	Lightning Arrestor
In circling area and at AD	OTHER	170635.9N 0814855.0E	180 FT	NIL	Lightning Arrestor
In circling area and at AD	TREE	170645.2N 0814907.8E	199 FT	NIL	Group of Trees
In circling area and at AD	TREE	170648.5N 0814914.0E	199 FT	NIL	Group of Trees
In circling area and at AD	ANTENNA	170641.4N 0814922.4E	177 FT	NIL	MET Antenna
In circling area and at AD	OTHER	170643.5N 0814920.8E	148 FT	NIL	PAPI
In circling area and at AD	OTHER	170634.9N 0814911.1E	154 FT	NIL	Landing T
In circling area and at AD	POLE	170635.9N 0814916.8E	163 FT	NIL	Light Pole
In circling area and at AD	FENCE	170635.7N 0814916.9E	164 FT	NIL	Airport Boundary Wall with Fencing on Top
In circling area and at AD	TREE	170634.7N 0814920.3E	211 FT	NIL	Group of Trees
In circling area and at AD	OTHER	170632.7N 0814917.1E	200 FT	NIL	Flood Light Mast
In circling area and at AD	OTHER	170632.3N 0814916.4E	199 FT	NIL	Flood Light Mast
In circling area and at AD	OTHER	170632.7N 0814915.1E	185 FT	NIL	Flood Light Mast
In circling area and at AD	ANTENNA	170556.0N 0814819.3E	127 FT	NIL	Met Antenna
In circling area and at AD	TOWER	170131.3N 0814851.2E	674 FT	LGTD	Doordarshan Tower

VORY AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Rajahmundry Airport (Class III MET Office.)

2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Hyderabad (On Request), 3HR
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English.
7	Charts and other information displayed or available for briefing or consultation	NOT AVBL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Telephone available with MET for obtaining TAF from Hyderabad. Tel No:0883 2487974
9	The air traffic services unit(s) provided with meteorological information	VORY Rajahmundry Tower
10	Additional information, e.g. concerning any limitation of service.	Half hourly METAR AVBL

VORY AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
05	53.25 DEG	3165 x 45 M	61/F/C/W/T Asphalt	THR: 170550.31N 0814804.59E RWY END: 170651.90N 0814930.38E
23	233.25 DEG	3165 x 45 M	61/F/C/W/T Asphalt	THR: 170651.90N 0814930.38E RWY END: 170550.31N 0814804.59E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 88.0FT TDZ: 106.0FT	0.66%	NIL	NIL	3285 x 280 M
THR: 156.0FT TDZ: 156.0FT	-0.66%	NIL	NIL	3285 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M		NIL	All Elevation in EGM 08
240M x 90M		NIL	All Elevation in EGM 08

VORY AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
05	3165	3165	3165	3165	
23	3165	3165	3165	3165	

VORY AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
05	SALS 420 M LIH	Green	PAPI /3.00 DEG MEHT (9.00M)	NIL
23	CAT I 720 M LIH	Green	PAPI /3.00 DEG MEHT (9.00M)	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	3165 M 60 M White LIH	Red	NIL	600 M on either side of RWY from Threshold yellow lights have been provided.
	3165 M 60 M White LIH	Red		600 M on either side of RWY from Threshold yellow lights have been provided.

VORY AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	ABN overhead ATC building, 24 flashes/min As ATS Hours.
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	LDI available in Signal Area
		Anemometer	DIWE SET AVBL Technical Block III Floor WDI 2 available. 1 is left to taxiway A and the second is towards the north of runway abeam taxiway A
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Less than 15 Sec.	
5	Remarks	NIL	

VORY AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VORY AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 170634N 0814910E within a 10NM radius.
2	Vertical limits	FL 75
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Rajahmundry Tower, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	Rajahmundry Approach Control Unit is combined with Rajahmundry Aerodrome Control Tower.

VORY AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Rajahmundry Tower	122.300 MHZ	
APP	Rajahmundry Tower	124.325 MHZ	
TWR	Rajahmundry Tower	122.300 MHZ	
TWR	Rajahmundry Tower	124.325 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Main FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	1. Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	MAIN FREQ
	HO	BACKUP FREQ

VORY AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	RJM	112.400 MHz CH71X	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
170635.5N 0814854.7E	173 FT		

VORY AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VORY AD 2.21 NOISE ABATEMENT PROCEDURES

VORY AD 2.22 FLIGHT PROCEDURES

VORY AD 2.23 ADDITIONAL INFORMATION

1.Apron (105 X 76M) with two parking stands marked with taxi guidelines marking.

2.Details of Helicopter Aprons are as mentioned below:

a. Helicopter Apron 1:

i. Location: Adjacent to TWY B.

ii. Dimensions: 76M x 73M

b. Helicopter Apron 2:

i. Location: Adjacent to TWY B

ii. Dimensions: 76M x 73M.

3. Details of two taxiways linking Helicopter Aprons with TWY B are as follows:

a. Link Taxiway B1,width 11M, Strength 8/R/D/W/T.

b. Link Taxiway B2,width 11M, Strength 15/R/B/W/T.

4. **Following intersection Take Off Run Available :**

RWY	FROM TWY INT	TORA(M)
RWY 23	TWY A	2333
RWY 23	TWY B	2198

5. Runway Turn Pads, capable of handling B777-300 ER type of aircraft, provided at both ends of Runway for special operations with prior permission.

VORY AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (02 October 2025)
2. Aircraft Parking/Docking Chart (12 June 2025)
3. Aerodrome Obstacle Chart Type – A (Operating Limitations) RWY 05 (12 June 2025)
4. Aerodrome Obstacle Chart Type – A (Operating Limitations) RWY 23 (12 June 2025)
5. Aerodrome Obstacle Chart Type – B (12 June 2025)
6. Instrument Approach Chart - VOR Procedure Runway 05 (CAT A/B/C) (DME Required)
7. Instrument Approach Chart - VOR Procedure Runway 23 (CAT A/B/C) (DME Required)
8. Instrument Approach Chart - RNP Procedure RWY 05
9. Coding Table - RNP Procedure RWY-05
10. Instrument Approach Chart - RNP Procedure RWY 23
11. Coding Table - RNP Procedure RWY-23
12. Instrument Approach Chart - RNP Z Procedure RWY 05 (CAT A/B/C) (LPV Only)
13. Coding Table 1 - RNP Z Procedure RWY 05
14. Coding Table 2 - RNP Z Procedure RWY 05
15. Instrument Approach Chart - RNP Z Procedure RWY 23 (CAT A/B/C) (LPV Only)
16. Coding Table 1 - RNP Z Procedure RWY 23

17. Coding Table 2 - RNP Z Procedure RWY 23

VORY AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3