AD 2. AERODROMES

VERC AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VERC - BIRSA MUNDA AIRPORT, RANCHI

VERC AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	231851N 0851916E MAG. BRG. 135.15 DEG / 1373M from physical extremity of RWY 13.	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	198 DEG, 05 KM from Ranchi city.	
3	Aerodrome elevation and reference temperature	2150 FT / 38.0 DEG C	
4	Magnetic variation, date of information and annual change	0.41 DEG W (2010) /0.016 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	The Airport Director, Airports Authority of India, Birsa Munda Airport, Ranchi -834002,	
		Telephone:	(91) 6516450327 (91) 9431106570
		Fax:	(91) 651 2250500
		AFS:	VERCYHYX
		Email:	apd_verc@AAI.AERO
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM08	

VERC AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+HOL: NIL	
2	Custom and immigration	NIL	
3	Health and sanitation	NIL	
4	AIS briefing office	H24	
5	ATS reporting office (ARO)	H24	
6	MET Briefing office	H24	
7	Air Traffic Service	H24	
8	Fuelling	H24	
9	Handling	H24	
10	Security	H24	
11	De-icing	NIL	
12	Remarks	Outside of ATS hour's services are available O/R with 24 HR PN to AD.	
		ATS approved hourly runway traffic handling capacity	Maximum number of arrival and departure- 12 Maximum number of arrival only – 06 Maximum number of departure only -10

VERC AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil

2	Fuel and Oil types	ATF
3	Fuelling facilities and capacity	47000 Litres, 10 Litres/Sec
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	NIL

VERC AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city & 1 KM from the Airport
2	Restaurant(s) at or in the vicinity of aerodrome	At AD and in the city
3	Transportation possibilities	Taxi /Auto Rickshaw
4	Medical Facilities	First aid at AD. Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: in the city & ATM at AD Post office: at AD
6	Tourist office	at AD
7	Remarks	NIL

VERC AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	3 Ambulances & 3 CFT
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is - A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Coordinator : Airport Director Contact No.: 0651-2253395 email: apd_verc@aai.aero
4	Remarks	Disabled aircraft removal provided by individual airlines operator

VERC AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VERC AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Parking and Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Parking and Docking Chart
3	Location and elevation of altimeter checkpoints	On TWY C and TWY D. Refer Aerodrome Chart and Aircraft Parking/Docking Chart.
4	Location of VOR checkpoints	TWY 'B': 231907.16 N 0851906.74 E TWY 'C': 231854.75 N 0851921.90 E
5	Position of INS checkpoints	

6	Remarks	i. Coordinates of RWY Holding Positions: a) TWY A: 231924.78N 0851844.31E Elev. 2146 FT b) TWY B: 231906.82N 0851906.44E, Elev. 2133 FT c) TWY C: 231854.46N 0851921.67E Elev. 2123 FT d) TWY D: 231848.57N 0851929.31E, Elev. 2114 FT e) TWY E: 231826.10N 0851956.62E Elev. 2073 FT f) TWY F: 231831.84N 0851957.36E, Elev. 2071 FT g) TWY H: 231926.19N 0851850.28E, Elev. 2136 FT ii. Coordinates of RWY & Taxiway Intersections: a) TWY A: 231922.59N 0851842.23E, Elev. 2150 FT b) TWY B: 231904.64N 0851904.34E, Elev. 2135 FT c) TWY C: 231852.27N 0851919.58E, Elev. 2123 FT d) TWY D: 231844.83N 0851928.76E, Elev. 2113 FT e) TWY E: 231823.92N 0851954.52E, Elev. 2077 FT f) TWY F: 231851.93N 0851932.54E, Elev. 2110 FT iii. Apron II available with 1 parking stand up to CAT B Type Aircraft. iv. Portion of Taxiway 'F' between Taxiway 'C' and old fire station not available. v. Vertical Reference System : EGM08

VERC AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T, Guidelines at Apron
2	Runway and taxiway markings and lights	RWY Markings Designation, Aiming Point, THR, TDZ, Centreline, Edge , Turn pad and Displaced THR. Lights RWY 13 Lights: SALS, End Lights, THR, Edge, End, Turning Pad Lights RWY 31 Lights: Approach Lighting upto 180 M with cross bar at 150 M, End Lights, THR, Edge, End,Turning Pad Lights TWY Marking Centreline, Edge Holding Positions on all Taxiways, Fillet on TWY C and D. Lights Edge Light on TWY C & D, RWY Guard Lights Configuration A on TWY B, C & D
3	Stop bars (if any)	Nil
4	Remarks	APRON II edge lights AVBL.

VERC AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/TKOF 13/APCH	OTHER	231925.9N 0851830.2E	2178 FT	NO	SECURITY HUT
31/TKOF 13/APCH	FENCE	231922.4N 0851834.2E	2168 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP (WALL TOP-659.7M)
31/TKOF 13/APCH	POLE	231927.8N 0851834.3E	2174 FT	NO	LIGHT POST
31/TKOF 13/APCH	POLE	231929.0N 0851836.0E	2169 FT	NO	LIGHT POST
31/TKOF 13/APCH	POLE	231930.9N 0851840.1E	2170 FT	NO	LIGHT POST
31/TKOF 13/APCH	OTHER	231928.9N 0851835.9E	2166 FT	NO	GATE
31/TKOF 13/APCH	OTHER	231926.5N 0851834.2E	2174 FT	LGTD	LOCALIZER HUT
31/TKOF 13/APCH	OTHER	231926.2N 0851837.8E	2161 FT	NO	LOCALIZER MONITOR ANTENNA
31/TKOF 13/APCH	OTHER	231926.4N 0851830.8E	2189 FT	NO	HOARDING
31/TKOF 13/APCH	OTHER	231925.4N 0851829.1E	2181 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 659.8M+5M TRAFFIC HEIGHT)
31/TKOF 13/APCH	OTHER	231928.6N 0851834.8E	2177 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 658.7M+5M TRAFFIC HEIGHT)
31/TKOF 13/APCH	FENCE	231931.2N 0851840.3E	2160 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-657.3M)
31/TKOF 13/APCH	FENCE	231928.4N 0851835.0E	2174 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-661.6M)
31/TKOF 13/APCH	OTHER	231926.4N 0851834.3E	2175 FT	NO	LIGHTNING ARRESTOR
31/TKOF 13/APCH	POLE	231931.1N 0851839.7E	2170 FT	NO	LIGHT POST
31/TKOF 13/APCH	POLE	231930.9N 0851838.8E	2163 FT	NO	LIGHT POST
31/TKOF 13/APCH	FENCE	231926.4N 0851831.0E	2175 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-662.1M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/TKOF 13/APCH	TREE	231925.5N 0851829.4E	2207 FT	NO	GROUP OF TREES
31/TKOF 13/APCH	OTHER	231927.9N 0851835.7E	2166 FT	LGTD	LOCALIZER ANTENNA
31/TKOF 13/APCH	OTHER	231924.2N 0851840.3E	2152 FT	NO	APPROACH LIGHT
31/TKOF 13/APCH	FENCE	231930.7N 0851838.4E	2164 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP (WALL TOP-658.4M)
31/TKOF 13/APCH	POLE	231923.7N 0851833.0E	2181 FT	NO	LIGHT POST
31/TKOF 13/APCH	POLE	231925.6N 0851830.7E	2185 FT	NO	LIGHT POST
31/TKOF 13/APCH	POLE	231929.6N 0851841.6E	2175 FT	NO	LIGHT POST
31/TKOF 13/APCH	BUILDING	231925.0N 0851830.4E	2175 FT	NO	BUILDING (PUBLIC CONVINIENCE)
31/TKOF 13/APCH	TREE	231927.4N 0851833.0E	2188 FT	NO	TREE
31/TKOF 13/APCH	OTHER	231926.7N 0851834.0E	2170 FT	LGTD	LOCALIZER NEW HUT
31/TKOF 13/APCH	SIGN	231922.8N 0851838.8E	2152 FT	NO	SIGN BOARD
31/TKOF 13/APCH	SIGN	231925.9N 0851840.7E	2154 FT	NO	SIGN BOARD
31/TKOF 13/APCH	OTHER	231929.9N 0851841.5E	2169 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 656.2M+5M TRAFFIC HEIGHT)
31/TKOF 13/APCH	OTHER	231932.3N 0851838.5E	2179 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=663.1 M.)
31/TKOF 13/APCH	BUILDING	231932.0N 0851837.9E	2180 FT	NO	BUILDING
31/TKOF 13/APCH	POLE	231931.5N 0851837.7E	2174 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	BUILDING	231931.1N 0851837.0E	2185 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231930.3N 0851836.0E	2186 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231926.5N 0851828.5E	2198 FT	NO	BUILDING
31/TKOF 13/APCH	TREE	231927.7N 0851831.7E	2185 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	OTHER	231927.1N 0851830.4E	2191 FT	NO	HOARDING
31/TKOF 13/APCH	POLE	231928.2N 0851831.8E	2186 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	POLE	231929.0N 0851833.9E	2182 FT	NO	ELECTRIC POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/TKOF 13/APCH	POLE	231930.1N 0851835.6E	2178 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	POLE	231931.0N 0851837.1E	2175 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	POLE	231932.3N 0851839.0E	2172 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	TREE	231928.9N 0851830.2E	2210 FT	NO	GROUP OF TREES
31/TKOF 13/APCH	TREE	231929.6N 0851826.6E	2222 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	TREE	231931.0N 0851827.0E	2218 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	TREE	231930.9N 0851833.6E	2213 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	TREE	231937.0N 0851834.4E	2194 FT	NO	GROUP OF TREES
31/TKOF 13/APCH	BUILDING	231932.6N 0851835.8E	2180 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231935.5N 0851835.1E	2183 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231934.7N 0851833.1E	2186 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231931.6N 0851830.0E	2190 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231931.9N 0851823.4E	2195 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231929.8N 0851831.1E	2194 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231928.9N 0851830.7E	2199 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231928.4N 0851833.0E	2189 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231927.1N 0851830.1E	2193 FT	NO	BUILDING
31/TKOF 13/APCH	POLE	231931.8N 0851838.1E	2173 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	POLE	231927.0N 0851830.0E	2202 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	POLE	231926.5N 0851829.3E	2202 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	BUILDING	231934.0N 0851837.2E	2179 FT	NO	BUILDING
31/TKOF 13/APCH	OTHER	231934.2N 0851837.0E	2183 FT	NO	SINTEX TANK ON BUILDING
31/TKOF 13/APCH	OTHER	231932.8N 0851836.7E	2180 FT	NO	SINTEX TANK ON BUILDING
31/TKOF 13/APCH	OTHER	231931.6N 0851837.5E	2181 FT	NO	ROD ON BUILDING (BUILDING TOP-662.8M)
31/TKOF 13/APCH	BUILDING	231931.7N 0851837.2E	2177 FT	NO	BUILDING

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/TKOF 13/APCH	OTHER	231930.8N 0851836.7E	2173 FT	NO	ROD ON BUILDING (BUILDING TOP-661.7M)
31/TKOF 13/APCH	BUILDING	231930.7N 0851836.5E	2185 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231932.6N 0851835.3E	2184 FT	NO	BUILDING
31/TKOF 13/APCH	TREE	231932.0N 0851835.5E	2194 FT	NO	GROUP OF TREES
31/TKOF 13/APCH	BUILDING	231931.2N 0851834.9E	2175 FT	NO	BUILDING
31/TKOF 13/APCH	ANTENNA	231930.2N 0851834.8E	2189 FT	NO	ANTENNA ON BUILDING(BLDG. TOP=666.3 M.)
31/TKOF 13/APCH	BUILDING	231928.7N 0851833.2E	2192 FT	NO	BUILDING
31/TKOF 13/APCH	OTHER	231929.2N 0851831.3E	2194 FT	NO	ROD ON BUILDING (BUILDING TOP-667.2M)
31/TKOF 13/APCH	BUILDING	231928.9N 0851831.3E	2189 FT	NO	BUILDING
31/TKOF 13/APCH	OTHER	231928.6N 0851831.5E	2200 FT	NO	ROD ON BUILDING
31/TKOF 13/APCH	BUILDING	231928.3N 0851831.5E	2195 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231928.1N 0851831.2E	2192 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231927.8N 0851830.8E	2191 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231927.3N 0851829.5E	2197 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231927.3N 0851829.3E	2200 FT	NO	BUILDING
31/TKOF 13/APCH	TREE	231926.3N 0851828.2E	2221 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	BUILDING	231930.1N 0851831.6E	2193 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231930.3N 0851829.4E	2194 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231929.7N 0851833.9E	2189 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231933.1N 0851833.1E	2180 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231929.1N 0851833.8E	2172 FT	NO	BUILDING
31/TKOF 13/APCH	OTHER	231928.4N 0851834.1E	2179 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 659.3M+5M TRAFFIC HEIGHT)
31/TKOF 13/APCH	BUILDING	231928.5N 0851828.7E	2198 FT	NO	BUILDING

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/TKOF 13/APCH	POLE	231928.3N 0851832.8E	2186 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	BUILDING	231928.6N 0851829.7E	2197 FT	NO	HOUSE
31/TKOF 13/APCH	BUILDING	231928.0N 0851831.9E	2186 FT	NO	BUILDING
31/TKOF 13/APCH	BUILDING	231933.4N 0851837.5E	2179 FT	NO	HOUSE
31/TKOF 13/APCH	OTHER	231927.4N 0851832.1E	2182 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 660M+5M TRAFFIC HEIGHT)
31/TKOF 13/APCH	POLE	231929.5N 0851834.7E	2184 FT	NO	ELECTRIC POLE
31/TKOF 13/APCH	BUILDING	231935.8N 0851835.9E	2177 FT	NO	BUILDING
31/TKOF 13/APCH	OTHER	231932.0N 0851839.5E	2167 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 655.4M+5M TRAFFIC HEIGHT)
31/TKOF 13/APCH	ANTENNA	231933.4N 0851831.3E	2182 FT	NO	ANTENNA TOP ON BUILDING
31/TKOF 13/APCH	OTHER	231932.5N 0851838.4E	2180 FT	NO	SINTEXTANK ON BUILDING
31/TKOF 13/APCH	OTHER	231927.0N 0851829.3E	2201 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=669.8 M.)
31/TKOF 13/APCH	OTHER	232427.4N 0851336.9E	2721 FT	LGTD	AIR MAST
31/TKOF 13/APCH	OTHER	231928.2N 0851835.9E	2171 FT	NO	LIGHTNING ARRESTER ON LOCALIZER
31/TKOF 13/APCH	TREE	231928.4N 0851830.3E	2211 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	TREE	231928.6N 0851833.5E	2184 FT	NO	TREE
31/TKOF 13/APCH	TREE	231928.8N 0851831.4E	2197 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	TREE	231929.3N 0851823.7E	2201 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	OTHER	231931.5N 0851823.1E	2194 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=667.6 M.)
31/TKOF 13/APCH	OTHER	231933.5N 0851837.2E	2192 FT	NO	FLAG ON BUILDING
31/TKOF 13/APCH	TREE	231938.0N 0851813.6E	2212 FT	NO	GROUP OF TREE
31/TKOF 13/APCH	TREE	231943.6N 0851817.8E	2213 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	POLE	231824.3N 0851959.3E	2082 FT	NO	FENCE POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/APCH 13/TKOF	FENCE	231819.7N 0851953.8E	2083 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-634.0M)
31/APCH 13/TKOF	POLE	231819.5N 0851954.1E	2085 FT	NO	LIGHT POST
31/APCH 13/TKOF	POLE	231818.6N 0851955.3E	2083 FT	NO	LIGHT POLE
31/APCH 13/TKOF	TREE	231817.3N 0851955.7E	2114 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	OTHER	231819.3N 0851955.9E	2086 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 630.9M+5M TRAFFIC HEIGHT)
31/APCH 13/TKOF	TREE	231815.3N 0851957.4E	2122 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231814.8N 0852001.0E	2098 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231814.7N 0852002.3E	2110 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231813.2N 0852004.6E	2113 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231812.5N 0852006.0E	2110 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231814.3N 0852005.4E	2107 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231814.4N 0852006.3E	2104 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231816.2N 0852006.8E	2102 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231817.0N 0852007.1E	2113 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231820.3N 0852005.4E	2110 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231811.6N 0852006.4E	2112 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231820.2N 0852003.4E	2095 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231822.0N 0852005.0E	2112 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231819.3N 0852007.3E	2117 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231813.6N 0852003.3E	2105 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231810.1N 0852003.7E	2112 FT	NO	TREE
31/APCH 13/TKOF	TREE	231813.4N 0852007.2E	2106 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231818.0N 0852008.2E	2110 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231813.7N 0852002.6E	2111 FT	NO	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
31/APCH 13/TKOF	TREE	231819.5N 0852008.7E	2128 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231813.0N 0852000.4E	2111 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231814.3N 0852001.5E	2122 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231814.3N 0852003.6E	2112 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231818.3N 0852007.2E	2110 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231821.3N 0852005.5E	2108 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231815.6N 0851959.3E	2101 FT	NO	GROUP OF TREES
31/APCH 13/TKOF	TREE	231812.3N 0852002.5E	2115 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231807.0N 0852005.5E	2113 FT	NO	GROUP OF TREE
31/APCH 13/TKOF	TREE	231802.4N 0852008.9E	2170 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	231918.0N 0851852.0E	2146 FT	NO	BIRD CHASER HUT
In circling area and at AD	FENCE	231828.4N 0851943.0E	2106 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-640.7M)
In circling area and at AD	OTHER	231833.2N 0851949.4E	2098 FT	LGTD	GLIDE PATH HUT
In circling area and at AD	OTHER	231831.7N 0851951.4E	2099 FT	LGTD	GLIDE PATH MONITOR ANTENNA
In circling area and at AD	OTHER	231833.0N 0851949.9E	2129 FT	LGTD	GLIDE PATH MAIN ANTENNA
In circling area and at AD	POLE	231833.1N 0851950.3E	2141 FT	NO	LIGHTNING ARRESTOR POLE
In circling area and at AD	OTHER	231833.1N 0851950.0E	2101 FT	LGTD	GLIDE PATH DME ANTENNA
In circling area and at AD	FENCE	231825.2N 0851958.8E	2081 FT	NO	BOUNDARY WALL
In circling area and at AD	FENCE	231821.8N 0851951.2E	2091 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-636.1M)
In circling area and at AD	FENCE	231825.6N 0851946.4E	2099 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-638.6M)
In circling area and at AD	POLE	231827.9N 0851944.0E	2107 FT	NO	LIGHT POST

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	231826.2N 0851946.0E	2104 FT	NO	LIGHT POST
In circling area and at AD	POLE	231823.4N 0851949.5E	2098 FT	NO	LIGHT POST
In circling area and at AD	POLE	231821.9N 0851951.5E	2096 FT	NO	LIGHT POST
In circling area and at AD	POLE	231820.5N 0851953.2E	2094 FT	NO	LIGHT POST
In circling area and at AD	OTHER	231820.8N 0851952.7E	2093 FT	NO	SECURITY HUT
In circling area and at AD	POLE	231825.8N 0851958.2E	2082 FT	NO	LIGHT POST
In circling area and at AD	OTHER	231825.7N 0851957.9E	2090 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 631.9M+5M TRAFFIC HEIGHT)
In circling area and at AD	OTHER	231823.1N 0851955.5E	2077 FT	NO	APPROACH LIGHT
In circling area and at AD	POLE	231829.6N 0851941.8E	2108 FT	NO	LIGHT POST
In circling area and at AD	POLE	231827.2N 0851944.8E	2103 FT	NO	LIGHT POST
In circling area and at AD	POLE	231821.1N 0851952.4E	2096 FT	NO	LIGHT POST
In circling area and at AD	OTHER	231830.5N 0851942.4E	2094 FT	NO	BIRD CHASER HUT
In circling area and at AD	OTHER	231832.4N 0851948.5E	2093 FT	NO	BIRD CHASER HUT
In circling area and at AD	OTHER	231833.6N 0851949.1E	2090 FT	NO	WATER PUMP
In circling area and at AD	ANTENNA	231833.0N 0851949.2E	2121 FT	LGTD	MET ANTENNA
In circling area and at AD	ANTENNA	231833.4N 0851949.6E	2104 FT	NO	ANTENNA ON BUILDING
In circling area and at AD	OTHER	231928.0N 0851844.0E	2167 FT	NO	SECURITY HUT
In circling area and at AD	POLE	231920.3N 0851837.2E	2173 FT	NO	LIGHT POST
In circling area and at AD	TREE	231920.5N 0851835.7E	2215 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231918.6N 0851838.1E	2209 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231914.8N 0851842.6E	2210 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231925.0N 0851829.5E	2235 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231922.5N 0851832.7E	2209 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231920.7N 0851835.2E	2217 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231923.5N 0851832.2E	2209 FT	NO	GROUP OF TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	231910.6N 0851849.4E	2158 FT	NO	LIGHT POST
In circling area and at AD	POLE	231914.8N 0851843.9E	2165 FT	NO	LIGHT POST
In circling area and at AD	POLE	231918.8N 0851839.0E	2170 FT	NO	LIGHT POST
In circling area and at AD	POLE	231928.3N 0851845.0E	2172 FT	NO	LIGHT POST
In circling area and at AD	POLE	231927.9N 0851843.7E	2173 FT	NO	LIGHT POST
In circling area and at AD	POLE	231928.7N 0851842.7E	2174 FT	NO	LIGHT POST
In circling area and at AD	BUILDING	231924.5N 0851829.4E	2194 FT	NO	TEMPLE
In circling area and at AD	OTHER	231932.8N 0851839.5E	2179 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=662.6 M.)
In circling area and at AD	BUILDING	231920.2N 0851831.9E	2216 FT	NO	BUILDING
In circling area and at AD	BUILDING	231918.6N 0851832.8E	2230 FT	NO	BUILDING
In circling area and at AD	BUILDING	231934.6N 0851838.7E	2188 FT	NO	BUILDING
In circling area and at AD	OTHER	231922.4N 0851828.8E	2210 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=672.1 M.)
In circling area and at AD	OTHER	231923.3N 0851826.4E	2218 FT	NO	HOARDING
In circling area and at AD	POLE	231926.0N 0851828.1E	2204 FT	NO	ELECTRIC POLE
In circling area and at AD	POLE	231925.4N 0851826.9E	2204 FT	NO	ELECTRIC POLE
In circling area and at AD	OTHER	231934.0N 0851838.9E	2183 FT	NO	SINTEX TANK ON BUILDING (BUILDING TOP-664.3M)
In circling area and at AD	BUILDING	231933.0N 0851839.2E	2175 FT	NO	BUILDING
In circling area and at AD	OTHER	232008.7N 0851807.0E	2289 FT	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	231927.0N 0851825.7E	2194 FT	NO	HOUSE
In circling area and at AD	BUILDING	231911.7N 0851841.6E	2204 FT	NO	HOTEL BIRSA
In circling area and at AD	BUILDING	231913.8N 0851838.8E	2223 FT	NO	BUILDING
In circling area and at AD	OTHER	231925.2N 0851828.0E	2217 FT	LGTD	FLOOD LIGHT MAST ON ROAD DIVIDER
In circling area and at AD	TREE	231912.3N 0851845.2E	2205 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	231923.1N 0851826.8E	2218 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=674.1 M.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	231926.0N 0851827.5E	2205 FT	NO	HOARDING
In circling area and at AD	OTHER	231926.5N 0851825.2E	2220 FT	LGTD	CELL PHONE MAST
In circling area and at AD	OTHER	231927.6N 0851825.1E	2215 FT	NO	FLAG ON BUILDING(BLDG. TOP=668.2 M.)
In circling area and at AD	OTHER	231928.4N 0851823.5E	2200 FT	NO	SINTEX TANK ON BUILDING(BLDG. TOP=669.6 M.)
In circling area and at AD	OTHER	231953.7N 0851657.7E	2317 FT	LGTD	O.H.W.T.
In circling area and at AD	OTHER	232015.8N 0851634.2E	2331 FT	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	232101.1N 0851724.8E	2323 FT	NO	BUILDING(U/C)
In circling area and at AD	BUILDING	232104.5N 0851804.6E	2300 FT	NO	BUILDING
In circling area and at AD	BUILDING	232105.0N 0851715.4E	2312 FT	NO	BUILDING
In circling area and at AD	BUILDING	232106.2N 0851758.2E	2298 FT	NO	BUILDING(U/C)
In circling area and at AD	OTHER	232037.3N 0851617.8E	2414 FT	LGTD	CELLPHONE MAST AT PUNDAG
In circling area and at AD	TREE	231811.9N 0851959.2E	2138 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231824.8N 0852004.0E	2125 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231805.4N 0852004.9E	2138 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231816.0N 0851955.8E	2110 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231824.4N 0852005.2E	2117 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231816.7N 0851954.2E	2101 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231824.4N 0852004.0E	2108 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231823.2N 0852005.7E	2115 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231810.2N 0852000.4E	2120 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231806.3N 0852002.9E	2134 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	231838.8N 0851929.5E	2129 FT	NO	SECURITY HUT
In circling area and at AD	FENCE	231838.0N 0851930.2E	2121 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP (WALL TOP-645.3M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	FENCE	231834.3N 0851935.1E	2117 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP(WALL TOP-644.4M)
In circling area and at AD	FENCE	231831.8N 0851938.6E	2113 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING ON TOP (WALL TOP-643.1M)
In circling area and at AD	OTHER	231853.5N 0851924.0E	2142 FT	LGTD	WDI
In circling area and at AD	OTHER	231907.7N 0851856.6E	2142 FT	NO	BIRD CHASER HUT
In circling area and at AD	OTHER	231908.9N 0851903.1E	2139 FT	NO	BIRD CHASER HUT
In circling area and at AD	OTHER	231904.7N 0851908.9E	2136 FT	NO	BIRD CHASER HUT
In circling area and at AD	OTHER	231843.2N 0851925.9E	2118 FT	NO	BIRD CHASER HUT
In circling area and at AD	SIGN	231848.0N 0851927.2E	2118 FT	NO	SIGN BOARD
In circling area and at AD	OTHER	231844.3N 0851934.9E	2112 FT	NO	BIRD CHASER HUT
In circling area and at AD	OTHER	231833.8N 0851938.0E	2102 FT	NO	BIRD CHASER HUT
In circling area and at AD	BUILDING	231901.6N 0851853.7E	2228 FT	NO	BUILDING
In circling area and at AD	TREE	231902.9N 0851855.4E	2207 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	231901.7N 0851856.9E	2203 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231900.6N 0851900.4E	2188 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231857.2N 0851904.6E	2194 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231853.6N 0851909.1E	2178 FT	NO	GROUP OF TREES
In circling area and at AD	OTHER	231850.3N 0851913.9E	2136 FT	NO	SECURITY HUT
In circling area and at AD	OTHER	231905.7N 0851855.0E	2147 FT	NO	SECURITY HUT
In circling area and at AD	TREE	231849.7N 0851913.8E	2179 FT	NO	GROUP OF TREES
In circling area and at AD	TREE	231850.8N 0851910.5E	2182 FT	NO	GROUP OF TREE
In circling area and at AD	POLE	231850.2N 0851914.4E	2142 FT	NO	LIGHT POST
In circling area and at AD	POLE	231853.0N 0851910.8E	2148 FT	NO	LIGHT POST
In circling area and at AD	POLE	231900.5N 0851919.7E	2183 FT	NO	LIGHTNING ARRESTER POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	231900.5N 0851919.4E	2189 FT	NO	LIGHTNING ARRESTER POLE
In circling area and at AD	OTHER	231900.9N 0851918.4E	2184 FT	LGTD	SELF RADIATING MAST
In circling area and at AD	OTHER	231900.9N 0851919.5E	2154 FT	LGTD	NDB HUT
In circling area and at AD	OTHER	231831.1N 0851936.4E	2124 FT	NO	DVOR MAIN ANTENNA
In circling area and at AD	OTHER	231831.0N 0851936.8E	2131 FT	LGTD	DVOR DME ANTENNA
In circling area and at AD	POLE	231830.4N 0851935.1E	2158 FT	NO	LIGHTNING ARRESTOR POLE
In circling area and at AD	TREE	231848.2N 0851915.4E	2170 FT	NO	GROUP OF TREE
In circling area and at AD	POLE	231849.2N 0851915.5E	2137 FT	NO	LIGHT POST
In circling area and at AD	POLE	231830.8N 0851937.1E	2139 FT	NO	LIGHTENING ARRESTOR POLE
In circling area and at AD	OTHER	231901.1N 0851853.9E	2230 FT	NO	SINTEX TANK ON BUILDING
In circling area and at AD	POLE	231900.0N 0851920.7E	2155 FT	NO	POLE
In circling area and at AD	POLE	231830.4N 0851936.2E	2139 FT	NO	LIGHTNING ARRESTER POLE
In circling area and at AD	STACK	231730.2N 0851754.1E	2338 FT	LGTD	CHIMNEY
In circling area and at AD	BUILDING	231900.6N 0851653.7E	2443 FT	NO	TEMPLE
In circling area and at AD	STACK	231730.2N 0851756.4E	2338 FT	LGTD	CHIMNEY
In circling area and at AD	OTHER	231839.3N 0851633.0E	2441 FT	LGTD	FLOOD LIGHT MAST
In circling area and at AD	OTHER	231836.5N 0851634.3E	2440 FT	LGTD	FLOOD LIGHT MAST
In circling area and at AD	OTHER	231833.6N 0851633.1E	2438 FT	LGTD	FLOOD LIGHT MAST
In circling area and at AD	STACK	231718.2N 0851741.5E	2397 FT	LGTD	CHIMNEY
In circling area and at AD	STACK	231727.7N 0851723.7E	2408 FT	LGTD	CHIMNEY
In circling area and at AD	POLE	232232.4N 0851838.8E	2650 FT	NO	FLAG POLE
In circling area and at AD	OTHER	231833.4N 0851626.1E	2443 FT	LGTD	FLOOD LIGHT MAST
In circling area and at AD	OTHER	231836.3N 0851624.9E	2445 FT	LGTD	FLOOD LIGHT MAST
In circling area and at AD	OTHER	231839.2N 0851626.0E	2441 FT	LGTD	FLOOD LIGHT MAST
In circling area and at AD	OTHER	232037.3N 0851617.8E	2414 FT	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	231928.8N 0851615.2E	2360 FT	LGTD	VIDHAN SABHA

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	232254.8N 0851850.3E	2702 FT	LGTD	TV TOWER

VERC AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Ranchi
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Patna (03-12, 06-15, 09-18, 12-21) Kolkata (00-09) 9HR
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	Nil
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Forward Scatter Meter (FSM) type available at RWY 13 TDZ, RWY 31 MID and RWY 31 TDZ for measurement of Visibility/RVR.
9	The air traffic services unit(s) provided with meteorological information	Ranchi ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	NIL

VERC AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
13	131.30 DEG	2748 x 45 M	64/F/C/W/T Asphalt	THR: 231916.46N 0851849.75E RWY END: 231823.77N 0851954.72E
31	311.30 DEG	2748 x 45 M	64/F/C/W/T Asphalt	THR: 231823.77N 0851954.72E RWY END: 231922.73N 0851842.06E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 2143.0FT TDZ: 2143.0FT	-0.79%	NIL	NIL	2868 x 150 M
THR: 2077.0FT TDZ: 2110.0FT	0.79%	NIL	NIL	2868 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
140M x 90M		---	Elevation in EGM 08
177M x 90M		---	Elevation in EGM 08

VERC AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
13	2748	2748	2748	2456	THR Displaced by 292M
31	2748	2748	2748	2748	----

VERC AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
13	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (59.73FT)	
31	CAT I 180 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (47.37FT)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2748 M 60 M White LIH	Red		Crossbar at 300 M
	2748 M 60 M White LIH	Red		Crossbar at 150 M

VERC AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, FLG W&G EV2SEC As ATS HR
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	75m (Approx) from edge of Apron II
		Anemometer	Available,Unlighted
3	Taxiway edge and taxiway centre line lights;	Edge	Twy C and D.
		Centre Line	-----
4	Secondary power supply including switch-over time;	On-line UPS with a switchover time of zero seconds is connected to all AGLs.	
5	Remarks	DG Set shall be put into operation mode within 10 seconds from the time of main power failure.	

VERC AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VERC AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 231851N 0851916E within a 25NM radius.
2	Vertical limits	FL 55
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Ranchi Tower / Ranchi Approach, English
5	Transition altitude	6000 FT
6	Hours of applicability	HO
7	Remarks	NIL

VERC AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available	Logon address, as appropriate	Hours of operation	Remarks
1	2	3	4	5	6	7
APP	Ranchi Approach	124.425 MHZ			HO	NIL
TWR	Ranchi Tower	118.050 MHZ			H24	Functions of SMC combined withTOWER
TWR	Ranchi Tower	124.300 MHZ			H24	Combined VHF backup frequency for TWR/APP/SMC
ATIS	Ranchi Information	126.850 MHZ			H24	NIL
ALRS	EMERGENCY	121.500 MHZ			H24	NIL

VERC AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 31 CAT I	IRAN	110.500 MHz	As ATS
GP 31		329.600 MHz	As ATS
DME ILS 31	IRAN	CH42X	As ATS
DVOR/DME	RRC	116.900 MHz CH116X	As ATS
NDB	RC	285 kHz	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
231927.8N 0851835.8E			
231832.7N 0851950.3E			3 DEG
231832.8N 0851950.4E	2099 FT		Collocated with GP31
231830.4N 0851934.1E	2137 FT		1. Co-located with DVOR. 2. Vertical datum: EGM08
231900.9N 0851918.4E			

VERC AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VERC AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VERC AD 2.22 FLIGHT PROCEDURES

NIL

VERC AD 2.23 ADDITIONAL INFORMATION

1.No aircraft shall taxi behind aircraft parked on stand no. 2 to stand no.1.

2.Passenger boarding bridge and advance visual docking guidance system available on parking stand number 2,3, 4, and 5.

3.Apron obstacles light &obstacle light provided at B.M. Airport Ranchi

Sl.no	Description	Latitude Longitude	Obstruction Height	Lighting
1	Apron Flood Light Tower-1	231901N 0851935E	16M	Provided
2	Apron Flood Light Tower-2	231857N 0851941E	16M	Provided
3	Apron Flood Light Tower-3	231859N 0851931.5E	15M	Provided
4	Apron Flood Light Tower-4	231854N 0851942E	15M	Provided
5	Apron Flood Light Tower-5	231900N 0851940E	16M	Provided
6	Apron Flood Light Tower-6	231859N 0851931.5E	16M	Provided
7	Apron Flood Light Tower-7	231900N 0851932.5E	15M	Provided
8	ATC Tower	NA	NA	Provided
9	Terminal Building	NA	NA	Provided
10	Overhead Tank	NA	NA	Provided
11	Old Dismantle Store	NA	NA	Provided
12	New Fire Station	NA	NA	Provided
13	Wind-Sock (WDI)	NA	NA	Provided

4. Following Declared Distances from intersection available:

RWY	From TWY Intersection	TORA (M)	TODA (M)	ASDA (M)
RWY 31	TWY D	1733	1733	1733

5.Runway Turn Pad, capable of handling B777-300 ER type of aircraft, provided at both ends of RWY 13/31 for Special ops with prior permission. PCN for extended portion of Turn Pad RWY 13/31 : 64/F/C/W/T

6. Runway Turn Pad lights provided on both RWY 13/31 ends.

7. Runway Guard Lights Configuration A provided on TWY ‘B’, TWY ‘C’and TWY ‘D’.

VERC AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (11 June 2026)
2. Aircraft Parking / Docking Chart(11 June 2026)
3. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 13
4. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 31(27 November 2025)
5. ILS or LOC Z Procedure RWY 31 (17 April 2025)
6. ILS or LOC Y Procedure RWY 31 (17 April 2025)
7. Instrument Approach Chart – VOR Procedure RWY 13 (17 April 2025)
8. Instrument Approach Chart – VOR Procedure RWY 31 (17 April 2025)

VERC AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3