AD 2. AERODROMES

VERW AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VERW - REWA AIRPORT, REWA

VERW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	243013N 0811323E 304.82 DEG/292M from physical extremity of RWY 25	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	Airport is located 6.5 KM South-West of Rewa Junction Railway station.	
3	Aerodrome elevation and reference temperature	1070 FT / 40.7 DEG C	
4	Magnetic variation, date of information and annual change	0.30 DEG W (2010) /0.0167 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India Rewa Airport Rewa (Madhya Pradesh),	
		Telephone:	(91) 6232147051
		Fax:	
		AFS:	
		Email:	apdrewa@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Geoid Model: EGM-08	

VERW AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI: 0400-1230 UTC (0930-1800 IST) SAT, SUN & HOL: NIL
2	Custom and immigration	Not Applicable
3	Health and sanitation	During AD Hours
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	As per NOTAM
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	Provided by state police
11	De-icing	Not applicable
12	Remarks	NIL

VERW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	No exclusive facilities. Cargo to be handled by the concerned operator
2	Fuel and Oil types	ATF
3	Fuelling facilities and capacity	IOCL
4	De-icing facilities	NIL

5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	On Apron (On Request)
7	Remarks	NIL

VERW AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in city within 3Kms.
2	Restaurant(s) at or in the vicinity of aerodrome	Available in city within 3Kms.
3	Transportation possibilities	Hired Taxi
4	Medical Facilities	First Aid in the terminal building and basic facilities at PHC Hospital located within 2 Kilometer. For serious & critical cases District Hospital located in Rewa City about 11kms from the airport.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Within 3KM from Rewa Airport Post office: Within 3KM from Rewa Airport
6	Tourist office	Available in city (M.P. Tourism)
7	Remarks	NIL

VERW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	Ambulance 01 CFT 01
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is ATR72. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact “Aerodrome Coordinator for Disabled Aircraft Removal Operations’ for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Rewa Airport Email: apdrewa@aai.aero Telephone: +91-7004521132
4	Remarks	NIL

VERW AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VERW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	On Apron, 1089.80 FT

4	Location of VOR checkpoints	At RWY Holding Position on TWY A
5	Position of INS checkpoints	Not Available
6	Remarks	1. Coordinates and elevation of RWY-TWY Intersection: i. RWY & TWY A: 243015.87478 N 0811324.420E, ELEV: 1065 FT 2. Vertical Datum: EGM 08

VERW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance signs at intersection with TWY and RWY and at holding position, Gridlines at apron. Taxiing guidance provided on R/T also.
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, TDZ, Aiming Point, Centre line, RWY Edge. RWY Lights: THR light, RWY edge light, RWY End Light TWY Markings: Centre line, Edge, Runway holding positions at TWY A. TWY Lights: TWY edge light
3	Stop bars (if any)	NIL
4	Remarks	NIL

VERW AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
25/TKOF 07/APCH	TREE	242954.5N 0811232.7E	1119 FT	NO	Group of Trees
25/TKOF 07/APCH	BUILDING	242954.7N 0811231.1E	1095 FT	NO	Building
25/TKOF 07/APCH	OTHER	243003.7N 0811230.7E	1104 FT	NO	Sintex Tank on Building (Building Top = 335.5 M)
25/TKOF 07/APCH	POLE	242955.8N 0811228.3E	1093 FT	NO	Electric Pole
25/TKOF 07/APCH	POLE	242959.9N 0811228.0E	1091 FT	NO	Electric Pole
25/TKOF 07/APCH	BUILDING	243002.9N 0811227.2E	1100 FT	NO	Building
25/TKOF 07/APCH	STACK	242955.1N 0811154.4E	1174 FT	NO	Chimney at Sanchi Dairy (Building Top = 341.5 M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
25/TKOF 07/APCH	OTHER	242946.9N 0811153.8E	1172 FT	NO	Thin Mast on Building (Building Top = 337.8 M)
25/TKOF 07/APCH	TREE	242952.8N 0811138.8E	1186 FT	NO	Group of Trees on Hump
25/TKOF 07/APCH	TREE	242957.7N 0811230.3E	1113 FT	NO	Tree
25/APCH 07/TKOF	TREE	243021.8N 0811400.5E	1106 FT	NO	Group of Trees
25/APCH 07/TKOF	BUILDING	243023.9N 0811404.2E	1118 FT	NO	Building U/C
25/APCH 07/TKOF	POLE	243029.7N 0811351.2E	1093 FT	NO	Electric Pole
25/APCH 07/TKOF	POLE	243027.9N 0811350.8E	1089 FT	NO	Electric Pole
25/APCH 07/TKOF	POLE	243020.7N 0811349.6E	1082 FT	NO	Electric Pole
25/APCH 07/TKOF	POLE	243019.2N 0811349.4E	1084 FT	NO	Electric Pole
In circling area and at AD	OTHER	243019.1N 0811327.9E	1088 FT	NO	L/C Rod on Fuel Room (Fuel Room Top = 330.8 M)
In circling area and at AD	TREE	243014.6N 0811311.8E	1098 FT	NO	Group of Trees
In circling area and at AD	TREE	243015.7N 0811315.3E	1120 FT	NO	Group of Trees
In circling area and at AD	TREE	243010.6N 0811315.5E	1096 FT	NO	Group of Trees
In circling area and at AD	TREE	243016.6N 0811318.1E	1120 FT	NO	Group of Trees
In circling area and at AD	POLE	243011.6N 0811318.6E	1083 FT	NO	Electric Pole
In circling area and at AD	TREE	243011.3N 0811320.1E	1109 FT	NO	Group of Trees
In circling area and at AD	TREE	243012.5N 0811320.9E	1114 FT	NO	Group of Trees
In circling area and at AD	TREE	243019.5N 0811321.3E	1128 FT	NO	Group of Trees
In circling area and at AD	TREE	243017.8N 0811321.4E	1126 FT	NO	Group of Trees
In circling area and at AD	POLE	243017.5N 0811321.4E	1080 FT	NO	Light Pole
In circling area and at AD	BUILDING	243011.6N 0811321.6E	1070 FT	NO	Building
In circling area and at AD	BUILDING	243019.0N 0811322.2E	1081 FT	NO	Building
In circling area and at AD	POLE	243012.9N 0811322.6E	1084 FT	NO	Electric Pole
In circling area and at AD	OTHER	243017.5N 0811323.0E	1083 FT	NO	Hangar (Falcon Flying School)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	243018.4N 0811323.6E	1103 FT	NO	Group of Trees
In circling area and at AD	OTHER	243014.5N 0811323.8E	1073 FT	NO	WDI
In circling area and at AD	OTHER	243018.7N 0811324.2E	1075 FT	NO	Gate
In circling area and at AD	POLE	243018.7N 0811324.3E	1091 FT	NO	Light Pole
In circling area and at AD	POLE	243018.9N 0811324.4E	1087 FT	NO	Electric Pole
In circling area and at AD	SIGN	243015.2N 0811324.5E	1067 FT	NO	Sign Board
In circling area and at AD	ANTENNA	243014.2N 0811324.5E	1092 FT	LGTD	ATC Antenna (L)
In circling area and at AD	BUILDING	243014.3N 0811324.6E	1077 FT	NO	ATC Porta Cabin
In circling area and at AD	OTHER	243018.2N 0811324.7E	1090 FT	NO	L/C Rod on Guest Room (Guest Room Top = 330.3 M)
In circling area and at AD	POLE	243013.7N 0811324.9E	1084 FT	NO	Electric Pole
In circling area and at AD	TREE	243018.9N 0811325.1E	1128 FT	NO	Group of Trees
In circling area and at AD	SIGN	243016.9N 0811325.8E	1069 FT	NO	Sign Board
In circling area and at AD	TREE	243014.1N 0811326.3E	1094 FT	NO	Group of Trees
In circling area and at AD	TREE	242955.6N 0811251.2E	1135 FT	NO	Tree
In circling area and at AD	TREE	242952.6N 0811236.4E	1124 FT	NO	Tree
In circling area and at AD	POLE	243012.3N 0811328.7E	1083 FT	NO	Electric Pole
In circling area and at AD	TREE	243025.9N 0811330.0E	1126 FT	NO	Group of Trees
In circling area and at AD	POLE	243010.3N 0811322.2E	1080 FT	NO	Electric Pole
In circling area and at AD	TREE	243021.2N 0811323.8E	1108 FT	NO	Group Of Trees
In circling area and at AD	OTHER	242949.8N 0811050.3E	1298 FT	NO	Cellphone Mast

VERW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO, REWA
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As per ATS watch Hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	IMD, Bhopal. Interval 3 Hours
4	Availability of the trend forecast for the aerodrome and interval of issuance	Available When required

5	Information on how briefing and/or consultation is provided	Available on request
6	Types of flight documentation supplied and language(s) used in flight documentation	METAR, SPECI Language: English
7	Charts and other information displayed or available for briefing or consultation	Available on request
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Not available
9	The air traffic services unit(s) provided with meteorological information	Rewa TWR
10	Additional information, e.g. concerning any limitation of service.	NIL

VERW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
07	70.29 DEG	1800 x 30 M	32/F/C/W/T Asphalt	THR: 243001.15N 0811239.49E RWY END: 243020.88N 0811339.69E
25	250.29 DEG	1800 x 30 M	32/F/C/W/T Asphalt	THR: 243020.88N 0811339.69E RWY END: 243001.15N 0811239.49E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1070.0FT TDZ: 1070.0FT	-0.10%	NIL	NIL	1920 x 280 M
THR: 1068.0FT TDZ: 1068.0FT	0.10%	NIL	NIL	1920 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M	NA		i. Geoid Model: EGM-08 ii. PCN RWY 07: 0 - 345M: 19/F/C/W/T 346 - 1745M: 32/F/C/W/T 1746 - 1800M: 19/F/C/W/T

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M	NA		i. Geoid Model: EGM-08 ii. PCN RWY 25: 0 - 54M: 19/F/C/W/T 55 - 1454M: 32/F/C/W/T 1455 - 1800M: 19/F/C/W/T

VERW AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
07	1800	1800	1800	1800	NIL
25	1800	1800	1800	1800	NIL

VERW AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
07	SALS 210 M LIH	Green	PAPI LEFT/2.98 DEG	
25	SALS 210 M LIH	Green	PAPI LEFT/3.01 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1800 M 60 M White LIH	Red		NIL
	1800 M 60 M White LIH	Red		NIL

VERW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At ATC Tower, FLG W&G EV 2SEC AVBL.
		IBN	NIL

2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available North of ATC
		Anemometer	Available. North of ATC, Lighted.
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	NA
4	Secondary power supply including switch-over time;	Sub-station I: 2 DG Set 500 KVA each. One working and one standby. Switch over time is less than 15 Seconds.	
5	Remarks	NIL	

VERW AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	NIL

VERW AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 243013N 0811323E within a 10NM radius.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Rewa Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	Rewa Approach Control Unit is combined with Rewa Aerodrome Control Tower.

VERW AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Rewa Approach	119.775 MHZ	
APP	Rewa Approach	120.800 MHZ	
TWR	Rewa Tower	119.775 MHZ	
TWR	Rewa Tower	120.800 MHZ	
ALRS	EMERGENCY	121.500 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Functions of Approach Control Service provided by Aerodrome Control Tower. 2. Backup FREQ
	HO	1. Functions of Approach Control Service provided by Aerodrome Control Tower. 2. Backup FREQ
	HO	i. Backup Frequency
	HO	i. Main Frequency
	HO	NIL

VERW AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	RWA	112.250 MHz CH59Y	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
243014.4N 0811343.5E	1094 FT		i. Collocated with DVOR ii. Geoid Model: EGM-08

VERW AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VERW AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VERW AD 2.22 FLIGHT PROCEDURES

NIL

VERW AD 2.23 ADDITIONAL INFORMATION

NIL

VERW AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking/Docking Chart
3.Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 07
4.Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 25
5. Aerodrome Obstacle Chart – Type B
6. Instrument Approach Chart - VOR RWY 07
7.Instrument Approach Chart - VOR RWY 25

VERW AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3