AD 2. AERODROMES

VOSM AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOSM - SALEM AIRPORT, SALEM

VOSM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	114652N 0780351E Magnetic BRG 40.03DEG/765M from Physical extremity of RWY04	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	16KM North West of city	
3	Aerodrome elevation and reference temperature	1010 FT / 44.0 DEG C	
4	Magnetic variation, date of information and annual change	2.00 DEG W (2010) /2 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director, Airports Authority of India, Salem Airport P.O. Kamalapuram, Distt Salem -Tamil Nadu - 636309	
		Telephone:	(91) 4290 220060 (91) 9442573223
		Fax:	(91) 4290 220166
		AFS:	
		Email:	apd-salem@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks		

VOSM AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) EXCEPT SAT & SUN
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS (In Tower)NIL
5	ATS reporting office (ARO)	NIL
6	MET Briefing office	NIL
7	Air Traffic Service	Consult NOTAM for current ATS HR.
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	As ATS
11	De-icing	NIL
12	Remarks	The ATS APV hourly RWY TFC handling capacity as flw: MAX NR of ARR and DEP-- 04 MAX NR of ARR only -- 03 MAX NR of DEP only --03

VOSM AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Not Avbl
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	BPCL: 2 Bowsers of 22 KL & 30KL Storage Tank Avbl. During watch Hrs. Otherwise 24HR Prior Notice required.
4	De-icing facilities	Not Avbl
5	Hangar space for visiting aircraft	Not Avbl
6	Repair facilities for visiting aircraft	Not Avbl
7	Remarks	NIL

VOSM AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City
2	Restaurant(s) at or in the vicinity of aerodrome	In the City
3	Transportation possibilities	Bus & Taxi from AD
4	Medical Facilities	First aid at AD. Hospital in the city
5	Bank and post office at or in the vicinity of aerodrome	Banks: Banks: Outside AD (5KM from AD) and in city Post office: Post office: Outside AD (1KM from AD) and in city
6	Tourist office	At AD and in the city
7	Remarks	NIL

VOSM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	As per category
3	Capability for removal of disabled aircraft	1. The Critical Aircraft for the Airport is ATR 72. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Salem Airport, Tele. : 04290 220060 Mob : +91- 9442573223 Email : apd-salem@aai.aero
4	Remarks	NIL

VOSM AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VOSM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart

2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: At Apron Elevation: 995 FT
4	Location of VOR checkpoints	NIL
5	Position of INS checkpoints	NIL
6	Remarks	NIL

VOSM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T. Guidelines at Apron
2	Runway and taxiway markings and lights	RWY Markings: Threshold, RWY identification RWY edge, Touchdown and Aiming point marking. RWY Lighting: RWY Threshold lights, End lights, edge lights & Turning pad lights. TWY Marking: TWY edge, Holding point & Central line marking. TWY Lighted: TWY edge light. (TWY A & TWY B)
3	Stop bars (if any)	NIL
4	Remarks	RWY edge lights two circuits (Main & Standby) available & TWY edge lights one circuit is available

VOSM AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
22/TKOF 04/APCH	TREE	114614.6N 0780328.4E	1029 FT	NIL	TREE
22/TKOF 04/APCH	TREE	114624.8N 0780328.4E	1025 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	TREE	114624.5N 0780329.8E	1008 FT	NIL	TREE
22/TKOF 04/APCH	OTHER	114614.0N 0780327.5E	1046 FT	LGTD	THIN MAST
22/APCH 04/TKOF	TREE	114728.7N 0780418.5E	1076 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	OTHER	114729.7N 0780415.5E	1041 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 312.2 M + TRAFFIC HT. 5 M)
22/APCH 04/TKOF	TREE	114734.5N 0780417.3E	1075 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114732.1N 0780418.9E	1053 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114736.0N 0780419.3E	1069 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114742.2N 0780424.0E	1084 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114744.3N 0780422.5E	1076 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	BUILDING	114729.8N 0780415.9E	1036 FT	NIL	HOUSE
22/APCH 04/TKOF	OTHER	114729.5N 0780416.0E	1041 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 312.2 M + TRAFFIC HT. 5 M)
22/APCH 04/TKOF	TREE	114738.9N 0780426.3E	1069 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	BUILDING	114729.3N 0780417.5E	1039 FT	NIL	HOUSE
22/APCH 04/TKOF	BUILDING	114731.2N 0780413.1E	1039 FT	NIL	HOUSE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
22/APCH 04/TKOF	SIGN	114728.7N 0780411.8E	1035 FT	NIL	SIGN BOARD
22/APCH 04/TKOF	OTHER	114725.6N 0780415.7E	1039 FT	NIL	GATE
22/APCH 04/TKOF	OTHER	114725.0N 0780415.1E	1044 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV.=313.1 M +5M TRAFFIC HEIGHT)
22/APCH 04/TKOF	OTHER	114725.2N 0780416.0E	1041 FT	NIL	WATCH TOWER
22/APCH 04/TKOF	OTHER	114729.0N 0780415.0E	1043 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 312.9 M + TRAFFIC HT. 5 M)
22/APCH 04/TKOF	OTHER	114727.0N 0780413.6E	1033 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV.=310.0 M +5M TRAFFIC HEIGHT)
22/APCH 04/TKOF	OTHER	114728.6N 0780411.2E	1041 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 312.2 M + TRAFFIC HT. 5 M)
22/APCH 04/TKOF	TREE	114726.2N 0780416.7E	1065 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	POLE	114727.6N 0780417.7E	1045 FT	NIL	ELECTRIC POLE
22/APCH 04/TKOF	OTHER	114728.3N 0780410.9E	1028 FT	NIL	ROAD GRD ELEV
22/APCH 04/TKOF	TREE	114729.6N 0780415.9E	1052 FT	NIL	TREE
22/APCH 04/TKOF	POLE	114729.6N 0780416.2E	1037 FT	NIL	ELECTRIC POLE
22/APCH 04/TKOF	BUILDING	114729.9N 0780415.4E	1033 FT	NIL	SHED
22/APCH 04/TKOF	TREE	114731.4N 0780413.5E	1054 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114733.5N 0780420.9E	1064 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114740.1N 0780422.1E	1070 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	114749.7N 0780423.4E	1096 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	114639.9N 0780338.5E	1027 FT	LGTD	CURRENT WEATHER INFORMATION SYSTEM ANTENNA (CWIS ANTENNA)
In circling area and at AD	OTHER	114640.0N 0780338.5E	999 FT	LGTD	CURRENT WEATHER INFORMATION SYSTEM ANTENNA (CWIS ANTENNA)
In circling area and at AD	TREE	114620.7N 0780332.4E	1025 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	114624.5N 0780325.9E	1018 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114631.5N 0780339.0E	1029 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114632.5N 0780339.7E	1022 FT	NIL	GROUP OF TREE
In circling area and at AD	BUILDING	114631.5N 0780339.4E	1004 FT	NIL	BUILDING
In circling area and at AD	BUILDING	114633.5N 0780341.5E	1018 FT	NIL	OHWT
In circling area and at AD	POLE	114634.0N 0780340.9E	1012 FT	NIL	ELECTRIC POLE
In circling area and at AD	BUILDING	114634.1N 0780341.0E	1004 FT	NIL	BUILDING
In circling area and at AD	FENCE	114631.9N 0780338.8E	997 FT	NIL	AIRPORT BOUNDARY WALL WITH F/T
In circling area and at AD	TREE	114634.4N 0780331.1E	1054 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	114631.9N 0780339.2E	1008 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	114634.9N 0780332.6E	1047 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114633.1N 0780332.7E	1009 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114623.0N 0780333.9E	1022 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114637.7N 0780334.3E	1022 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	114629.1N 0780338.1E	1009 FT	NIL	ELECTRIC POLE
In circling area and at AD	FENCE	114640.2N 0780338.0E	998 FT	NIL	BOUNDARY WALL WITH FENCING ON TOP (B.WALL TOP=303.7 M)
In circling area and at AD	OTHER	114632.1N 0780338.9E	996 FT	NIL	WATCH TOWER
In circling area and at AD	TREE	114631.8N 0780339.2E	1028 FT	NIL	GROUP OF TREE
In circling area and at AD	FENCE	114632.1N 0780339.4E	1000 FT	NIL	BOUNDARY WALL WITH FENCING ON TOP (B.WALL TOP=303.9 M)
In circling area and at AD	TREE	114633.6N 0780341.2E	1026 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	114636.2N 0780342.9E	1016 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114639.3N 0780344.7E	1020 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114638.3N 0780344.4E	1019 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114627.9N 0780337.0E	1021 FT	NIL	GROUP OF TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	114618.6N 0780331.2E	1028 FT	NIL	TREE
In circling area and at AD	OTHER	114716.6N 0780125.3E	1231 FT	LGTD	CELL PHONE MAST
In circling area and at AD	OTHER	114715.9N 0780126.3E	1275 FT	LGTD	CELL PHONE MAST
In circling area and at AD	OTHER	114443.9N 0780255.1E	1186 FT	LGTD	MICROWAVE TOWER
In circling area and at AD	FENCE	114728.9N 0780411.1E	1040 FT	NIL	BOUNDARY WALL WITH FENCING ON TOP (B.WALL TOP=316.3 M)
In circling area and at AD	FENCE	114725.4N 0780416.2E	1041 FT	NIL	BOUNDARY WALL WITH FENCING ON TOP (B.WALL TOP=316.6 M)
In circling area and at AD	TREE	114723.4N 0780416.0E	1087 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114730.0N 0780411.9E	1054 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114741.5N 0780417.9E	1074 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	114723.6N 0780414.8E	1045 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. 313.4 M + TRAFFIC HT. 5 M)
In circling area and at AD	OTHER	114726.6N 0780409.8E	1038 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 311.3 M + TRAFFIC HT. 5 M)
In circling area and at AD	FENCE	114728.0N 0780410.5E	1038 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	FENCE	114724.4N 0780415.5E	1041 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	114727.0N 0780408.6E	1076 FT	NIL	GROUP OF TREE
In circling area and at AD	BUILDING	114727.6N 0780407.8E	1052 FT	NIL	BUILDING
In circling area and at AD	BUILDING	114728.8N 0780419.3E	1040 FT	NIL	TEMPLE
In circling area and at AD	TREE	114733.1N 0780410.4E	1072 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	114733.0N 0780413.2E	1046 FT	NIL	ELECTRIC POLE
In circling area and at AD	BUILDING	114725.9N 0780416.6E	1041 FT	NIL	HOUSE
In circling area and at AD	POLE	114725.6N 0780417.2E	1055 FT	NIL	ELECTRIC POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	FENCE	114717.0N 0780410.5E	1028 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	114715.0N 0780410.1E	1077 FT	NIL	GROUP OF TREE
In circling area and at AD	FENCE	114713.6N 0780400.6E	1023 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	114722.0N 0780405.7E	1071 FT	NIL	PALM TREE
In circling area and at AD	FENCE	114721.9N 0780406.3E	1026 FT	NIL	AIRPORT BOUNDARY WALL WITH F/T
In circling area and at AD	OTHER	114720.4N 0780405.4E	1030 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 308.9 M + TRAFFIC HT. 5 M)
In circling area and at AD	OTHER	114717.8N 0780410.8E	1034 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. 310.2 M + TRAFFIC HT. 5 M)
In circling area and at AD	POLE	114725.6N 0780407.1E	1049 FT	NIL	ELECTRIC POLE
In circling area and at AD	BUILDING	114713.8N 0780359.2E	1038 FT	NIL	HOUSE
In circling area and at AD	TREE	114716.2N 0780401.1E	1052 FT	NIL	GROUP OF TREE
In circling area and at AD	FENCE	114712.3N 0780407.2E	1027 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
In circling area and at AD	TREE	114706.5N 0780403.0E	1019 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114706.6N 0780405.1E	1068 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114716.7N 0780411.3E	1051 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	114713.9N 0780358.6E	1045 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	114713.6N 0780400.4E	1039 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	114714.2N 0780401.1E	1022 FT	NIL	WATCH TOWER
In circling area and at AD	TREE	114716.0N 0780402.2E	1032 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	114719.9N 0780405.0E	1024 FT	NIL	SOLAR LIGHT
In circling area and at AD	TREE	114720.9N 0780405.5E	1063 FT	NIL	PALM TREE
In circling area and at AD	OTHER	114722.7N 0780415.5E	1053 FT	NIL	GROUND ELEVATION

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	FENCE	114721.9N 0780413.8E	1039 FT	NIL	BOUNDARY WALL WITH FENCING ON TOP (B.WALL TOP=315.9 M)
In circling area and at AD	TREE	114722.3N 0780414.1E	1050 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	114727.1N 0780408.1E	1045 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	114728.5N 0780410.8E	1053 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	114728.7N 0780411.1E	1035 FT	NIL	SOLAR LIGHT
In circling area and at AD	OTHER	114726.3N 0780417.3E	1054 FT	NIL	TRANSFORMER
In circling area and at AD	POLE	114726.8N 0780417.5E	1046 FT	NIL	ELECTRIC POLE
In circling area and at AD	BUILDING	114726.9N 0780418.1E	1036 FT	NIL	TEMPLE
In circling area and at AD	POLE	114727.4N 0780418.5E	1043 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	114727.8N 0780410.4E	1052 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114731.4N 0780421.8E	1066 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114733.7N 0780413.8E	1074 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114735.9N 0780414.2E	1069 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114807.3N 0780422.7E	1221 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	114806.2N 0780421.6E	1183 FT	NIL	HILL
In circling area and at AD	NATURAL HIGHPOINT	114807.6N 0780423.6E	1214 FT	NIL	HILL
In circling area and at AD	OTHER	114907.6N 0780531.7E	1222 FT	LGTD	CELL PHONE MAST
In circling area and at AD	OTHER	114858.2N 0780542.3E	1206 FT	LGTD	CELL PHONE MAST
In circling area and at AD	TREE	114802.9N 0780637.3E	1965 FT	NIL	TREE ON HILL
In circling area and at AD	OTHER	114817.6N 0780534.7E	1228 FT	LGTD	CELL PHONE MAST
In circling area and at AD	OTHER	114817.8N 0780530.9E	1179 FT	LGTD	CELL PHONE MAST
In circling area and at AD	SIGN	114651.6N 0780347.5E	994 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	114653.1N 0780347.1E	995 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	114654.8N 0780349.7E	994 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	114650.9N 0780347.0E	995 FT	NIL	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	SIGN	114654.6N 0780348.2E	994 FT	NIL	SIGN BOARD
In circling area and at AD	TREE	114702.4N 0780349.4E	1061 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	114656.8N 0780349.2E	1015 FT	LGTD	WDI (L)
In circling area and at AD	TREE	114650.7N 0780353.0E	1034 FT	NIL	GROUP OF TREE
In circling area and at AD	FENCE	114646.0N 0780341.5E	1012 FT	NIL	AIRPORT BOUNDARY WALL WITH F/T
In circling area and at AD	FENCE	114643.5N 0780347.3E	1008 FT	NIL	AIRPORT BOUNDARY WALL WITH F/T
In circling area and at AD	TREE	114656.0N 0780356.1E	1037 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	114634.0N 0780340.9E	1012 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	114645.1N 0780348.6E	1021 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114647.7N 0780350.9E	1048 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114649.3N 0780351.4E	1011 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114703.4N 0780351.9E	1025 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114705.9N 0780355.0E	1031 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114710.2N 0780355.5E	1043 FT	NIL	GROUP OF TREE
In circling area and at AD	FENCE	114708.0N 0780356.7E	1013 FT	NIL	BOUNDARY WALL WITH FENCING ON TOP (B.WALL TOP=308.1 M)
In circling area and at AD	TREE	114657.2N 0780357.8E	1036 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	114700.1N 0780359.1E	1028 FT	NIL	GROUP OF TREE
In circling area and at AD	NATURAL HIGHPOINT	115036.9N 0780237.6E	1715 FT	NIL	HILL TOP
In circling area and at AD	TREE	114726.1N 0781138.8E	4383 FT	NIL	TREE ON HILL
In circling area and at AD	OTHER	114601.9N 0781152.8E	4670 FT	LGTD	MICROWAVE TOWER ON HILL
In circling area and at AD	TREE	114604.4N 0775541.9E	1855 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	115155.3N 0780358.6E	1837 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	114621.7N 0781000.0E	1810 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	114810.5N 0781010.7E	4107 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	114946.1N 0780932.2E	3172 FT	NIL	HILL TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	115121.3N 0781023.4E	3083 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	115328.4N 0780836.5E	1577 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	115332.9N 0780642.9E	1751 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	115039.4N 0780850.3E	2299 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	115429.3N 0780439.2E	2587 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	114826.5N 0780816.2E	2878 FT	NIL	HILL TOP

VOSM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO Chennai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	0600 IST to 1300 IST(Normal) 1300 IST to 1800 IST (Additional)
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO Chennai (03-12) 9 Hours Validity.
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend Trend Forecasts Half Hourly
5	Information on how briefing and/or consultation is provided	Yes
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	METAR Wind Warning / TS Warning
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	DCWIS (Location RWY 04) DIWE (Location ATC Tower)
9	The air traffic services unit(s) provided with meteorological information	SALEM ATS TWR
10	Additional information, e.g. concerning any limitation of service.	At Present VFR aerodorme Sunrise to Sunset

VOSM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCR) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
04	34.32 DEG	1829 x 45 M	360/F/B/W/T Asphalt	THR: 114631.98N 0780335.50E RWY END: 114721.11N 0780409.54E
22	214.32 DEG	1829 x 45 M	360/F/B/W/T Asphalt	THR: 114721.11N 0780409.54E RWY END: 114631.98N 0780335.50E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 987.0FT TDZ: 994.0FT	0.38%	NIL	NIL	1949 x 150 M
THR: 1010.0FT TDZ: 1010.0FT	-0.38%	NIL	NIL	1949 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M			Secondary LIH RWY Edge Light AVBL
90M x 90M			Secondary LIH RWY Edge Light AVBL

VOSM AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
04	1829	1829	1829	1829	
22	1829	1829	1829	1829	

VOSM AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
04		Green	PAPI LEFT/3.00 DEG MEHT (14.18M)	NIL
22		Green	PAPI LEFT/3.00 DEG MEHT (14.18M)	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1829 M 60 M White LIH	Red	NIL	NIL
	1829 M 60 M White LIH	Red	NIL	NIL

VOSM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Control Tower, 26 Flashes per minute. During ATC Watch
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Landing T lighted.
		Anemometer	Tower Building
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Available/8-10 Sec	
5	Remarks	WDI and Signal Square Area Available	

VOSM AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	---
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VOSM AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: 1) ATZ: Circular area centered on 114652N 0780351E within a 4NM radius. Upper Limit : 4000 FT AMSL Class D airspace 2) CTR: Circular area of radius 15 NM centered at 114652N 0780351E Upper Limit : FL 95 Class D Airspace Frequency: HAL Bengaluru APP: 127.7 MHz SALEM TWR: 122.4 MHz,118.850 MHz (StandBy)
2	Vertical limits	FL 95
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Salem Tower (Aerodrome Control), English
5	Transition altitude	7000 FT
6	Hours of applicability	HO
7	Remarks	NIL

VOSM AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
TWR	Salem Tower (Aerodrome Control)	118.850 MHZ	
TWR	Salem Tower (Aerodrome Control)	122.400 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	As ATS	STANDBY
	As ATS	NIL

VOSM AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
NDB	SL	241 kHz	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
114657.7N 0780337.7E			

VOSM AD 2.20 LOCAL AERODROME REGULATIONS

1. Left Hand Traffic circuit for RWY 22 & Right Hand Traffic circuit for RWY 04 not permitted due to hills.
2. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.
3. Entry/Exit Bay no 1 &Bay no 2 is via TWY A only.
4. Entry/Exit Bay no 3 &Bay no 4 is via TWY B only.

VOSM AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOSM AD 2.22 FLIGHT PROCEDURES

RADIO COMMUNICATION FAILURE PROCEDURES SALEM AIRPORT, SALEM (VOSM)

1. INTRODUCTION:

Radio communication failure procedures are described in Para 15.3 of ICAO P ANS ATM DOC 4444. Based on these provisions, the following radio communication failure procedures are established to standardize the actions to be taken by the pilot of arriving and

departing aircraft from Salem Airport.Salem Airport is a VFR airfield.

2. GENERAL:

a. All transponder-equipped aircraft experiencing Radio Communication failure shall set the transponder to Mode A/C code 7600 as soon as practicable.

(Note: This Requirement of setting the transponder to Mode A/C code 7600 in no way imposes any restriction on the pilot's decision to set transponder to Mode A/C code 7500 or 7700, whenever required).

b. Left Hand Traffic circuit for RWY 22 & Right Hand Traffic circuit for RWY 04 are not permitted due to hills.

c. Since Salem is a VFR airfield, all aircraft are expected to fly in VMC conditions except for those flights that DGCA approved AOM for SVFR operations. And, if the criteria fall below the DGCA-approved AOM it will be assumed that the arrival of departure will divert to TALT/DALT as given in FPL.

3. ASSIGNED RUNWAY AND ITS AVAILABILITY FOR RCF AIRCRAFT:

a. Runway 04 shall be considered as assigned runway for arrival experiencing RCF unless; a different runway is already assigned.

b. In case of departures from Salem returning on account of RCF, the departure runway of such aircraft shall be considered as assigned runway for landing.

c. Runway lights in 'SWITCHED ON' position shall indicate availability of RWY for aircraft experiencing RCF.

d. Irrespective of visibility/weather conditions, Runway lights in 'SWITCHED OFF' position shall indicate non- availability of such Runway for aircraft experiencing RCF.

4. PROCEDURE FOR ARRIVALS:

a. For aircraft commenced an approach:

i. If RCF occurs after the aircraft has been cleared to join or already joined the aerodrome traffic circuit or after being cleared for or commenced Instrument approach under VMC or IMC as SVFR then that aircraft may continue its approach to land.

b. Pilots able to fly RNP:

i. No RWY assigned or RWY 04 assigned: Shall carry out RNP Y RWY 04 from SM706.

ii. If assigned RWY is 22: Shall carry out RNP Y RWY 04 from SM706 and leave SM702 to join right downwind RWY 22.

iii. If assigned runway was 04 and strong tailwind is experienced: Shall carry out published missed apporach and join right downwind runway 22.

c. Pilots unable to fly RNP (Only traffic circuit):

i.Shall maintain last assigned level, overhead airfield circle the aerodrome to loose altitude and join the traffic circuit of the designated

RCF runway or assigned runway and make and approach to land.

ii. If strong tailwind or any other adverse weather conditions are experienced aircraft shall carry out missed apporach and join the downwind for the reciprocal Runway.

5. PROCEDURE FOR ALL DEPARTURES

a. DEPARTURE INTENDING TO CONTINUE TO DESTINATION

Any departing aircraft experiencing RCF and intending to continue to its filed plan destination shall:

i. Climb straight ahead to 6600 ft or assigned level on Runway heading whichever is higher.

ii. 4 minutes after setting Mode A/C code 7600 or reaching 6600 ft or cleared Flight level (if higher than A066) whichever is later turn join ATS route route by shortest route maintaining cleared flight level/A075 whichever is higher. After joining ATS route, climb to filed Flight level and continue as per the filed flight plan.

b. DEPARTURE INTENDING TO RETURN TO SALEM

Any departing aircraft experiencing RCF after departure and intending to land back at Salem Airport shall:

i. Reaching 6600 ft shall turn and proceed direct to SM706 and hold to burn fuel, if required and proceed for approach.

ii. Other aircrafts shall follow procedures for arrivals experiencing RCF for approach to land.

VOSM AD 2.23 ADDITIONAL INFORMATION

1. Operations restricted to ACFT with wheel base 18M or less.
2. TWY E connects RWY 04-22 to FTO Hangar.

VOSM AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(29 OCT 2026)
2. Aircraft Parking/Docking Chart(29 OCT 2026)
3. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 04(16 APR 2026)
4. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 22(16 APR 2026)
5 Instrument Approach Chart - RNP Y Procedure RWY 04(9 JULY 2026)
6 Coding Table - RNP Y Procedure RWY 04(9 JULY 2026)

VOSM AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**