AD 2. AERODROMES

VISP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VISP - SARSAWA AIRPORT, SARSAWA

NOTE: Aeronautical Data and Aeronautical Information published here under is as provided by Indian Air Force

VISP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	295941N 0772528E North of Middle Marker, 138 FT from RWY Edge	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	11 K west of Saharanpur Town (The civil terminal of airport is at 20 km away from Saharanpur and 2.5 km away from Sarsawa	
3	Aerodrome elevation and reference temperature	896 FT / 38.0 DEG C	
4	Magnetic variation, date of information and annual change	NIL	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Indian Air Force SATCO Air Force Station Sarsawa, Saharanpur Uttar Pradesh - 247232 Civil Terminal Airport Director Airports Authority of India Sarsawa Airport Sarsawa, Saharanpur, Uttar Pradesh - 247232,	
		Telephone:	Indian Air Force- +91-132-2644720 Civil Terminal- +91-1331-297402
		Fax:	+91-132-2644727
		AFS:	NIL
		Email:	Indian Air Force- icarus.30@gov.in Civil Terminal- apdsarsawa@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Joint User Airfield (Defence & Civil Ops).	

VISP AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	HJ
2	Custom and immigration	Not Available
3	Health and sanitation	Provided by Municipal corporation and Health Department (Civil Terminal)
4	AIS briefing office	HJ
5	ATS reporting office (ARO)	HJ
6	MET Briefing office	H24
7	Air Traffic Service	HJ
8	Fuelling	IOCL (During AD Hours)
9	Handling	Provided by approved handlers (Civil Terminal)
10	Security	State Police (UP SSF)
11	De-icing	Not Available

12	Remarks	Non -schedule operator to take prior clearance from Airport Director for Parking and from ATC for operations

VISP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	IOCL: Total Capacity- 979000 L (03 numbers of 11 KL Refueller 01 number 6 KL Refueller Tankage Capacity- 940 KL)
4	De-icing facilities	Not available
5	Hangar space for visiting aircraft	Not available
6	Repair facilities for visiting aircraft	Not available
7	Remarks	Nil

VISP AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in nearby townships within 05 km
2	Restaurant(s) at or in the vicinity of aerodrome	Available in nearby townships within 05 km
3	Transportation possibilities	Hired Cars
4	Medical Facilities	First Aid available at terminal. Hospitals,available within 05 km from airport
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available within 05 km from airport Post office: Available within 05 km from airport
6	Tourist office	Not available
7	Remarks	NIL

VISP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category with IAF
3	Capability for removal of disabled aircraft	Disabled aircraft removal to be ensured by Aircraft operator in coordination with local authority before commencement of Operation. SOP for same needs to be promulgated and submitted to SATCO, Regular practice of said SOP will be insisted and coordinated by SATCO & SASIO of the base.
4	Remarks	NIL

VISP AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VISP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designation Civil Terminal. Dimensions 113M X 73M Surface Concrete Strength 54/R/B/W/T

2	Designation, width, surface and strength of taxiways	Designation Width Surface Strength PTT 10.6 M Concrete 62/R/C/X/T A 10.6 M Concrete 58/R/C/X/T A1 22.6 M Concrete 59/R/C/X/T B 10.6 M Concrete 60/R/C/X/T C 10.6 M Concrete 62/R/C/X/T D 23 M Concrete 64/R/C/X/T D1 23 M Concrete 66/R/B/W/T
3	Location and elevation of altimeter checkpoints	Location- On Apron Elevation- 889 FT, 295928N 0772430E
4	Location of VOR checkpoints	At RWY Holding position of TWY A1 and TWY D.
5	Position of INS checkpoints	Not Available
6	Remarks	NIL

VISP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxi guidance signs at all intersections with taxiway and runway, at all holding positions, gridlines at Apron
2	Runway and taxiway markings and lights	RWY Markings: Designation, Threshold, Touchdown Zone, Aiming Point, Centre line,Runway Edge Lights: Threshold lights, Runway Edge lights, Runway end light, Runway Centre line Light TWY Marking: Centre line, Taxi holding Position at all taxi ways, intersection. Lights :Taxiway Edge Lights
3	Stop bars (if any)	At TWYs A, A1, B, C and D.
4	Remarks	NIL

VISP AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/APCH 09/TKOF	BUILDING	295942.0N 0772528.0E	906 FT	LGTD	GUARD HUT
27/APCH 09/TKOF	OTHER	300003.0N 0772814.0E	1063 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295924.0N 0772754.0E	1070 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295852.0N 0772724.0E	1070 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	300111.0N 0772830.0E	1070 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	300216.0N 0773408.0E	1099 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	300018.0N 0773412.0E	1050 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295912.0N 0772908.0E	1063 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295716.0N 0772925.0E	1033 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295858.0N 0773327.0E	1060 FT	LGTD	MWT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/APCH 09/TKOF	OTHER	295829.0N 0773025.0E	1033 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295829.0N 0773423.0E	1089 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295822.0N 0773513.0E	1063 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295749.0N 0773307.0E	1076 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295817.0N 0773151.0E	1070 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295802.0N 0772920.0E	1033 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295650.0N 0772810.0E	1030 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295740.0N 0773049.0E	1070 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295919.0N 0773206.0E	1053 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295808.0N 0773140.0E	1053 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295627.0N 0773246.0E	1076 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295559.0N 0773156.0E	1178 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295853.0N 0773703.0E	1089 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	300028.0N 0773500.0E	1112 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295948.0N 0773344.0E	1083 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	300138.0N 0772849.0E	1093 FT	LGTD	MWT
27/APCH 09/TKOF	OTHER	295945.0N 0772741.0E	1070 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300025.0N 0772440.0E	994 FT	LGTD	OHT
27/TKOF 09/APCH	OTHER	300119.0N 0772405.0E	1076 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300109.0N 0772438.0E	968 FT	LGTD	OHT
27/TKOF 09/APCH	OTHER	300110.0N 0772448.0E	1043 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300059.0N 0772409.0E	1076 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300054.0N 0772446.0E	1030 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300051.0N 0772350.0E	1076 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300035.0N 0772355.0E	994 FT	NIL	TEMPLE
27/TKOF 09/APCH	OTHER	295926.0N 0772322.0E	1010 FT	NIL	CHIMNEY

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/TKOF 09/APCH	OTHER	295856.0N 0772305.0E	1053 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	295834.0N 0772438.0E	1001 FT	LGTD	MWT
27/TKOF 09/APCH	BUILDING	295806.0N 0772359.0E	1010 FT	NIL	CHIMNEY
27/TKOF 09/APCH	OTHER	300138.0N 0771944.0E	1010 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	295755.0N 0772257.0E	1007 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	295656.0N 0772020.0E	1050 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300023.0N 0772227.0E	1024 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	295923.0N 0771954.0E	1040 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	295825.0N 0771620.0E	1030 FT	LGTD	MWT
27/TKOF 09/APCH	OTHER	300310.0N 0772201.0E	1053 FT	LGTD	MWT
27/TKOF 09/APCH	BUILDING	300627.0N 0771936.0E	1729 FT	LGTD	CHIMNEY
27/TKOF 09/APCH	BUILDING	300626.0N 0771923.0E	1385 FT	LGTD	THERMAL PLANT
27/TKOF 09/APCH	BUILDING	300716.0N 0771644.0E	1181 FT	LGTD	CHIMNEY
27/TKOF 09/APCH	OTHER	300703.0N 0771653.0E	1109 FT	LGTD	MWT
In circling area and at AD	TREE	300143.0N 0772618.0E	981 FT	NIL	Eucalyptus Tree
In circling area and at AD	TREE	300142.0N 0772618.0E	1024 FT	NIL	Eucalyptus Tree
In circling area and at AD	OTHER	300130.0N 0772525.0E	1030 FT	LGTD	Twin MWT
In circling area and at AD	BUILDING	300130.0N 0772546.0E	1014 FT	LGTD	CHIMNEY
In circling area and at AD	BUILDING	300125.0N 0772506.0E	1010 FT	LGTD	CHIMNEY
In circling area and at AD	OTHER	300119.0N 0772405.0E	1076 FT	LGTD	MWT
In circling area and at AD	OTHER	300109.0N 0772405.0E	968 FT	LGTD	OHT
In circling area and at AD	OTHER	300110.0N 0772448.0E	1043 FT	LGTD	MWT
In circling area and at AD	OTHER	300059.0N 0772409.0E	1076 FT	LGTD	MWT
In circling area and at AD	OTHER	300054.0N 0772446.0E	1030 FT	LGTD	MWT
In circling area and at AD	OTHER	300102.0N 0772618.0E	1001 FT	LGTD	PYLON
In circling area and at AD	OTHER	300051.0N 0772350.0E	1076 FT	LGTD	MWT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	300035.0N 0772355.0E	994 FT	NIL	TEMPLE
In circling area and at AD	TOWER	300023.0N 0772440.0E	988 FT	LGTD	TOWER
In circling area and at AD	OTHER	300023.0N 0772544.0E	1030 FT	LGTD	MWT
In circling area and at AD	OTHER	300011.0N 0772557.0E	965 FT	NIL	MAST
In circling area and at AD	OTHER	300011.0N 0772619.0E	981 FT	LGTD	OHT
In circling area and at AD	OTHER	300009.0N 0772640.0E	971 FT	LGTD	OHT
In circling area and at AD	OTHER	300003.0N 0772814.0E	1063 FT	LGTD	MWT
In circling area and at AD	OTHER	295958.0N 0772551.0E	984 FT	LGTD	OHT
In circling area and at AD	TREE	295956.0N 0772543.0E	1001 FT	NIL	TREE
In circling area and at AD	TREE	295954.0N 0772517.0E	1027 FT	NIL	TREE
In circling area and at AD	TREE	295955.0N 0772426.0E	988 FT	NIL	TREE
In circling area and at AD	OTHER	295952.0N 0772437.0E	991 FT	NIL	FLOOD LIGHT
In circling area and at AD	TOWER	300002.0N 0772611.0E	1014 FT	LGTD	TOWER
In circling area and at AD	OTHER	295957.0N 0772614.0E	948 FT	NIL	FLOOD LIGHT
In circling area and at AD	TREE	295952.0N 0772614.0E	1070 FT	NIL	TREE
In circling area and at AD	TREE	295943.0N 0772636.0E	965 FT	NIL	TREE
In circling area and at AD	TREE	295946.0N 0772623.0E	1027 FT	NIL	TREE
In circling area and at AD	TREE	295949.0N 0772539.0E	1033 FT	NIL	TREE
In circling area and at AD	TREE	295949.0N 0772457.0E	1024 FT	NIL	TREE
In circling area and at AD	TREE	295944.0N 0772423.0E	974 FT	NIL	TREE
In circling area and at AD	TREE	295944.0N 0772445.0E	997 FT	NIL	TREE
In circling area and at AD	TOWER	295943.0N 0772554.0E	1004 FT	LGTD	TOWER
In circling area and at AD	TOWER	295545.0N 0772544.0E	981 FT	LGTD	TOWER
In circling area and at AD	TREE	295940.0N 0772658.0E	961 FT	NIL	TREE
In circling area and at AD	TREE	295936.0N 0772415.0E	981 FT	NIL	TREE
In circling area and at AD	TREE	295935.0N 0772422.0E	968 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	295937.0N 0772645.0E	988 FT	NIL	TREE
In circling area and at AD	BUILDING	295933.0N 0772622.0E	928 FT	LGTD	GUARD HUT
In circling area and at AD	OTHER	295926.0N 0772322.0E	1010 FT	NIL	CHIMNEY
In circling area and at AD	TREE	295926.0N 0772444.0E	968 FT	NIL	TREE
In circling area and at AD	ANTENNA	295923.0N 0772545.0E	997 FT	LGTD	ANTENNA
In circling area and at AD	ANTENNA	295922.0N 0772614.0E	988 FT	LGTD	ANTENNA
In circling area and at AD	TOWER	295921.0N 0772616.0E	994 FT	LGTD	TOWER
In circling area and at AD	OTHER	295923.0N 0772709.0E	991 FT	LGTD	OHT
In circling area and at AD	OTHER	295924.0N 0772754.0E	1070 FT	LGTD	MWT
In circling area and at AD	OTHER	295918.0N 0772637.0E	994 FT	LGTD	OHT
In circling area and at AD	TREE	295921.0N 0772453.0E	997 FT	NIL	TREE
In circling area and at AD	OTHER	295919.0N 0772505.0E	994 FT	NIL	FLOOD LIGHT
In circling area and at AD	TOWER	295913.0N 0772504.0E	997 FT	LGTD	TOWER
In circling area and at AD	OTHER	295856.0N 0772305.0E	1053 FT	LGTD	MWT
In circling area and at AD	OTHER	295805.0N 0772646.0E	1017 FT	LGTD	MAST
In circling area and at AD	OTHER	295852.0N 0772724.0E	1070 FT	LGTD	MWT
In circling area and at AD	OTHER	295834.0N 0772438.0E	1001 FT	LGTD	MWT
In circling area and at AD	OTHER	295806.0N 0772359.0E	1010 FT	NIL	CHIMNEY
In circling area and at AD	TREE	295800.0N 0772612.0E	1053 FT	NIL	TREE
In circling area and at AD	POLE	295641.0N 0772646.0E	1033 FT	LGTD	PYLON

VISP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	MET Office, Air Force Station Sarsawa
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	24 Hrs Observation and18 Hrs Forecast
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	MET Office, Air Force Station Sarsawa 12 Hrs
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend. Validity 2 Hrs from the time of issue
5	Information on how briefing and/or consultation is provided	Verbal and telephonic briefing can be obtained on telephone No. 7617501467
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular & Chart Form English
7	Charts and other information displayed or available for briefing or consultation	Sea Level Charts, Upper Air Charts, Satellite Cloud Imagery, Doppler Weather Radar Imagery, NWP Product of CAT and Icing Local Forecast, Current Weather, Astronomical and Climatological Data
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	AWS, NWP, LOS, DDRWE, DSRRG, PWT, DET, DAB and RVR
9	The air traffic services unit(s) provided with meteorological information	Sarsawa ATC
10	Additional information, e.g. concerning any limitation of service.	Forecasting during ATS watch hours

VISP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	89.00 DEG	2743 x 45 M	62/R/C/X/T Concrete	THR: 295939.43N 0772437.39E RWY END: 295939.64N 0772619.76E
27	269.00 DEG	2743 x 45 M	62/R/C/X/T Concrete	THR: 295939.64N 0772619.76E RWY END: 295939.43N 0772437.39E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 888.0FT TDZ:		NIL	175 x 150	2863 x 240 M

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 896.0FT TDZ: 894.0FT		NIL	274 x 150	2863 x 240 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
NIL	NIL	NIL	1. Non-standard width of the strip. 100M on the Northern side of RWY due to obstructions (Old ATC buildings & Boundary wall) and 140M on the Southern side of Runway
NIL	NIL	NIL	1. Non-standard width of the strip. 100M on the Northern side of RWY due to obstructions (Old ATC buildings & Boundary wall)and 140M on the Southern side of Runway

VISP AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	2743	2918	2743	2743	NIL
27	2743	3017	2743	2743	NIL

VISP AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	900 M
27	CAT II 900 M LIH	Green	PAPI LEFT/3.00 DEG	900 M

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
2743 M 15 M LIH White	2743 M 60 M White LIH	Red	NIL	NIL
2743 M 15 M LIH White	2743 M 60 M White LIH	Red	NIL	NIL

VISP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, Alternate White & Green, 24 Flashes/Min, During IMC & Night Ops.
		IBN	Not AVBL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	In Front of ATC Building
		Anemometer	RWY End 09 and 27 along with AWS
3	Taxiway edge and taxiway centre line lights;	Edge	All Taxiway and Links, Distance 200 FT.
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power Supply to all lighting System/ 08-10 sec	
5	Remarks	NIL	

VISP AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	RWY is designated for Helicopter landing at VISP
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	RWY is designated for Helicopter landing at VISP

VISP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	MCTR: Area bounded by lines joining points 294100N 0773000E; 294500N 0771100E then along the clockwise arc of a circle of 20NM radius centred on 300000N 0772600E to 300148N 0770304E then along the counter clockwise arc of a circle of 25NM radius centred on 302200N 0764600E to 300600N 0770812E; 301900N 0773200E then along the clockwise arc of a circle of 20NM radius centred on 300000N 0772600E to point of origin.
2	Vertical limits	FL 200
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Sarsawa Tower, English
5	Transition altitude	6000 FT
6	Hours of applicability	HJ
7	Remarks	1. Controlling Unit (up to FL70): IAF Sarsawa TEL: +91-132-2646720 FAX: +91-132-2646727 Mobile: +91-9719473619 Email: icarus.30@gov.in 2. Above FL 70 the Controlling Unit is IAF Chandigarh

VISP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Sarsawa,Approach	120.400 MHZ	
TWR	Sarsawa Tower	120.200 MHZ	
ATIS	Sarsawa Information	112.200 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**

Logon address, as appropriate	Hours of operation	Remarks
	HJ	NIL
	HJ	NIL
	HJ	NIL

VISP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	ISSW	110.100 MHz	HJ
GP 27	ISSW	334.400 MHz	HJ
DME ILS 27	ISSW	CH38Y	HJ
DVOR/DME	SSW	111.600 MHz CH53X	HJ
NDB	SP	298 kHz	HJ

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
295939.4N 0772426.2E			1. Controlling Authority: IAF
295935.7N 0772607.4E			1. Controlling Authority: IAF
295935.7N 0772607.4E	926 FT		1. Controlling Authority: IAF 2. ILS DME collocated with GP 27
295931.0N 0772458.1E	943 FT		1. Controlling Authority: IAF 2. DME collocated with DVOR
295921.0N 0772616.5E			1. Controlling Authority: Indian Air Force

VISP AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VISP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VISP AD 2.22 FLIGHT PROCEDURES

NIL

VISP AD 2.23 ADDITIONAL INFORMATION

NIL

VISP AD 2.24 CHARTS RELATED TO AN AERODROME

1. Instrument Approach Chart – CAT I ILS RWY 27(29 October 2026)
2. Instrument Approach Chart – CAT II ILS RWY 27(29 October 2026)
3. Instrument Approach Chart – VOR Z RWY 09 (29 October 2026)
4. Instrument Approach Chart – VOR Y RWY 09(29 October 2026)
5. Instrument Approach Chart – VOR Z RWY 27(29 October 2026)
6. Instrument Approach Chart – VOR Y RWY 27(29 October 2026)
7. Instrument Approach Chart – NDB RWY 09(29 October 2026)
8. Instrument Approach Chart – NDB RWY 27(29 October 2026)

VISP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3