AD 2. AERODROMES

VEST AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEST - SATNA AIRPORT, SATNA

VEST AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	243343N 0805107E MAG. BRG. 118.11 DEG / 530 M from physical extremity of RWY 11	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	Aerodrome is located 3.9KM East of Satna Railway station.	
3	Aerodrome elevation and reference temperature	1054 FT / 40.6 DEG C	
4	Magnetic variation, date of information and annual change	0.25 DEG W (2010) /0.025 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India, Satna Airport District- SATNA-485001,	
		Telephone:	+91 8103224595
		Fax:	
		AFS:	
		Email:	apdsatna@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Geoid Model: EGM08	

VEST AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI: 0400-1230 UTC (0930-1800 IST) SAT, SUN & HOL: NIL
2	Custom and immigration	Not Applicable
3	Health and sanitation	During AD Hours
4	AIS briefing office	AS ATSAS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AS ATS
7	Air Traffic Service	AS Per NOTAM
8	Fuelling	AS ATS
9	Handling	AS ATS
10	Security	Provided by State Police
11	De-icing	Not Applicable
12	Remarks	Nil

VEST AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	No exclusive facilities. Cargo to be handled by the concerned operator
2	Fuel and Oil types	ATF
3	Fuelling facilities and capacity	Not Available

4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	On Apron (On request)
7	Remarks	Nil

VEST AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in city within 3Kms
2	Restaurant(s) at or in the vicinity of aerodrome	Available in city within 3Kms
3	Transportation possibilities	Hired Taxi
4	Medical Facilities	First Aid in the terminal building and basic facilities at PHC Hospital located within 2 kms. For serious & critical cases District Hospital located in Satna City about 5 kms from the airport.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available in city within 3Kms Post office: Available in city within 3Kms
6	Tourist office	Available in city within 3Kms (MP Tourism)
7	Remarks	Nil

VEST AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-3
2	Rescue equipment	CFT - 01 and Ambulance - 01
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is DO-228. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Airport Director for Disabled Aircraft Removal Operations' for coordinating with the agencies (Air India) having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations Airport Director Airports Authority of India Satna Airport, Satna (Madhya Pradesh) Tel/Mob. +91 8103224595 Email: apdsatna@aai.aero
4	Remarks	Nil

VEST AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	
2	Clearance priorities	
3	Remarks	NIL

VEST AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	On Apron 1052 FT
4	Location of VOR checkpoints	
5	Position of INS checkpoints	

6	Remarks	1. Coordinates of Taxi Holding Position TWY A: Coordinates: 243347.360N 0805108.831E/ELEV: 1048.6FT 2. Coordinates of RWY & Taxi Intersection TWY A: Coordinates: 243346.061N 0805108.372E/ELEV: 1048.9FT 3. Vertical Datum: EGM08

VEST AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance signs at intersection with TWY and RWY and at holding position, Gridlines at apron. Taxiing guidance provided on R/T also.
2	Runway and taxiway markings and lights	RWY Markings Designation, THR, Centre line, RWY Edge. Lights Nil TWY Markings Centre line, Edge, Runway holding positions at TWY A. Lights NIL
3	Stop bars (if any)	NIL
4	Remarks	

VEST AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	243301.4N 0805156.4E	1225 FT	NIL	Pylon Mast
In circling area and at AD	TREE	243348.9N 0805106.0E	1083 FT	NIL	Group of Tree
In circling area and at AD	TREE	243349.2N 0805106.4E	1094 FT	NIL	Group of Tree
In circling area and at AD	TREE	243348.7N 0805106.6E	1086 FT	NIL	Group of Tree
In circling area and at AD	TREE	242948.7N 0804746.7E	1791 FT	NIL	Tree on Hill Top
In circling area and at AD	BUILDING	243547.9N 0805036.0E	1419 FT	NIL	Cable Factory
In circling area and at AD	OTHER	243447.7N 0805057.2E	1233 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	243442.9N 0805100.9E	1202 FT	NIL	Cellphone Mast
In circling area and at AD	BUILDING	243548.5N 0805126.1E	1622 FT	NIL	Birla Cement Factory
In circling area and at AD	OTHER	243257.0N 0805152.6E	1232 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	243453.9N 0805204.2E	1268 FT	NIL	Cellphone Mast
In circling area and at AD	TREE	243003.3N 0805434.2E	1777 FT	NIL	Tree on Hill Top
In circling area and at AD	TREE	243007.5N 0805626.9E	1949 FT	NIL	Tree on Hill Top
In circling area and at AD	TREE	242959.7N 0805738.7E	1848 FT	NIL	Tree on Hill Top

See AD 2.23

VEST AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO, Satna
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As per ATS watch Hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	IMD, Bhopal Interval 3 Hours
4	Availability of the trend forecast for the aerodrome and interval of issuance	Available When required
5	Information on how briefing and/or consultation is provided	Available on request
6	Types of flight documentation supplied and language(s) used in flight documentation	METAR, SPECI Language: English
7	Charts and other information displayed or available for briefing or consultation	Available on request
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Not available
9	The air traffic services unit(s) provided with meteorological information	SATNA TWR
10	Additional information, e.g. concerning any limitation of service.	

VEST AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
11	108.27 DEG	1200 x 30 M	27/F/C/W/T Asphalt	THR: 243351.60N 0805049.99E RWY END: 243339.38N 0805130.47E
29	288.27 DEG	1200 x 30 M	27/F/C/W/T Asphalt	THR: 243339.38N 0805130.47E RWY END: 243351.60N 0805049.99E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1049.2FT TDZ: 1053.8FT	-0.48%			1320 x 80 M

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1047.2FT TDZ: 1052.8FT	0.48%			1320 x 80 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
30M x 60M			Geoid Model: EGM08
30M x 60M			Geoid Model: EGM08

VEST AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
11	1200	1200	1200	1200	
29	1200	1200	1200	1200	

VEST AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
11			PAPI LEFT/3.00 DEG	
29			PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
				NIL
				NIL

VEST AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	24 Flashes per Minute Colour: White & Green Flashes per Minute
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available South-west of ATC Tower. Lighted
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Not Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	2 Nos. DG set each of 380 KVA available. Switch over time is less than 15 Seconds	
5	Remarks	Nil	

VEST AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VEST AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: 1) When Rewa CTA is NOT active: CTR – Circular area centred on 243343.49N 0805106.60E within a 10NM radius. 2) When Rewa CTA is Active: CTR – Area bounded by 244011.11N 0805930.11E along a counterclockwise arc of a 10 NM radius centred at 243343.49N 0805106.60E to 242408.84N 0805421.36E to the point of origin.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Satna Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	Satna Approach Control Unit is combined with Satna Aerodrome Control Tower.

VEST AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Satna Approach	119.475 MHZ	
APP	Satna Approach	121.150 MHZ	
TWR	Satna Tower	119.475 MHZ	
TWR	Satna Tower	121.150 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Back up 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1. Main 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	• Back up
	HO	• Main

VEST AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VEST AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VEST AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEST AD 2.22 FLIGHT PROCEDURES

NIL

VEST AD 2.23 ADDITIONAL INFORMATION

NIL

VEST AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(07 August 2025)
2. Aircraft Parking/Docking Char(07 August 2025)t
3. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 11(07 August 2025)
4. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 29(07 August 2025)
5. Aerodrome Obstacle Chart Type B(07 August 2025)

VEST AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3