AD 2. AERODROMES

VOSR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOSR - SINDHUDURG AIRPORT, SINDUDURG

VOSR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	160012N 0733158E	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	Approximately 17 KM West of Kudal, Sindhudurg near Chipi-Parule village.	
3	Aerodrome elevation and reference temperature	226 FT / 37.0 DEG C	
4	Magnetic variation, date of information and annual change	1.50 DEG W (2010) /0.0333 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director IRB Sindhudurg Airport Pvt. Ltd. Chipi-Parule Village, Vengurla Taluka,	
		Telephone:	+ 91 9920018982
		Fax:	(91) 2366 269844
		AFS:	
		Email:	apd.sindhudurgairport@irb.co.in
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	1. Aerodrome Reference Code 4C 2. Non-Scheduled aircraft operators are required to file their slot request for clearance. 3. All non-scheduled/General Aviation movements will be subject to positive approval from Airport Operator. 4. Request for NSOP movement must be forwarded at least 24 hrs in advance. 5. All stands are power-in and pushback stands. 6. Power out is not permitted from any aircraft stand except aircraft without tow bar/pushback and having wingspan less than 32M. 7. Vertical Datum: EGM 08	

VOSR AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	IRB Sindhudurg Airport Pvt. Ltd. MON TO FRI : 0500 - 1200 (1030 - 1730 IST) SAT, SUN + HOL : NIL
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Refer NOTAM
8	Fuelling	AS ATS
9	Handling	AS ATS
10	Security	AS ATS Security by Maharashtra Police/MADC
11	De-icing	Available

12	Remarks	1. The ATS approved hourly RWY traffic handling capacity is as follows: i. Maximum number of ARR and DEP: 06 (Minimum spacing Between two successive ARR shall be five minutes or more) ii. Maximum number of ARR only: 3 iii. Maximum number of DEP only: 3

VOSR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	
3	Fuelling facilities and capacity	Available 1 X35 KL Storage Tank + 27 KL Mobile fuel bowser. Total: 62 KL)
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VOSR AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City
2	Restaurant(s) at or in the vicinity of aerodrome	NIL
3	Transportation possibilities	Taxies from Airport to city
4	Medical Facilities	First AID at AD and Hospital in the Town
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the City Post office: In the City
6	Tourist office	Office in the city
7	Remarks	NIL

VOSR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7 Within AD Hrs
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled AircraftRecovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations:- Airport Director Email: apd.sindhudurgairport@irb.co.in cfo.sindhudurgairport@irb.co.in Contact No.: +91 9920018982 +91 9420724765
4	Remarks	

VOSR AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VOSR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: All aircraft stands on Apron Elevation: Refer Aircraft Parking/Docking Chart.
4	Location of VOR checkpoints	NIL
5	Position of INS checkpoints	NIL
6	Remarks	1. All the bays are Power in/Pushback 2. Apron Suitable up to Aircraft type A320 3. Apron Slope 1 % 4. Isolation Bay location south of threshold RWY 09. 5. Wing Tip Marshaller mandatory to be available during movement of aircraft at apron and abeam apron.

VOSR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft stand ID markings Apron Side Strip and guidelines available. VDGS not available.
2	Runway and taxiway markings and lights	RWY Marking : RWY Designation, Threshold, Touchdown Zone, Centre Line, Side Stripe, Aiming Point, Turn Pad RWY Lights : THR, Edge, End, Approach TWY Marking : Center line, Edge, Runway Holding Position. TWY Lights : Edge
3	Stop bars (if any)	NIL
4	Remarks	NIL

VOSR AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/APCH 09/TKOF	OTHER	160012.7N 0733231.5E	231 FT	NIL	Approach Light
27/APCH 09/TKOF	OTHER	160012.8N 0733232.5E	233 FT	NIL	Approach Light
27/APCH 09/TKOF	OTHER	160012.5N 0733233.5E	234 FT	NIL	Approach Light
27/APCH 09/TKOF	OTHER	160012.6N 0733233.5E	234 FT	NIL	Approach Light
27/APCH 09/TKOF	OTHER	160012.7N 0733233.5E	234 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	160012.7N 0733233.5E	234 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	160012.8N 0733233.5E	234 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	160012.9N 0733233.5E	234 FT	NIL	APPROACH LIGHT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/APCH 09/TKOF	OTHER	160013.0N 0733233.5E	234 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	160013.1N 0733233.4E	234 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	160013.2N 0733233.4E	234 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	OTHER	160012.9N 0733234.5E	235 FT	NIL	APPROACH LIGHT
27/APCH 09/TKOF	WALL	160018.9N 0733237.9E	245 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
27/APCH 09/TKOF	NATURAL HIGHPOINT	160017.5N 0733355.7E	383 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	NATURAL HIGHPOINT	160006.6N 0733433.0E	400 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	NATURAL HIGHPOINT	160017.5N 0733355.7E	383 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	OTHER	160019.4N 0733240.3E	267 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 76.24 M + 5M MOBILE TRAFFIC)
27/APCH 09/TKOF	POLE	160018.9N 0733238.4E	246 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.8N 0733238.8E	246 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733239.4E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733239.9E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733237.8E	246 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733239.9E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160019.0N 0733240.4E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	NATURAL HIGHPOINT	160017.5N 0733355.7E	383 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	NATURAL HIGHPOINT	160006.6N 0733433.0E	400 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	NATURAL HIGHPOINT	160017.5N 0733355.7E	383 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	OTHER	160019.4N 0733240.3E	267 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 76.24 M + 5M MOBILE TRAFFIC)
27/APCH 09/TKOF	POLE	160018.9N 0733238.4E	246 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.8N 0733238.8E	246 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733239.4E	247 FT	NIL	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
27/APCH 09/TKOF	POLE	160018.9N 0733239.9E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733237.8E	246 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160018.9N 0733239.9E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	POLE	160019.0N 0733240.4E	247 FT	NIL	LIGHT POLE
27/APCH 09/TKOF	OTHER	160010.5N 0733057.9E	190 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV.=52.79 M + 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160011.2N 0733108.4E	210 FT	LGTD	WIND SOCK, OBSTRUCTION LIGHT TOP - 63.93 M, WIND SOCK TOP - 63.69 M.
In circling area and at AD	OTHER	160006.6N 0733217.1E	248 FT	NIL	WIND SOCK, OBSTRUCTION LIGHT TOP - 75.63 M, WIND SOCK TOP - 75.35 M.
In circling area and at AD	OTHER	160007.8N 0733113.5E	185 FT	NIL	PAPI
In circling area and at AD	OTHER	160008.1N 0733113.5E	185 FT	NIL	PAPI
In circling area and at AD	OTHER	160008.4N 0733113.5E	185 FT	NIL	PAPI
In circling area and at AD	OTHER	160008.7N 0733113.4E	185 FT	NIL	PAPI
In circling area and at AD	OTHER	160010.3N 0733216.5E	221 FT	NIL	PAPI
In circling area and at AD	OTHER	160010.0N 0733216.5E	221 FT	NIL	PAPI
In circling area and at AD	OTHER	160009.7N 0733216.5E	221 FT	NIL	PAPI
In circling area and at AD	OTHER	160009.4N 0733216.5E	221 FT	NIL	PAPI
In circling area and at AD	SIGN	160009.9N 0733210.0E	219 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	160009.4N 0733204.0E	216 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	160004.4N 0733106.9E	183 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	160004.4N 0733106.2E	182 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	160007.6N 0733218.1E	227 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	160004.2N 0733104.2E	182 FT	NIL	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	160007.4N 0733217.3E	255 FT	LGTD	MET ANTENNA, LIGHTNING ARRESTER TOP - 77.83 M, OBSTRUCTION LIGHT TOP - 77.35 M, DGPS TOP - 77.20 M, POLE TOP - 77.07 M, ANTENNA TOP - 76.76 M.
In circling area and at AD	ANTENNA	160001.9N 0733220.1E	277 FT	NIL	NDB ANTENNA
In circling area and at AD	OTHER	160013.9N 0733139.1E	216 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. - 60.94 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160014.0N 0733140.0E	217 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. - 61.07 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160013.9N 0733140.5E	217 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. - 61.05 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	BUILDING	155839.8N 0733058.7E	407 FT	NIL	ADITHYA ECO VILLAGE, PIPE TOP - 124.07 M, SINTEX TANK TOP - 123.90 M, BUILDING TOP - 122.54 M.
In circling area and at AD	BUILDING	155835.0N 0733059.2E	424 FT	NIL	HUT TOP
In circling area and at AD	BUILDING	155830.6N 0733054.8E	440 FT	NIL	SHED TOP
In circling area and at AD	OTHER	155831.1N 0733054.9E	553 FT	NIL	CELLPHONE MAST (BSNL/VI)
In circling area and at AD	OTHER	155830.9N 0733054.2E	542 FT	NIL	CELLPHONE MAST (JIO)
In circling area and at AD	OTHER	160427.3N 0733304.2E	810 FT	NIL	CELLPHONE MAST ON HILL
In circling area and at AD	OTHER	160428.9N 0733303.1E	904 FT	NIL	CELLPHONE MAST (VI/ LIGHTED) ON HILL
In circling area and at AD	OTHER	160801.0N 0733928.4E	859 FT	NIL	CELLPHONE MAST (AIRTEL)
In circling area and at AD	POLE	155836.2N 0733059.5E	429 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155834.6N 0733058.8E	436 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155833.0N 0733058.0E	444 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155833.8N 0733057.2E	430 FT	NIL	ELECTRIC POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	155832.8N 0733055.6E	418 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155834.3N 0733056.3E	410 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155831.7N 0733055.3E	431 FT	NIL	ELECTRIC POLE
In circling area and at AD	NATURAL HIGHPOINT	155829.5N 0733054.7E	494 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160237.2N 0733056.4E	493 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160240.0N 0733125.1E	592 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160242.3N 0733139.6E	581 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155936.6N 0733504.6E	557 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155724.8N 0733221.6E	563 FT	NIL	TREE ON HILL
27/APCH 09/TKOF	NATURAL HIGHPOINT	160016.6N 0733401.5E	386 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160426.4N 0733304.3E	779 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155929.2N 0733556.1E	722 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	155937.8N 0733308.4E	378 FT	NIL	TREE ON HILL
In circling area and at AD	OTHER	160014.3N 0733131.1E	219 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 61.87 M+ 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160014.5N 0733135.8E	221 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 62.26 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160426.3N 0733303.8E	877 FT	NIL	CELLPHONE MAST (BSNL) ON HILL
In circling area and at AD	ANTENNA	160428.3N 0733303.7E	817 FT	NIL	COMMUNICATIO N ANTENNA ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155800.6N 0733222.6E	522 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155822.7N 0733047.1E	547 FT	NIL	TREE ON HILL
In circling area and at AD	BUILDING	160426.9N 0733303.9E	759 FT	NIL	BUILDING, STAIRCASE TOP - 231.31 M, BUILDING TOP - 227.16 M.
In circling area and at AD	BUILDING	155835.4N 0733100.1E	425 FT	NIL	HUT TOP
In circling area and at AD	POLE	155837.6N 0733059.7E	418 FT	NIL	ELECTRIC POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	160236.1N 0733253.9E	614 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160219.2N 0733212.1E	522 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160246.2N 0733158.8E	539 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155700.5N 0734809.4E	1454 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155915.5N 0733408.1E	390 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155914.9N 0733437.0E	488 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155959.8N 0733408.7E	417 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160637.1N 0734913.4E	2227 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160610.6N 0734850.4E	2115 FT	NIL	TREE ON HILL
In circling area and at AD	OTHER	160014.3N 0733132.5E	219 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 61.81 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160014.4N 0733132.9E	221 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 62.23 M+ 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160019.3N 0733237.7E	265 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 75.81 M + 5M MOBILE TRAFFIC)
In circling area and at AD	ANTENNA	160425.9N 0733304.5E	774 FT	NIL	ANTENNA ON HILL
In circling area and at AD	BUILDING	160425.6N 0733304.0E	757 FT	NIL	BUILDING, STAIRCASE TOP - 230.64 M, BUILDING TOP - 229.59 M.
In circling area and at AD	POLE	155831.2N 0733054.3E	428 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155831.6N 0733054.6E	425 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155839.5N 0733059.5E	400 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155840.3N 0733059.4E	391 FT	NIL	ELECTRIC POLE
In circling area and at AD	POLE	155841.8N 0733059.1E	384 FT	NIL	ELECTRIC POLE
In circling area and at AD	ELECTRICAL SYSTEM	155839.6N 0733059.5E	406 FT	NIL	ELECTRIC TRANSFORMER
In circling area and at AD	ELECTRICAL SYSTEM	155729.2N 0733104.7E	510 FT	NIL	ELECTRIC TRANSFORMER
In circling area and at AD	POLE	155842.7N 0733100.0E	377 FT	NIL	ELECTRIC POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	160235.1N 0733119.8E	495 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160238.9N 0733134.2E	513 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160236.1N 0733147.8E	523 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160222.1N 0733219.3E	519 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160208.0N 0733230.6E	475 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160223.6N 0733240.5E	519 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160222.0N 0733310.3E	500 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160230.1N 0733317.8E	507 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155943.4N 0733457.2E	513 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155801.8N 0733244.7E	500 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155750.9N 0733058.0E	427 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155808.6N 0733050.3E	536 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155834.7N 0733100.2E	438 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155835.6N 0733102.0E	445 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155301.6N 0734153.3E	1020 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155753.9N 0733324.2E	526 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155651.0N 0734745.8E	1340 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155728.2N 0734839.5E	1238 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160253.8N 0733303.6E	633 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160248.9N 0733302.1E	620 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155938.0N 0733430.8E	491 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	160802.0N 0735130.9E	2898 FT	NIL	TREE ON HILL
In circling area and at AD	OTHER	160014.5N 0733135.2E	221 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 62.31 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160016.3N 0733158.4E	238 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 67.68 M + 5 M MOBILE TRAFFIC)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	160016.5N 0733200.6E	239 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 67.74 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160016.5N 0733201.6E	237 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 67.32 M + 5 M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160017.5N 0733214.9E	243 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 69.21 M + 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160017.4N 0733213.6E	243 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 68.99 M + 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160014.5N 0733134.7E	221 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 62.40 M+ 5M MOBILE TRAFFIC)
In circling area and at AD	OTHER	160014.5N 0733134.1E	221 FT	NIL	MOBILE ROAD TRAFFIC(ROAD ELEV. - 62.44 M+ 5M MOBILE TRAFFIC)
In circling area and at AD	ANTENNA	160425.2N 0733304.1E	781 FT	NIL	ANTENNA ON HILL
In circling area and at AD	ANTENNA	160425.7N 0733303.7E	779 FT	NIL	ANTENNA ON HILL
In circling area and at AD	BUILDING	155839.2N 0733058.3E	390 FT	NIL	HUT TOP
In circling area and at AD	POLE	155836.0N 0733100.5E	436 FT	NIL	ELECTRIC POLE
In circling area and at AD	OTHER	160018.2N 0733234.7E	251 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV.=71.66 M + 5M MOBILE TRAFFIC)
In circling area and at AD	NATURAL HIGHPOINT	155819.2N 0733040.5E	545 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155825.9N 0733052.2E	512 FT	NIL	TREE ON HILL
In circling area and at AD	NATURAL HIGHPOINT	155810.0N 0733202.2E	437 FT	NIL	TREE ON HILL
In circling area and at AD	OTHER	160010.6N 0733108.0E	184 FT	NIL	BIRD SCARER HUT
In circling area and at AD	BUILDING	160425.5N 0733304.0E	801 FT	NIL	COMMUNICATIO N ANTENNA ON BUILDING
In circling area and at AD	POLE	160018.8N 0733237.3E	245 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	160018.8N 0733236.8E	245 FT	NIL	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	160018.7N 0733236.4E	245 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	160018.7N 0733235.8E	244 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	160018.6N 0733235.2E	243 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	160018.6N 0733234.7E	243 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	160018.6N 0733234.2E	243 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	160018.5N 0733233.7E	243 FT	NIL	LIGHT POLE

VOSR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Mumbai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	Available during ATC watch Hours. Outside Watch Hours - VOGA
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Nine hourly TAFs (validity in UTC 00-09, 03- 12, 06-15, 09-18, 12-21, 15-24, 18-03, 21-06) Every three hours (2300, 0200, 0500, 0800, 1100, 1400, 1700, 2000 UTC)
4	Availability of the trend forecast for the aerodrome and interval of issuance	METAR on half an hour frequency
5	Information on how briefing and/or consultation is provided	Report is sent manually to ATC
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	Sindhudurg Airport ATC
10	Additional information, e.g. concerning any limitation of service.	Actual visibility based on visual landmarks

VOSR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCR) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	85.40 DEG	2500 x 45 M	876/F/A/W/T Asphalt	THR: 160005.92N 0733104.61E RWY END: 160012.43N 0733228.43E
27	265.40 DEG	2500 x 45 M	876/F/A/W/T Asphalt	THR: 160012.43N 0733228.43E RWY END: 160005.92N 0733104.61E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 180.9FT TDZ: 184.5FT		NIL	NILNIL	2620 x 280 M
THR: 226.0FT TDZ: 222.9FT		NIL	NILNIL	2620 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M	N/A	NIL	1. Long slope0.55% Transverse slope- 1.5% 2. Vertical Datum: EGM 08
240M x 90M	N/A	NIL	1. Long slope0.55% Transverse slope- 1.5% 2. Vertical Datum: EGM 08

VOSR AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	2500	2500	2500	2500	
27	2500	2500	2500	2500	

VOSR AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (52.06FT)	
27	CAT I 900 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (52.06FT)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2500 M 60 M White LIH	Red		1. Colour of runway edge lights at the last 600 M is yellow.
	2500 M 60 M White LIH	Red		1. Colour of runway edge lights at the last 600 M is yellow.

VOSR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	ABN : Available On the top of ATC Tower Flashing White. 24 Flashes per Minute (12RPM). IBN : NIL
		IBN	
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	In front of ATC Tower 518 M from ARP
		Anemometer	South of RWY abeam PAPI aiming point
3	Taxiway edge and taxiway centre line lights;	Edge	NIL
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Available	
5	Remarks	NIL	

VOSR AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	NIL
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	NIL
4	True bearings of FATO;	NIL
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	NIL

VOSR AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 155813N 0732148E then along the clockwise arc of a circle of 10NM radius centred on 160012N 0733158E to 155118N 0733646E to point of origin.
2	Vertical limits	FL 85
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Sindhudurg Tower, English
5	Transition altitude	6000 FT
6	Hours of applicability	HO
7	Remarks	1. CTR available only during notified operational hours. 2. Beyond operational hours airspace Classification is Class G.

VOSR AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
TWR	Sindhudurg Tower	118.650 MHZ	
TWR	Sindhudurg Tower	122.450 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1. Main 2. Functions of Approach provided by MOPA APP. REF VOGA AD 2.18 for details of FREQ.
	HO	1. Backup 2. Functions of Approach provided by MOPA APP. REF VOGA AD 2.18 for details of FREQ.

VOSR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
NDB	SI	475 kHz	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
160001.9N 0733220.1E			Controlling Authority: IRB Sindhudurg Airport Pvt. Ltd.

VOSR AD 2.20 LOCAL AERODROME REGULATIONS

1. Taxiing procedure: All the aircraft stands are power in/ Push Back.
   a) Stands 1, 2, 3 are permitted for Code C and below aircraft.
   b) Stand 4 is permitted for Code C (Q-400/ATR-72) and below Aircraft only.
   c) Stands 5 is permitted for Code B and below aircraft only.
   d) Stands 6 is permitted for Code A aircraft only.
2. Wing Tip Marshaller mandatory to be available during movement of aircraft at apron & abeam apron.

VOSR AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOSR AD 2.22 FLIGHT PROCEDURES

1. RWY 27: Only Right-Hand circuit available.
2. RWY 09: Only Left-Hand circuit available.

VOSR AD 2.23 ADDITIONAL INFORMATION

1. 180 DEG turn permitted only at the end of Runway 09/27 on PPC portion to avoid pavement damage.
   PCR of Turn Pads (RWY 09 & RWY 27) : 869/F/A/W/T.

VOSR AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (19 March 2026)
2. Aircraft Parking/Docking Chart (19 March 2026)
3. Aircraft Parking/Docking Chart - Isolation Bay (19 March 2026)
4. Aerodrome Obstacle Chart Type - A (Operating Limitations) RWY 09 (19 March 2026)
5. Aerodrome Obstacle Chart Type - A (Operating Limitations) RWY 27 (19 March 2026)
6. Aerodrome Obstacle Chart Type -B(19 March 2026)
7. RNP Y Procedure RWY 09
8. Coding Table - RNP Y Procedure RWY 09
9. RNP Y Procedure RWY 27(17 APR 2025)
10. Coding Table - RNP Y Procedure RWY 27

VOSR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3