AD 2. AERODROMES

VETJ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VETJ - TEZU AIRPORT, TEZU

VETJ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	275632N 0960802E Mag Brg 035.13 DEG 706M from physical extremity of RWY 04.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	Airport is located at Distance of 06 Km South East from Tezu Town	
3	Aerodrome elevation and reference temperature	770 FT / 30.8 DEG C	
4	Magnetic variation, date of information and annual change	0.62 DEG W (2010) /0.017 DEG W	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India Tezu Airport, Tezu, District-Lohit, Arunachal Pradesh PIN-792001,	
		Telephone:	(91) 03804223037
		Fax:	(91) 03804223037
		AFS:	
		Email:	aaitezu@gmail.com oictezu@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Elevation in EGM 08.	

VETJ AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI: 0400-1230 UTC (0930-1800 IST) SAT,SUN+HOL: NIL
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AVBL
7	Air Traffic Service	AVBL
8	Fuelling	NIL
9	Handling	NIL
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

VETJ AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	NIL
3	Fuelling facilities and capacity	NIL
4	De-icing facilities	NIL

5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VETJ AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city
2	Restaurant(s) at or in the vicinity of aerodrome	In the city
3	Transportation possibilities	Available (Car, Omnibus, Etc.)
4	Medical Facilities	First Aid Space available in Terminal Building and District Hospital available in the City.
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the city Post office: In the city
6	Tourist office	In the city
7	Remarks	NIL

VETJ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	AVBL
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is [ATR72]. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: [AIRPORT DIRECTOR] [Mobile:8258938164] [Email: apdtezu@aai.aero]
4	Remarks	NIL

VETJ AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VETJ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart
3	Location and elevation of altimeter checkpoints	NIL
4	Location of VOR checkpoints	NOT AVBL
5	Position of INS checkpoints	NIL

6	Remarks	**1. Coordinates of RWY Holding Position** **TWY** **COORDINATES** **ELEVATION(FT)** TWY A 275637.59N 0960814.35E 755 TWY B 275628.66N 0960805.92E 749 **2. Coordinates of RWY & Taxi Intersection** **TWY** **COORDINATES** **ELEVATION(FT)** TWY A 275639.16N 0960812.20E 758 TWY B 275630.23N 0960803.83E 749 3. Apron Dimension: 106M X 76M 4. Vertical Datum: EGM08.

VETJ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance provided on R/T guidelines at apron
2	Runway and taxiway markings and lights	RWY: Markings: Designator Marking, Centre line, THR, End, Aiming point, Touchdown zone, Side strip, Turn Pad, Holding Position. Lights: Edge, THR, END, RWY turn pad,PAPI. TWY: Markings: Centre line, side strip, taxi holding position, parking information Lights: Edge, Apron Taxiway lights
3	Stop bars (if any)	NIL
4	Remarks	Mandatory information marking available.

VETJ AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	TREE	275549.5N 0960726.7E	830 FT	NIL	Group of Trees
22/TKOF 04/APCH	FENCE	275609.1N 0960748.9E	733 FT	NIL	Airport Boundary Wall with Fencing on Top
22/TKOF 04/APCH	TREE	275607.2N 0960739.1E	756 FT	NIL	TREE
22/APCH 04/TKOF	TREE	275659.1N 0960835.8E	893 FT	NIL	TREE
22/APCH 04/TKOF	TREE	275702.7N 0960833.5E	853 FT	NIL	TREE
22/APCH 04/TKOF	TREE	275702.6N 0960838.9E	855 FT	NIL	Group of Trees (Bamboo)
22/APCH 04/TKOF	TREE	275722.0N 0960858.8E	932 FT	NIL	Group of Trees
22/APCH 04/TKOF	TREE	275654.9N 0960828.6E	796 FT	NIL	Banana Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/APCH 04/TKOF	TREE	275704.2N 0960836.1E	863 FT	NIL	Bamboo Tree
22/APCH 04/TKOF	TREE	275707.8N 0960842.5E	859 FT	NIL	Bamboo Tree
22/APCH 04/TKOF	TREE	275715.0N 0960842.1E	869 FT	NIL	Group of Trees
In circling area and at AD	TREE	275626.9N 0960810.8E	885 FT	NIL	Group of Trees
In circling area and at AD	TREE	275610.7N 0960751.9E	785 FT	NIL	Group of Trees
In circling area and at AD	SIGN	275631.5N 0960806.5E	752 FT	NIL	Sign Board
In circling area and at AD	SIGN	275629.4N 0960806.4E	751 FT	NIL	Sign Board
In circling area and at AD	TREE	275621.2N 0960805.8E	850 FT	NIL	Group of Trees
In circling area and at AD	TREE	275617.4N 0960759.7E	801 FT	NIL	Group of Trees
In circling area and at AD	TREE	275605.8N 0960749.9E	800 FT	NIL	Tree
In circling area and at AD	TREE	275556.8N 0960739.2E	799 FT	NIL	Tree
In circling area and at AD	TREE	275610.6N 0960739.5E	765 FT	NIL	Tree
In circling area and at AD	ANTENNA	275621.2N 0960749.6E	771 FT	NIL	LC Rod on MET Antenna (Antenna Top 234.5m)
In circling area and at AD	TREE	275637.4N 0960820.4E	853 FT	NIL	Group of Trees
In circling area and at AD	TREE	275648.7N 0960808.7E	884 FT	NIL	Group of Trees
In circling area and at AD	TREE	275640.1N 0960826.9E	890 FT	NIL	Group of Trees
In circling area and at AD	TREE	275647.7N 0960831.2E	871 FT	NIL	Group of Trees
In circling area and at AD	TREE	275654.6N 0960838.9E	901 FT	NIL	Group of Trees
In circling area and at AD	TREE	275707.1N 0960832.0E	880 FT	NIL	Group of Trees
In circling area and at AD	TREE	275710.0N 0960904.8E	920 FT	NIL	Group of Trees
In circling area and at AD	TREE	275721.3N 0960902.7E	921 FT	NIL	Group of Trees
In circling area and at AD	TREE	275731.8N 0960918.2E	960 FT	NIL	Group of Trees
In circling area and at AD	SIGN	275634.0N 0960808.6E	755 FT	NIL	Sign Board
In circling area and at AD	TREE	275629.6N 0960814.7E	869 FT	NIL	Group of Trees
In circling area and at AD	SIGN	275634.6N 0960809.3E	756 FT	NIL	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	275637.6N 0960809.5E	759 FT	NIL	Sign Board
In circling area and at AD	SIGN	275636.6N 0960811.2E	758 FT	NIL	Sign Board
In circling area and at AD	TREE	275632.4N 0960818.2E	883 FT	NIL	Group of Trees
In circling area and at AD	SIGN	275638.8N 0960810.5E	760 FT	NIL	Sign Board
In circling area and at AD	SIGN	275637.0N 0960813.6E	757 FT	NIL	Sign Board
In circling area and at AD	SIGN	275638.3N 0960814.8E	758 FT	NIL	Sign Board
In circling area and at AD	SIGN	275640.6N 0960812.3E	761 FT	NIL	Sign Board
In circling area and at AD	BUILDING	275644.8N 0960807.3E	825 FT	NIL	New ATC (Conc. Top 247.3 M.)
In circling area and at AD	SIGN	275641.3N 0960812.9E	762 FT	NIL	Sign Board
In circling area and at AD	SIGN	275640.5N 0960814.9E	762 FT	NIL	Sign Board
In circling area and at AD	OTHER	275643.4N 0960823.8E	806 FT	NIL	Flood Light Mast
In circling area and at AD	TREE	275651.4N 0960819.8E	789 FT	NIL	Bushes
In circling area and at AD	TREE	275659.2N 0960815.0E	901 FT	NIL	Tree
In circling area and at AD	TREE	275650.4N 0960826.9E	795 FT	NIL	Banana Tree
In circling area and at AD	TREE	275654.0N 0960822.3E	795 FT	NIL	Bushes
In circling area and at AD	TREE	275712.3N 0960836.1E	857 FT	NIL	Group of Trees
In circling area and at AD	TREE	275729.2N 0960915.5E	937 FT	NIL	Group of Trees
In circling area and at AD	TREE	275737.0N 0960924.0E	975 FT	NIL	Group of Trees
In circling area and at AD	OTHER	280007.6N 0961207.3E	1656 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	275955.2N 0961155.8E	1558 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	275844.1N 0961044.0E	1194 FT	NIL	Cellphone Mast
In circling area and at AD	NATURAL HIGHPOINT	280322.5N 0960522.1E	3018 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280219.7N 0960625.6E	2264 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280341.4N 0960715.9E	3671 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280239.6N 0960808.7E	2067 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280255.1N 0961117.1E	5527 FT	NIL	Hill Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	280117.1N 0961106.8E	2526 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280157.8N 0961223.8E	3169 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280058.8N 0961404.0E	4101 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	280120.5N 0961504.0E	4953 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	275939.7N 0961511.0E	3760 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	275926.9N 0961556.2E	4658 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	275851.9N 0961452.7E	3651 FT	NIL	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	275545.8N 0961645.5E	3071 FT	NIL	Hill Top
In circling area and at AD	BUILDING	275935.8N 0961152.2E	1309 FT	NIL	Govt. Primary School
In circling area and at AD	TREE	275958.4N 0961158.2E	1497 FT	NIL	Group of Trees

VETJ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO Guwahati (LGBI Airport) AMS Tezu (Tezu Airport)
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	DDGM, RMC Guwahati/ Duty officer, AMO Guwahati/ Duty officer AMO Mohanbari
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO Guwahati 00-09 UTC/03-12 UTC/06-15 UTC and interval of F/C is 3hrs.
4	Availability of the trend forecast for the aerodrome and interval of issuance	AVBL
5	Information on how briefing and/or consultation is provided	AVBL
6	Types of flight documentation supplied and language(s) used in flight documentation	AVBL
7	Charts and other information displayed or available for briefing or consultation	AVBL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Digital Barometer/ psyclometar/portable Wind Vane & Anemometer
9	The air traffic services unit(s) provided with meteorological information	VETJ
10	Additional information, e.g. concerning any limitation of service.	Necessary MET instrument installed.

VETJ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
04	39.78 DEG	1500 x 30 M	17/R/A/W/T Concrete	THR: 275612.75N 0960747.44E RWY END: 275650.19N 0960822.55E
22	219.78 DEG	1500 x 30 M	17/R/A/W/T Concrete	THR: 275650.19N 0960822.55E RWY END: 275612.75N 0960747.44E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 730.0FT TDZ: 745.7FT	0.77%	NIL	NIL	1620 x 150 M
THR: 770.0FT TDZ: 770.0FT	-0.80%	NIL	NIL	1620 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M		NIL	1. Slope of RWY: +0.77%: (0-510M) +0.92%: (510-720) +0.80%: (720-1500) 2. ELEVATION IN EGM 08.
90M x 60M		NIL	1. Slope of RWY: -0.80%: (0-780M) -0.92%: (780-980M) -0.77%: (980-1500M) 2. ELEVATION IN EGM 08

VETJ AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
04	NIL	NIL	NIL	1500	Available for Landing only.
22	1500	1500	1500	NIL	Available for Take-off only

VETJ AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
04	SALS 420 M LIH	Green	PAPI	
22		Green	PAPI	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1500 M 60 M White LIH	Red		CROSSBAR AT300 M
	1500 M 60 M White LIH	Red		NIL

VETJ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Available on the top of adjoining Tower to ATC building, 30 flashes per minute, colour alternate White and Green, AS ATS
		IBN	NOT APPLICABLE
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Provided near to WDI
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL, COLOR-BLUE
		Centre Line	NOT AVBL
4	Secondary power supply including switch-over time;	Less than 15 Second	
5	Remarks	NIL	

VETJ AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	NIL
2	TLOF and/or FATO area elevation:	NIL
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	NIL
4	True bearings of FATO;	NIL
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	NIL

VETJ AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 275632N 0960802E within a 20NM radius.
2	Vertical limits	6500 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Tezu Tower, English
5	Transition altitude	18000 FT
6	Hours of applicability	
7	Remarks	1. Controlling Authority: (a) Chabua ATC – During the operational hours of Chabua ATC (b) Tezu ATC – Outside the operational hours of Chabua ATC or when airspace is handed over by Chabua ATC. 3. ATC Frequencies: i. Tezu TWR: 118.750 MHz 124.350 MHz ii. Chabua ATC: 121.600 MHz (RADAR) 125.900 MHz (TWR) 4. When Chabua ATC is NOT on-the-air, traffic information may be obtained by civil aircraft from Chabua TWR. 5. Tezu Approach Control Unit is combined with Tezu Aerodrome Control Tower.

VETJ AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	TEZU TOWER	118.750 MHZ	
APP	TEZU TOWER	124.350 MHZ	
TWR	Tezu Tower	118.750 MHZ	
TWR	Tezu Tower	124.350 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
		1. Main Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
		1. Backup Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	NIL
	HO	BACKUP FREQ.

VETJ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	TZU	113.600 MHz CH83X	AS ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
275631.8N 0960754.8E	776 FT		Vertical datum: EGM08

VETJ AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage. All fixed wing ACFT to make 180 deg turn only at designated RWY turnpad using turnpad marking.

VETJ AD 2.21 NOISE ABATEMENT PROCEDURES

VETJ AD 2.22 FLIGHT PROCEDURES

VETJ AD 2.23 ADDITIONAL INFORMATION

VETJ AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(07 AUG 2025)
2. Aircraft Parking Docking Chart(07 AUG 2025)
3. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 22(07 AUG 2025)
4. Aerodrome Obstacle Chart – Type B(07 AUG 2025)
5. VOR Procedure RWY 04

VETJ AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3