AD 2. AERODROMES

VOTR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOTR - TIRUCHIRAPPALLI AIRPORT, TIRUCHIRAPPALLI

VOTR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	104556N 0784254E MAG BRG 90.48 DEG 912M from physical beginning of RWY 09.	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	135 DEG, 5 Km from Tiruchirappalli Railway Station.	
3	Aerodrome elevation and reference temperature	292 FT / 37.0 DEG C	
4	Magnetic variation, date of information and annual change	2.00 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Tiruchirappalli Airport, Tiruchirappalli - 620007	
		Telephone:	(91) 431 2340451 (91) 431 2340551 91 431 2340555
		Fax:	(91) 431 2340606
		AFS:	VOTRYHYX
		Email:	apdtrichy@AAI.AERO
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	1. For convenience the name of Airport TIRUCHIRAPPALLI may be pronounced as "TRICHY" 2. Vertical Datum: EGM 08	

VOTR AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL : NIL
2	Custom and immigration	H24
3	Health and sanitation	H24
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET Briefing office	H24
7	Air Traffic Service	H24
8	Fuelling	H24
9	Handling	H24
10	Security	H24
11	De-icing	NIL
12	Remarks	1. Outside of ATS HR. Services available O/R with 24HR prior notice to AD. 2. Customs and immigration facilities are provided on limited basis to cover operations of scheduled intl. Flights. The facilities can be arranged to cover any authorized NON-SKED operations. 3. The ATS approved hourly RWY traffic handling capacity as follows: Maximum number of arrivals and departures -12 Maximum number of arrivals only -06 Maximum number of departures only -10

VOTR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Manual.
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	IOC: 3 Bowsers 2NO.16KLS,1NO.11KLS HPCL: 3 Browsers 1 NO. 27KL 1 No. 16 KL, 1 No. 11 KL , 10Litres/sec BPCL: 4 Browsers 1 NO. 16KL 3 No. 15 KL. Reliance JIO: 3 Browsers 1 NO. 25KL 2 No. 16 KL.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	NIL

VOTR AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city.
2	Restaurant(s) at or in the vicinity of aerodrome	AT AD & In the city
3	Transportation possibilities	Taxis from the AD.
4	Medical Facilities	First aid at AD . Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available Nearby AD Post office: At AD MON-SAT: (0900- 1700 IST) SUN+HOL: NIL
6	Tourist office	As ATS (For SKD INTL FLT at AD.)
7	Remarks	Money exchange counter.

VOTR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Rescue personnel with breathing apparatus, proximity suits, hydraulic rescue tools, inflatable TWR LGTS etc.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is - A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Coordinator : Airport Director Contact No.: 2341810/ M-8220014189 email: apdtrichy@aai.aero
4	Remarks	NIL

VOTR AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL

3	Remarks	NIL

VOTR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	1. Location: Old Apron, Elevation 88.876 M 2. Location: New Apron, Elevation 88.087 M
4	Location of VOR checkpoints	TWY A: 104552.69515N 0784231.45666E / ELEV: 292 FT
5	Position of INS checkpoints	Not Established
6	Remarks	1. Coordinates of RWY Holding Position i. TWY A: 104552.82N 0784231.49E/ELEV: 292 FT ii. TWY B: 104552.96N 0784234.08E/ELEV: 291 FT iii. TWY D: 104558.81N 0784230.55E/ELEV: 287 FT iv. TWY J: 104602.13N 0784314.14E/ELEV: 280 FT v. TWY H: 104556.16N 0784314.62E/ELEV: 282 FT 2. Coordinates of RWY & TWY Intersection: i. TWY A TWY B, TWY D:104555.90N 0784232.31E/ELEV: 290 FT ii. TWY J: 104559.21N 0784314.38E/ELEV: 283 FT iii. TWY H: 104559.21N 0784314.38E/ELEV: 283 FT 3. Coordinates of Intermediate Holding Positions (IHP): i. IHP 1 on E1: 104549.97N 0784232.63E ii. IHP 2 on E1: 104550.08N 0784234.10E iii. IHP 3 on B: 104548.39N 0784236.84E iv. IHP 4 on E2: 104550.37N 0784237.84E v. IHP 5 on E2: 104552.26N 0784301.90E vi. IHP 6 on F: 104550.85N 0784303.61E vii. IHP 7 on E3: 104552.50N 0784305.00E viii. IHP 8 on E3: 104552.72N 0784307.76E 4. Geoid Model : EGM08

VOTR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	TWY guidance sign at all the intersection with TWY and RWY and at all holding position Guidelines at Apron. Nose in guidance at aircraft stands. PAX Boarding Bridge with Advanced Visual Docking Guidance System available on Stand NR. 5,6,7,12,14,16 and 18.
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, TDZ, centreline, Edge, End & Aiming Point. Lights: THR, Edge, End RWY guard lights configuration 'A' AVBL at RWY holding position on TWY A, B,H AND J. TWY Marking: Centreline, Holding Positions at all TWY/RWY Intersections Enhanced Centreline. Lights: Edge.
3	Stop bars (if any)	NIL
4	Remarks	NIL

VOTR AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	NAVAID	104555.1N 0784221.6E	297 FT	NO	Localizer Monitor Antenna
27/TKOF 09/APCH	NAVAID	104554.9N 0784219.1E	299 FT	NO	Localizer Antenna
27/TKOF 09/APCH	POLE	104552.0N 0784219.2E	300 FT	NO	Light Pole
27/TKOF 09/APCH	POLE	104552.9N 0784219.0E	300 FT	NO	Light Pole
27/TKOF 09/APCH	POLE	104552.6N 0784219.6E	300 FT	NO	Light Pole
27/TKOF 09/APCH	OTHER	104554.3N 0784219.3E	300 FT	LGTD	Localizer Antenna, Obstruction Light Top
27/TKOF 09/APCH	POLE	104551.4N 0784219.4E	301 FT	NO	Light Pole
27/TKOF 09/APCH	OTHER	104551.3N 0784220.1E	301 FT	NO	Crash Gate (No.03)
27/TKOF 09/APCH	BUILDING	104551.8N 0784220.1E	301 FT	NO	Security Hut
27/TKOF 09/APCH	POLE	104550.4N 0784219.6E	302 FT	NO	Light Pole
27/TKOF 09/APCH	POLE	104551.1N 0784220.2E	302 FT	NO	Light Pole
27/TKOF 09/APCH	POLE	104551.7N 0784220.0E	302 FT	NO	Light Pole
27/TKOF 09/APCH	FENCE	104551.8N 0784219.8E	302 FT	NO	Airport Boundary Wall with Fencing on Top
27/TKOF 09/APCH	FENCE	104551.8N 0784219.6E	302 FT	NO	Airport Boundary Wall with Fencing on Top
27/TKOF 09/APCH	ANTENNA	104552.2N 0784219.8E	303 FT	NO	Localizer Hut, Antenna Top: 92.5 M, Lightning Arrester Top: 92.4 M, Light Top: 91.8 M, Hut Top: 91.7 M.
27/TKOF 09/APCH	POLE	104550.6N 0784220.3E	303 FT	NO	Light Pole
27/TKOF 09/APCH	OTHER	104555.4N 0784219.1E	303 FT	NO	LC Rod on Localizer
27/TKOF 09/APCH	OTHER	104554.3N 0784219.2E	303 FT	NO	Localizer, Lightning Arrester Top
27/TKOF 09/APCH	POLE	104554.2N 0784219.3E	304 FT	NO	Localizer, Pole Top
27/TKOF 09/APCH	POLE	104555.5N 0784219.2E	304 FT	NO	Localizer, Pole Top
27/TKOF 09/APCH	OTHER	104554.8N 0784218.8E	304 FT	NO	Mobile Road Traffic (Road Elev.=87.8 M+5m Mobile Traffic)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	POLE	104554.7N 0784219.3E	305 FT	NO	Localizer, Pole Top
27/TKOF 09/APCH	POLE	104555.0N 0784219.2E	305 FT	NO	Localizer, Pole Top
27/TKOF 09/APCH	TREE	104551.6N 0784217.6E	306 FT	NO	Group of Trees
27/TKOF 09/APCH	POLE	104558.3N 0784216.4E	306 FT	NO	Electric Pole
27/TKOF 09/APCH	POLE	104559.9N 0784216.3E	306 FT	NO	Pole Top
27/TKOF 09/APCH	OTHER	104554.8N 0784218.4E	306 FT	NO	Mobile Road Traffic (Road Elev.=88.3m+5m Mobile Traffic)
27/TKOF 09/APCH	OTHER	104559.1N 0784216.0E	307 FT	NO	Shed, Pipe Top: 93.5 M, Water Tank Top: 92.9 M, Shed Top: 92.3 M.
27/TKOF 09/APCH	POLE	104558.7N 0784214.6E	307 FT	NO	Electric Pole
27/TKOF 09/APCH	TREE	104556.7N 0784215.3E	308 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104551.9N 0784218.6E	309 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104558.4N 0784216.1E	309 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104551.4N 0784216.5E	311 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104559.8N 0784214.7E	313 FT	NO	Tree
27/TKOF 09/APCH	TREE	104559.6N 0784215.5E	313 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104559.3N 0784215.6E	314 FT	NO	Tree
27/TKOF 09/APCH	TREE	104559.2N 0784212.3E	315 FT	NO	Tree
27/TKOF 09/APCH	TREE	104558.8N 0784213.1E	315 FT	NO	Tree
27/TKOF 09/APCH	TREE	104557.0N 0784212.0E	317 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104559.8N 0784210.4E	319 FT	NO	Tree
27/TKOF 09/APCH	TREE	104555.4N 0784209.1E	320 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104552.9N 0784208.4E	321 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104558.7N 0784214.8E	321 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104556.2N 0784208.6E	322 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104557.1N 0784209.9E	322 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	104553.4N 0784209.1E	323 FT	NO	Coconut Tree
27/TKOF 09/APCH	TREE	104558.9N 0784214.1E	323 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104559.2N 0784210.2E	323 FT	NO	Tree
27/TKOF 09/APCH	TREE	104557.8N 0784210.0E	323 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104554.3N 0784209.0E	325 FT	NO	Coconut Tree
27/TKOF 09/APCH	TREE	104557.8N 0784208.5E	325 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104557.3N 0784210.9E	326 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104547.5N 0784207.7E	326 FT	NO	Tree
27/TKOF 09/APCH	TREE	104559.0N 0784213.5E	327 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104557.7N 0784212.4E	328 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104551.2N 0784207.5E	328 FT	NO	Group of Coconut Trees
27/TKOF 09/APCH	TREE	104559.0N 0784213.2E	330 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104548.4N 0784207.9E	330 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104600.0N 0784205.7E	331 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104558.3N 0784211.3E	331 FT	NO	Tree
27/TKOF 09/APCH	TREE	104600.0N 0784212.2E	332 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104559.8N 0784210.7E	332 FT	NO	Tree
27/TKOF 09/APCH	TREE	104558.8N 0784211.5E	334 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104600.3N 0784212.5E	335 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104554.6N 0784202.7E	336 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104547.6N 0784208.4E	337 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104600.0N 0784201.7E	345 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104545.7N 0784201.3E	346 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104550.4N 0784202.1E	346 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104547.6N 0784204.6E	348 FT	NO	Group of Trees
27/TKOF 09/APCH	TREE	104546.8N 0784206.0E	349 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/APCH 09/TKOF	OTHER	104601.7N 0784345.6E	269 FT	NO	Approach Light
27/APCH 09/TKOF	TREE	104557.5N 0784352.3E	283 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104606.9N 0784352.8E	285 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104559.8N 0784356.9E	297 FT	NO	Tree
27/APCH 09/TKOF	TREE	104559.0N 0784356.2E	297 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104559.9N 0784354.1E	297 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104559.1N 0784357.0E	298 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104600.3N 0784356.6E	298 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104558.1N 0784352.5E	298 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104557.9N 0784354.5E	300 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104600.7N 0784358.5E	301 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104605.6N 0784354.0E	302 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104606.8N 0784357.9E	306 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104559.9N 0784355.0E	306 FT	NO	Group of Trees
27/APCH 09/TKOF	TREE	104558.7N 0784353.2E	307 FT	NO	Group of Trees
27/APCH 09/TKOF	OTHER	104556.8N 0784351.9E	280 FT	LGTD	Watch Tower, Obstruction Light Top: 85.4 M, Watch Tower Top: 85.4 M.
27/APCH 09/TKOF	TREE	104556.8N 0784404.9E	310 FT	NO	Group of Trees
In circling area and at AD	OTHER	104601.6N 0784344.7E	270 FT	NO	Approach Light
In circling area and at AD	OTHER	104559.5N 0784334.9E	274 FT	NO	PAPI
In circling area and at AD	FENCE	104555.8N 0784335.7E	282 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	SIGN	104556.9N 0784322.5E	282 FT	NO	Sign Board
In circling area and at AD	SIGN	104556.9N 0784322.1E	282 FT	NO	Sign Board
In circling area and at AD	TREE	104555.7N 0784335.7E	283 FT	NO	Group of Trees
In circling area and at AD	SIGN	104555.3N 0784315.6E	283 FT	NO	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	104600.6N 0784317.0E	284 FT	NO	Sign Board
In circling area and at AD	POLE	104555.8N 0784335.6E	284 FT	NO	Light Pole
In circling area and at AD	SIGN	104558.3N 0784317.3E	284 FT	NO	Sign Board
In circling area and at AD	SIGN	104556.3N 0784315.5E	284 FT	NO	Sign Board
In circling area and at AD	SIGN	104556.2N 0784313.7E	284 FT	NO	Sign Board
In circling area and at AD	SIGN	104556.3N 0784313.7E	284 FT	NO	Sign Board
In circling area and at AD	SIGN	104555.7N 0784306.4E	284 FT	NO	Sign Board
In circling area and at AD	SIGN	104555.7N 0784306.1E	284 FT	NO	Sign Board
In circling area and at AD	TREE	104556.3N 0784349.6E	285 FT	NO	Group of Trees
In circling area and at AD	SIGN	104600.1N 0784311.6E	285 FT	NO	Sign Board
In circling area and at AD	SIGN	104557.9N 0784311.8E	285 FT	NO	Sign Board
In circling area and at AD	OTHER	104603.4N 0784328.7E	278 FT	NO	Bird Scarer Hut
In circling area and at AD	FENCE	104555.1N 0784325.6E	287 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	OTHER	104606.4N 0784339.1E	281 FT	NO	Mobile Road Traffic (Road Elev. - 80.6 M + 5 M Mobile Traffic)
In circling area and at AD	BUILDING	104606.5N 0784338.6E	283 FT	NO	Watch Tower
In circling area and at AD	OTHER	104556.0N 0784337.8E	284 FT	NO	Mobile Road Traffic (Road Elev. -
In circling area and at AD	OTHER	104556.8N 0784333.6E	285 FT	NO	GP & GP DME Hut, Lightning Arrester Top – 87.0m
In circling area and at AD	BUILDING	104555.2N 0784325.5E	286 FT	NO	Security Hut
In circling area and at AD	POLE	104555.2N 0784325.5E	287 FT	NO	Light Pole
In circling area and at AD	POLE	104602.5N 0784304.9E	288 FT	NO	Light Pole
In circling area and at AD	POLE	104603.0N 0784305.2E	288 FT	NO	Light Pole
In circling area and at AD	TREE	104600.8N 0784255.7E	289 FT	NO	Tree
In circling area and at AD	FENCE	104600.7N 0784254.7E	289 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	FENCE	104601.5N 0784304.3E	289 FT	NO	Airport Boundary Wall with Fencing on Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	POLE	104602.1N 0784304.7E	289 FT	NO	Light Pole
In circling area and at AD	BUILDING	104600.5N 0784253.6E	289 FT	NO	Security Hut
In circling area and at AD	POLE	104555.0N 0784326.1E	289 FT	NO	Light Pole
In circling area and at AD	POLE	104555.0N 0784324.9E	289 FT	NO	Light Pole
In circling area and at AD	FENCE	104600.3N 0784248.2E	290 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	POLE	104601.6N 0784304.4E	290 FT	NO	Light Pole
In circling area and at AD	POLE	104601.4N 0784304.6E	290 FT	NO	Light Pole
In circling area and at AD	TREE	104600.8N 0784251.7E	291 FT	NO	Group of Trees
In circling area and at AD	POLE	104600.6N 0784253.8E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104600.7N 0784254.7E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104600.8N 0784255.6E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104600.8N 0784256.5E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104600.9N 0784257.4E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104601.0N 0784258.3E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104601.0N 0784259.2E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104601.1N 0784300.1E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104555.0N 0784324.4E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104554.9N 0784323.8E	291 FT	NO	Light Pole
In circling area and at AD	POLE	104554.8N 0784323.2E	291 FT	NO	Light Pole
In circling area and at AD	SIGN	104556.9N 0784230.5E	292 FT	NO	Sign Board
In circling area and at AD	SIGN	104557.3N 0784235.1E	292 FT	NO	Sign Board
In circling area and at AD	TREE	104600.3N 0784245.5E	292 FT	NO	Group of Trees
In circling area and at AD	TREE	104602.4N 0784303.5E	292 FT	NO	Tree
In circling area and at AD	FENCE	104600.0N 0784244.6E	292 FT	LGTD	Airport Boundary Wall with Obstruction Light Fencing on Top
In circling area and at AD	POLE	104600.4N 0784251.1E	292 FT	NO	Light Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	POLE	104600.5N 0784252.0E	292 FT	NO	Light Pole
In circling area and at AD	POLE	104600.6N 0784252.9E	292 FT	NO	Light Pole
In circling area and at AD	POLE	104601.2N 0784301.0E	292 FT	NO	Light Pole
In circling area and at AD	POLE	104601.3N 0784301.9E	292 FT	NO	Light Pole
In circling area and at AD	POLE	104601.3N 0784302.8E	292 FT	NO	Light Pole
In circling area and at AD	POLE	104601.4N 0784303.7E	292 FT	NO	Light Pole
In circling area and at AD	POLE	104600.0N 0784244.8E	293 FT	NO	Light Pole
In circling area and at AD	POLE	104600.0N 0784245.7E	293 FT	NO	Light Pole
In circling area and at AD	POLE	104600.1N 0784246.6E	293 FT	NO	Light Pole
In circling area and at AD	POLE	104600.2N 0784247.5E	293 FT	NO	Light Pole
In circling area and at AD	POLE	104600.2N 0784248.4E	293 FT	NO	Light Pole
In circling area and at AD	POLE	104600.3N 0784249.3E	293 FT	NO	Light Pole
In circling area and at AD	POLE	104600.3N 0784250.2E	293 FT	NO	Light Pole
In circling area and at AD	SIGN	104555.0N 0784235.8E	293 FT	NO	Sign Board
In circling area and at AD	SIGN	104553.4N 0784234.9E	293 FT	NO	Sign Board
In circling area and at AD	SIGN	104552.8N 0784235.2E	293 FT	NO	Sign Board
In circling area and at AD	OTHER	104559.5N 0784239.1E	294 FT	NO	Gate No.04
In circling area and at AD	TREE	104601.5N 0784249.1E	294 FT	NO	Group of Trees
In circling area and at AD	TREE	104601.1N 0784254.1E	294 FT	NO	Group of Trees
In circling area and at AD	TREE	104601.3N 0784259.8E	294 FT	NIL	Tree
In circling area and at AD	FENCE	104559.8N 0784241.1E	294 FT	NIL	Airport Boundary Wall with Fencing on Top
In circling area and at AD	POLE	104559.9N 0784243.0E	294 FT	NO	Light Pole
In circling area and at AD	OTHER	104557.7N 0784239.4E	289 FT	NO	PAPI
In circling area and at AD	POLE	104559.9N 0784243.9E	294 FT	NO	Light Pole
In circling area and at AD	OTHER	104603.1N 0784326.0E	290 FT	NO	Mobile Road Traffic (Road Elev. - 83.5 M + 5 M Mobile Traffic)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	104601.7N 0784307.1E	292 FT	LGTD	Bird Scarer Hut, Obstruction Light Top: 88.9 M, Hut Top: 88.4 M.
In circling area and at AD	OTHER	104557.1N 0784333.1E	293 FT	NO	Windsock, Obstruction Light Top: 89.3 M, Windsock Top: 89.0 M.
In circling area and at AD	OTHER	104555.2N 0784223.1E	294 FT	NO	Approach Light
In circling area and at AD	TREE	104602.1N 0784304.6E	294 FT	NO	Tree
In circling area and at AD	OTHER	104555.1N 0784324.3E	294 FT	NO	Mobile Road Traffic (Road Elev. - 84.6 M + 5 M Mobile Traffic)
In circling area and at AD	SIGN	104552.5N 0784233.2E	294 FT	NO	Sign Board
In circling area and at AD	SIGN	104552.6N 0784232.5E	294 FT	NO	Sign Board
In circling area and at AD	SIGN	104551.5N 0784232.0E	294 FT	NO	Sign Board
In circling area and at AD	SIGN	104554.4N 0784231.0E	294 FT	NO	Sign Board
In circling area and at AD	OTHER	104551.9N 0784229.9E	296 FT	NO	Landing-T
In circling area and at AD	SIGN	104553.1N 0784230.5E	294 FT	NO	Sign Board
In circling area and at AD	SIGN	104554.5N 0784229.5E	294 FT	NO	Sign Board(A)
In circling area and at AD	FENCE	104559.4N 0784236.7E	295 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	OTHER	104559.6N 0784239.3E	297 FT	LGTD	Security Hut, Obstruction Light Top: 90.4m, Hut Top: 89.9 M.
In circling area and at AD	TREE	104555.8N 0784345.6E	295 FT	NO	Group of Trees
In circling area and at AD	TREE	104556.0N 0784345.0E	295 FT	NO	Group of Trees
In circling area and at AD	OTHER	104601.2N 0784302.6E	295 FT	NIL	Mobile Road Traffic (Road Elev - 85.1 M + 5 M Mobile Traffic
In circling area and at AD	SIGN	104552.5N 0784233.2E	295 FT	NO	Sign Board
In circling area and at AD	SIGN	104553.1N 0784230.4E	295 FT	NO	Sign Board
In circling area and at AD	SIGN	104553.1N 0784230.6E	295 FT	NO	Sign Board
In circling area and at AD	POLE	104559.4N 0784237.5E	296 FT	NO	Light Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	POLE	104559.5N 0784238.4E	296 FT	NO	Light Pole
In circling area and at AD	POLE	104559.8N 0784241.1E	296 FT	NO	Light Pole
In circling area and at AD	POLE	104559.8N 0784242.1E	296 FT	NO	Light Pole
In circling area and at AD	OTHER	104559.4N 0784239.4E	301 FT	NO	Mobile Road Traffic (Road Elev - 86.7 M + 5 M Mobile Traffic)
In circling area and at AD	OTHER	104549.9N 0784220.5E	301 FT	NO	Temporary Shed
In circling area and at AD	OTHER	104559.2N 0784236.7E	302 FT	NO	Mobile Road Traffic (Mobile Traffic 5m + Road Elev 87.0m)
In circling area and at AD	TREE	104556.2N 0784354.1E	296 FT	NO	Group of Trees
In circling area and at AD	OTHER	104556.9N 0784336.1E	287 FT	LGTD	GP Monitor Antenna, Lightning Arrester Top: 87.5 M, Obstruction Light Top: 86.7 M, Antenna Top: 86.6 M.
In circling area and at AD	POLE	104603.4N 0784305.6E	296 FT	NO	Light Pole
In circling area and at AD	OTHER	104549.7N 0784220.7E	308 FT	NIL	Mobile Road Traffic (Road Elev.=88.9m+5m Mobile Traffic)
In circling area and at AD	OTHER	104607.0N 0784328.7E	310 FT	NIL	DVOR, Lightning Arrester
In circling area and at AD	OTHER	104606.9N 0784329.6E	310 FT	NIL	DVOR, Lightning Arrester
In circling area and at AD	OTHER	104549.4N 0784219.9E	310 FT	NIL	Mobile Road Traffic (Road Elev.=89.5m+5m Mobile Traffic)
In circling area and at AD	NAVAID	104556.6N 0784334.0E	290 FT	NO	GP DME Antenna Top
In circling area and at AD	OTHER	104556.7N 0784333.9E	325 FT	LGTD	GP Antenna, Lightning Arrester Top: 99.0 M, Obstruction Light Top: 97.7 M, Antenna Top: 97.4 M.
In circling area and at AD	OTHER	104559.1N 0784239.0E	311 FT	NIL	WDI Top
In circling area and at AD	POLE	104554.5N 0784322.8E	296 FT	NO	Light Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	104545.9N 0784227.8E	367 FT	NIL	Flood Light Mast
In circling area and at AD	POLE	104554.3N 0784322.1E	296 FT	NO	Light Pole
In circling area and at AD	SIGN	104552.8N 0784232.5E	296 FT	NO	Sign Board
In circling area and at AD	POLE	104559.3N 0784236.7E	297 FT	NO	Light Pole
In circling area and at AD	POLE	104559.6N 0784239.4E	297 FT	NO	Light Pole
In circling area and at AD	POLE	104559.7N 0784240.2E	297 FT	NO	Light Pole
In circling area and at AD	TREE	104603.0N 0784304.9E	297 FT	NO	Tree
In circling area and at AD	OTHER	104600.0N 0784247.8E	297 FT	NIL	Mobile Road Traffic (Road Elev - 85.5 M + 5 M Mobile Traffic)
In circling area and at AD	TREE	104554.2N 0784324.5E	298 FT	NO	Tree
In circling area and at AD	POLE	104601.2N 0784235.3E	299 FT	NO	Light Pole
In circling area and at AD	TREE	104602.2N 0784302.6E	299 FT	NO	Tree
In circling area and at AD	POLE	104600.7N 0784235.6E	300 FT	NO	Light Pole
In circling area and at AD	POLE	104600.0N 0784236.0E	301 FT	NO	Light Pole
In circling area and at AD	TREE	104600.3N 0784238.7E	301 FT	NO	Group of Trees
In circling area and at AD	TREE	104608.6N 0784355.3E	302 FT	NO	Group of Trees
In circling area and at AD	TREE	104600.7N 0784238.3E	303 FT	NO	Tree
In circling area and at AD	FENCE	104549.8N 0784220.5E	303 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	POLE	104550.0N 0784220.5E	304 FT	NO	Light Pole
In circling area and at AD	TREE	104600.4N 0784239.8E	306 FT	NO	Group of Trees
In circling area and at AD	TREE	104600.2N 0784240.5E	307 FT	NO	Group of Trees
In circling area and at AD	TREE	104555.2N 0784325.5E	307 FT	NO	Tree
In circling area and at AD	ANTENNA	104556.7N 0784331.8E	307 FT	NO	Met Antenna
In circling area and at AD	TREE	104554.7N 0784348.5E	309 FT	NO	Group of Trees
In circling area and at AD	TREE	104554.6N 0784349.7E	311 FT	NO	Group of Trees
In circling area and at AD	TREE	104555.5N 0784347.4E	312 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	104600.4N 0784215.6E	313 FT	NO	Group of Trees
In circling area and at AD	TREE	104554.7N 0784347.6E	313 FT	NO	Group of Trees
In circling area and at AD	TREE	104555.8N 0784351.1E	315 FT	NO	Group of Trees
In circling area and at AD	POLE	104600.4N 0784217.0E	317 FT	NO	Light Pole
In circling area and at AD	TREE	104555.0N 0784352.8E	318 FT	NO	Group of Trees
In circling area and at AD	ANTENNA	104559.5N 0784235.9E	318 FT	NO	Met Antenna
In circling area and at AD	TREE	104601.0N 0784215.5E	325 FT	NO	Group of Trees
In circling area and at AD	TREE	104600.8N 0784214.2E	333 FT	NO	Group of Trees
In circling area and at AD	TREE	104600.7N 0784215.3E	339 FT	NO	Group of Trees
In circling area and at AD	TREE	104546.7N 0784207.8E	344 FT	NO	Group of Trees
In circling area and at AD	TREE	104545.0N 0784200.3E	349 FT	NO	Group of Coconut Trees
In circling area and at AD	TOWER	104550.7N 0784404.3E	380 FT	NO	Cellphone Mast
In circling area and at AD	TOWER	104540.3N 0784139.5E	392 FT	NO	Mast
In circling area and at AD	TOWER	104630.2N 0784126.0E	444 FT	NO	Cellphone Mast
In circling area and at AD	TOWER	104521.6N 0784113.5E	446 FT	NO	Cellphone Mast
In circling area and at AD	TOWER	104523.9N 0784039.7E	447 FT	NO	Cellphone Mast
In circling area and at AD	NATURAL HIGHPOINT	104652.8N 0784248.4E	468 FT	LGTD	Ponmalai Hill, Obs. Light Pole Top: 142.6 M, Pole Top: 141.87 M, Pole Top: 141.2 M, Hill Top: 139.7 M.
In circling area and at AD	TOWER	104729.8N 0784102.2E	551 FT	NO	Railway Tower
In circling area and at AD	TOWER	104807.4N 0784117.2E	566 FT	NO	P & T Tower
In circling area and at AD	TREE	104600.6N 0784214.8E	329 FT	NO	Group of Trees

VOTR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO Chennai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24

3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Chennai TAF's 9 Hourly valid (0000 - 0900, 0300 - 1200, 0600 - 1500, 0900 - 1800, 1200 - 2100, 1500 - 2400, 1800 - 0300 & 2100 - 0600 UTC) & 30 Hourly TAF's valid (0000 - 0600 of next day, 0600 -1200 of next day, 1200 - 1800 of next & 1800 - 2400 UTC of next day)
4	Availability of the trend forecast for the aerodrome and interval of issuance	TREND forecast appended to each METAR at every half an hour and to each SPECI as and when issued
5	Information on how briefing and/or consultation is provided	Online for Pilots, Met Briefing for ATS Personnel provided over phone and in person
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	No Charts displayed
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	DCWIS available for RWY 27 & RWY 09.
9	The air traffic services unit(s) provided with meteorological information	Tiruchirappalli ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	DCWIS installed

VOTR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	85.46 DEG	2423 x 45 M	64/F/A/W/T Asphalt	THR: 104555.64N 0784228.98E RWY END: 104601.51N 0784343.66E
27	265.46 DEG	2423 x 45 M	64/F/A/W/T Asphalt	THR: 104601.51N 0784343.66E RWY END: 104555.26N 0784224.16E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 291.0FT TDZ: 291.0FT	-0.21%	NIL	NIL	2543 x 150 M
THR: 268.0FT TDZ: 283.0FT	0.21%	NIL	NIL	2543 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M		Nil	1. PCN for RWY 09:- 0 - 1847M 64/F/A/W/T and From 1847M to 2423M 93/F/B/W/T 2. Geoid Model : EGM08
90M x 90M		Nil	1. PCN for RWY 27 0 - 576 M: 93/F/B/W/T and From 576M to 2423 M 64/F/A/W/T 2. Geoid Model : EGM08

VOTR AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	2423	2423	2423	2276	RWY09 THR displaced by 147M due mobile TFC.
27	2423	2423	2423	2423	---

VOTR AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	
27	CAT I 900 M LIH	Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2423 M 60 M White LIH	Red		NIL
	2423 M 60 M White LIH	Red		NIL

VOTR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building FLG W and G 13 rotations per min, As ATS HR
		IBN	Nil
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	100M SW of intersection of RWY 09/27 and TWY B Unlighted
		Anemometer	At Tower Building , Unlighted
3	Taxiway edge and taxiway centre line lights;	Edge	All TWY
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD. Switch over time 15 SEC.	
5	Remarks	NIL	

VOTR AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VOTR AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 104556N 0784254E within a 10NM radius.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Tiruchirappalli Approach / Tiruchirappalli Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	

VOTR AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available	Logon address, as appropriate	Hours of operation	Remarks
1	2	3	4	5	6	7
APP	Tiruchirappalli Approach	120.425 MHZ			AS ATS	1. Functions of APP combined with TWR. 2. Backup FREQ
APP	Tiruchirappalli Approach	124.000 MHZ			As ATS	1. Functions of APP combined with TWR. 2. Main FREQ.
TWR	Tiruchirappalli Tower	118.300 MHZ			As ATS	NIL
TWR	Tiruchirappalli Tower	120.425 MHZ			AS ATS	BACKUP FREQ
ATIS	----	127.800 MHZ				NIL
ALRS	-----	121.500 MHZ			As ATS	NIL

VOTR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	ITCY	110.900 MHz	As ATS
GP 27	ITCY	330.800 MHz	As ATS
DME ILS 27	ITCY	CH46X	As ATS
DVOR/DME	TTR	113.100 MHz CH78X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
104554.9N 0784219.1E			
104556.8N 0784334.1E			
104556.6N 0784333.9E	291 FT		Vertical Datum: EGM 08
104607.5N 0784331.5E	303 FT		(I) Gravity Model: EGM-08 (II) DME Colocated with DVOR.

VOTR AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

•For TWY H intersection and RWY27 departures Take-off run available H intersection is 1531m.

VOTR AD 2.21 NOISE ABATEMENT PROCEDURES

VOTR AD 2.22 FLIGHT PROCEDURES

ADS-B based ATS Surveillance services are provided to suitably equipped aircraft BTN 0230-0430 & 1500-1700 UTC daily within the coverage area of Tiruchirappalli Approach Control. SSR Transponder/ADS-B equipped aircraft flying within Tiruchirappalli Approach Control to comply with relevant provisions.

VOTR AD 2.23 ADDITIONAL INFORMATION

1. High power DME antenna installed over VOR antenna height 44FT and lighted.

2. GP antenna obstacle marked and lighted.

3. Disused RWY15/33 (converted as TWY)

4. Commissioning of ADS-B at Tiruchirappalli Airport:

ADS-B FREQ: 1090 MHZ

COORD: 104544N0784227E

SITE ELEV : 104.8M AMSL

5. Old turning pad at distance of 580 m from the beginning of RWY 27 and 1860 m from the beginning of RWY 09 is declared u/s, marking provided. Pilots to avoid using old turn pad while taxing on RWY 09/27.

6. PUSHBACK PROCEDURE

i. Simultaneous push back from adjacent stands is not permitted

ii. Aircraft pushing back FM stand NR 5 and 6 can either pushback facing south to taxi via TWY C or pushback facing north to taxi via TWY A

iii. Aircraft pushing back FM stand NR 7 can push-back facing south and taxi via TWY C.

iv. Aircraft pushing back FM stand NR 7 can either push-back facing west on to TWY C and taxi via TWY A or push-back facing north then taxi via Taxiway ''A''

v. Aircraft (CAT C/D) parked on stand no.08 shall deep pushback facing south, clear of Taxiway C, and Taxi via Taxiway "C" and then Taxiway ''B''.

vi. Aircraft (up to CAT B) parked on stand No. 8 either pushback facing south clear of Taxiway C, and Taxi via Taxiway "C & B" or push-back facing south and then facing West on to Taxiway "C" and taxi via apron and Taxiway ''A".

vii. Whenever push back from stand NR 8 stand NR 5, 6 and 7 shall not be allowed for push back.

viii. Stand no. 10 to 20 suitable for A321 or below type of aircraft are power-in/pushback configuration. Aircraft on these stands to

a) Pushback facing East and Taxi via TWY F for RWY 27

b) Pushback facing West and Taxi via TWY B or C for RWY 09

7. Following intersection Take Off Run Available :

RWY	FROM TWY INT	TORA(M)
RWY 09	TWY A	2176

8. Runway Turn Pads, capable of handling B777-300 ER type of aircraft, provided at both ends of Runway for Special Operations with prior permission.

9. Bird activity in and around airfield. Pilots to exercise caution while landing and take-off.

VOTR AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (02 October 2025)
2. Aircraft Parking and Docking Chart (02 October 2025)
3. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 09 (02 October 2025)
4. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 27 (02 October 2025)
5. Aerodrome Obstacle Chart - Type B (02 October 2025)
6. ILS or LOC Procedure Runway 27 (09 JULY 2026)
7. VOR Procedure RWY 09 (09 JULY 2026)
8. VOR Procedure RWY 27 (09 JULY 2026)
9. ATC Surveillance Minimum Altitude Chart

VOTR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3