AD 2. AERODROMES

VOTP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOTP - TIRUPATI AIRPORT, TIRUPATI

VOTP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	133759N 0793231E MAG. BRG. 265.43 DEG/1558M from beginning of RWY 26.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	090 DEG/14KM from Tirupati.	
3	Aerodrome elevation and reference temperature	366 FT / 40.3 DEG C	
4	Magnetic variation, date of information and annual change	1.75 DEG W (2010) /0.016 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Tirupati Airport, Renigunta - 517520	
		Telephone:	(91) 877 2275334 2275354 2100171
		Fax:	(91) 8772275338 (91) 8772275353
		AFS:	VOTPYDYX
		Email:	apdtp@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM08 All Coordinates are in WGS-84 AD Reference Code: 4C	

VOTP AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL: Nil
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult NOTAM for current ATS HR.
8	Fuelling	As ATS
9	Handling	NIL
10	Security	As ATS
11	De-icing	NIL
12	Remarks	Maximum number of arrival and departure- 12 (The minimum spacing BTN two successive ARR shall be more than 5 min) Maximum number of arrival only – 06 Maximum number of departure only -10

VOTP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1

3	Fuelling facilities and capacity	Fueling by bowser only. Fueling Agencies Available: 1. Indian Oil Corporation Ltd (IOCL) 2. Bharat Petroleum Corporation Limited (BPCL) 3. Hindustan Petroleum Corporation Limited (HPCL)
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VOTP AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city.
2	Restaurant(s) at or in the vicinity of aerodrome	In the city.
3	Transportation possibilities	APSRTC Bus services, Taxi & Car hire from AD.
4	Medical Facilities	MI Room at AD. Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: ATM facility at AD. Post office: NIL
6	Tourist office	Temporarily closed.
7	Remarks	NIL

VOTP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	AVBL as per category.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A321 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director Contact Details: 0877-2275354,8886011717 Email Id: apdtp@aai.aero
4	Remarks	24 HR PN for Non-Sked Operations.

VOTP AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VOTP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart

3	Location and elevation of altimeter checkpoints	Location Elevation Stand 1- 102.6M Stand 2 - 102.5M Stand 3- 102.4M Stand 4 - 99.3M Stand 4A- 99.6M Stand 5 - 99.3M Stand 5A- 99.6M Stand 6 - 99.4M Stand 6A- 99.6M Stand 7- 99.4M Stand 8 - 99.5M Stand 9- 99.4M Stand 10- 99.5M Stand 11- 99.6M Stand 12- 99.5M Stand 13- 99.3M Stand 14- 99.4M
4	Location of VOR checkpoints	i. On TWY A:- Coordinates: 133800.67N 0793235.70E Elevation: 339FT ii. On TWY B:- Coordinates: 133803.92N 0793257.99E Elevation: 334FT iii. On TWY E: Coordinates: 133804.44N 0793301.51E Elevation: 333 FT
5	Position of INS checkpoints	NIL
6	Remarks	1. Size of Old Apron: 159.50M X 120M 2. Size of New Apron: 364M X 144.5M 3. Size of Contiguous Apron: 125M X 145M 4. Size of Isolation Bay: 120M X 110M 5. Coordinates of RWY Holding Position/Elevation a) RHP A: 133800.259N 0793235.766E /339.5 FT b) RHP B: 133803.513N 0793258.051E /334.3 FT c) RHP B: 133801.864N 0793246.783E /335.4 FT d) RHP D: 133751.464N 0793217.117E /345.7 FT e) RHP E: 133804.025N 0793301.576E /333.4 FT 6. Coordinates of RWY & Taxi Intersection / Elevation a) RWY/TWY A: 133757.297N 0793236.210E /340.9 FT b) RWY/TWY B: 133800.547N 0793258.509E/337.0 FT c) RWY/TWY C: 133758.901N 0793247.223E/339.2 FT d) RWY/TWY D: 133754.433N 0793216.663E/348.5 FT e) RWY/TWY E: 133801.061N 0793302.029E/336.2 FT 7. Vertical Datum: EGM 08

VOTP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft Stand ID signs: All stands are provided with stand identification sign and straight lead-in lines Taxiing guidance signage are provided. Passenger Boarding Bridge (Aero Bridge): 2 (Total) - Stand No. 8 and 9 Advanced Visual Docking Guidance Systems: 2 (Total) Stand no. 8 and 9.
2	Runway and taxiway markings and lights	RWY Markings: Runway 08/26 - Runway Designation, Runway Threshold, Runway Touchdown zone, Runway Centre line, Runway Aiming Point, Runway Side stripe markings. Lights: Runway 08/26 - Runway Threshold, Runway Edge & Runway End lights, RWY guard lights with configuration- A are AVBL at: TWY A,B,C,D and E. TWY Markings: Taxi Side Stripe, Taxiway Centre line & Runway Holding positions markings. Lights: Taxiway edge Lights are available at A, B, C, D and E.
3	Stop bars (if any)	---
4	Remarks	Signage Board in operational area available.

VOTP AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
26/TKOF 08/APCH	OTHER	133727.0N 0793009.6E	518 FT	NO	H.T. Tower (Pylon Mast)
26/TKOF 08/APCH	OTHER	133729.5N 0793014.4E	490 FT	NO	H.T. Tower (Pylon Mast)
26/TKOF 08/APCH	OTHER	133745.3N 0793030.4E	482 FT	NO	H.T. Tower (Pylon Mast)
26/TKOF 08/APCH	OTHER	133732.8N 0793024.7E	518 FT	NO	H.T. Tower
26/TKOF 08/APCH	OTHER	133725.7N 0793014.2E	525 FT	NO	H.T. Tower
26/TKOF 08/APCH	OTHER	133728.4N 0793024.1E	471 FT	NO	H.T. Tower
26/TKOF 08/APCH	TREE	133742.9N 0793104.2E	392 FT	NO	Group of Trees
26/TKOF 08/APCH	TREE	133743.6N 0793055.8E	418 FT	NO	Group of Trees
26/APCH 08/TKOF	OTHER	133801.7N 0793324.9E	341 FT	NO	Mobile Road Traffic (Road Elev.=98.8M + 5M Traffic Height)
26/APCH 08/TKOF	FENCE	133801.5N 0793325.3E	331 FT	NO	Airport Boundary Fencing
26/APCH 08/TKOF	TREE	133807.8N 0793919.2E	1110 FT	NO	Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
26/APCH 08/TKOF	TREE	133833.3N 0793930.4E	962 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133751.6N 0793157.4E	354 FT	NO	Approach Light
In circling area and at AD	OTHER	133751.3N 0793155.3E	355 FT	NO	Approach Light
In circling area and at AD	OTHER	133751.0N 0793153.3E	355 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.2N 0793147.5E	357 FT	NO	Approach Light
In circling area and at AD	OTHER	133749.9N 0793145.8E	357 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.5N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	FENCE	133746.3N 0793122.1E	373 FT	NO	Boundary Fencing Top
In circling area and at AD	OTHER	133749.3N 0793121.8E	381 FT	NO	Watch Tower (Unused)
In circling area and at AD	FENCE	133748.0N 0793121.9E	373 FT	NO	Airport Boundary Wall with Fencing on Top
In circling area and at AD	TREE	133748.8N 0793116.1E	401 FT	NO	Tree
In circling area and at AD	TREE	133750.6N 0793119.1E	397 FT	NO	Tree
In circling area and at AD	OTHER	133805.3N 0793303.2E	342 FT	NO	Old GP Hut
In circling area and at AD	BUILDING	133805.3N 0793303.3E	344 FT	LGTD	Old GP Hut, Lightning Arrester Top: 104.93M, Obstruction Light Top: 104.27M, Hut Top: 104.05M.
In circling area and at AD	OTHER	133758.8N 0793305.0E	356 FT	LGTD	WDI
In circling area and at AD	ANTENNA	133804.7N 0793303.2E	369 FT	LGTD	MET Antenna
In circling area and at AD	SIGN	133800.1N 0793236.8E	342 FT	NO	Sign Board
In circling area and at AD	SIGN	133800.4N 0793236.7E	342 FT	NO	Sign Board
In circling area and at AD	SIGN	133800.4N 0793236.8E	342 FT	NO	Sign Board
In circling area and at AD	SIGN	133758.9N 0793238.4E	342 FT	NO	Sign Board
In circling area and at AD	SIGN	133800.6N 0793250.0E	339 FT	NO	Sign Board
In circling area and at AD	SIGN	133801.3N 0793255.3E	339 FT	NO	Sign Board
In circling area and at AD	SIGN	133803.3N 0793257.1E	337 FT	NO	Sign Board
In circling area and at AD	SIGN	133802.0N 0793259.7E	338 FT	NO	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	133802.1N 0793300.1E	338 FT	NO	Sign Board
In circling area and at AD	SIGN	133803.4N 0793259.1E	337 FT	NO	Sign Board
In circling area and at AD	SIGN	133803.6N 0793259.0E	337 FT	NO	Sign Board
In circling area and at AD	SIGN	133751.6N 0793218.3E	348 FT	NO	Sign Board
In circling area and at AD	SIGN	133758.2N 0793233.6E	344 FT	NO	Sign Board
In circling area and at AD	SIGN	133759.7N 0793244.1E	341 FT	NO	Sign Board
In circling area and at AD	SIGN	133804.1N 0793302.6E	337 FT	NO	Sign Board
In circling area and at AD	SIGN	133804.1N 0793302.8E	337 FT	NO	Sign Board
In circling area and at AD	SIGN	133804.3N 0793303.0E	339 FT	NO	Sign Board
In circling area and at AD	SIGN	133802.6N 0793304.3E	338 FT	NO	Sign Board
In circling area and at AD	SIGN	133752.8N 0793213.9E	351 FT	NO	Sign Board
In circling area and at AD	SIGN	133753.6N 0793219.8E	349 FT	NO	Sign Board
In circling area and at AD	OTHER	133759.9N 0793304.1E	337 FT	NO	PAPI
In circling area and at AD	OTHER	133759.5N 0793259.5E	337 FT	NO	PAPI (Not Commissioned)
In circling area and at AD	OTHER	133750.9N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.8N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.7N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.6N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.5N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.4N 0793149.4E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.3N 0793149.5E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.2N 0793149.5E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.1N 0793149.5E	356 FT	NO	Approach Light
In circling area and at AD	OTHER	133750.0N 0793149.5E	356 FT	NO	Approach Light
In circling area and at AD	FENCE	133743.3N 0793122.4E	371 FT	NO	Airport Boundary Wall with Fencing on Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	133748.0N 0793122.2E	378 FT	NO	Light Pole
In circling area and at AD	TREE	133749.4N 0793117.3E	389 FT	NO	Tree
In circling area and at AD	OTHER	133758.9N 0793314.6E	352 FT	LGTD	GP Monitor Antenna, Lightning Arrester Top: 107.30M, Antenna Top: 106.41M.
In circling area and at AD	OTHER	133758.5N 0793312.5E	349 FT	LGTD	GP DME Antenna Top
In circling area and at AD	OTHER	133758.5N 0793312.5E	389 FT	LGTD	GP Antenna, Lightning Arrester Top: 118.61M, Obstruction Light Top: 118.41M, Antenna Top: 118.06M.
In circling area and at AD	BUILDING	133758.5N 0793312.2E	340 FT	NO	GP Hut Top
In circling area and at AD	TREE	133758.3N 0793215.8E	361 FT	NO	Tree
In circling area and at AD	POLE	133743.9N 0793125.0E	373 FT	NO	Light Pole
In circling area and at AD	SIGN	133749.0N 0793158.6E	355 FT	NO	Sign Board
In circling area and at AD	OTHER	133749.2N 0793156.3E	359 FT	NO	Shrubs
In circling area and at AD	OTHER	133748.5N 0793152.6E	357 FT	NO	Shrubs
In circling area and at AD	OTHER	133748.0N 0793153.2E	357 FT	NO	Shrubs
In circling area and at AD	OTHER	133746.0N 0793144.7E	363 FT	NO	Shrubs
In circling area and at AD	OTHER	133748.1N 0793150.7E	362 FT	NO	Shrubs
In circling area and at AD	OTHER	133751.5N 0793148.4E	361 FT	NO	Shrubs
In circling area and at AD	OTHER	133804.2N 0793323.4E	330 FT	NO	Approach Light
In circling area and at AD	SIGN	133800.7N 0793318.0E	335 FT	NO	Sign Board
In circling area and at AD	OTHER	133758.4N 0793312.1E	335 FT	NO	Electrical Junction Box
In circling area and at AD	FENCE	133800.9N 0793321.8E	334 FT	NO	Airport Boundary Fencing
In circling area and at AD	OTHER	133800.4N 0793316.8E	346 FT	NO	Mobile Road Traffic (Road Elev - 100.54M + 5M Mobile Traffic)
In circling area and at AD	FENCE	133801.2N 0793323.6E	331 FT	NO	Airport Boundary Fencing

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	133801.0N 0793321.8E	340 FT	NO	Group of Trees
In circling area and at AD	OTHER	133801.1N 0793226.4E	362 FT	LGTD	WDI
In circling area and at AD	TREE	133739.3N 0793120.9E	418 FT	NO	Tree
In circling area and at AD	TREE	133750.3N 0793116.3E	396 FT	NO	Tree
In circling area and at AD	TREE	133750.7N 0793118.6E	396 FT	NO	Tree
In circling area and at AD	TREE	133750.7N 0793118.0E	391 FT	NO	Tree
In circling area and at AD	TREE	133740.3N 0793120.6E	389 FT	NO	Group of Trees
In circling area and at AD	OTHER	133746.1N 0793153.1E	360 FT	NO	Shrubs
In circling area and at AD	OTHER	133745.5N 0793150.0E	364 FT	NO	Shrubs
In circling area and at AD	OTHER	133758.4N 0793321.7E	345 FT	NO	Mobile Road Traffic (Road Elev - 100.18M + 5M Mobile Traffic)
In circling area and at AD	OTHER	133701.3N 0792950.3E	522 FT	NO	H.T. Tower (Pylon Mast)
In circling area and at AD	TOWER	133801.8N 0792933.9E	524 FT	NO	Cell Phone Mast
In circling area and at AD	BUILDING	133953.1N 0793052.9E	520 FT	NO	Amara Hospital, Cellphone Mast Top: 158.57M, Water Tank Top: 152.82M, Building Top: 152.87M.
In circling area and at AD	TOWER	133651.0N 0793048.5E	548 FT	NO	Cell Phone Mast
In circling area and at AD	TOWER	133758.1N 0792915.6E	537 FT	NO	Cell Phone Mast
In circling area and at AD	TOWER	133543.5N 0793046.6E	529 FT	NO	Cell Phone Mast
In circling area and at AD	OTHER	134027.6N 0792642.5E	1802 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134012.9N 0792833.2E	1377 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133710.6N 0793853.6E	2752 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133545.1N 0793937.9E	2695 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133107.7N 0793542.5E	3044 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133157.3N 0793402.2E	2343 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133152.9N 0792731.5E	2485 FT	NO	Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	134227.5N 0792944.2E	1046 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134302.8N 0793354.8E	2226 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134231.3N 0793440.5E	1900 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133458.9N 0793847.1E	2141 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133525.9N 0793626.8E	924 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133415.0N 0793632.5E	1231 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133344.9N 0793537.1E	1306 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133419.0N 0793444.7E	1175 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133326.1N 0793413.9E	1473 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134443.5N 0793232.2E	2670 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134335.6N 0793219.2E	1892 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134011.2N 0792747.7E	1582 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134023.4N 0792510.9E	2266 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133750.1N 0793913.1E	1473 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133151.3N 0793506.4E	2286 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133110.4N 0793125.7E	966 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133137.6N 0792940.6E	1253 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133111.6N 0793150.3E	1002 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133123.8N 0793242.0E	1291 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133141.5N 0792735.6E	2485 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134105.5N 0791941.1E	4065 FT	NO	T.V. Relay Tower on Tirumala Hill
In circling area and at AD	OTHER	134147.2N 0792133.8E	3405 FT	NO	Wind Mill on Hill Top
In circling area and at AD	OTHER	133911.0N 0792150.8E	3164 FT	NO	Tree on Hill
In circling area and at AD	TOWER	133929.8N 0792258.0E	2785 FT	NO	Cellphone Mast on Hill
In circling area and at AD	OTHER	133959.1N 0792346.9E	2640 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133634.1N 0794052.4E	2942 FT	NO	Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	133123.3N 0793746.5E	3265 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133825.1N 0794232.8E	1529 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133243.6N 0793918.8E	2703 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134705.9N 0793036.5E	2577 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134203.3N 0794238.7E	1225 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133320.2N 0792105.1E	2322 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133307.9N 0792104.1E	2553 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133430.6N 0792450.2E	1078 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133302.9N 0792153.4E	2245 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134033.5N 0794233.5E	957 FT	NO	Tree on Hill
In circling area and at AD	OTHER	134024.9N 0794250.8E	863 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133855.9N 0794240.5E	1137 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133724.7N 0794159.5E	1972 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133953.8N 0791755.5E	2535 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133605.2N 0791447.4E	2601 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133449.6N 0791420.0E	2701 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133341.1N 0791639.0E	2568 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133222.2N 0791701.5E	2565 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133130.6N 0792420.5E	1730 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133146.5N 0792129.5E	2252 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133121.6N 0792618.2E	1846 FT	NO	Tree on Hill
In circling area and at AD	OTHER	133909.5N 0792051.5E	2546 FT	NO	Tree on Hill

VOTP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Tirupati
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Hyderabad 9 HR (00-09, 03-12, 06-15, 09-18)
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend forecast appended to each METAR/SPECI at every 30 minutes.
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	Hyderabad ATC and ACS.
10	Additional information, e.g. concerning any limitation of service.	Document provided on request. DCWIS system has been installed. LOC northwest of ARP

VOTP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
08	81.50 DEG	3810 x 45 M	95/F/C/W/T Asphalt	THR: 133745.70N 0793117.05E RWY END: 133804.03N 0793322.42E
26	261.50 DEG	3810 x 45 M	95/F/C/W/T Asphalt	THR: 133804.03N 0793322.42E RWY END: 133745.70N 0793117.05E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 366.5FT TDZ: 366.5FT	-0.25%			3930 x 280 M
THR: 329.1FT TDZ: 338.3FT	-0.25%			3930 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M			Vertical Datum: EGM 08
240M x 90M			Vertical Datum: EGM 08

VOTP AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
08	3810	3810	3810	3810	
26	3810	3810	3810	3810	

VOTP AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
08	SALS 300 M LIH	Green	PAPI LEFT/3.00 DEG	NIL
26	CAT I 900 M LIH	Green	PAPI LEFT/3.00 DEG	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	3810 M 60 M White LIH	Red		Standby HIRL system AVBL.
	3810 M 60 M White LIH	Red		Standby HIRL system AVBL

VOTP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	TOWER BLDG. As ATS
		IBN	

2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	400 M E of ARP, lighted.
		Anemometer	Near Rwy 26 TDZ
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL.
		Centre Line	
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD. Switch-over time: 15 SEC. Critical circuits provided with UPS for 1 sec switchover time.	
5	Remarks	WDI: Two (i) South of RWY 26 Beginning (ii) North of RWY 08 near ARP. Colours: Black & white bands & illuminated.	

VOTP AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	--
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	--
4	True bearings of FATO;	--
5	Declared distances available	--
6	Approach and FATO lighting;	--
7	Remarks	--

VOTP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 133805N 0793349E within a 25NM radius excluding the lateral and vertical limit of Arrakonam MCTR-B.
2	Vertical limits	FL 95
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Tirupati Tower, English
5	Transition altitude	8000 FT
6	Hours of applicability	HO
7	Remarks	Tirupati Approach Control Unit is combined with Tirupati Aerodrome Control Tower.

VOTP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available	Logon address, as appropriate	Hours of operation	Remarks
1	2	3	4	5	6	7
APP	Tirupati Tower	119.000 MHZ			HO	1. Main FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower
APP	Tirupati Tower	124.300 MHZ			HO	1. Backup FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower
TWR	Tirupati Tower	119.000 MHZ			As ATS	NIL
TWR	Tirupati Tower	124.300 MHZ			As ATS	SDBY FREQ
ATIS	TIirupati Info	127.850 MHZ			As ATS	NIL
ALRS	EMERG	121.500 MHZ			As ATS	NIL

VOTP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;	Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
1	2	3	4	5	6	7	8
LOC 26 CAT I	ITPY	111.300 MHz	HO				
GP 26		332.300 MHz	HO				
DME ILS 26	ITPY	CH50X	HO				
DVOR/DME	TTP	115.700 MHz CH104X	As ATS				

133744.2N 0793107.0E			
133758.5N 0793312.5E			Glide Angle 3.0 DEG.
133758.5N 0793312.5E	349 FT		1.ElevationinEGM08. 2. LOC meets reduced coverage of +/-35 DEG at 10NM and +/-10 DEG at 18NM.
133803.9N 0793347.2E	355 FT		(I) GRAVITY MODEL: EGM-08 (II) DME COLOCATED WITH DVOR.

VOTP AD 2.20 LOCAL AERODROME REGULATIONS

1. Landing aircraft up to Code C permitted to make 180 degrees turn on RWY. Code D or Code E aircraft to make turns only on turn pad at the end of the Runway. Code D and Code E aircraft to exercise caution for the additional turn pads at 3569 m from the beginning of RWY 08 and 2525 m from the beginning of Runway 26 which are suitable only for aircraft up to Code C. No aircraft permitted to make pivotal turn by locking rear wheels on runway or runway turn pad.
2. Prior four days of notice required to Aerodrome operator for operation of Code E aircraft to mobilize ARFF equipment and manpower to maintain Category 9.

VOTP AD 2.21 NOISE ABATEMENT PROCEDURES

VOTP AD 2.22 FLIGHT PROCEDURES

VOTP AD 2.23 ADDITIONAL INFORMATION

S.NO.	TYPE OF OBSTACLE	Solar powered obstacle light	BRG. & DIST. FM APR	Height (FT)	Elevation (FT)	Remarks
1.	Rangasamy Konda Hill	Installed	164.5 DEG 6.4 NM	2395	----	See Note A
2.	Sadasiva Konda Hill	-DO-	145 DEG 9 NM	3413	----	See Note B
3.	Badnaiah Konda Hill	-DO-	101 DEG 8.8 NM	2575	2913	----
4.	Manaadeesula Konda/ ErpeduHill	-DO-	015 DEG 5.31 NM	1904	2244	----
5.	Ganta Mandapalli/ Tirupati Hill	-DO-	276. 5 DEG 10. 67 NM	2881	3221	----
6.	Karakambadi Hill	-DO-	297 DEG 4.47 NM	987	1327	----
7.	Thondavada Durgam Sanambatla Hill	-DO-	246 DEG 13.95 NM	2270	2610	----
8.	Gopalagutta Hill	-DO-	085 DEG 7 NM	686	1026	----
9.	Kandadukonda Hill	-DO-	097 DEG 6.42 NM	2435	2775	----
10.	Potha Gunta/ Sudda Kalva Hill	-DO-	123.5 DEG 4.36 NM	614	954	----

S.NO.	TYPE OF OBSTACLE	Solar powered obstacle light	BRG. & DIST. FM APR	Height (FT)	Elevation (FT)	Remarks
11.	Irugulapachalam/ Sudha Kalva Hill	-DO-	149 DEG 4.36 NM	845	1185	----
12.	Kuppuchandra Hill	-DO-	245 DEG 8.47 NM	759	1099	----
Note: A. Lower Limit: GND & Upper Limit: 2396 FT B. Lower Limit: GND & Upper Limit: 3413 FT						

2. Following Intersection Departure TORA, TODA and ASDA available:

RWY	From TWY Intersection	TORA (M)	TODA (M)	ASDA(M)
RWY 26	TWY E	3190	3190	3190
RWY 26	TWY B	3083	3083	3083
RWY 26	TWY C	2741	2741	2741
RWY 26	TWY A	2406	2406	2406
RWY 08	TWY A	1404	1404	1404

3. RWY 26 Turn pads for CODE E aircraft is available at beginning and end of runway only. Intermediate turn pad shall not be used by CODE E aircraft.
4. RWY 08 Turn pads for CODE E aircraft is available at beginning and end of runway only. Intermediate turn pad shall not be used by CODE E aircraft.

VOTP AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart (07 August 2025)
2 Aircraft Parking and Docking Chart (27 November 2025)
3 Aerodrome Obstacle Chart - Type A (Obstacle Limitations) RWY 08 (07 August 2025)
4 Aerodrome Obstacle Chart - Type A (Obstacle Limitations) RWY 26 (07 August 2025)
5 Aerodrome Obstacle Chart - Type B (07 August 2025)
6 VOR Procedure Runway 08 (27 November 2025)
7 Standard Departure Chart – Instrument, RNP1 (GNSS), RWY 26 (27 November 2025)
8 Standard Departure Chart – Instrument, RNP1 (GNSS), RWY 26-Coding Table 1 (27 November 2025)
9 Standard Arrival Chart – Instrument, RNP1 (GNSS), RWY 26 (27 November 2025)
10 Standard Arrival Chart – Instrument, RNP1 (GNSS), RWY 26-Coding Table 1 (27 November 2025)
11 RNP Procedure RWY 08 (27 November 2025)
12 Coding Table - RNP Procedure RWY 08 (27 November 2025)
13 RNP Procedure RWY 26 (27 November 2025)
14 Coding Table - RNP Procedure RWY 26 (27 November 2025)
15 VOR Procedure RWY 26(9 JULY 2026)

VOTP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration

1	2	3