AD 2. AERODROMES

VABO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VABO - VADODARA AIRPORT, VADODARA

VABO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	221948N 0731308E MAG. BRG. 26.76DEG /221 M from physical extremity of RWY 04	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	045 DEG/7KM from Vadodara Railway Station	
3	Aerodrome elevation and reference temperature	131 FT / 41.0 DEG C	
4	Magnetic variation, date of information and annual change	0.37 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India,, Vadodara Airport,, Vadodara - - 390022	
		Telephone:	(91) 265 2485356
		Fax:	(91) 265 2464249
		AFS:	VABOYHYX
		Email:	apdvadodara@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM08	

VABO AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL: Nil
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult NOTAM for Current ATS HR.
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	As ATS
11	De-icing	NIL
12	Remarks	(i) Outside published ATS hours, services are available for NON SKED OPS O/R with 24 HR PN to AD. (ii) The ATS approved hourly runway traffic handling capacity is as follows: Maximum number of Arrival and Departure -12 (The minimum spacing between two successive arrivals shall be more than five minutes) Maximum number of Arrival only -6 Maximum number of Departures only -10

VABO AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Limited - Manual

2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	Refuellers of 18,000 liters, 11.0litres/Sec.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VABO AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Near AD and In the city.
2	Restaurant(s) at or in the vicinity of aerodrome	At AD and in the city
3	Transportation possibilities	Taxi at Airport.
4	Medical Facilities	First aid at AD. Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: ATM available at AD and Bank In the city Post office: In the city
6	Tourist office	At the AD
7	Remarks	NIL

VABO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per Category.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is -A321/A 320/B739. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit.¿ 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome coordinator - Airport Director. Email: apdvadodara@aai.aero Contact No. 9825020069: 0265- 2485356/FAX-02652464249
4	Remarks	NIL

VABO AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VABO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: All stands on APRON 1 and 2 Elevation: Published in Aircraft Parking/Docking Chart
4	Location of VOR checkpoints	On TWY D
5	Position of INS checkpoints	NIL

6	Remarks	i. Isolation bay Dimension 61X76M, PCN 61/R/D/W/T. ii. TWY G connecting RWY 04/22 to blast pen 3, 4, 5, 6 to be used by IAF aircraft only. Length of TWY 1200FT. iii. Width of shoulders on TWY G: 30 FT on both sides. iv. Coordinates of RWY Holding Positions: a) TWY A1: 221940.03N 0731306.74E, Elev. 122 FT b) TWY B: 221946.24N 0731304.76E, Elev. 125 FT c) TWY C: 221947.98N 0731306.65E, Elev. 125 FT d) TWY D: 221952.81N 0731311.70E, Elev. 125 FT e) TWY E: 221953.71N 0731321.46E, Elev. 124 FT f) TWY F: 221944.96N 0731312.36E, Elev. 125 FT g) TWY G: 222009.42N 0731337.93E, Elev. 124 FT h) TWY H: 221943.14N 0731327.42E, Elev. 122 FT i) TWY J: 222034.46N 0731404.88E, Elev. 129 FT j) TWY K: 222036.43N 0731406.45E, Elev. 129 FT v. Coordinates of RWY & Taxiway Intersections: a) TWY A1: 221943.79N 0731306.69E, Elev. 125 FT b) TWY B: 221943.96N 0731306.88E, Elev. 125 FT c) TWY C: 221945.73N 0731308.72E, Elev. 126 FT d) TWY D: 221950.55N 0731313.78E, Elev. 127 FT e) TWY E: 221955.73N 0731319.22E, Elev. 126 FT f) TWY F: 221944.91N 0731307.86E, Elev. 126 FT g) TWY G: 222011.88N 0731336.19E, Elev. 126 FT h) TWY J: 222034.38N 0731359.72E, Elev. 130 FT i) TWY K: 222036.38N 0731401.81E, Elev. 130 FT vi. Elevations in EGM08

VABO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	TWY guidance signal at all the intersection with TWY and RWY Guidelines at Apron
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, TDZ, Centerline, Edge RWY Lighting: THR, Edge, End TWY Markings: Centreline, Holding Positions TWY Lighting: TWY B & C Edge.
3	Stop bars (if any)	NIL
4	Remarks	RWY Guard LGT provided on TWY B, C, D, E, F and H. Location of RWY Guard LGT on respective TWY Holding Position. Distance between TWY Edge Marking to centre of F fitting of RWY Guard LGT 3.5M and distance between two fitting of RWY Guard LGT (centre to centre) is 1.5M

VABO AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	POLE	221937.5N 0731305.5E	137 FT	NO	LIGHT POLE
22/TKOF 04/APCH	OTHER	221937.3N 0731303.7E	136 FT	NO	Mobile Road Traffic (Road Elev. 36.6 M.+ Traffic Ht. 5m)
22/TKOF 04/APCH	TREE	221934.6N 0731302.0E	154 FT	NO	GROUP OF TREE
22/TKOF 04/APCH	OTHER	221932.6N 0731302.6E	182 FT	NO	NISHANSAHIB GURUDWARA POLE (BUILDING TOP - 44.3 M)
22/TKOF 04/APCH	OTHER	221931.4N 0731301.5E	157 FT	NO	VENTILATION PIPE
22/TKOF 04/APCH	POLE	221930.5N 0731301.1E	153 FT	NO	ELECTRIC POLE
22/TKOF 04/APCH	BUILDING	221929.2N 0731256.5E	155 FT	NO	BUILDING
22/TKOF 04/APCH	OTHER	221929.3N 0731256.5E	169 FT	NO	MAST ON BUILDING
22/TKOF 04/APCH	POLE	221930.9N 0731259.0E	155 FT	NO	ELECTRIC POLE
22/TKOF 04/APCH	OTHER	221926.4N 0731255.1E	158 FT	NO	VENTILATION PIPE
22/TKOF 04/APCH	OTHER	221928.2N 0731254.6E	158 FT	NO	VENTILATION PIPE
22/TKOF 04/APCH	BUILDING	221927.8N 0731251.3E	159 FT	NO	BUILDING (HARDAWAR SOCIETY)
22/TKOF 04/APCH	OTHER	221931.8N 0731251.8E	159 FT	NO	VENTILATION PIPE
22/TKOF 04/APCH	BUILDING	221933.7N 0731259.8E	143 FT	NO	BUILDING
22/TKOF 04/APCH	TREE	221934.1N 0731259.2E	162 FT	NO	GROUP OF TREES
22/TKOF 04/APCH	OTHER	221934.2N 0731301.6E	137 FT	NO	Mobile Road Traffic (Road Elev. 36.7m+ Traffic Ht. 5m)
22/TKOF 04/APCH	POLE	221934.3N 0731300.5E	140 FT	NO	LIGHT POLE
22/TKOF 04/APCH	TREE	221934.7N 0731258.2E	165 FT	NO	TREE
22/TKOF 04/APCH	POLE	221935.1N 0731258.8E	141 FT	NO	LIGHT POLE
22/TKOF 04/APCH	OTHER	221936.4N 0731258.9E	139 FT	NO	Mobile Road Traffic (Road Elev. 37.3m+ Traffic Ht. 5m)
22/TKOF 04/APCH	BUILDING	221935.4N 0731255.2E	157 FT	NO	WATER TANK ON BUILDING
22/TKOF 04/APCH	POLE	221935.8N 0731253.7E	144 FT	NO	ELECTRIC POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	POLE	221936.0N 0731252.6E	145 FT	NO	ELECTRIC POLE
22/TKOF 04/APCH	POLE	221937.5N 0731253.2E	149 FT	NO	ELECTRIC POLE
22/TKOF 04/APCH	POLE	221936.9N 0731255.4E	142 FT	NO	ELECTRIC POLE
22/TKOF 04/APCH	BUILDING	221939.9N 0731258.4E	134 FT	NO	LOC. HUT
22/TKOF 04/APCH	NAVAID	221939.9N 0731302.6E	127 FT	NO	LOC. MONITOR ANTENNA
22/TKOF 04/APCH	OTHER	221934.8N 0731254.8E	156 FT	NO	Solar Panel On Building (Building Top - 46.6 M)
22/TKOF 04/APCH	OTHER	221808.1N 0731144.2E	308 FT	NO	Mast On Building Top (Kothi Kacheri)
22/TKOF 04/APCH	BUILDING	221830.6N 0731123.4E	285 FT	NO	Building
22/TKOF 04/APCH	TREE	221935.0N 0731257.1E	167 FT	NO	GROUP OF TREES
22/TKOF 04/APCH	TREE	221933.6N 0731258.9E	163 FT	NO	Group Of Trees
22/TKOF 04/APCH	OTHER	221911.7N 0731219.7E	224 FT	NO	Cellphone Mast
22/TKOF 04/APCH	OTHER	221940.1N 0731258.3E	139 FT	NO	Mobile Road Traffic (Road Elev. 37.4+ Traffic Ht.5m)
22/TKOF 04/APCH	FENCE	221942.5N 0731258.7E	134 FT	NO	Airport Boundary Wall With Fencing On Top
22/TKOF 04/APCH	TREE	221942.7N 0731258.4E	157 FT	NO	GROUP OF TREES
22/TKOF 04/APCH	TREE	221934.5N 0731303.6E	155 FT	NO	GROUP OF TREES
22/TKOF 04/APCH	TREE	221933.8N 0731303.1E	173 FT	NO	Group Of Trees
22/TKOF 04/APCH	POLE	221933.6N 0731302.3E	155 FT	NO	Light Pole
22/TKOF 04/APCH	TREE	221933.1N 0731302.0E	159 FT	NO	Group Of Trees
22/TKOF 04/APCH	OTHER	221932.6N 0731301.8E	157 FT	NO	Pole On Building (Building Top-46.4 M)
22/TKOF 04/APCH	BUILDING	221932.6N 0731300.6E	157 FT	NO	Building
22/TKOF 04/APCH	OTHER	221935.2N 0731301.4E	138 FT	NO	Mobile Road Traffic (Road Elev. 37.1+ Traffic Ht.5m)
22/TKOF 04/APCH	BUILDING	221935.4N 0731300.4E	136 FT	NO	Structure
22/TKOF 04/APCH	TREE	221935.8N 0731259.9E	151 FT	NO	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	POLE	221934.7N 0731259.6E	140 FT	NO	Light Pole
22/TKOF 04/APCH	POLE	221934.1N 0731259.5E	148 FT	NO	ELECTRIC POLE
22/TKOF 04/APCH	POLE	221934.4N 0731258.8E	145 FT	NO	Electric Pole
22/TKOF 04/APCH	BUILDING	221934.0N 0731257.8E	150 FT	NO	BUILDING
22/TKOF 04/APCH	BUILDING	221934.3N 0731257.8E	155 FT	NO	BUILDING
22/TKOF 04/APCH	BUILDING	221934.2N 0731257.4E	152 FT	NO	Building
22/TKOF 04/APCH	POLE	221935.7N 0731258.7E	138 FT	NO	Electric Pole
22/TKOF 04/APCH	POLE	221935.4N 0731258.0E	140 FT	NO	Light Pole
22/TKOF 04/APCH	BUILDING	221934.1N 0731256.1E	152 FT	NO	BUILDING
22/TKOF 04/APCH	BUILDING	221934.8N 0731256.7E	146 FT	NO	Building
22/TKOF 04/APCH	POLE	221935.7N 0731257.2E	140 FT	NO	Light Pole
22/TKOF 04/APCH	POLE	221936.2N 0731257.5E	143 FT	NO	Electric Pole
22/TKOF 04/APCH	TREE	221936.3N 0731257.3E	147 FT	NO	Group Of Trees
22/TKOF 04/APCH	POLE	221936.5N 0731256.5E	143 FT	NO	Electric Pole
22/TKOF 04/APCH	OTHER	221934.0N 0731255.0E	154 FT	NO	Solar Panel On Building (Building Top - 46.0 M)
22/TKOF 04/APCH	SIGN	221937.0N 0731254.4E	148 FT	NO	Hoarding
22/TKOF 04/APCH	SIGN	221936.4N 0731254.2E	149 FT	NO	Hoarding
22/TKOF 04/APCH	TREE	221937.8N 0731254.6E	164 FT	NO	Group Of Trees
22/TKOF 04/APCH	BUILDING	221939.6N 0731254.5E	149 FT	NO	Sintex Tank On Building (Building Top - 44.3 M)
22/TKOF 04/APCH	BUILDING	221938.1N 0731253.8E	142 FT	NO	Building
22/TKOF 04/APCH	POLE	221937.3N 0731252.2E	147 FT	NO	Light Pole
22/TKOF 04/APCH	POLE	221936.6N 0731252.4E	147 FT	NO	Electric Pole
22/TKOF 04/APCH	OTHER	221935.9N 0731251.0E	165 FT	NO	Solar Panel On Building (Building Top - 47.5 M)
22/TKOF 04/APCH	BUILDING	221935.8N 0731251.6E	162 FT	NO	BUILDING
22/TKOF 04/APCH	BUILDING	221935.8N 0731252.5E	159 FT	NO	BUILDING

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	BUILDING	221934.7N 0731253.5E	147 FT	NO	Building
22/TKOF 04/APCH	BUILDING	221933.6N 0731253.4E	152 FT	NO	Building
22/TKOF 04/APCH	BUILDING	221932.6N 0731253.5E	158 FT	NO	Sintex Tank On Building
22/TKOF 04/APCH	BUILDING	221932.9N 0731256.3E	157 FT	NO	Sintex Tank On Building (Building Top - 46.6 M)
22/TKOF 04/APCH	BUILDING	221931.9N 0731258.4E	146 FT	NO	BUILDING
22/TKOF 04/APCH	BUILDING	221928.6N 0731257.7E	161 FT	NO	Sintex Tank On Building (Building Top-47.3 M)
22/TKOF 04/APCH	BUILDING	221930.4N 0731256.9E	157 FT	NO	Building
22/TKOF 04/APCH	BUILDING	221926.3N 0731253.0E	160 FT	NO	Building
22/TKOF 04/APCH	BUILDING	221928.1N 0731253.6E	156 FT	NO	Sintex Tank On Building (Building Top - 47.0 M)
22/TKOF 04/APCH	BUILDING	221931.0N 0731253.5E	154 FT	NO	Sintex Tank On Building (Building Top - 46.3 M)
22/TKOF 04/APCH	BUILDING	221931.8N 0731250.3E	157 FT	NO	Sintex Tank On Building (Building Top - 46.8 M)
22/TKOF 04/APCH	BUILDING	221934.3N 0731249.4E	161 FT	NO	Shed
22/TKOF 04/APCH	TREE	221924.0N 0731247.5E	192 FT	NO	Group Of Trees
22/TKOF 04/APCH	OTHER	221919.9N 0731246.3E	195 FT	NO	Pole On Building (Building Top-57.7 M)
22/TKOF 04/APCH	OTHER	221922.7N 0731243.8E	181 FT	NO	CELLPHONE MAST
22/TKOF 04/APCH	OTHER	221917.8N 0731235.8E	201 FT	NO	Cellphone Mast
22/TKOF 04/APCH	OTHER	221908.5N 0731242.7E	205 FT	NO	Cellphone Mast
22/TKOF 04/APCH	OTHER	221830.8N 0731123.8E	293 FT	NO	Cellphone Mast On Building
22/TKOF 04/APCH	OTHER	221933.2N 0731303.3E	137 FT	NO	Mobile Road Traffic (Road Elev. 36.9m+ Traffic Ht. 5m)
22/TKOF 04/APCH	BUILDING	221939.0N 0731258.2E	135 FT	NO	New Localizer Hut
22/TKOF 04/APCH	TREE	221938.8N 0731254.6E	163 FT	NO	Group Of Trees
22/TKOF 04/APCH	TREE	221936.8N 0731257.5E	152 FT	NO	Group Of Trees
22/TKOF 04/APCH	OTHER	221933.0N 0731301.4E	158 FT	NO	Solar Panel On Building (Building Top=45.5m)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	OTHER	221932.4N 0731301.1E	162 FT	NO	Solar Panel On Building
22/TKOF 04/APCH	TREE	221933.6N 0731300.5E	160 FT	NO	GROUP OF TREE
22/TKOF 04/APCH	OTHER	221932.7N 0731300.4E	156 FT	NO	Solar Panel On Building (Building Top=46.4m)
22/TKOF 04/APCH	OTHER	221933.8N 0731259.6E	155 FT	NO	Solar Panel On Building (Building Top=45.5m)
22/TKOF 04/APCH	TRANSMISSION LINE	221932.2N 0731258.6E	158 FT	NO	Solar On Building
22/TKOF 04/APCH	BUILDING	221931.8N 0731258.8E	159 FT	NO	Sintex Tank On Building (Building Top=47.7m)
22/TKOF 04/APCH	BUILDING	221928.0N 0731257.3E	162 FT	NO	Sintex Tank On Building
22/TKOF 04/APCH	BUILDING	221927.5N 0731257.0E	161 FT	NO	Sintex Tank On Building
22/TKOF 04/APCH	OTHER	221928.9N 0731255.0E	161 FT	NO	Solar Panel On Building (Building Top=48.2m)
22/TKOF 04/APCH	OTHER	221930.9N 0731255.2E	158 FT	NO	Solar Panel On Building (Building Top=47.3m)
22/TKOF 04/APCH	OTHER	221930.8N 0731257.1E	163 FT	NO	Solar Panel On Building (Building Top=48.8m)
22/TKOF 04/APCH	OTHER	221931.8N 0731257.0E	157 FT	NO	Solar Panel On Building (Building Top=47.1m)
22/TKOF 04/APCH	OTHER	221932.4N 0731257.0E	157 FT	NO	Solar Panel On Building (Building Top=46.9m)
22/TKOF 04/APCH	BUILDING	221933.2N 0731257.4E	153 FT	NO	Building
22/TKOF 04/APCH	OTHER	221933.7N 0731256.7E	159 FT	NO	Solar Panel On Building (Building Top=47.4m)
22/TKOF 04/APCH	OTHER	221934.0N 0731258.1E	155 FT	NO	Solar Panel On Building (Building Top=46.3m)
22/TKOF 04/APCH	BUILDING	221933.0N 0731255.3E	154 FT	NO	Building
22/TKOF 04/APCH	OTHER	221933.5N 0731255.3E	155 FT	NO	Solar On Building
22/TKOF 04/APCH	OTHER	221933.5N 0731254.0E	158 FT	NO	Solar Panel On Building (Building Top=47.4m)
22/TKOF 04/APCH	OTHER	221934.1N 0731253.5E	159 FT	NO	Solar on Building
22/TKOF 04/APCH	OTHER	221932.5N 0731252.8E	160 FT	NO	Solar Panel On Building (Building Top=47.9m)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/TKOF 04/APCH	OTHER	221932.2N 0731251.4E	165 FT	NO	Solar Panel On Building (Building Top=49.5m)
22/TKOF 04/APCH	OTHER	221928.3N 0731250.2E	167 FT	NO	Pole On Building (Building Top=49.9m)
22/TKOF 04/APCH	BUILDING	221903.0N 0731239.8E	211 FT	NO	Building U/C
22/TKOF 04/APCH	OTHER	221939.9N 0731258.2E	138 FT	NO	Lightning Arrester
22/TKOF 04/APCH	NAVAID	221939.9N 0731301.5E	129 FT	NO	New Localizer Monitor Antenna-2
22/TKOF 04/APCH	NAVAID	221939.5N 0731302.2E	129 FT	NO	New Localizer Monitor Antenna-1
22/TKOF 04/APCH	NAVAID	221937.6N 0731300.2E	133 FT	NO	New Localizer Antenna Canter
22/APCH 04/TKOF	POLE	222050.7N 0731408.7E	150 FT	NO	Light Pole
22/APCH 04/TKOF	POLE	222051.2N 0731409.3E	158 FT	NO	Light Pole
22/APCH 04/TKOF	TREE	222055.9N 0731412.9E	161 FT	NO	Tree
22/APCH 04/TKOF	SIGN	222056.0N 0731414.1E	173 FT	NO	Hoarding
22/APCH 04/TKOF	TREE	222056.1N 0731427.5E	187 FT	NO	Group Of Trees
22/APCH 04/TKOF	TREE	222054.5N 0731427.4E	180 FT	NO	Group Of Trees
22/APCH 04/TKOF	TREE	222107.0N 0731426.4E	234 FT	NO	Group Of Trees
22/APCH 04/TKOF	OTHER	222141.0N 0731524.1E	302 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222151.5N 0731521.0E	294 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222149.6N 0731549.8E	297 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222203.9N 0731521.1E	296 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222214.7N 0731515.9E	286 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222051.4N 0731412.0E	153 FT	NO	Mobile Road Traffic (Road Elev. 41.7m+ Traffic Ht. 5m)
22/APCH 04/TKOF	POLE	222056.0N 0731412.4E	160 FT	NO	Electric Pole
22/APCH 04/TKOF	TREE	222053.3N 0731415.9E	164 FT	NO	Tree
22/APCH 04/TKOF	TREE	222052.5N 0731416.5E	166 FT	NO	Tree
22/APCH 04/TKOF	TREE	222052.1N 0731416.9E	165 FT	LGTD	Tree
22/APCH 04/TKOF	TREE	222050.4N 0731421.4E	172 FT	NO	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/APCH 04/TKOF	TREE	222049.7N 0731420.9E	163 FT	NO	Group Of Trees
22/APCH 04/TKOF	TREE	222048.7N 0731420.0E	166 FT	NO	Group Of Trees
22/APCH 04/TKOF	POLE	222049.2N 0731424.9E	173 FT	NO	Electric Pole
22/APCH 04/TKOF	OTHER	222046.4N 0731420.2E	161 FT	NO	Mobile Road Traffic (Road Elev. 44.2m+ Traffic Ht. 5m)
22/APCH 04/TKOF	BUILDING	222051.3N 0731426.9E	173 FT	NO	Workshop
22/APCH 04/TKOF	TREE	222055.8N 0731428.4E	188 FT	NO	Group Of Trees
22/APCH 04/TKOF	SIGN	222052.7N 0731423.9E	185 FT	NO	Hoarding
22/APCH 04/TKOF	SIGN	222053.5N 0731424.5E	188 FT	NO	Hoarding
22/APCH 04/TKOF	TREE	222056.3N 0731426.4E	183 FT	NO	Group Of Trees
22/APCH 04/TKOF	TREE	222105.0N 0731424.6E	193 FT	NO	Group Of Trees
22/APCH 04/TKOF	TREE	222109.7N 0731427.1E	217 FT	NO	Group Of Trees
22/APCH 04/TKOF	OTHER	222058.8N 0731428.8E	194 FT	NO	Sintex On Hostel (Building Top- 58.4 M.)
22/APCH 04/TKOF	BUILDING	222059.1N 0731430.9E	189 FT	NO	Hostel
22/APCH 04/TKOF	OTHER	222058.6N 0731433.1E	195 FT	NO	Solar Panel On Hostel Building(Building Top-58.3 M.)
22/APCH 04/TKOF	FENCE	222055.0N 0731433.9E	199 FT	NO	Antenna On RTO Building (Building Top-57.2 M.)
22/APCH 04/TKOF	OTHER	222153.8N 0731523.7E	300 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222209.8N 0731535.6E	307 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222212.1N 0731536.6E	320 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222215.6N 0731536.0E	305 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222216.4N 0731540.4E	302 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222217.6N 0731539.5E	302 FT	NO	H. T. Tower
22/APCH 04/TKOF	OTHER	222148.6N 0731542.5E	296 FT	NO	H. T. Tower
22/APCH 04/TKOF	TREE	222054.8N 0731423.0E	177 FT	NO	GROUP OF TREES
22/APCH 04/TKOF	BUILDING	222102.5N 0731425.9E	199 FT	NO	Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
22/APCH 04/TKOF	TREE	222054.8N 0731429.7E	181 FT	NO	Group Of Tree
22/APCH 04/TKOF	OTHER	222059.5N 0731430.2E	194 FT	NO	Pole On Building
22/APCH 04/TKOF	OTHER	222057.1N 0731433.5E	200 FT	NO	Flood Light Mast
22/APCH 04/TKOF	OTHER	222213.8N 0731533.9E	296 FT	NO	Pylon Mast
22/APCH 04/TKOF	TREE	222048.9N 0731423.3E	174 FT	NO	Group Of Tree
In circling area and at AD	FENCE	221937.3N 0731308.4E	151 FT	NO	Antenna On Structure (Structure Top - 44.0 M)
In circling area and at AD	FENCE	221935.7N 0731307.0E	146 FT	LGTD	Antenna On Structure (Structure Top - 43.8 M)
In circling area and at AD	POLE	221934.2N 0731305.1E	155 FT	NO	Electric Pole
In circling area and at AD	POLE	221933.0N 0731304.5E	156 FT	NO	Electric Pole
In circling area and at AD	BUILDING	221932.0N 0731302.6E	140 FT	NO	Temple
In circling area and at AD	POLE	221936.8N 0731249.6E	160 FT	NO	Electric Pole
In circling area and at AD	BUILDING	221939.7N 0731253.7E	145 FT	NO	BUILDING
In circling area and at AD	TREE	221943.1N 0731257.7E	158 FT	NO	Tree
In circling area and at AD	POLE	221943.3N 0731258.1E	138 FT	NO	Light Pole
In circling area and at AD	NAVAID	222036.2N 0731355.7E	152 FT	NO	New Lightning Arrester Top (GP Monitor Antenna Lighted Top-46.1)
In circling area and at AD	NAVAID	222034.4N 0731353.8E	187 FT	NO	New Lightning Arrester Top (GP Main Antenna Lighted Top-56.4)
In circling area and at AD	NAVAID	222034.5N 0731353.7E	149 FT	NO	New DME (Co-Located With Glide Path) Antenna Lighted Top
In circling area and at AD	TREE	221944.0N 0731258.5E	168 FT	NO	Group Of Trees
In circling area and at AD	OTHER	221941.1N 0731303.8E	125 FT	NO	Approach Light
In circling area and at AD	BUILDING	221945.7N 0731300.1E	182 FT	NO	Old Terminal Building
In circling area and at AD	OTHER	221925.4N 0731104.7E	394 FT	NO	Microwave Tower (BSNL)
In circling area and at AD	OTHER	221908.1N 0731244.6E	214 FT	NO	Cellphone Mast On Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	221938.3N 0731307.7E	145 FT	NO	Antenna On Structure (Structure Top - 42.4 M)
In circling area and at AD	BUILDING	221936.3N 0731306.4E	146 FT	NO	Structure
In circling area and at AD	POLE	221935.8N 0731305.9E	154 FT	NO	Electric Pole
In circling area and at AD	OTHER	221947.9N 0731315.9E	145 FT	NO	WDI
In circling area and at AD	OTHER	221937.2N 0731310.9E	177 FT	NO	Flood Light Mast
In circling area and at AD	BUILDING	221944.1N 0731259.4E	140 FT	NO	Sintex Tank On Building (Building Top - 41.5 M)
In circling area and at AD	TREE	221946.9N 0731301.8E	152 FT	NO	Tree
In circling area and at AD	OTHER	221954.7N 0731303.9E	210 FT	NO	Highest Antenna ATC (ATC Top-59.8 M)
In circling area and at AD	POLE	221932.4N 0731304.6E	156 FT	NO	Light Pole
In circling area and at AD	POLE	221933.0N 0731303.5E	155 FT	NO	Light Pole
In circling area and at AD	TREE	221939.8N 0731252.9E	164 FT	NO	Group Of Trees
In circling area and at AD	SIGN	221938.3N 0731251.2E	159 FT	NO	Hoarding
In circling area and at AD	BUILDING	221930.5N 0731301.6E	156 FT	NO	Building
In circling area and at AD	OTHER	221921.7N 0731226.2E	221 FT	NO	Cellphone Mast
In circling area and at AD	OTHER	221947.6N 0731315.3E	128 FT	NO	Landing T
In circling area and at AD	BUILDING	221940.4N 0731254.4E	151 FT	NO	BUILDING
In circling area and at AD	POLE	221935.6N 0731306.0E	152 FT	NO	Electric Pole
In circling area and at AD	POLE	221935.5N 0731305.8E	154 FT	NO	Electric Pole
In circling area and at AD	POLE	221934.5N 0731305.3E	154 FT	NO	Electric Pole
In circling area and at AD	BUILDING	221933.8N 0731304.1E	158 FT	NO	Shed
In circling area and at AD	BUILDING	221906.3N 0731317.0E	284 FT	NO	Building U/C
In circling area and at AD	BUILDING	221903.9N 0731241.9E	218 FT	NO	Sintex Tank On Building (Building Top=64.7m)
In circling area and at AD	OTHER	222108.8N 0731345.3E	282 FT	NO	Cellphone Mast
In circling area and at AD	OTHER	222108.8N 0731359.5E	279 FT	NO	Cellphone Mast

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	222029.6N 0731347.1E	156 FT	NO	Group Of Trees
In circling area and at AD	FENCE	222031.6N 0731349.3E	139 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	POLE	222030.1N 0731349.5E	153 FT	NO	Light Pole
In circling area and at AD	POLE	222030.8N 0731350.5E	153 FT	NO	Light Pole
In circling area and at AD	POLE	222031.4N 0731351.4E	152 FT	NO	Light Pole
In circling area and at AD	POLE	222031.6N 0731351.6E	136 FT	NO	Light Pole
In circling area and at AD	NAVAID	222034.7N 0731354.7E	149 FT	NO	DME (Co-Located With Glide Path) Antenna
In circling area and at AD	NAVAID	222034.5N 0731355.0E	181 FT	NO	GP Main Antenna
In circling area and at AD	NAVAID	222036.3N 0731356.8E	145 FT	NO	GP Monitor Antenna
In circling area and at AD	POLE	222043.2N 0731400.8E	146 FT	NO	Light Pole
In circling area and at AD	POLE	222045.7N 0731403.1E	148 FT	NO	Light Pole
In circling area and at AD	POLE	222048.7N 0731405.9E	149 FT	NO	Light Pole
In circling area and at AD	OTHER	222036.8N 0731409.1E	154 FT	NO	Pole On Structure (Structure Top - 45.2 M)
In circling area and at AD	OTHER	222034.9N 0731407.2E	154 FT	NO	Pole On Structure (Structure Top - 45.1 M)
In circling area and at AD	BUILDING	222034.3N 0731408.4E	153 FT	NO	Structure
In circling area and at AD	BUILDING	222036.4N 0731410.5E	154 FT	NO	Structure
In circling area and at AD	POLE	222029.3N 0731401.3E	147 FT	NO	Light Pole
In circling area and at AD	BUILDING	222045.9N 0731424.2E	188 FT	NO	Sintex Tank On Building) Building Top - 55.8 M)
In circling area and at AD	OTHER	222134.5N 0731534.9E	300 FT	NO	H. T. Tower
In circling area and at AD	OTHER	222232.3N 0731515.5E	292 FT	NO	H. T. Tower
In circling area and at AD	FENCE	222031.5N 0731351.8E	139 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	OTHER	222034.7N 0731354.8E	150 FT	LGTD	Obstruction Light On GP Hut (GP Hut Top - 43.5 M)
In circling area and at AD	POLE	222036.2N 0731353.5E	145 FT	NO	Light Pole
In circling area and at AD	POLE	222040.2N 0731357.8E	145 FT	NO	Light Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	222042.1N 0731359.6E	150 FT	NO	Security Hut
In circling area and at AD	TREE	222056.5N 0731412.4E	166 FT	NO	Tree
In circling area and at AD	BUILDING	222037.4N 0731409.2E	146 FT	NO	Sintex Tank On Structure (Structure Top - 43.5 M)
In circling area and at AD	BUILDING	222035.6N 0731408.2E	144 FT	NIL	Structure
In circling area and at AD	OTHER	222029.8N 0731359.1E	157 FT	NIL	WDI
In circling area and at AD	FENCE	222044.8N 0731425.2E	217 FT	NO	Antenna On Comfort Inn (Building Top-63.9 M)
In circling area and at AD	OTHER	222137.0N 0731545.8E	322 FT	NIL	H. T. Tower
In circling area and at AD	OTHER	222137.0N 0731551.0E	322 FT	NIL	H. T. Tower
In circling area and at AD	OTHER	222138.4N 0731555.5E	310 FT	NIL	H. T. Tower
In circling area and at AD	POLE	222029.4N 0731348.6E	152 FT	NIL	Light Post
In circling area and at AD	POLE	222031.4N 0731350.7E	153 FT	NIL	Light Post
In circling area and at AD	BUILDING	222034.3N 0731353.6E	143 FT	NIL	New GP Hut
In circling area and at AD	SIGN	222032.2N 0731355.7E	134 FT	NIL	Sign Board
In circling area and at AD	ANTENNA	222026.1N 0731356.4E	161 FT	NIL	Met Antenna
In circling area and at AD	SIGN	222030.4N 0731357.5E	134 FT	NIL	Sign Board
In circling area and at AD	POLE	222026.3N 0731358.3E	146 FT	NIL	Light Post
In circling area and at AD	POLE	222028.1N 0731400.1E	147 FT	NIL	Light Post
In circling area and at AD	POLE	222029.8N 0731401.9E	147 FT	NIL	Light Post
In circling area and at AD	OTHER	221954.7N 0731304.0E	199 FT	NIL	ATC BEACON
In circling area and at AD	OTHER	222007.9N 0731339.6E	147 FT	NIL	Pole On Structure (Structure Top - 43.0 M)
In circling area and at AD	OTHER	222007.0N 0731339.0E	146 FT	NIL	Pole On Structure (Structure Top - 42.9 M)
In circling area and at AD	POLE	222013.8N 0731330.0E	139 FT	NIL	Light Pole
In circling area and at AD	FENCE	222016.6N 0731331.7E	171 FT	NIL	Antenna On Fire Station (Building Top - 50.2 M)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	222017.7N 0731333.4E	149 FT	NIL	E&M Workshop
In circling area and at AD	POLE	222018.1N 0731335.2E	140 FT	NIL	Light Pole
In circling area and at AD	OTHER	222021.4N 0731337.7E	150 FT	NIL	Disused Aircraft
In circling area and at AD	OTHER	222028.5N 0731342.9E	168 FT	NIL	Antenna On Watch Tower (Watch Tower Top - 49.0 M)
In circling area and at AD	FENCE	222027.2N 0731344.7E	139 FT	NIL	Airport Boundary Wall With Fencing On Top
In circling area and at AD	SIGN	221956.9N 0731318.5E	130 FT	NIL	Sign Board
In circling area and at AD	SIGN	221959.8N 0731319.0E	128 FT	NIL	Sign Board
In circling area and at AD	BUILDING	222000.7N 0731318.3E	132 FT	NIL	Temporary Security Hut
In circling area and at AD	SIGN	222004.2N 0731326.1E	130 FT	NIL	Sign Board
In circling area and at AD	POLE	222014.3N 0731330.7E	138 FT	NIL	Light Post
In circling area and at AD	SIGN	222011.1N 0731333.5E	130 FT	NIL	Sign Board
In circling area and at AD	SIGN	222018.5N 0731341.3E	132 FT	NIL	Sign Board
In circling area and at AD	SIGN	222024.0N 0731350.7E	133 FT	NIL	Sign Board
In circling area and at AD	SIGN	222016.7N 0731343.0E	131 FT	NIL	Sign Board
In circling area and at AD	SIGN	222009.5N 0731335.4E	130 FT	NIL	Sign Board
In circling area and at AD	SIGN	222002.3N 0731327.9E	130 FT	NIL	Sign Board
In circling area and at AD	BUILDING	221946.7N 0731543.1E	290 FT	NIL	Building
In circling area and at AD	OTHER	222134.3N 0731632.7E	397 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	222129.0N 0731615.0E	319 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	222134.2N 0731604.7E	305 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	222145.9N 0731613.2E	337 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	222137.1N 0731551.0E	322 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	222136.9N 0731545.8E	322 FT	NIL	Pylon Mast
In circling area and at AD	OTHER	222037.4N 0731203.6E	350 FT	NIL	Flag Post
In circling area and at AD	OTHER	221925.4N 0731104.7E	398 FT	NIL	Microwave Tower

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	222032.8N 0731457.4E	289 FT	NIL	Cellphone Mast
In circling area and at AD	OTHER	222042.6N 0731254.1E	311 FT	NIL	Hoarding On Building (Bldg Top=87.8m)
In circling area and at AD	OTHER	222038.8N 0731245.4E	323 FT	NIL	Hoarding On Building (Bldg Top=92.3m)

VABO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO MUMBAI
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO AHMEDABAD TAFs9 hourly valid 0000-0900, 0300-1200, 0600-1500, 0900-1800, 1200-2100, 1500-2400, 1800-0300& 2100-0600 UTC
4	Availability of the trend forecast for the aerodrome and interval of issuance	TREND forecast appended to each MET REPORT at every half an hour and to each SPECIAL as and when issued
5	Information on how briefing and/or consultation is provided	Yes. Through on-line briefing system.
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	(1) WAFC products Data for upper wind & temperature for levels (2) National charts for consultation only: Surface charts, synoptic upper air charts for levels ,prognostic upper air charts at constant pressure, prognostic significant weather chart, DWR products/ satellite imagery
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	DIWE
9	The air traffic services unit(s) provided with meteorological information	ATS VADODARA
10	Additional information, e.g. concerning any limitation of service.	(i) DCWIS only Frangible mast installed (ii) AWOS not installed (iii) email: ams_vadodara@rediffmail.com Telephone: 0265/2482228

VABO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
04	44.29 DEG	2466 x 45 M	53/F/B/W/T Asphalt	THR: 221946.57N 0731309.59E RWY END: 222039.05N 0731404.62E
22	224.29 DEG	2466 x 45 M	53/F/B/W/T Asphalt	THR: 222039.05N 0731404.62E RWY END: 221941.66N 0731304.44E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 127.0FT TDZ: 127.0FT	0.64%	NIL	NIL	2586 x 280 M
THR: 129.0FT TDZ: 131.0FT	-0.64%	NIL	NIL	2586 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M		NIL	Elevation in EGM 08
90M x 90M		NIL	Elevation in EGM 08

VABO AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
04	2466	2466	2466	2255	THR Displaced by 211M
22	2466	2466	2466	2466	

VABO AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
04	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	NIL
22	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2466 M 60 M White LIH	Red	NIL	MEHT 60 FT for B737 RWY 04/22
	2466 M 60 M White LIH	Red	NIL	NIL

VABO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, FLG W&G EV2SEC. As ATS
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	105M SE of ARP lighted.
		Anemometer	Over ATC Tower, unlighted
3	Taxiway edge and taxiway centre line lights;	Edge	All TWY
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power supply to all lighting at AD. Switch-over time: 15 SEC.	
5	Remarks	WDI OPR at a distance of 311 m from THR RWY22 longitudinally and 84.2 m laterally from RWY centreline on left side of RWY22.	

VABO AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	Not established

VABO AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 221948N 0731308E within a 15NM radius.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Vadodara Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	Vadodara Approach Control Unit is combined with Vadodara Aerodrome Control Tower.

VABO AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Vadodara Tower	118.325 MHZ	
APP	Vadodara Tower	122.350 MHZ	
TWR	Vadodara Tower	118.325 MHZ	
TWR	Vadodara Tower	122.350 MHZ	
ATIS	Vadodara Information	126.850 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1.Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	1.Main FREQ 2Functions of Approach Control Service provided by Aerodrome Control Tower
	AS ATS	SDBY Frequency
	As ATS	NIL

Logon address, as appropriate	Hours of operation	Remarks
	As ATS	NIL

VABO AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 22 CAT I	IVDD	110.500 MHz	As ATS
GP 22		329.600 MHz	As ATS
DME ILS 22	IVDD	CH42X	As ATS
DVOR/DME	QQZ	117.300 MHz CH120X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
221937.6N 0731300.2E			
222034.4N 0731353.8E			GLIDE ANGLE 3 DEG
222034.5N 0731353.7E	149 FT		Elevation in EGM-08
221958.1N 0731333.2E	154 FT		1.DMEcolocatedwithDVOR 2.Vertical datum: EGM08

VABO AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VABO AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VABO AD 2.22 FLIGHT PROCEDURES

NIL

VABO AD 2.23 ADDITIONAL INFORMATION

1.Threshold lights RWY22 (Precision Approach RWY CAT-I) Total no. of Lights 18 provided at an interval of 3M. between the rows of RWY edge lights at the extremity of RWY.
2. End lights RWY04: Total No. of lights 6 provided at the extremity of RWY22.
3. Doordarshan TV tower at 221736N 0731733E of height 577FT AMSL
4. Pylon Mast Details all parameter in M

S. No.	Elev / AMSL	Longitudinal Distance From THR RWY 22	Lateral Distance Right Side of Centreline	Lateral Distance Left Side of Centreline
1.	88.3	3380	280	-
2.	86.9	3475	595	-
3.	91.4	3080	-	20
4.	90.0	2915	-	300
5.	90.8	2970	-	660
6.	88.7	3885	980	-

5. Following procedure to be strictly followed for movement of aircraft on apron for operations:

i. Bay nos. 1 to 4 are power-in/push out bays suitable for A321/B739 or lesser type of aircraft.

ii. Bay nos. 5, 6 and 8 are power-in/power-out bays suitable for AT72 or lesser type of aircraft.

iii. At Bay no.7 if AT72 is parked it is power-in /power-out bay.

iv. At Bay no.7 if A321/B737 is parked, the aircraft shall enter as power-in and shall be pulled out to tug release point X2, from where it will start on idle power.

v. If Bay no.7 is used for A321, no aircraft can enter Bay no.6.

vi. Bay no.7 can be used for A321 subject to Bay no. 8 being vacant.

vii. When Bay no. 5 & 6 are in operation Bay no.4 will not be in operation and vice versa.

viii. Taxiway B and Taxiway C are to be used for arriving aircrafts to Bay no.1 to 8 and Taxiway D will be used for departing aircrafts from Bay no.1to 8.

ix. Aircraft parked on stand 1, 2, 3 and 4 will be pushed back to Point X1 and start engine.

x. Vehicular lanes in between aircrafts are indicated for guidance only and does not meet the mandatory clearance from the centre line of aircraft stand/Taxi lane. When aircraft is in operation, vehicular lane should not be used.

6. Coordinates of intersection of taxiway centreline with runway:

POINT	COORDINATES
A1	221940.1N 0731306.6E
A2	221944.4N 0731307.9E
B1	221944.7N 0731306.0E
C1	221946.5N 0731308.0E
D1	221951.2N 0731312.9E

E1	221956.3N 0731319.5E
F1	221945.2N 0731308.6E
G1	222011.2N 0731336.5E

7. Hot Spot Identified at Intersection of Parking Bay No. 2 and road leading to Gujarat Flying Club Hanger. Pilot to Exercise caution while taxi.
8. Following intersection Take Off Run Available (TORA):

RWY	From TWY Intersection	TORA (M)
RWY 04	TWY D	2084

VABO AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (02 October 2025)

2. Aircraft Parking/Docking Chart (02 October 2025)

3.Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 04 (02 October 2025)

4.Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 22 (02 October 2025)

5.)Aerodrome Obstacle Chart - Type B (02 October 2025)

6.ILS OR LOC Procedure RWY22 (27 NOV 2025)

7.VOR Procedure RWY 04(27 NOV 2025)

8.VOR Procedure RWY 22(27 NOV 2025)

9. RNP Y Procedure RWY 04(27 NOV 2025)

10. Coding Table - RNP Y Procedure RWY 04(27 NOV 2025)

11. RNP Y Procedure RWY 22(27 NOV 2025)

12. Coding Table - RNP Y Procedure RWY 22(27 NOV 2025)

VABO AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**