AD 2. AERODROMES

VOVZ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOVZ - VISAKHAPATNAM AIRPORT, VISAKHAPATNAM [INDIAN NAVY]

NOTE: Aeronautical Data and Aeronautical Information published here under is as provided by Indian Navy

VOVZ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	174320N 0831322E MAG. BRG. 120.17 DEG/480M from physical beginning of RWY10	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	Westerly direction and 10 km from city	
3	Aerodrome elevation and reference temperature	21 FT / 37.2 DEG C	
4	Magnetic variation, date of information and annual change	1.00 DEG W (2010) /0.0167 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	The Commanding Officer INS Dega, NAD Post Visakhapatnam-530009,	
		Telephone:	918331019180 918912856404 918912814530
		Fax:	(91) 8912856405
		AFS:	VOVZ ZTZX
		Email:	atcfpl-dega@navy.gov.in
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks		

VOVZ AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	H24
2	Custom and immigration	H24
3	Health and sanitation	H24
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET Briefing office	H24
7	Air Traffic Service	H24
8	Fuelling	H24
9	Handling	AIR INDIA/Respective operators
10	Security	CISF
11	De-icing	NIL
12	Remarks	Prior co-ordination mandatory for non-Scheduled operation.

VOVZ AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Domestic/International Air Cargo Terminal & Dedicated Cold storage
2	Fuel and Oil types	Aviation Turbine Fuel (ATF)
3	Fuelling facilities and capacity	BPCL, HPCL, IOCL
4	De-icing facilities	NIL

5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	Nil

VOVZ AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In and around Airport
2	Restaurant(s) at or in the vicinity of aerodrome	Aroon food services counters at SHA, check in area, city side canopy
3	Transportation possibilities	Prepaid taxi, OLA, Uber, WT cab services
4	Medical Facilities	Medical Inspection Room near arrival hall
5	Bank and post office at or in the vicinity of aerodrome	Banks: SBI Bank &ATM, Post Office available on city side
6	Tourist office	APTDC office available at visitor's Concourse Area
7	Remarks	Nil

VOVZ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	Respective Airline operator responsible for arranging required equipment (Co-ordinated by AAI)
4	Remarks	Nil

VOVZ AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VOVZ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	NIL
4	Location of VOR checkpoints	AT TWY N3: 174328.82N 0831328.72E AT TWY N4: 174329.78N 0831318.32E AT TWY S3: 174312.69N 0831330.43E, 16 FT
5	Position of INS checkpoints	NIL
6	Remarks	1. Non scheduled flights operating to/from Visakhapatnam Airport to obtain 24Hrs prior approval from Airport Director, AAI for parking in civil apron. 2. IAPP (Isolated Aircraft Parking Position connected through taxiway L2

VOVZ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance on R/T. Guidelines and ID signs on TWY and stands

2	Runway and taxiway markings and lights	RWY Markings : Designation, THR, TDZ, Aiming point, Centreline, Transverse & Side Stripe RWY Lights : THR, Edge, End TWY Marking : Centreline, Side Stripe,Holding position on all taxiways TWY Lights : Edge lights except Taxiways N1 & N2
3	Stop bars (if any)	NIL
4	Remarks	180 Deg turn on the RWY not permitted.Aircraft to turn only on concrete surface at the end of RWY.

VOVZ AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/TKOF 10/APCH	POLE	174330.7N 0831254.2E	45 FT	NIL	LIGHT POLE
28/TKOF 10/APCH	POLE	174332.7N 0831254.4E	45 FT	NIL	LIGHT POLE
28/TKOF 10/APCH	POLE	174333.8N 0831254.5E	45 FT	NIL	LIGHT POLE
28/TKOF 10/APCH	POLE	174334.3N 0831255.5E	45 FT	NIL	LIGHT POLE
28/TKOF 10/APCH	POLE	174334.2N 0831256.5E	46 FT	NIL	POLE
28/TKOF 10/APCH	POLE	174334.1N 0831257.5E	46 FT	NIL	LIGHT POLE
28/TKOF 10/APCH	POLE	174323.3N 0831255.4E	44 FT	NIL	LIGHT POLE
28/TKOF 10/APCH	NATURAL HIGHPOINT	174323.8N 0830941.5E	1025 FT	NIL	HILLTOP
23/TKOF 05/APCH	TREE	174251.9N 0831303.7E	45 FT	NIL	GROUP OF TREE
23/TKOF 05/APCH	TREE	174252.8N 0831301.5E	43 FT	NIL	GROUP OF TREE
23/TKOF 05/APCH	FENCE	174251.1N 0831300.9E	32 FT	NIL	AIRPORT BOUNDARY WALL WITH FENCING ON TOP
23/APCH 05/TKOF	TREE	174338.2N 0831359.6E	47 FT	NIL	GROUP OF TREE
23/APCH 05/TKOF	TREE	174340.3N 0831359.1E	41 FT	NIL	GROUP OF TREE
23/APCH 05/TKOF	OTHER	174342.6N 0831357.5E	36 FT	NIL	SHED
23/APCH 05/TKOF	POLE	174338.2N 0831351.4E	36 FT	NIL	LIGHT POLE
23/APCH 05/TKOF	POLE	174337.5N 0831350.9E	36 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174330.3N 0831311.4E	37 FT	NIL	POLE
In circling area and at AD	POLE	174332.5N 0831316.4E	38 FT	NIL	CAMERA POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	POLE	174334.4N 0831258.5E	42 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174333.9N 0831259.4E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174333.9N 0831300.3E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174322.6N 0831303.5E	44 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174322.5N 0831304.5E	44 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174322.7N 0831302.4E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174322.8N 0831301.5E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174322.9N 0831300.4E	46 FT	NIL	LIGHT POLE
In circling area and at AD	OTHER	174316.6N 0831442.1E	30 FT	LGTD	WDI
In circling area and at AD	NAVAID	174323.7N 0831443.7E	27 FT	NIL	GP MONITOR ANTENNA
In circling area and at AD	NAVAID	174323.9N 0831441.0E	65 FT	NIL	GP MAIN ANTENNA
In circling area and at AD	NAVAID	174323.9N 0831441.0E	53 FT	NIL	GP DME
In circling area and at AD	NAVAID	174323.8N 0831440.9E	26 FT	NIL	GP HUT
In circling area and at AD	OTHER	174324.6N 0831437.5E	21 FT	NIL	MET HUT
In circling area and at AD	OTHER	174324.6N 0831436.5E	36 FT	NIL	MET ANTENNA
In circling area and at AD	POLE	174324.3N 0831436.6E	20 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	174324.4N 0831435.6E	19 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	174317.1N 0831440.0E	32 FT	NIL	LIGHT POLE
In circling area and at AD	BUILDING	174437.0N 0831440.0E	232 FT	NIL	BUILDING
In circling area and at AD	OTHER	174439.5N 0831439.9E	265 FT	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	174438.3N 0831442.1E	232 FT	NIL	BUILDING
In circling area and at AD	OTHER	174438.4N 0831442.0E	249 FT	LGTD	CELLPHONE MAST
In circling area and at AD	NATURAL HIGHPOINT	174007.0N 0831511.0E	1170 FT	NIL	HILL TOP
In circling area and at AD	BUILDING	174302.1N 0831309.4E	27 FT	NIL	BUILDING
In circling area and at AD	OTHER	174302.2N 0831309.3E	29 FT	NIL	SINTEX
In circling area and at AD	TREE	174252.4N 0831306.7E	42 FT	NIL	GROUP OF TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	174252.2N 0831305.6E	42 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	174256.2N 0831300.5E	45 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	174255.5N 0831259.0E	53 FT	NIL	LIGHT POLE
In circling area and at AD	OTHER	174240.7N 0831257.0E	73 FT	NIL	SHED
In circling area and at AD	NATURAL HIGHPOINT	174007.0N 0831511.0E	1170 FT	NIL	HILLTOP
In circling area and at AD	BUILDING	174328.9N 0831348.8E	22 FT	NIL	BUILDING
In circling area and at AD	BUILDING	174329.0N 0831348.6E	23 FT	NIL	BUILDING
In circling area and at AD	TREE	174336.6N 0831359.4E	43 FT	NIL	TREE
In circling area and at AD	TREE	174344.4N 0831356.6E	52 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	174341.5N 0831353.0E	40 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174339.8N 0831352.3E	38 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174336.8N 0831350.2E	34 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174336.2N 0831349.4E	34 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.6N 0831348.8E	35 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.1N 0831348.1E	35 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.1N 0831347.2E	35 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.2N 0831346.3E	34 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.2N 0831345.4E	37 FT	NIL	LIGHT POLE
In circling area and at AD	SIGN	174333.6N 0831351.6E	17 FT	NIL	SIGNAGE BOARD
In circling area and at AD	SIGN	174335.4N 0831349.8E	16 FT	NIL	SIGNAGE BOARD
In circling area and at AD	SIGN	174326.2N 0831339.4E	17 FT	NIL	SIGN BOARD
In circling area and at AD	BUILDING	174437.0N 0831440.0E	232 FT	NIL	BUILDING
In circling area and at AD	OTHER	174439.5N 0831439.9E	265 FT	LGTD	CELLPHONE MAST
In circling area and at AD	BUILDING	174438.3N 0831442.1E	232 FT	NIL	BUILDING
In circling area and at AD	OTHER	174438.4N 0831442.0E	249 FT	LGTD	CELLPHONE MAST
In circling area and at AD	NATURAL HIGHPOINT	174534.2N 0831341.1E	1061 FT	NIL	HILLTOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	174555.4N 0831413.9E	1684 FT	NIL	HILLTOP
In circling area and at AD	OTHER	174319.9N 0831339.3E	32 FT	LGTD	WDI
In circling area and at AD	ANTENNA	174330.3N 0831311.4E	37 FT	NIL	ANTENNA ROD
In circling area and at AD	POLE	174332.5N 0831316.4E	38 FT	NIL	CAMERA POLE
In circling area and at AD	BUILDING	174328.9N 0831348.8E	22 FT	NIL	BUILDING
In circling area and at AD	BUILDING	174329.0N 0831348.6E	23 FT	NIL	BUILDING
In circling area and at AD	OTHER	174319.9N 0831339.3E	32 FT	LGTD	WDI
In circling area and at AD	POLE	174327.7N 0831353.2E	21 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	174327.9N 0831352.2E	21 FT	NIL	CAMERA POLE
In circling area and at AD	OTHER	174328.3N 0831352.8E	37 FT	NIL	MET DIRECTION POLE
In circling area and at AD	POLE	174315.9N 0831346.8E	88 FT	NIL	POLE
In circling area and at AD	POLE	174315.9N 0831346.9E	89 FT	NIL	POLE
In circling area and at AD	POLE	174316.0N 0831346.7E	87 FT	NIL	CAMERA POLE
In circling area and at AD	OTHER	174315.8N 0831346.7E	85 FT	NIL	BEACON
In circling area and at AD	POLE	174315.7N 0831346.7E	91 FT	NIL	POLE
In circling area and at AD	TREE	174318.8N 0831349.0E	39 FT	NIL	GROUP OF TREE
In circling area and at AD	BUILDING	174315.9N 0831346.6E	79 FT	NIL	ATC
In circling area and at AD	SIGN	174326.2N 0831339.4E	17 FT	NIL	SIGNAGE BOARD
In circling area and at AD	POLE	174332.7N 0831254.4E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174333.8N 0831254.5E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174334.3N 0831255.5E	44 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174334.2N 0831256.5E	44 FT	NIL	POLE
In circling area and at AD	POLE	174334.1N 0831257.5E	45 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174334.4N 0831258.5E	45 FT	NIL	LIGHT POLE
In circling area and at AD	OTHER	174324.6N 0831437.5E	39 FT	NIL	MET HUT
In circling area and at AD	POLE	174317.1N 0831440.0E	32 FT	NIL	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	NAVAID	174327.3N 0831410.9E	29 FT	NIL	DVOR CENTRE ANTENNA
In circling area and at AD	NAVAID	174327.5N 0831410.8E	24 FT	NIL	DVOR HUT
In circling area and at AD	NAVAID	174327.6N 0831411.0E	39 FT	NIL	DVOR DME
In circling area and at AD	OTHER	174327.7N 0831410.9E	41 FT	NIL	LIGHTNING ARRESTER
In circling area and at AD	OTHER	174327.4N 0831410.5E	36 FT	NIL	LIGHTNING ARRESTER
In circling area and at AD	NAVAID	174326.7N 0831414.1E	44 FT	NIL	DVOR MONITOR ANTENNA
In circling area and at AD	BUILDING	174302.1N 0831309.4E	27 FT	NIL	BUILDING
In circling area and at AD	SIGN	174302.2N 0831309.3E	29 FT	NIL	SINTEX
In circling area and at AD	TREE	174252.4N 0831306.7E	42 FT	NIL	GROUP OF TREES
In circling area and at AD	TREE	174252.2N 0831305.6E	42 FT	NIL	GROUP OF TREES
In circling area and at AD	TREE	174256.2N 0831300.5E	45 FT	NIL	GROUP OF TREES
In circling area and at AD	POLE	174255.5N 0831259.0E	53 FT	NIL	LIGHT POLE
In circling area and at AD	BUILDING	174328.9N 0831348.8E	22 FT	NIL	BUILDING
In circling area and at AD	BUILDING	174329.0N 0831348.6E	23 FT	NIL	BUILDING
In circling area and at AD	TREE	174336.6N 0831359.4E	43 FT	NIL	TREE
In circling area and at AD	TREE	174344.4N 0831356.6E	52 FT	NIL	GROUP OF TREES
In circling area and at AD	POLE	174341.5N 0831353.0E	40 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174339.8N 0831352.3E	38 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174336.8N 0831350.2E	34 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174336.2N 0831349.4E	34 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.6N 0831348.8E	35 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.1N 0831348.1E	35 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.1N 0831347.2E	35 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.2N 0831346.3E	34 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	174335.2N 0831345.4E	37 FT	NIL	LIGHT POLE
In circling area and at AD	SIGN	174333.6N 0831351.6E	17 FT	NIL	SIGNAGE BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	174335.4N 0831349.8E	16 FT	NIL	SIGNAGE BOARD
In circling area and at AD	OTHER	174319.9N 0831339.3E	32 FT	LGTD	WDI
In circling area and at AD	SIGN	174326.2N 0831339.4E	17 FT	NIL	SIGNAGE BOARD
In circling area and at AD	OTHER	174240.7N 0831257.0E	73 FT	NIL	SHED
In circling area and at AD	OTHER	174439.5N 0831439.9E	265 FT	LGTD	CELLPHONE MAST
In circling area and at AD	OTHER	174438.4N 0831442.0E	249 FT	LGTD	CELLPHONE MAST
In circling area and at AD	NATURAL HIGHPOINT	174007.0N 0831511.0E	1170 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	174534.2N 0831341.1E	1061 FT	NIL	HILL TOP
In circling area and at AD	NATURAL HIGHPOINT	174555.4N 0831413.9E	1684 FT	NIL	HILL TOP
In circling area and at AD	BUILDING	174330.3N 0831311.3E	27 FT	NIL	BUILDING

VOVZ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Meteorological Office INS Dega, Visakhapatnam
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	INS Dega / Meteorological office TAF which are valid for 09 and 30 Hour and the same is being issued at the interval of 0300 Hours.
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend Trend forecast issued with half hourly METARS. Updated every half an hour.
5	Information on how briefing and/or consultation is provided	H-24, Physical Briefings and sharing of data on AMSS Chennai.
6	Types of flight documentation supplied and language(s) used in flight documentation	Documentation, tabular and chart forms, Language: English.
7	Charts and other information displayed or available for briefing or consultation	Upper winds: FL010, FL020, FL030, FL050, FL070, FL100, FL140, FL180, FL 240, FL300, FL340, FL390, FL450 Significant weather: up to FL630 (AMSS Chennai).
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	64 KBPS land Line, IAAMS, Board Band Internet.
9	The air traffic services unit(s) provided with meteorological information	Visakhapatnam ATC
10	Additional information, e.g. concerning any limitation of service.	Nil

VOVZ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
05	47.81 DEG	1829 x 45 M	80/F/C/X/T Concrete/Asphalt	THR: 174254.49N 0831304.70E RWY END: 174334.44N 0831350.70E
23	227.81 DEG	1829 x 45 M	80/F/C/X/T Concrete/Asphalt	THR: 174334.44N 0831350.70E RWY END: 174254.49N 0831304.70E
10	94.87 DEG	3050 x 45 M	78/F/C/X/T Concrete/Asphalt	THR: 174327.59N 0831307.87E RWY END: 174319.16N 0831451.02E
28	274.87 DEG	3050 x 45 M	78/F/C/X/T Concrete/Asphalt	THR: 174319.16N 0831451.02E RWY END: 174327.59N 0831307.87E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 17.0FT TDZ: 17.0FT		NIL	NIL	1949 x 150 M
THR: 12.0FT TDZ: 14.0FT		NIL	NIL	1949 x 150 M
THR: 21.0FT TDZ: 21.0FT		NIL	NIL	3170 x 280 M
THR: 15.0FT TDZ: 15.0FT		NIL	NIL	3170 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
NIL	NIL	NIL	Slope of runway and associated stopway: 0.1% 0%
NIL	NIL	NIL	Slope of runway and associated stopway: 0.1% 0%

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	**12**	**13**	**14**
NIL	NIL	NIL	Slope of runway and associated stopway: -0.1% -0.3%
NIL	NIL	NIL	Slope of runway and associated stopway: -0.1% -0.3%

VOVZ AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	**2**	**3**	**4**	**5**	**6**
05	1829	1829	1829	1829	
23	1829	1829	1829	1829	
10	3050	3050	3050	3050	1. Only for VFR Operations 2. Obstacle on APP path (Narava Hill), between 270 to 312 DEG, 3.5 NM from ARP.
28	3050	3050	3050	3050	

VOVZ AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	**2**	**3**	**4**	**5**
05	NIL	NIL	PAPI LEFT/3.00 DEG	NIL
23	NIL	NIL	PAPI LEFT/3.00 DEG	NIL
10	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	NIL
28	CAT I 900 M LIH	Green	PAPI LEFT/3.00 DEG	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL
NIL	3050 M 60 M White LIH	Red	NIL	NIL
NIL	3050 M 60 M White LIH	Red	NIL	NIL

VOVZ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Top of ATC Tower, Flashing white and green every 2 sec
		IBN	Nil
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	70M south of RWY 10/28 abeam Middle Marker
		Anemometer	Top of ATC tower
3	Taxiway edge and taxiway centre line lights;	Edge	Blue, except N1 and N2
		Centre Line	Nil
4	Secondary power supply including switch-over time;	Secondary power supply for lighting at AD with UPS backup	
5	Remarks	Nil	

VOVZ AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	Nil

VOVZ AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	MCTR: Area bounded by lines joining points 175501N 0830604E; 174909N 0833937E then along the clockwise arc of a circle of 25NM radius centred on 174004N 0831510E to 180145N 0830159E to point of origin.
2	Vertical limits	5500 FT AMSL
3	Airspace classification	D

4	Call sign and language(s) of the air traffic services unit providing service;	Visakhapatnam Tower, English
5	Transition altitude	7000 FT
6	Hours of applicability	HO
7	Remarks	NIL

VOVZ AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
OTHER	Visakhapatnam Radio	6583.000 KHZ	
OTHER	Visakhapatnam Radio	8861.000 KHZ	
APP	Visakhapatnam Approach	119.700 MHZ	
TWR	Visakhapatnam Tower	123.500 MHZ	
ATIS	Visakhapatnam Information	126.400 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	H24	NIL
	H24	NIL
	H24	NIL
	HO	NIL
	H24	NIL

VOVZ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 28 CAT I	IVSA	111.100 MHz	H24
GP 28		331.700 MHz	H24
DME ILS 28	IVSA	CH48X	H24
DVOR/DME	VSP	116.600 MHz CH113X	H24
DVOR/DME	VVZ	114.000 MHz CH87X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
174328.4N 0831257.5E			1. Controlling Authority: AAI 2. LOC Azimuth coverage restricted to MS 35 DEG to PS 20DEG due to hills
174323.9N 0831440.9E			1. Controlling Authority: AAI 2. Glidepath angle: 3 Degree
174323.9N 0831441.0E	39 FT		1. Controlling Authority: AAI 2. DME collocated with GP 28 3. Vertical Reference System: EGM-08
174327.4N 0831410.5E	39 FT		
174007.8N 0831510.3E	1204 FT		1.ControllingAuthority:AAI 2. Vertical datum: EGM08

VOVZ AD 2.20 LOCAL AERODROME REGULATIONS

i. Only right-hand circuit for RWY 10 and left-hand circuit for RWY 28 is permitted.

ii. Only right-hand circuit for RWY 05 and left-hand circuit for RWY 23 is permitted.

VOVZ AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOVZ AD 2.22 FLIGHT PROCEDURES

NIL

VOVZ AD 2.23 ADDITIONAL INFORMATION

i. Military operation flying will take priority over the civil flight.

ii. Glider flying between 0030-0230 UTC daily.

iii. Caution for high hill around the airfield.

iv. Heavy Bird activity including migratory birds OBS in and around airfield FM one HR prior to one HR AFT SR and SS times. Pilot to exercise caution during landing and takeoff and flying WI circuit area.

v. Hydrogen filled balloons of size 141 cm with transmitters will be released between 2300-0100 UTC, 1100-1300 UTC and 1700-1900 UTC daily. Safety Height 30,000m, horizontal displacement is 120 kms with rate of ascent of 300m/min.

vi. Unmarked link road established between middle marker and marker 4 port side of RWY 28. Pilot to exercise caution while taxing landing and take-off.

vii. All outstation military aircraft planned to land at Visakhapatnam to contact OPS Authority and obtain positive clearance 24 hrs prior to departure from previous airfield.

viii. All sked non sked flights may be delayed due extensive military flying.

ix. All non-scheduled aircraft to obtain positive clearance before operation.

VOVZ AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking/Docking Chart - I
3. Aircraft Parking/Docking Chart - II
4. Aerodrome Obstacle Chart Type A (Operating limitations) RWY 10
5. Aerodrome Obstacle Chart Type A (Operating limitations) RWY 28
6. Instrument Approach Chart – ILS RWY 28 (13 June 2024)
7. Coding Table - ILS W Procedure RWY 28
8. Instrument Approach Chart – ILS W RWY 28
9. Instrument Approach Chart – VOR RWY 28 (13 June 2024)
10. Instrument Approach Chart – RNP Y RWY 28
11. Coding Table - RNP Y Procedure RWY 28

VOVZ AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3