

## Forkit (Full Stack) - README

This document provides an overview of the Food App, including instructions for usage, user credentials, API endpoints, and known issues.

### Overview

The Food App is a full-stack application allowing users to explore restaurants, add items to a cart, and place orders. Admin users can manage orders.

### Deployed URLs

Frontend: <https://food-app-z5dg.onrender.com>

Backend: <https://food-app-backend-zqmn.onrender.com/api>

### Test Credentials

- furiousNick@forkit.com / samuelFJackson
- brieLars@forkit.com / crappyMarvel
- chrisEvans@forkit.com / winterSoldier
- joshBrolin@forkit.com / snappyFinger
- chrisHems@forkit.com / heavyHammer
- travis@forkit.com / iVoiceThor

### Known Issue: Signup

The signup functionality is currently not fully working due to role validation mismatch. For testing, use the pre-provided credentials above.

### How to Use the App

1. Visit the frontend URL.
2. Login using one of the test credentials.
3. Browse restaurants and add items to cart.
4. Proceed to checkout and place order.
5. (Admin only) Visit Manage Orders to update or cancel orders.

### API Endpoints

Method	Endpoint	Description
POST	/auth/login	Login and receive a token.
GET	/restaurants	List all restaurants.
GET	/orders	Get orders for logged-in

		user.
POST	/orders	Create new order.
PATCH	/orders/:id	Cancel order (Admin/Manager only).
PATCH	/orders/:id/method	Update payment method (Admin only).
GET	/orders/all	List all orders (Admin only).