## **Al-Assisted Coding**

# Name:Vangapandla Koushik

Htno:2403A52004

TASK 1

## Task Description#1

## **Basic Docstring Generation**

- Write python function to return sum of even and odd numbers in the given list.
- Incorporate manual docstring in code with Google Style Use an AI-assisted tool (e.g., Copilot, Cursor AI) to generate a docstring describing the function.
- Compare the AI-generated docstring with your manually written one.

Expected Outcome#1: Students understand how AI can produce function-level documentation.

#### PROMPT:

Write a Python function that takes a list of integers and returns the sum of even and odd numbers separately. Add a doestring using Google-style format.

Manually written code:

```
def sum_even_odd(numbers):
                - The sum of odd numbers.
        even_sum = 0
        odd_sum = 0
        for num in numbers:
            if num % 2 == 0:
                even_sum += num
                odd_sum += num
        return even_sum, odd_sum
    # Take user input
    user_input = input("Enter a list of integers separated by spaces: ")
    numbers = list(map(int, user_input.strip().split()))
    even_sum, odd_sum = sum_even_odd(numbers)
    print(f"Sum of odd numbers: {odd_sum}")
₹ Enter a list of integers separated by spaces: 4 5 9 12 6 3 8
    Sum of even numbers: 30
    Sum of odd numbers: 17
```

## AI-generated Code:

```
Calculates the sum of even and odd numbers in a list.

Parameters:
    numbers (list): List of integers.

Returns:
    tuple: A tuple containing the sum of even numbers and the sum of odd numbers.

"""

even_sum = 0
odd_sum = 0
for num in numbers:
    if num % 2 == 0:
        even_sum += num
    else:
        odd_sum += num
return even_sum, odd_sum
```

## Comparison:

## Manual vs. AI Docstring

		AI-Generated (Typical
Aspect	Manual (Google Style)	
		Style)
		Follows a more generic
	Follows Google Style Guide	format, similar to NumPy or
	exactly	Sphinx style
Style Format		
A	Specifies list[int] for type	Uses list, without specifying
Argument	clarity	it's a list of integers
Type Info		
	Specifies tuple[int, int] an	nd.
Return Type	explains both elements	Id Just says tuple, and gives a
Detail	<b>F</b>	general description

## **OBSERVATION:**

The manual docstring is more detailed and follows the Google style guide, clearly specifying argument and return types. The AI-generated docstring is concise and understandable but lacks detailed type info and precise return value description. AI docstrings are useful for quick drafts but often need manual refinement for clarity and completeness. Overall, combining both can speed up documentation while maintaining quality.

TASK\_2

## Task Description#2

## **Automatic Inline Comments**

- Write python program for sru\_student class with attributes like name, roll no., hostel\_status and fee\_update method and display\_details method.
- Write comments manually for each line/code block
- Ask an AI tool to add inline comments explaining each line/step. Compare the AI-generated comments with your manually written one.

## Expected Output#2:

Students critically analyze AI-generated code comments.

#### PROMPT:

Write a Python class sru\_student with attributes name, roll\_no, and hostel\_status, and methods fee\_update() and display\_details().Add manual inline comments explaining each line of your code.Use an AI tool to generate automatic inline comments for the same code.Compare the two sets of comments and write a brief reflection discussing

#### MANUALLY WRITTEN CODE:

```
# Define the sru_student class
class sru_student:
          # Initialize the student with name, roll number, and hostel status
def __init__(self, name, roll_no, hostel_status):
             self.name = name  # Store the student's name
self.roll_no = roll_no  # Store the student's roll number
              self.hostel status = hostel status # Store the student's hostel status (Yes/No)
          # Update the fee payment status
def fee_update(self, status):
          def display_details(self):
    print(f"Name: {self.name}")  # Print student's name
    print(f"Roll Number: {self.roll_no}")  # Print student's roll number
    print(f"Hostel Status: {self.hostel_status}") # Print if student stays in hostel
    # Print fee status or 'Not updated' if fee_paid attribute does not exist
    print(f"Fee Paid: {getattr(self, 'fee_paid', 'Not updated')}")
     hostel_status = input("Enter hostel status (Yes/No): ") # Input hostel status as string
     # Create an instance of sru_student with the provided details
student = sru_student(name, roll_no, hostel_status)
     # Take user input for fee payment status
fee_input = input("Has the student paid the fee? (yes/no): ").strip().lower()
     # Convert user input to boolean value
fee_status = True if fee_input == "yes" else False
       # Update the fee payment status of the student
        student.fee_update(fee_status)
        # Display all student details including fee payment status
        student.display_details()
→
▼ Enter student name: vamshi
       Enter roll number: 2016
       Enter hostel status (Yes/No): yes
       Has the student paid the fee? (yes/no): yes
       Name: vamshi
       Roll Number: 2016
       Hostel Status: yes
       Fee Paid: True
```

#### **AI-GENERATED CODE:**

```
class sru_student:
        def __init__(self, name, roll_no, hostel_status):
            self.roll_no = roll_no # Assign student's roll number
            self.hostel_status = hostel_status # Assign hostel status
        def fee_update(self, status):
            self.fee_paid = status # Update fee payment status
        def display details(self):
            print(f"Hostel Status: {self.hostel_status}") # Print hostel status
print(f"Fee Paid: {getattr(self, 'fee_paid', 'Not updated')}") # Print fee status or default
    name = input("Enter student name: ") # Input name
    hostel_status = input("Enter hostel status (Yes/No): ") # Input hostel status
    student = sru_student(name, roll_no, hostel_status) # Create student object
    fee_input = input("Has the student paid the fee? (yes/no): ").strip().lower() # Input fee status
    fee status = True if fee input == "yes" else False # Convert input to boolean
    student.fee_update(fee_status) # Update fee status
    student.display_details() # Display student info
∰ Enter student name: vamshi
    Enter roll number: 2016
    Enter hostel status (Yes/No): yes
    Has the student paid the fee? (yes/no): yes
    Name: vamshi
    Roll Number: 2016
    Hostel Status: yes
    Fee Paid: True
```

#### **COMPARISON:**

Manual comments are more detailed and explain the purpose behind each line, making them easier to understand for beginners. AI-generated comments are shorter and focus on describing what the code does without much detail. While AI comments are quick and consistent, they may miss deeper explanations. Combining both approaches can help create clear and e icient documentation.

## **OBSERVATION:**

The sru\_student class e ectively models a student with attributes for name, roll number, and hostel status. It includes methods to update fee payment status and display all student details clearly. The use of getattr in display\_details handles cases where the fee status might not be updated yet. The code also incorporates user inputs for dynamic data entry, making it interactive and practical

TASK\_3

- Write a Python script with 3–4 functions (e.g., calculator: add, subtract, multiply, divide).
- Incorporate manual docstring in code with NumPy Style Use AI assistance to generate a module-level docstring + individual function docstrings.
- Compare the AI-generated docstring with your manually written one.

## Expected Output#3:

Students learn structured documentation for multi-function scripts PROMPT:

Write a Python script with four calculator functions: add, subtract, multiply, and divide.

Add manual docstrings to each function using the NumPy style. Then generate a module-level docstring and function docstrings using AI. Finally, compare the manual and AI-generated docstrings.

## MANUALLY WRITTEN CODE:

```
def multiply(a, b):
    """
    Multiply two numbers.

Parameters
    a: float
    First number.

b: float
    Second number.

Returns
    product of a and b.
    """
    return a * b

def divide(a, b):
    """
    Divide first number by second number.

Parameters
    a: float
    Numerator.
    b: float
    Denominator.

Returns
    float
    Quotient of a and b.

Raises
    """
ValueError
    If b is zero.
    """
If b is zero.
```

2

```
def add(a, b):
   Add two numbers.
   Parameters
   return a + b
def subtract(a, b):
```

```
if b == 0:
             raise ValueError("Cannot divide by zero.")
         return a / b
    # Example usage (optional)
    if __name__ == "__main__":
        x = float(input("Enter first number: "))
        y = float(input("Enter second number: "))
         print(f''\{x\} + \{y\} = \{add(x, y)\}'')
         print(f''\{x\} - \{y\} = \{subtract(x, y)\}'')
         print(f''\{x\} * \{y\} = \{multiply(x, y)\}'')
         try:
             print(f''\{x\} / \{y\} = \{divide(x, y)\}'')
         except ValueError as e:
             print(e)
→ Enter first number: 3
    Enter second number: 5
    3.0 + 5.0 = 8.0
    3.0 - 5.0 = -2.0
    3.0 * 5.0 = 15.0
    3.0 / 5.0 = 0.6
```

AI-GENERATED CODE:

```
def main():
        and perform calculator operations.
        try:
            a = float(input("Enter the first number: "))
            b = float(input("Enter the second number: "))
        except ValueError:
            print("Invalid input. Please enter numeric values.")
            return
        print(f"Sum: {add(a, b)}")
        print(f"Difference: {subtract(a, b)}")
        print(f"Product: {multiply(a, b)}")
            print(f"Quotient: {divide(a, b)}")
        except ValueError as err:
            print(err)
    if name == " main ":
        main()
→ Enter the first number: 4
    Enter the second number: 5
    Sum: 9.0
    Difference: -1.0
    Product: 20.0
    Quotient: 0.8
```

#### **COMPARISON:**

- The manual docstrings use NumPy style with detailed sections like Parameters and Returns.
- The AI-generated docstrings follow a simpler, more compact style closer to the Google or Sphinx style, with Args and Returns.
- Both clearly explain function purpose, inputs, outputs, and errors. ☐ Manual docstrings are more structured; AI docstrings are more concise.

#### **OBSERVATION:**

The manual input code is simple and easy to understand but lacks error handling for invalid inputs. The AI-generated code adds input validation and organizes the logic inside a main() function, making it more robust and maintainable. Overall, the AI version improves user experience and code structure without adding much complexity.