GSE181919 | T Cell Subclusters




GSE181919 | T Cells by Tissue Type
umap_2
umap_1
10
5
0
-5
-10
-10
-5
0
5
CA
LN
LP
NL


GSE181919 | T Cells by HPV Status
10
5
0
-5
-10
umap_2
-10
-5
0
5
umap_1
HPV-
HPV+


CD8A
CD4
FOXP3
IL2RA
PDCD1
HAVCR2
LAG3
TIGIT
CTLA4
TCF7
GZMB
PRF1
MKI67


Exhausted_UCell
0.75
0.50
0.25
0.00
Effector_UCell
0.75
0.50
0.25
0.00
Naive_Memory_UCell
0.8
0.6
0.4
0.2
0.0
Treg_UCell
0.8
0.6
0.4
0.2
0.0
Progenitor_Tex_UCell
0.6
0.4
0.2
0.0


GSE181919 | T Cell State Scores: HPV+ vs HPV– (CA only)
Effector
Exhausted
Naive_Memory
Progenitor_Tex
Treg
UCell Score
HPV Status
HPV-
HPV+
****
***
1.00
0.75
0.50
0.25
0.00
0.6
0.4
0.2
0.0

GSE181919 | T Cell State Scores Across Disease Progression
Effector
Exhausted
Naive_Memory
Progenitor_Tex
Treg
Tissue Type
LN
CA
LP
NL
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
UCell Score
Tissue Type
NL
LP
CA
LN


GSE181919 | T Cell States
umap_2
umap_1
10
5
0
-5
-10
-10
-5
0
5
Naive_Memory
Effector
Progenitor_Tex
Exhausted
Treg
Effector
Exhausted
Naive_Memory
Progenitor_Tex
Treg


GSE181919 | T Cell State Proportions: HPV+ vs HPV– (CA only)
100%
75%
50%
25%
0%
Proportion (%)
HPV-
HPV+
HPV Status
T Cell State
Effector
Exhausted
Naive_Memory
Progenitor_Tex
Treg


GSE181919 | T Cell State Proportions Across Progression
100%
75%
50%
25%
0%
Proportion (%)
NL
LP
CA
LN
Tissue Type
T Cell State
Effector
Exhausted
Naive_Memory
Progenitor_Tex
Treg


GSE181919 | Exhaustion Markers per T Cell State
CXCR5
SLAMF6
TOX
IKZF2
IL2RA
FOXP3
IL7R
SELL
CCR7
TCF7
GZMA
IFNG
PRF1
GZMB
TIGIT
LAG3
HAVCR2
PDCD1
Gene
Effector
Exhausted
Naive_Memory
Progenitor_Tex
Treg
T Cell State
Percent Expressed
20
40
60
80
Average Expression
1
0
-1