

Lab 8: Creating a cyber world

Screenshots:



FTP/Web

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

FTP

Service

On

Off

User Setup

Username

Password

Write

Read

Delete

Rename

List

	Username	Password	Permission
1	bob	cisco123	RWDNL
2	cisco	cisco	RWDNL
3	mary	cisco123	RWDNL
4	mike	cisco123	RWDNL

Add

Save

Remove

File

16

c2950-i6q4i2-mz.121-22.EA4.bin

17

c2950-i6q4i2-mz.121-22.EA8.bin

18

c2960-lanbase-mz.122-25.FX.bin

19

c2960-lanbase-mz.122-25.SEE1.bin

20

c2960-lanbasek9-mz.150-2.SE4.bin

21

c3560-advipservicesk9-mz.122-37.SE1.bin

22

c3560-advipservicesk9-mz.122.46.SE.bin

Remove

Top

Email/DNS

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DNS

DNS Service

On

Off

Resource Records

NameType

A Record

Address

Add


Save


Remove

No.	Name	Type	Detail
0	email.cisco.corp	A Record	10.44.1.253
1	www.cisco.corp	A Record	10.44.1.254

DNS Cache

Top





Email/DNS

Physical

Config

Services

Desktop

Programming

Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

EMAIL

SMTP Service

ON

OFF

POP3 Service

ON

OFF

Domain Name: cisco.corp

Set

User Setup

User

Password

phil

sally

bob

dave

mary

mike

tim


+

-

Change

Password

Top



NTP/AAA

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

NTP

Service

Authentication

Enable

Disable

Key: 1


Password: cisco123

February, 2020

08:14:04PM

Mon	Tue	Wed	Thu	Fri	Sat	Sun
27	28	29	30	31	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	1
2	3	4	5	6	7	8

Top



Explanation:

In this lab, I worked on building a small cyber world in Packet Tracer by setting up a bunch of essential servers. I started with the FTP/Web server at the Metropolis Bank HQ — turned on the FTP service and created accounts for bob, mary, and mike, all with the password “cisco123” and full access. After that, I enabled both HTTP and HTTPS on the same server. When I tested it from Sally’s PC, I could open the website using the IP address but not the domain name, which made sense because DNS wasn’t working yet. So next, I jumped into the Email/DNS server, switched on the DNS service, and added A records for www.cisco.corp and email.cisco.corp. After that, the domain finally started working. Then I set up the email server by turning on SMTP and POP3, created user accounts, and configured email settings for Sally and Bob — everything worked once the credentials were added. Moving on, I went to the NTP/AAA server, enabled the NTP service, and added authentication using a key and password. Finally, I set up the AAA service, added the HQ router as a client, and created an admin user for authentication. Overall, it felt like I was putting together the foundation of a secure and functional network, piece by piece.

Email/DNS

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

EMAIL

SMTP Service

☒ ON☐ OFF

POP3 Service

☒ ON☐ OFF

Domain Name: cisco.corp

Set

User Setup

User

Password

phil

sally

bob

dave

mary

mike

tim

+

-

Change

Password

☐ Top