

Course APIs

1. Create Course

- Endpoint: POST /course
- Description: Creates a new course record.

Sample Request Body:

JSON

```
{  
  "name": "Introduction to Business Management",  
  "fee": 375.50,  
  "lecturerId": "lec_18B",  
  "lecturerName": "Prof. Samuel Chen"  
}
```

Sample Success Response (201 Created):

JSON

```
{  
  "id": "YlekKaBmI94xQ5nKD9R5",  
  "name": "Introduction to Business Management",  
  "fee": 375.50,  
  "lecturerId": "lec_18B",  
  "lecturerName": "Prof. Samuel Chen"  
}
```

2. Get All Courses

- Endpoint: GET /courses
- Description: Retrieves a list of all courses.

Sample Success Response (200 OK):

JSON

```
[  
  {  
    "id": "YlekKaBmI94xQ5nKD9R5",  
    "name": "Introduction to Business Management",  
    "fee": 325.5,  
    "lecturerId": "lec_18C",
```

```
    "lecturerName": "Prof. Amal Chen"
  },
  {
    "id": "tDFIAJJ6MfmufIv0n4oV",
    "name": "Data Structures and Algorithms",
    "fee": 450.00,
    "lecturerId": "lec_21A",
    "lecturerName": "Dr. Evelyn Reed"
  }
]
```

3. Get Course by ID

- Endpoint: GET /course/{courseId}
- Description: Retrieves a single course by its unique ID.

Sample Success Response (200 OK):

JSON

```
{
  "id": "tDFIAJJ6MfmufIv0n4oV",
  "name": "Data Structures and Algorithms",
  "fee": 450.00,
  "lecturerId": "lec_21A",
  "lecturerName": "Dr. Evelyn Reed"
}
```

4. Update Course

- Endpoint: PUT /course
- Description: Updates an existing course's details.

Sample Request Body:

JSON

```
{
  "id": "YIekKaBmI94xQ5nKD9R5",
  "name": "Introduction to Business Management",
  "fee": 325.5,
  "lecturerId": "lec_18C",
}
```

```
    "lecturerName": "Prof. Amal Chen"  
  }  
}
```

Sample Success Response (200 OK):

JSON

```
{  
  "id": "YlekKaBmI94xQ5nKD9R5",  
  "name": "Introduction to Business Management",  
  "fee": 325.5,  
  "lecturerId": "lec_18C",  
  "lecturerName": "Prof. Amal Chen"  
}
```

5. Delete Course

- Endpoint: DELETE /course/{courseId}
- Description: Deletes a course by its ID.

Sample Success Response (200 OK):

Plaintext

"Successfully deleted course with ID: tDFIAJJ6Mfmufiv0n4oV"

Student APIs

1. Create Student

- Endpoint: POST /student
- Description: Creates a new student record.

Sample Request Body:

JSON

```
{  
  "title": "Mr.",  
  "name": "David Silva",  
  "address": "8 Beach Street",  
  "city": "Galle",  
  "courseId": "YlekKaBmI94xQ5nKD9R5"  
}
```

Sample Success Response (201 Created):

JSON

```
{
  "id": "gPX8ZGzHIWj9Rbeoq1Cb",
  "title": "Mr.",
  "name": "David Silva",
  "address": "8 Beach Street",
  "city": "Galle",
  "courseId": "YlekKaBMI94xQ5nKD9R5"
}
```

2. Get All Students

- Endpoint: GET /students
- Description: Retrieves a list of all students.

Sample Success Response (200 OK):

JSON

```
[
  {
    "id": "gPX8ZGzHIWj9Rbeoq1Cb",
    "title": "Ms.",
    "name": "Fatima Zahra",
    "address": "21 Main street",
    "city": "Jaffna",
    "courseId": "YlekKaBMI94xQ5nKD9R5"
  },
  {
    "id": "g4vAY2sFpwlTpE2rJOKw",
    "title": "Mr.",
    "name": "Arun Kumar",
    "address": "15 Galle Road",
    "city": "Colombo",
    "courseId": "tDFIAJJ6MfmufIvOn4oV"
  }
]
```

3. Get Student by ID

- Endpoint: GET /student/{studentId}
- Description: Retrieves a single student by their unique ID.

Sample Success Response (200 OK):

JSON

```
{
  "id": "g4vAY2sFpwITpE2rJ0Kw",
  "title": "Mr.",
  "name": "Arun Kumar",
  "address": "15 Galle Road",
  "city": "Colombo",
  "courseId": "tDFIAJJ6Mfmuflv0n4oV"
}
```

4. Update Student

- Endpoint: PUT /student
- Description: Updates an existing student's details.

Sample Request Body:

JSON

```
{
  "id": "gPX8ZGzHIWj9Rbeoq1Cb",
  "title": "Ms.",
  "name": "Fatima Zahra",
  "address": "21 Main street",
  "city": "Jaffna",
  "courseId": "YlekKaBmI94xQ5nKD9R5"
}
```

Sample Success Response (200 OK):

JSON

```
{
  "id": "gPX8ZGzHIWj9Rbeoq1Cb",
  "title": "Ms.",
  "name": "Fatima Zahra",
}
```

```
"address": "21 Main street",  
"city": "Jaffna",  
"courseId": "YlekKaBmI94xQ5nKD9R5"  
}
```

5. Delete Student

- Endpoint: DELETE /student/{studentId}
- Description: Deletes a student by their ID.

Sample Success Response (200 OK):

Plaintext

"Successfully deleted student with ID: jZNhuAj3gPgb9ADxQUb2"