

In Week 4, I worked with AWS Organizations by creating a new account, setting up an organization, inviting a member account, and enforcing governance using SCPs. I also created and deleted an Amazon EKS cluster with EC2 worker nodes, gaining hands-on experience in account management and container orchestration.


1.)Create a new aws account




Click on Create a new AWS account




Enter Email and account name and click on Verify email address




Verification code (This code will expire 10 minutes after it was sent) sent to your registered email , Enter code and verify




Set a password for new root account (Step1/5)




after create password, Select free tier plan for 6 months and enter your details(Step2/5)




After fill the credit card or UPI details. I choose UPI(Step 3/5)





Verify and approve autopay in UPI App




After Verification fill the identity form(step4/5)






AWS Console - Signup
AWS Console - Signup
portal.aws.amazon.com/billing/signup#/identityverification
Student Feedback F...
Dashboard - PT OR...
Install and configur...
Course: Decoding D...
Course: Ultimate A...
AWS Skill Builder
7 Tips for Writing B...
All Bookmarks
How is your experience?
Provide Feedback
Language
English
aws
Sign up for AWS
Confirm your identity
Before you can use your AWS account, you must verify your phone number. When you continue, the AWS automated system will contact you with a verification code.
Country or region code
India (+91)
Mobile phone number
Send SMS (step 4 of 5)
Privacy Policy | Terms of Use | Cookie Preferences | Sign Out
Amazon Web Services, Inc. or its affiliates. All rights reserved.


aws
Sign up for AWS
Confirm your identity
Verify code
4541
Continue (step 4 of 5)
Having trouble? Sometimes it takes up to 10 minutes to retrieve a verification code. If it's been longer than that, return to the previous page and try again.
Privacy Policy | Terms of Use | Cookie Preferences | Sign Out
Amazon Web Services, Inc. or its affiliates. All rights reserved.




after verification account created successfully. Now we can signin using root user Check email and enter verification code root user







Check email and enter verification code




Set MFA(**Registering your MFA for root credentials will be required in 35 days**)for new account




Scan QR code in authenticator app. Enter Code from authenticator app



MFA successfully activated in new acoount




New AWS account consule successfully login





2.)Create an Organization in your existing account

I have already another AWS account i will login on existing account




Create an **Organization**






Now account becomes the **Management Account**





3.)Send an invite to ur account created in step 1 to join the organization

AWS Organizations → Accounts → Add on AWS account





Choose **Invite existing account ,** Enter **email ID of new account,** Send invite .







Login to **new account ,** Accept the invitation


Search
[Alt+S]
Global
AWS Organizations > Invitations
AWS Organizations
Invitations
Invitations
Invitation from [redacted]@gmail.com
Decline invitation
Accept invitation
Review invitation details below.
The organization with the following details invites your AWS account to become a member of the organization. This organization has all features enabled and can assume full control of your account.
Management account name
KOWSALYA R
Management account email address
[redacted]@gmail.com
Organization ID
[redacted]
Notes
Invite from admin team
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms



Search
[Alt+S]
Global
AWS Organizations > Invitations
AWS Organizations
Invitations
Invitations
Invitation from [redacted]@gmail.com
Decline invitation
Accept invitation
Review invitation details below.
The organization with the following details invites your AWS account to become a member of the organization. This organization has all features enabled and can assume full control of your account.
Management account name
KOWSALYA R
Accept invitation
Accepting moves your account to the organization owned by KOWSALYA R. If your account is currently part of an organization, your access and visibility to that organization will be removed.
Cancel
Accept invitation
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences





After accept Member account will be added in Organization Acc.




Developer OU create and move to Developer team into OrganizationUnit(Organizational units (OUs) enable you to group several accounts together and administer them as a single unit instead of one at a time)



Search
[Alt+S]
Global
KOWSALYA R
AWS Organizations > AWS accounts
AWS Organizations
AWS accounts
Invitations
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
AWS accounts
Add an AWS account
The accounts listed below are members of your organization. The organization's management account is responsible for paying the bills for all accounts in the organization. You can use the tools provided by AWS Organizations to centrally manage these accounts. Learn more
Organization
Actions
Organizational units (OUs) enable you to group several accounts together and administer them as a si
Search by name, email, account ID or OU ID.
Organizational structure
Root
r-s7ga
DeveloperTeam
@gmail.com
KOWSALYA R
management account
Joined 2026/02/02
Organizational unit
Create new
Rename
Delete
AWS account
Move
Close
Remove from organization
Export account list
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Global
KOWSALYA R
AWS Organizations > AWS accounts > Root > Create organizational unit
AWS Organizations
AWS accounts
Invitations
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
Details
Organizational unit name
Developer-OU
An OU name can be up to 128 characters.
Tags
Tags are key-value pairs that you can add to AWS resources to help identify, organize, and secure your AWS resources.
No tags are associated with the resource.
Add tag
You can add 50 more tags.
Cancel
Create organizational unit
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Global
KOWSALYA R
AWS Organizations > AWS accounts
AWS Organizations
AWS accounts
Invitations
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
The accounts listed below are members of your organization. The organization's management account is responsible for paying the bills for all accounts in the organization. You can use the tools provided by AWS Organizations to centrally manage these accounts. Learn more
Organization
Actions
Organizational units (OUs) enable you to group several accounts together and administer them as a si
Search by name, email, account ID or OU ID.
Organizational structure
Root
r-s7ga
Developer-OU
DeveloperTeam
gmail.com
Organizational unit
Create new
Rename
Delete
AWS account
Move
Close
Remove from organization
Export account list
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


AWS Organizations > AWS accounts > Root > DeveloperTeam > Move AWS account
KOWSALYA R
AWS Organizations
AWS accounts
Invitations
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
Successfully created organizational unit 'Developer-OU'.
Move AWS account 'DeveloperTeam'
When you move an AWS account from one organization unit (OU) to another, it changes the policies that apply to the account. This can change the permissions for the account and how supported AWS services can interact with the account. Learn more
AWS account to be moved
Account name
Account ID
Email
DeveloperTeam
[redacted]gmail.com
Destination
Select root or organizational unit that account should be moved to.
Organizational structure
Root
[redacted]
Developer-OU
[redacted]
Cancel
Move AWS account
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


AWS Organizations > AWS accounts
AWS Organizations
AWS accounts
Invitations
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
Successfully moved the AWS account 'TestTeam' to the organizational unit 'DevOps-OU'.
AWS accounts
Add an AWS account
The accounts listed below are members of your organization. The organization's management account is responsible for paying the bills for all accounts in the organization. You can use the tools provided by AWS Organizations to centrally manage these accounts. Learn more
Organization
Actions
Organizational units (OUs) enable you to group several accounts together and administer them as a single unit instead of one at a time.
Search by name, email, account ID or OU ID
Hierarchy
List
Account created/joined date
Rename organizational unit
New name of organizational unit
DevOps-OU
The OU name can have up to 128 characters.
Cancel
Save changes
DeveloperTeam
[redacted]
Joined 2026/02/02
TestTeam
Closed
[redacted]
Created 2026/02/02
KOWSALYA R
management account
[redacted]
Joined 2026/02/02
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences




4.)Apply a scp to the member account to make it compulsory to add tags




AWS Organizations → Policies → SCPs







Enable service control Policy



Create Policy







Policy Note:


```
{
 "Version": "2012-10-17",
 "Statement": [
  {
   "Sid": "DenyIfNoTags",
   "Effect": "Deny",
   "Action": [
    "ec2:RunInstances"
   ],
```


```
    "Resource": "*",
    "Condition": {
     "Null": {
       "aws:RequestTag/Project": "true"
     }
    }
  }
 ]
}
```



Attach SCP to **member account(Devops-OU)**


Search
[Alt+S]
Ask Amazon Q
Global
KOWSALYA R
AWS Organizations > Policies > Service control policies
AWS Organizations
AWS accounts
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
Service control policies
Disable service control policies
Service control policies (SCPs) offer central control over the maximum available permissions for IAM users and IAM roles in an organization. Learn more
Available policies
Actions
Create policy
Attach policy
Delete policy
Name
Kind
Description
FullAWSAccess
AWS managed policy
Allows access to every operation
SCP to Require Tags
Customer managed policy
If a required tag is missing deny resource creation
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Ask Amazon Q
Global
KOWSALYA R
AWS Organizations > Policies > Service control policies > SCP to Require Tags > Attach a policy
AWS Organizations
AWS accounts
Multi-party approval
Services
Policies
Settings
Get started
Organization ID
o-qn39ppdvnp
Attach SCP to Require Tags to one or more targets
AWS Organization
Organizational units (OUs) enable you to group several accounts together and administer them as a single unit instead of one at a time.
Search by name, email, account ID or OU ID.
Hierarchy
List
Organizational structure
Account created/joined date
Root
r-s7ga
DevOps-OU
DeveloperTeam
[redacted]@gmail.com
Joined 2026/02/02
TestTeam
Closed
[redacted]@gmail.com
Created 2026/02/02
KOWSALYA R
management account
[redacted]@gmail.com
Joined 2026/02/02
Cancel
Attach policy
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Now EC2 **cannot be created without required tags**

5.) Remove/Exit the member account from the organization


To detach the account from centralized management. AWS Organizations → Accounts → Select member(DeveloperTeam) account → Click **Remove from organization**



Member account exits the organization


OR


from Member Account(Login DeveloperTeam account): Go to **AWS Organizations** Click **Leave organization**




6) Create an EKS Cluster and Add 2 EC2 Nodes


Go to **EKS** → Click **Create cluster , Name:** MyCluster, **Kubernetes Vers:** Default, **Cluster IAM role: Click Create recommended role**







Click Create recommended role, Select **AWS service,** Use case → **EKS,** Select **EKS – Auto Cluster,** **Rolename:** AmazonEKSAutoClusterRole **Create role**





Search
[Alt+S]
Global
KOWSALYA R (9435-5314-3629)
luckycharm
IAM > Roles > Create role
Use case
Allow an AWS service like EC2, Lambda, or others to perform actions in this account.
Service or use case
EKS
Choose a use case for the specified service.
Use case
EKS - Service
Allows EKS to manage clusters on your behalf.
EKS - Cluster
Allows the cluster Kubernetes control plane to manage AWS resources on your behalf.
EKS - Nodegroup
Allow EKS to manage nodegroups on your behalf.
EKS - Fargate pod
Allows access to other AWS service resources that are required to run Amazon EKS pods on AWS Fargate.
EKS - Fargate profile
Allows EKS to run Fargate tasks.
EKS - Connector
Allows access to other AWS service resources that are required to connect to external clusters
EKS Local - Outpost
Allows Amazon EKS Local to call AWS services on your behalf.
EKS - Pod Identity
Allows pods running in Amazon EKS cluster to access AWS resources.
EKS - Auto Cluster
Allows access to other AWS service resources that are required to operate Auto Mode clusters managed by EKS.
EKS - Auto Node
Allows EKS nodes to connect to EKS Auto Mode clusters and to pull container images from ECR.
EKS - Capabilities
Allows management of EKS Capabilities on your EKS clusters.
Cancel
Next
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Global
KOWSALYA R (9435-5314-3629)
luckycharm
IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Add permissions Info
Permissions policies (5) Info
The type of role that you selected requires the following policy.
Policy name
Type
AmazonEKSBlockStoragePolicy
AWS managed
AmazonEKSClusterPolicy
AWS managed
AmazonEKSComputePolicy
AWS managed
AmazonEKSLoadBalancingPolicy
AWS managed
AmazonEKSNetworkingPolicy
AWS managed
Set permissions boundary - optional
Cancel
Previous
Next
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences





Refresh button on Cluster IAM Role, select created role


Node IAM Role: Click Create recommended role, Select **AWS service,** Use case → **EKS,** Select **EKS – Auto Node,** Rolename:AmazonEKSAutoNoderRole **Create role**


Search
[Alt+S]
Global
KOWSALYA R (9435-5314-3629)
luckycharm
IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Select trusted entity Info
Trusted entity type
AWS service
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
AWS account
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
Web identity
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
SAML 2.0 federation
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
Custom trust policy
Create a custom trust policy to enable others to perform actions in this account.
Use case
Allow an AWS service like EC2, Lambda, or others to perform actions in this account.
Service or use case
EKS
Choose a use case for the specified service.
Use case
EKS - Service
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Global
KOWSALYA R (9435-5314-3629)
luckycharm
IAM > Roles > Create role
EKS
Choose a use case for the specified service.
Use case
EKS - Service
Allows EKS to manage clusters on your behalf.
EKS - Cluster
Allows the cluster Kubernetes control plane to manage AWS resources on your behalf.
EKS - Nodegroup
Allow EKS to manage nodegroups on your behalf.
EKS - Fargate pod
Allows access to other AWS service resources that are required to run Amazon EKS pods on AWS Fargate.
EKS - Fargate profile
Allows EKS to run Fargate tasks.
EKS - Connector
Allows access to other AWS service resources that are required to connect to external clusters
EKS Local - Outpost
Allows Amazon EKS Local to call AWS services on your behalf.
EKS - Pod Identity
Allows pods running in Amazon EKS cluster to access AWS resources.
EKS - Auto Cluster
Allows access to other AWS service resources that are required to operate Auto Mode clusters managed by EKS.
EKS - Auto Node
Allows EKS nodes to connect to EKS Auto Mode clusters and to pull container images from ECR.
EKS - Capabilities
Allows management of EKS Capabilities on your EKS clusters.
Cancel
Next
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Add permissions Info
Permissions policies (2) Info
The type of role that you selected requires the following policy.
Policy name
Type
AmazonEC2ContainerRegistryPullOnly
AWS managed
AmazonEKSWorkerNodeMinimalPolicy
AWS managed
Set permissions boundary - optional
Cancel
Previous
Next
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


aws
Search
[Alt+S]
Global
KOWSALYA R (9435-5314-3629)
luckycharm
IAM > Roles > Create role
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Name, review, and create
Role details
Role name
Enter a meaningful name to identify this role.
AmazonEKSAutoNodeRole
Maximum 64 characters. Use alphanumeric and '+=,.@-_' characters.
Description
Add a short explanation for this role.
Allows EKS nodes to connect to EKS Auto Mode clusters and to pull container images from ECR.
Maximum 1000 characters. Use letters (A-Z and a-z), numbers (0-9), tabs, new lines, or any of the following characters: _+=,. @-/\[{}]!#$%^*();:"`
Step 1: Select trusted entities
Edit
Trust policy
{
"Version": "2012-10-17",
"Statement": [
{
"Effect": "Allow",
"Principal": {
"Service": "ec2.amazonaws.com"
},
"Action": "sts:AssumeRole"
}
]
}
Step 2: Add permissions
Edit
Permissions policy summary
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences




`Refresh button on Node IAM Role, select created role`

Networking: VPC: Default, Subnets: Select all, Security group: Default, Logging: Optional (keep default)




Click **Create**




Wait 10–15 minutes ✅ Cluster status → **Active Cluster**

Create Node Group with 2 EC2 Nodes


Amazon EKS → Clusters → MyCluster





Go to **Compute → Add node group**




Name: eks-nodegroup **Node IAM role:** create recommend role


Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
KOWSALYA R (9435-5314-3629)
luckycharm
Amazon Elastic Kubernetes Service > Clusters > MyCluster > Add node group
Step 1
Configure node group
Step 2
Set compute and scaling configuration
Step 3
Specify networking
Step 4
Review and create
Configure node group Info
A node group is a group of EC2 instances that supply compute capacity to your Amazon EKS cluster. You can add multiple node groups to your cluster.
Node group configuration
These properties cannot be changed after the node group is created.
Name
Assign a unique name for this node group.
eks-nodegroup
The node group name should begin with letter or digit and can have any of the following characters: the set of Unicode letters, digits, hyphens and underscores. Maximum length of 63.
Node IAM role Info
Select the IAM role that will be used by the nodes. To create a new role, go to the IAM console.
Select role
Create recommended role
The selected role must not be used by a self-managed node group as this could lead to a service interruption upon managed node group deletion.
Learn more
Launch template Info
These properties cannot be changed after the node group is created.
Use launch template
Configure this node group using an EC2 launch template.
Kubernetes labels Info
Node group IAM roles
AWS Identity and Access Management (IAM) is an AWS service that helps an administrator securely control access to AWS resources. An IAM role is an identity within your AWS account that has specific permissions. You can use roles to delegate access to users, applications, or services that do not normally have access to your AWS resources.
Considerations
The node IAM role gives permissions to the kubelet running on the node to make calls to the Kubernetes API and other AWS APIs on your behalf. This includes permissions to access container registries where your application containers are stored.
Before you can launch a managed node group, you must create an IAM role for those worker nodes to use when they are launched.
When you create a managed node group, Amazon EKS will create an service-linked role for Amazon EKS to use to create and manage the managed node groups.
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Global
KOWSALYA R (9435-5314-3629)
luckycharm
IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Select trusted entity Info
Trusted entity type
AWS service
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
AWS account
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
Web identity
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
SAML 2.0 federation
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
Custom trust policy
Create a custom trust policy to enable others to perform actions in this account.
Use case
Allow an AWS service like EC2, Lambda, or others to perform actions in this account.
Service or use case
EC2
Choose a use case for the specified service.
Use case
EC2
Allows EC2 instances to call AWS services on your behalf.
EC2 Role for AWS Systems Manager
Allows EC2 instances to call AWS services like CloudWatch and Systems Manager on your behalf.
EC2 Spot Fleet Role
Allows EC2 Spot Fleet to request and terminate Spot Instances on your behalf.
EC2 - Spot Fleet Auto Scaling
Allows Auto Scaling to access and update EC2 spot fleets on your behalf.
EC2 - Spot Fleet Tagging
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences




automatically permission policy will selected in recommended mode




Now refresh in IAM Role Select created Node role







Compute configuration: AMI type: Amazon Linux 2023 , Instance type: `t3.medium`




Scaling: Desired size: **2,** Minimum: 2, Maximum: 2





Networking: Select same subnets Click **Create**






5–10 minutes Node group status becomes **Active**






✅ EKS cluster running with 2 EC2 worker nodes




7) Delete the EKS Cluster

Go to **Amazon EKS → Node Groups → Delete**





After node group deletion, EC2 automatically terminated



Then delete cluster

Go to **Amazon EKS → Cluster →** Select cluster `MyCluster` **→ Delete cluster**





✅ EKS cluster deleted successfully, EC2 automatically Terminated

