



Welcome to Red Hat!

New Maven Project

New Maven project

Select an Archetype

Catalog: All Catalogs

Filter: maven-archetype-webapp

| Group Id | Artifact Id | Version |
|---------------------------------|-------------------------------|---------------|
| com.haoxuer.maven.archetype | maven-archetype-webapp | 1.01 |
| com.lodsve | lodsve-maven-archetype-webapp | 1.0.2-RELEASE |
| org.apache.maven.archetypes | maven-archetype-webapp | 1.4 |
| org.bytesizebook.com.guide.boot | maven-archetype-webapp | 1.0 |

Show the last version of Archetype only Include snapshot archetypes

Add Archetype...

Advanced

?

< Back Next > Finish Cancel

File Edit Navigate Search Project Run Window Help

Red Hat Central X

Welcome to Red Hat!

New Maven Project

New Maven project
Select an Archetype

Catalog: All Catalogs

Filter: maven-archetype-webapp

| Group Id | Artifact Id | Version |
|---------------------------------|-------------------------------|---------------|
| com.haoxuer.maven.archetype | maven-archetype-webapp | 1.01 |
| com.lodsve | lodsve-maven-archetype-webapp | 1.0.2-RELEASE |
| org.apache.maven.archetypes | maven-archetype-webapp | 1.4 |
| org.bytesizebook.com.guide.boot | maven-archetype-webapp | 1.0 |

An archetype which contains a sample Maven Webapp project.
<https://repo1.maven.org/maven2/>

Show the last version of Archetype only Include snapshot archetypes Add Archetype...


Advanced


?

< Back Next > Finish Cancel

Getting Started Software/Update

1 item selected





workspace - xmlcssdemo/pom.xml - Red Hat CodeReady Studio

File Edit Source Navigate Search Project Run Window Help

The screenshot shows the Red Hat CodeReady Studio interface. The main window displays the XML content of the pom.xml file. The code is color-coded, with tags in blue and text in black. The editor has a toolbar at the top with various icons for file operations. To the right of the editor is a panel with tabs for Outline, Palette, Problems, Servers, Console, Progress, and Forge Console. The 'Console' tab is selected, showing the message "No consoles to display at this time." At the bottom of the screen is a taskbar with several icons, including a search bar, a file icon, a browser icon, and a terminal icon. The system tray shows the date and time as 9:40 AM, 6/6/2023, and the weather as 93°F, Sunny.

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>com.klu</groupId>
  <artifactId>xmlcssdemo</artifactId>
  <version>0.0.1-SNAPSHOT</version>
  <packaging>war</packaging>
  <name>xmlcssdemo Maven Webapp</name>
  <!-- FIXME change it to the project's website -->
  <url>http://www.example.com</url>
  <properties>
    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
    <maven.compiler.source>1.7</maven.compiler.source>
    <maven.compiler.target>1.7</maven.compiler.target>
  </properties>
  <dependencies>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>4.11</version>
      <scope>test</scope>
    </dependency>
  </dependencies>
  <build>
    <finalName>xmlcssdemo</finalName>
    <pluginManagement><!-- lock down plugins versions to avoid using Maven defaults (may be moved to parent p
    <plugins>
      <plugin>
        <artifactId>maven-clean-plugin</artifactId>
        <version>3.1.0</version>
      </plugin>
      <!-- see http://maven.apache.org/ref/current/maven-core/default-bindings.html#Plugin_bindings_for_war
      <plugin>
        <artifactId>maven-resources-plugin</artifactId>
        <version>3.0.2</version>
      </plugin>
      <plugin>
        <artifactId>maven-compiler-pluain</artifactId>
```

Project Explorer X Package Explorer

New Window

Editor > Hat Central | xmlcssdemo/pom.xml X

Appearance > <?xml version="1.0" encoding="UTF-8"?>

Show View > Bookmarks Alt+Shift+Q, C

Perspective > Console Alt+Shift+Q, D

Navigation > Declaration

Web Browser > Forge Console

Preferences > Navigator (Deprecated)

Outline Alt+Shift+Q, O

Package Explorer Alt+Shift+Q, P

Problems Alt+Shift+Q, X

Project Explorer

Properties

Search Alt+Shift+Q, S

Servers

Type Hierarchy Alt+Shift+Q, T

Other... Alt+Shift+Q, Q

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

<dependencies>

<dependency>

<groupId>junit</groupId>

<artifactId>junit</artifactId>

<version>4.11</version>

<scope>test</scope>

</dependency>

</dependencies>

org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd"

's website -->

-8</project.build.sourceEncoding>

.compiler.source>

.compiler.target>

JMX Navigator X

type filter text

Local Processes

Server Connections

User-Defined Connections

Editor

Marker

Properties

Markers

0 errors, 2 warnings, 0 others

Description Resource Path Location Type

> JRE Compiler Compliance Problem (1 item)

> Java Build Path Problems (1 item)

Outl... Pal... Pro... Ser... Con... Pro... For...

Red Hat JBoss EAP 7.1 [Stopped, Synchronized]

XML Configuration

Server Details

Not Connected

Filesets

JMX[Disconnected]

Project Explorer X Package Explorer

Red Hat Central *xmlcssdemo/pom.xml

```

1 <?xml version="1.0" encoding="UTF-8"?>
2
3<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/pom-4.0.0.xsd">
4   <modelVersion>4.0.0</modelVersion>
5
6   <groupId>com.klu</groupId>
7   <artifactId>xmlcssdemo</artifactId>
8   <version>0.0.1-SNAPSHOT</version>
9   <packaging>war</packaging>
10
11  <name>xmlcssdemo Maven Webapp</name>
12  <!-- FIXME change it to the project's website -->
13  <url>http://www.example.com</url>
14
15  <properties>
16    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
17    <maven.compiler.source>1.8</maven.compiler.source>
18    <maven.compiler.target>1.7</maven.compiler.target>
19  </properties>
20
21  <dependencies>
22    <dependency>
23      <groupId>junit</groupId>
24      <artifactId>junit</artifactId>
25      <version>4.11</version>
26      <scope>test</scope>
27    </dependency>
28  </dependencies>
29
30

```

JMX Navigator X

Maven Compiler Compliance Problem (1 item)

The compiler compliance specified is 1.7 but a JRE is set to JavaSE-1.8.

Java Build Path Problems (1 item)

Build path specifies execution environment JavaSE-1.8 but a JRE is set to JavaSE-1.7.

Out... Pal... Pro... Ser... Con... Pro... For...

Red Hat JBoss EAP 7.1 [Stopped, Synchronized]

XML Configuration

Server Details

Not Connected

Filesets

JMX[Disconnected]

Properties Markers

0 errors, 2 warnings, 0 others

| Description | Resource | Path | Location | Type |
|--|------------|------|------------------------|----------------------------|
| ⚠ JRE Compiler Compliance Problem (1 item) | xmlcssdemo | | Compiler Configuration | JRE Compiler Configuration |
| ⚠ Java Build Path Problems (1 item) | xmlcssdemo | | Build path | JRE System Library |

project/properties/maven.compiler.target

Writable Smart Insert 19 : 31 : 735

Project Explorer X Package Explorer

Red Hat Central *xmlcssdemo/pom.xml

```

1 <?xml version="1.0" encoding="UTF-8"?>
2
3<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/pom-4.0.0.xsd">
4   <modelVersion>4.0.0</modelVersion>
5
6   <groupId>com.klu</groupId>
7   <artifactId>xmlcssdemo</artifactId>
8   <version>0.0.1-SNAPSHOT</version>
9   <packaging>war</packaging>
10
11  <name>xmlcssdemo Maven Webapp</name>
12  <!-- FIXME change it to the project's website -->
13  <url>http://www.example.com</url>
14
15  <properties>
16    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
17    <maven.compiler.source>1.8</maven.compiler.source>
18    <maven.compiler.target>1.8</maven.compiler.target>
19  </properties>
20
21  <dependencies>
22    <dependency>
23      <groupId>junit</groupId>
24      <artifactId>junit</artifactId>
25      <version>4.11</version>
26      <scope>test</scope>
27    </dependency>
28  </dependencies>
29
30

```

JMX Navigator X type filter text

Local Processes Server Connections User-Defined Connections

Overview Dependencies Dependency Hierarchy Effective POM pom.xml

Properties Markers X

0 errors, 2 warnings, 0 others

| Description | Resource | Path | Location | Type |
|--|--|------------|-----------------|-------------------|
| ✗ JRE Compiler Compliance Problem (1 item) | The compiler compliance specified is 1.7 but a JRE | xmlcssdemo | Compiler Com... | JRE Compiler C... |
| ✗ Java Build Path Problems (1 item) | Build path specifies execution environment JavaSE- | xmlcssdemo | Build path | JRE System Lib... |

project/properties/maven.compiler.target Writable Smart Insert 19 : 31 : 735

Project Explorer X Package Explorer

Red Hat Central X

Welcome to Red Hat!

Why use RHEL for SAP Solutions?

Search project starters (ex: JPA, REST, Angular)

OpenShift Application Quarkus Project

Launcher Application Maven Project

Getting Started Software/Update

Add Dependency Add Plugin

New Maven Module Project

Download Javadoc Download Sources

Update Project... Alt+F5

Select Maven Profiles... Ctrl+Alt+P

Disable Workspace Resolution

Disable Maven Nature

Assign Working Sets...

Out... Pal... Pro... Ser... Con... Pro... For...

Red Hat JBoss EAP 7.1 [Stopped, Synchronized]

- XML Configuration
- Server Details
 - Not Connected
- Filesets
- JMX[Disconnected]

| | Resource | Path | Location | Type |
|----|--------------|------------|-----------------|--------------------|
| 1) | .7 but a JRE | xmlcssdemo | Compiler Com... | JRE Compiler C... |
| | ment JavaSE- | xmlcssdemo | Build path | JRE System Libr... |
| | | | | |
| | | | | |
| | | | | |


xmlcssdemo

workspace - Red Hat Central - Red Hat CodeReady Studio

File Edit Navigate Search Project Run Window Help



| |
|--|
| xmlcssdemo |
| > Deployment Descriptor: Archetype Created Web Application |
| > JRE System Library [JavaSE-1.8] |
| > Maven Dependencies |
| > Deployed Resources |
| src |
| main |
| webapp |
| WEB-INF |
| target |
| pom.xml |



| | |
|--------------------------|--|
| type filter text | |
| Local Processes | |
| Server Connections | |
| User-Defined Connections | |

Red Hat Central X

Welcome to Red Hat!

Keycloak Social Login Step-by-Step guide

Search project starters (ex: JPA, REST, Angular)

OpenShift Application Quarkus Project

Launcher Application Maven Project

Getting Started Software/Update

Properties Markers X

0 items



No operations to display at this time.

Project Explorer X Package Explorer Red Hat Central X Out... Pal... Pro... Ser... Con... Pro... For... X

xmlcssdemo Deployment Descriptor: Archetype Created Web Application JRE System Library [JavaSE-1.8] Maven Dependencies Deployed Resources src main webapp target pom.xml

Welcome to Red Hat!

Select a wizard

Create a new Batch Job XML file.

Wizards:

XML

Batch Job XML File

CDI (Contexts and Dependency Injection) beans.xml File

Eclipse Modeling Framework Ecore to XML Mapping

Hibernate

Show All Wizards.


Getting Started Software/Update

Properties Markers X

0 items

Description Resource Path Location Type

xmlcssdemo/src/main/webapp



Project Explorer X Package Explorer Red Hat Central X Out... Pal... Pro... Ser... Con... Pro... For... X

xmlcssdemo Deployment Descriptor: Archetype Created Web Application JRE System Library [JavaSE-1.8] Maven Dependencies Deployed Resources src main webapp target pom.xml

New XML File

XML Create a new XML file.

Enter or select the parent folder: xmlcssdemo/src/main/webapp

OpenS Launch

RemoteSystemsTempFiles xmlcssdemo .settings src main webapp target

File name: detailsxml Advanced >>

Getting Started Properties M 0 items Description ? Back Next Finish Cancel

No operations to display at this time.

JMX Navigator X type filter text Local Processes Server Connections User-Defined Connections

xmlcssdemo/src/main/webapp

The screenshot shows the Red Hat CodeReady Studio interface with the following components:

- Project Explorer:** Shows the project structure with a node "xmlcssdemo" expanded, containing "Deployment Descriptor: Archetype Created Web Application", "JRE System Library [JavaSE-1.8]", "Maven Dependencies", "Deployed Resources", "src" folder (expanded to show "main" and "webapp" folders, with "WEB-INF" and "details.xml" inside), "target", and "pom.xml".
- Central View:** Displays the "details.xml" file content. The XML code is:

```
<?xml version="1.0" encoding="UTF-8"?>
```
- JMX Navigator:** Shows "Local Processes", "Server Connections", and "User-Defined Connections".
- Properties View:** Shows "1 items" under "Description" with a single entry: "Language Servers (1 item)".
- Toolbars:** Standard Java development toolbars for file operations, search, and navigation.
- Right-hand Panel:** Shows a message: "No operations to display at this time."

workspace - xmlcssdemo/src/main/webapp/details.xml - Red Hat CodeReady Studio

File Edit Source Navigate Search Project Run Window Help

The screenshot shows the Red Hat CodeReady Studio interface with the following components:

- Project Explorer:** Shows the project structure: `xmlcssdemo` (Deployment Descriptor: Archetype Created Web Application), `JRE System Library [JavaSE-1.8]`, `Maven Dependencies`, `Deployed Resources`, `src` (main, webapp, WEB-INF, details.xml), `target`, and `pom.xml`.
- Central Editor:** Displays the `details.xml` file content:

```
<?xml version="1.0" encoding="UTF-8"?>
```
- Operations View:** Shows a message: "No operations to display at this time."
- JMX Navigator:** Shows Local Processes, Server Connections, and User-Defined Connections.
- Design View:** Shows a table with 1 item under the `Language Servers` category.

| Description | Resource | Path | Location | Type |
|-----------------------------|----------|------|----------|------|
| > Language Servers (1 item) | | | | |

- Toolbars and Status Bar:** Includes Writable, Smart Insert, and a timestamp of 1:1:0.

Project Explorer X Package Explorer

Red Hat Central details.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<contact>
  <person>
    <name>SAI SURYA A</name>
    <email>allasaisurya124@gmail.com </email>
  </person>
  <person>
    <name>Anirudh</name>
    <email>kanirudh@gmail.com </email>
  </person>
  <person>
    <name>Harsha</name>
    <email>harshav@gmail.com </email>
  </person>
</contact>
```

No operations to display at this time.

details.xml

New Show In Alt+Shift+W > Open F3 Open With > Show in Local Terminal >

Copy Ctrl+C Copy Qualified Name Ctrl+Shift+C Paste Ctrl+V Delete Delete Build Path > Move... Rename... F2

Import... Export... Refresh F5

Mark as Deployable

Show in Remote Systems view

Run As > 1 Run on Server Alt+Shift+X, R Debug As > 2 XSL Transformation Alt+Shift+X, X Profile As JTidy Team Compare With Replace With Source Exclude Validation Validate

Properties Alt+Enter

Project Explorer X Package Explorer

Red Hat Central details.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<contact>
  <person>
    <name>SAI SURYA A</name>
    <email>allasaisurya124@gmail.com </email>
  </person>
  <person>
    <name>Anirudh</name>
    <email>kanirudh@gmail.com </email>
  </person>
  <person>
    <name>Harsha</name>
    <email>harshav@gmail.com </email>
  </person>
</contact>
```

No operations to display at this time.

details.xml

New Show In Alt+Shift+W > Open F3 Open With > Show in Local Terminal >

Copy Ctrl+C Copy Qualified Name Ctrl+Shift+C Paste Ctrl+V Delete Delete Build Path > Move... Rename... F2

Import... Export... Refresh F5

Mark as Deployable

Show in Remote Systems view

Run As > 1 Run on Server Alt+Shift+X, R Debug As > 2 XSL Transformation Alt+Shift+X, X Profile As JTidy Team Compare With Replace With Source Exclude Validation Validate

Properties Alt+Enter

Project Explorer X Package Explorer

- xmlcssdemo
 - Deployment Descriptor: Archetype Created Web Application
 - JRE System Library [JavaSE-1.8]
 - Maven Dependencies
 - Deployed Resources
- src
 - main
 - webapp
 - WEB-INF
 - details.xml
- target
- pom.xml

JMX Navigator X

type filter text

Local Processes

Server Connections

User-Defined Connections

Run On Server

Select which server to use

How do you want to select the server?

Choose an existing server

Manually define a new server

Select the server that you want to use:

type filter text

| Server | State |
|-----------|-----------------------|
| localhost | Red Hat JBoss EAP 7.1 |
| | Stopped |

Red Hat JBoss Enterprise Application Platform (EAP) 7.1

Always use this server when running this project

Design Source

Properties Markers

1 items

| Description | Resource | Path | Location | Type |
|-----------------------------|----------|------|----------|------|
| > Language Servers (1 item) | | | | |

No operations to display at this time.

workspace - http://localhost:8080/xmlcssdemo/details.xml - Red Hat CodeReady Studio

File Edit Navigate Search Project Run Window Help

Project Explorer X Package Explorer

Red Hat Central details.xml http://localhost:8080/xmlcssdemo/details.xml

http://localhost:8080/xmlcssdemo/details.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<contact>
    <person>
        <name>SAI SURYA A</name>
        <email>allasaisurya124@gmail.com </email>
    </person>
    <person>
        <name>Anirudh</name>
        <email>kanirudh@gmail.com </email>
    </person>
    <person>
        <name>Harsha</name>
        <email>harshav@gmail.com </email>
    </person>
</contact>
```

JMX Navigator X

type filter text

Local Processes

Server Connections

User-Defined Connections

Properties Markers X

3 items

| Description | Resource | Path | Location | Type |
|--|----------|------|----------|------|
| > Java Exception Breakpoints (2 items) | | | | |
| > Language Servers (1 item) | | | | |

Outline Palette Problems Servers Console Progress Forge Co... Red Hat JBoss EAP 7.1 [JBoss Application Server Startup Configuration] C:\Program Files\Java\jre1.8.0_152\bin\server\jboss-eap-7.1.0.GA\standalone\log\server.log

Red Hat JBoss EAP 7.1 [JBoss Application Server Startup Configuration] C:\Program Files\Java\jre1.8.0_152\bin\server\jboss-eap-7.1.0.GA\standalone\log\server.log

WFLYJCA0018: Started Driver service with driver-name = h2

WFLYUT0014: Creating file handler for path 'C:\Users\allas\Downloads\wildfly-10.0.0.Final-redhat-1\standalone\configuration'

WFLYIO001: Worker 'default' has auto-configured to 16 core threads

WFLYUT0006: Undertow HTTP listener default listening on 127.0.0.1:8080

WFLYDS0013: Started FileSystemDeploymentService for directory

WFLYSRV0027: Starting deployment of "xmlcssdemo.war" (runtime-name: xmlcssdemo.war)

EJB subsystem suspension complete

WFLYJCA0001: Bound data source [java:jboss/datasources/ExampleDS]

WFLYUT0006: Undertow HTTPS listener https listening on 127.0.0.1:8443

JBWS022052: Starting JBossWS 5.1.9.Final-redhat-1 (Apache CXF 3.1.1)

ISPN000128: Infinispan version: Infinispan 'CachePool -- 62)' WFLYCLINF0002: Started client-mappings cache from ejb-jar.xml

WFLYUT0021: Registered web context: '/xmlcssdemo' for server

LYSRV0010: Deployed "xmlcssdemo.war" (runtime-name : "xmlcssdemo.war")

: Resuming server

management interface listening on http://127.0.0.1:9990/management

console listening on http://127.0.0.1:9990

EAP 7.1.0.GA (WildFly Core 3.0.10.Final-redhat-1) started in 554ms

New CSS File

CSS
Create a new CSS file.

Enter or select the parent folder:
xmlcssdemo/src/main/webapp

File name: style.css

Advanced >

?

< Back Next > Finish Cancel

Properties **Markers** **X**

3 items

| Description | Resource | Path | Location | Type |
|--|----------|------|----------|------|
| > Java Exception Breakpoints (2 items) | | | | |
| > Language Servers (1 item) | | | | |

xmlcssdemo/src/main/webapp

Red Hat Central **details.xml** **http://localhost:8080/xmlcssdemo/details.xml**

Outline **Palette** **Problems** **Servers** **Console** **Progress** **Forge Co...**

JBoss EAP 7.1 [JBoss Application Server Startup Configuration] C:\Program Files\Java\jre1.8.0_131\bin\server\standalone\configuration\standalone\log

Thread Pool -- 36) WFLYJCA0004: Deploying JDBC-compliant driver resource
WFLYJCA0018: Started Driver service with driver-name = h2
rting Naming Service
0001: Bound mail session [java:jboss/mail/Default]
59) WFLYUT0014: Creating file handler for path 'C:\Users\allas\thr
LYIO001: Worker 'default' has auto-configured to 16 core threads
pool slsb-strict-max-pool is using a max instance size of 16;
t pool mdb-strict-max-pool is using a max instance size of 32;
T0012: Started server default-server.
rsion 5.0.5.Final-redhat-1
T0018: Host default-host starting
Boss EAP cumulative patch ID is: base, one-off patches incl
-5) WFLYDM0111: Keystore C:\Users\allas\jboss-eap-7.1\standalone\conf
T0006: Undertow HTTP listener default listening on 127.0.0.1:8080
2) WFLYDS0013: Started FileSystemDeploymentService for directory
RV0027: Starting deployment of "xmlcssdemo.war" (runtime-name : xmlcssd
ubsystem suspension complete
read 1-3) WFLYJCA0001: Bound data source [java:jboss/datasources/standalone
T0006: Undertow HTTPS listener https listening on 127.0.0.1:9990
22052: Starting JBossWS 5.1.9.Final-redhat-1 (Apache CXF 3.1.10.Final-redhat-1)
thread 1-8) ISP000128: Infinispan version: Infinispan 'Cherry' 10.0.2.Final-redhat-1
-- 62) WFLYCLINF0002: Started client-mappings cache from ejb-jar.xml
63) WFLYUT0021: Registered web context: '/xmlcssdemo' for se
0010: Deployed "xmlcssdemo.war" (runtime-name : "xmlcssdemo.war")
ment interface listening on http://127.0.0.1:9990/management
ole listening on http://127.0.0.1:9990
7.1.0.GA (WildFly Core 3.0.10.Final-redhat-1) started in 554ms

Project Explorer X Package Explorer Red Hat Central details.xml http://localhost:8080/xmlcssdemo/detail... style.css

```

1 @charset "UTF-8";
2
3@contact{
4     background: gray;
5 }

```

Outline Palette Problems Servers Console Progress Forge Co... □

Red Hat JBoss EAP 7.1 [JBoss Application Server Startup Configuration] C:\Program Files\Java\jre1.8.0_131\bin\server\jboss-eap-7.1\standalone\log\server.log

WFLYJCA0004: Deploying JDBC-compliant driver (file) WFLYJCA0018: Started Driver service with driver-name = h2 : Starting Naming Service YMAIL0001: Bound mail session [java:jboss/mail/Default] 1 -- 59) WFLYUT0014: Creating file handler for path 'C:\Users\alla' 1) WFLYIO0001: Worker 'default' has auto-configured to 16 core threads Strict pool slsb-strict-max-pool is using a max instance size of 3 Strict pool mdb-strict-max-pool is using a max instance size of 3 WFLYUT0012: Started server default-server. ng version 5.0.5.Final-redhat-1 WFLYUT0018: Host default-host starting 50: JBoss EAP cumulative patch ID is: base, one-off patches included 1-5) WFLYDM0111: Keystore C:\Users\alla\jboss-eap-7.1\standalone\configuration\keystore.jks WFLYUT0006: Undertow HTTP listener default listening on 127.0.0.1:8080 (thread 1-2) WFLYDS0013: Started FileSystemDeploymentService for directory WFLYSRV0027: Starting deployment of "xmlcssdemo.war" (runtime-name: xmlcssdemo.war) EJB subsystem suspension complete ce thread 1-3) WFLYJCA0001: Bound data source [java:jboss/datasources/LocalDatasource] WFLYUT0006: Undertow HTTPS listener https listening on 127.0.0.1:8443 (thread 1-8) JBWS022052: Starting JBossWS 5.1.9.Final-redhat-1 (Apache CXF 3.1.1) rvice thread 1-8) ISP000128: Infinispan version: Infinispan 'Chill' 6.2.0.Final-redhat-1 WFLYCLINF0002: Started client-mappings cache from ejb-jar.xml 1 -- 63) WFLYUT0021: Registered web context: '/xmlcssdemo' for se LYSRV0010: Deployed "xmlcssdemo.war" (runtime-name : "xmlcssdemo.war") : Resuming server management interface listening on http://127.0.0.1:9990/management console listening on http://127.0.0.1:9990 EAP 7.1.0.GA (WildFly Core 3.0.10.Final-redhat-1) started in 554ms

JMX Navigator X

type filter text

Local Processes

Server Connections

User-Defined Connections

Properties Markers X

3 items

| Description | Resource | Path | Location | Type |
|--|----------|------|----------|------|
| > Java Exception Breakpoints (2 items) | | | | |
| > Language Servers (1 item) | | | | |

Writable Smart Insert 4:22:49

