



Email Registration

1. Open Visual Studio 2019
2. File → New -> Project -> ASP.NET Web Application (.NET Framework) -> web forms



3. Project -> Add -> New Item -> Web Form -> Add



Select Source tab



```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="emailregistration.aspx.vb"
Inherits="emailregistration" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title></title>
  <style type="text/css">
    .style1
    {
      text-align: center;
    }
    .style2
    {
      width: 178px;
    }
    .style3
    {
      width: 61px;
    }
  </style>
</head>
<body>
  <form id="form2" runat="server">
  <div>

  </div>
  <table style="width:100%;">
    <tr>
      <td class="style1" colspan="3">
```

```

EMAIL REGISTRATION FORM</td>
</tr>
<tr>
  <td class="style2">
    First Name</td>
  <td class="style3">
    <asp:TextBox ID="fname" runat="server" Width="183px"></asp:TextBox>
  </td>
  <td>
  </td>
</tr>
<tr>
  <td class="style2">
    Last name</td>
  <td class="style3">
    <asp:TextBox ID="lname" runat="server" Width="183px"></asp:TextBox>
  </td>
  <td>
  </td>
</tr>
<tr>
  <td class="style2">
    Address</td>
  <td class="style3">
    <asp:TextBox ID="address" runat="server" Width="183px"></asp:TextBox>
  </td>
  <td>
  </td>
</tr>
<tr>
  <td class="style2">
    City</td>
  <td class="style3">
    <asp:TextBox ID="city" runat="server" Width="183px"></asp:TextBox>
  </td>
  <td>
  </td>
</tr>
<tr>
  <td class="style2">
    Email ID</td>
  <td class="style3">
    <asp:TextBox ID="email" runat="server" Width="183px"></asp:TextBox>
  </td>
  <td>
  </td>
</tr>
<tr>
  <td class="style2">
    Password</td>
  <td class="style3">
    <asp:TextBox ID="pwd" runat="server" TextMode="Password"
Width="183px"></asp:TextBox>
  </td>
  <td>
  </td>
</tr>

```

```

    </tr>
    <tr>
        <td class="style2">
            Repassword</td>
        <td class="style3">
            <asp:TextBox ID="repwd" runat="server" TextMode="Password"
Width="183px"></asp:TextBox>
        </td>
        <td>
            </td>
    </tr>
    <tr>
        <td class="style2">
            &nbsp;</td>
        <td class="style3">
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style2">
            &nbsp;</td>
        <td class="style3">
            <asp:Button ID="Button1" runat="server" Text="SUBMIT" />
        </td>
        <td>
            <asp:Label ID="Label1" runat="server"></asp:Label>
        </td>
    </tr>
</table>
</form>
</body>
</html>

```



- Select Design tab -> Double Click Button

Imports System.Data

Imports System.Configuration

Imports System.Data.SqlClient

Imports System.Web.Services.Description

Partial Class emailregistration

Inherits System.Web.UI.Page

Protected Sub Button1_Click(ByVal sender As Object, ByVal e As System.EventArgs)


Handles Button1.Click

Label1.Text = "Registration Successful"


End Sub

End Class

Select webform1.aspx.vb



In Solution Explorer change File Name as emailregistration



To Execute the program

Build -> Build Solution

Debug -> Start Debugging

