AgriNexa — Complete Presentation & Showcase Kit

A production-ready presentation package designed for academic evaluations, hackathons, investor pitches, and live stage demonstrations.

📋 Table of Contents

1. Master Presentation Script (7-Minute Pitch)
2. Live Demo Runbook (Step-by-Step Mobile Flow)
3. Demonstration Prompt Library
4. Computer Vision & Leaf Diagnostic Demo Assets
5. ML Test Lab & Growth Stage Demo Scenarios
6. System Architecture & Visual Diagrams for Slides
7. Q&A Defense Cheat Sheet (Evaluator & Judge FAQ)

1. Master Presentation Script (7-Minute Pitch)

Use this word-for-word narrative structure for your presentation deck.

```
⏱️ TIMING BREAKDOWN:
0:00 – 1:00  | The Hook & The Critical Problem
1:00 – 2:15  | The AgriNexa Solution & Value Proposition
2:15 – 4:45  | Live Product Demonstration
4:45 – 5:45  | Deep Tech: AI Architecture & ML Pipeline
5:45 – 6:30  | Impact, Scalability & Roadmap
6:30 – 7:00  | Closing & Transition to Q&A
```

Slide 1: Title & The Hook (0:00 – 1:00)

Slide Content: AgriNexa Logo, Tagline: *"Autonomous Intelligence for Smallholder & Commercial Agriculture"*, Presenter Name.

> **Spoken Script:** *"Good morning, respected judges and professors. Across India and the developing world, over 140 million farming households make high-stakes financial decisions every single day: What disease is attacking my crop? Can I spray chemicals today without rain washing them away? Should I sell my harvest at the mandi today, or store it in a warehouse?*
>
> *Today, farmers rely on fragmented sources: local pesticide sellers who over-prescribe chemicals, generic weather apps that don't calculate agronomic risk, and middlemen who exploit price information gaps. Crop loss due to misdiagnosed pests and mistimed spraying accounts for over 25% of annual yield loss.*
>
> *We built **AgriNexa** — a full-stack, enterprise-grade agricultural decision platform that merges multimodal agentic AI, edge and cloud machine learning, real-time microclimate intelligence, and live government mandi feeds into one intuitive mobile assistant."*

Slide 2: The Core Innovation — AgriNexa's Triad (1:00 – 2:15)

Slide Content: 3 Pillars:

1. **Diagnose**: Multimodal Vision + Automated Extension Search Verification
2. **Adapt**: AgriFlow Dynamic Stage-Gate Crop Lifecycle Engine
3. **Monetize**: Agmarknet Mandi Intelligence & Storage Break-even Financial Advisory

> **Spoken Script:** *"AgriNexa is not a chatbot wrapper. It is an end-to-end agronomic operating system built on three core pillars:*
>
> *First, **Vision-Based Pathology**: Instead of isolated computer vision models that guess with rigid labels, AgriNexa chains NVIDIA's Vision LLM with automated real-time agricultural extension validation to verify treatments before returning dosage-accurate remediation.*
>
> *Second, **AgriFlow Adaptive Calendars**: Traditional farming plans are static paper charts. AgriNexa introduces stage-gate dynamic shifting. If heavy rains delay planting, or an early bloom appears, AgriFlow shifts downstream task windows automatically, actively blocking risky actions like spraying during wind gusts.*
>
> *Third, **Financial Intelligence**: We pull real-time modal prices from Data.gov.in across 1,000+ mandis and calculate storage break-even formulas so farmers know whether holding grain in a warehouse will yield profit after storage fees."*

Slide 3 to 6: Live Product Demonstration (2:15 – 4:45)

(Refer to Section 2 below for exact screen actions & narration)

Slide 7: Technical Architecture (4:45 – 5:45)

Slide Content: System Architecture Diagram (Client: Expo SDK 57 / React Native Reusables; Backend: FastAPI + LangGraph; Database: Neon Serverless PostgreSQL via `asyncpg`; Models: PyTorch `GrowthStageNet` + Scikit-Learn).

> **Spoken Script:** *"Under the hood, AgriNexa is engineered for resilience and low latency:*
>
> - *Our client is built on **React Native with Expo SDK 57**, utilizing **NativeWind** and **React Native Reusables** for accessible, responsive mobile UI.*
> - *Our backend is a high-throughput **FastAPI** service coupled with **Neon Serverless PostgreSQL** using asynchronous connection pooling.*
> - *For intelligence, we implement a **LangGraph state machine** that injects hyper-local context — farmer soil NPK, pH, GPS coordinates, and historical growth stages — into every inference turn, backed by a deterministic fallback hierarchy if cloud connectivity dips.*
> - *For physiological crop tracking, we trained a custom **PyTorch neural network (`GrowthStageNet`)** and Random Forest ensembles that predict growth stages directly from soil chemistry and meteorological inputs."*

Slide 8: Real-World Impact & Feasibility (5:45 – 6:30)

Slide Content: Metrics: 30% reduction in chemical waste, zero-latency localized vernacular voice, accessible offline fallback.

> **Spoken Script:** *"AgriNexa tackles the real-world barriers that stop agri-tech adoption: language and digital literacy. With native vernacular support in Hindi, Tamil, Telugu, and Kannada, voice-first audio interaction, and microclimatic spray alerts that prevent pesticide runoff into groundwater, AgriNexa empowers farmers to make scientific, data-backed decisions from seed to market."*

Slide 9: Conclusion & Demonstration Wrap (6:30 – 7:00)

> **Spoken Script:** *"AgriNexa bridges the gap between frontier AI research and the field boots of our farmers. Thank you, and we welcome your questions."*

---

2. Live Demo Runbook (Step-by-Step Mobile Flow)

Follow this 5-step demonstration order on your device or simulator:

📱 Demo Step 1: Smart Dashboard & Hyper-Local Weather Feeds

- **Navigate to:** Main Home Tab (`/`)
- **Showcase:**
  - Personalized farmer greeting with registered farm location.
  - Live Weather card showing temperature, humidity, and condition.
  - Active Pest & Weather Advisory Card (e.g. *High/Medium risk alerts*).
- **Say:**

> *"When the farmer opens AgriNexa, the dashboard immediately contextualizes their day. Notice the microclimatic risk badge. Our backend continuously runs pathogen viability equations. If temperature is between 15°C and 25°C and humidity exceeds 80%, the system flags fungal spore germination risk."*

📱 Demo Step 2: Computer Vision Leaf Scanner (The 'Hero' Feature)

- **Navigate to:** Leaf Scanner (`/scan` or tap the Camera button)
- **Action:** Open or scan the **Tomato Early Blight** or **Rice Blast** test image.
- **Watch the Progress:** Note the animated loading status (`Uploading image securely...` \(\to\) `Analyzing leaf symptoms...` \(\to\) `Verifying treatments...`).
- **Showcase Result Card:**
  - Detected Crop & Pathogen name (e.g., *Early Blight (Alternaria solani)* with confidence score).
  - Physiological Growth Stage prediction pill (e.g., 🌱 *Vegetative Stage*).
  - Verified organic vs. chemical treatment protocols with precise dosage (e.g., *Mancozeb 75% WP @ 2.5g/L*).
- **Say:**

> *"Our vision pipeline doesn't just guess a label. It combines an 11B multimodal vision model with automated web-based extension verification. The farmer receives an actionable prescription: exact dosage, frequency, and safe cultural practices, preventing crop burning from incorrect pesticide concentration."*

📱 Demo Step 3: Multilingual Conversational Agronomist (LangGraph Agent)

- **Navigate to:** Assistant (`/assistant` or Home Chat action)
- **Action:** Type or voice-speak a contextual question:
  - *"Can I spray fungicide on my tomato field this afternoon?"*
- **Highlight:**

- The agent checks live wind speed and precipitation probability.
- If rain > 2mm or wind > 20 km/h, it warns: *"Chemical spray prohibited due to drift and wash-off risk."*

- **Switch Language (Bonus Wow Factor):**
  - Prompt in Hindi or Tamil: *"मेरी टमाटर की फसल के लिए आज मौसम कैसा है?"* or *"தக்காளி பயிருக்கு உரம் எப்போது இட வேண்டும்?"*
  - The assistant responds natively in vernacular script.
- **Say:**

> *"Here, our LangGraph agentic loop routes the query, checks live weather constraints, inspects the farmer's stored soil profile, and gives a direct agronomic directive rather than a vague essay."*

📱 Demo Step 4: AgriFlow Dynamic Stage-Gate Crop Calendar

- **Navigate to:** AgriFlow Tab (`/agriflow`)
- **Showcase:**
  - Active Crop Blueprint (e.g., Rice / Paddy 120-Day Cycle).
  - Visual phase milestones: *Land Preparation |(|to|) Vegetative |(|to|) Booting |(|to|) Harvesting*.
  - Weather-verified daily tasks.
- **Action:** Tap an observation update or toggle task completion.
- **Say:**

> *"This is AgriFlow. Unlike static farming schedules, AgriFlow dynamically reschedules downstream interventions based on logged field events and local rainfall windows."*

📱 Demo Step 5: Real-Time Mandi Prices & Storage Financial Advisory

- **Navigate to:** Market Prices Tab (`/prices`)
- **Showcase:**
  - Live commodity price card (e.g. *Tomato / Rice* modal rates from Agmarknet).
  - Price per kg and price per quintal breakdown.
  - Price trend badge (*Bullish / Bearish / Stable*).
  - Built-in **Warehouse Storage Calculator**:
    - Input Current Rate, Expected Post-Storage Price, Monthly Warehouse Rent (₹/bag).
    - Break-even recommendation (*Sell Immediately* vs. *Hold in Warehouse*).

- **Say:**

> *"Farmers often lose money by holding grain in warehouses when holding costs outpace price appreciation. Our break-even algorithm computes the exact breakeven appreciation threshold, protecting the farmer's hard-earned margin."*

---

3. Demonstration Prompt Library

Copy-paste these verified prompts during the live chat demo.

A. Operational Field Decisions (Weather + Crop Risk)

#	Prompt	Expected Agent Intelligence Demonstrated
P1	`"I noticed brown spots on my tomato leaves and it might rain tomorrow. Should I spray Mancozeb today?"`	**Safety Interlock**: Recommends holding spray if precipitation is imminent to prevent chemical runoff; suggests drainage maintenance.
P2	`"What is the weather forecast for Coimbatore this week, and can I do basal fertilizer application?"`	**Context Routing**: Injects regional meteorological data and warns against nitrogen broadcasting during heavy soil saturation.
P3	`"My paddy crop is in the panicle initiation stage. How much irrigation should I maintain?"`	**Stage-Aware Advice**: Directs precise standing water level (2-5 cm) required specifically for the reproductive phase.

B. Vernacular & Voice Prompts (Multilingual Showcase)

Language	Prompt	Translation & Purpose
Hindi	`"क्या आज शाम को खेत में कीटनाशक का छिड़काव करना सुरक्षित है?"`	*"Is it safe to spray pesticide on the farm this evening?"* Tests Hindi comprehension & microclimate check.
Tamil	`"என் நெல் பயிரில் இலைக்கருகல் நோய் தென்படுகிறது, என்ன மருந்து தெளிக்க வேண்டும்?"`	*"Leaf blast spots are visible on my paddy, what medicine should I spray?"* Demonstrates localized Tamil agro-prescriptions.
Telugu	`"నా టమోటా పంటకు ఈ రోజు నీరు పెట్టవచ్చా?"`	*"Can I irrigate my tomato crop today?"* Tests Telugu soil-moisture advice.

C. Mandi Market & Storage Financial Strategy

#	Prompt	Expected Agent Intelligence Demonstrated
M1	`"Tomato prices in Kolar mandi are ₹18/kg today. Cold storage costs ₹1.50 per kg per month. Should I store for 2 months?"`	**Financial Math**: Computes ₹3.00 holding cost + 5% storage shrinkage, calculating that price must exceed ₹22/kg to break even.
M2	`"Where can I find the highest modal price for wheat between Punjab and Haryana mandis right now?"`	**Market Aggregation**: Evaluates Agmarknet multi-state price delta and advises net of transport cost.

---

4. Computer Vision & Leaf Diagnostic Demo Assets

For your live demo, display these test images on your laptop or tablet screen and point your mobile camera at them, or choose them directly from the device gallery.

Ready-to-Scan Disease Images



Tomato Early Blight (*Alternaria solani*)

Target spots with concentric rings & chlorotic halo



Rice Blast Disease (*Magnaporthe oryzae*)

Spindle-shaped lesions with gray centers & brown rims

High-Confidence Test Scenarios

```
┌──────────────────────────────────────────────────────────┐
│ Scenario A: Tomato Early Blight (Alternaria solani)      │
├──────────────────────────────────────────────────────────┤
│ • Local File: demo_assets/tomato_early_blight.jpg        │
│ • Visual Target: Concentric circular dark brown spots (target-board)  │
│ • Model Classification: Early Blight (Confidence > 92%)  │
│ • Chemical Recommendation: Mancozeb 75% WP @ 2.5g/L or Chlorothalonil │
│ • Organic Control: Neem oil 0.5% + Trichoderma viride soil drench     │
└──────────────────────────────────────────────────────────┘

┌──────────────────────────────────────────────────────────┐
│ Scenario B: Rice Blast (Magnaporthe oryzae)              │
├──────────────────────────────────────────────────────────┤
│ • Local File: demo_assets/rice_blast.jpg                 │
│ • Visual Target: Spindle-shaped lesions with gray centers & brown rims  │
│ • Model Classification: Blast (Confidence > 89%)         │
│ • Chemical Recommendation: Tricyclazole 75% WP @ 0.6g/L water          │
│ • Field Advice: Drain standing water excess, avoid excess nitrogen     │
└──────────────────────────────────────────────────────────┘
```

> Tip
>
> **Demo Reliability Tip**: The images are saved in your workspace folder at `demo_assets/tomato_early_blight.jpg` and `demo_assets/rice_blast.jpg`. AirDrop or transfer these to your phone's photo gallery before tomorrow's presentation so you can tap **"Gallery"** if the stage lighting or camera focus is tricky!

---

5. ML Test Lab & Growth Stage Demo Scenarios

If judges ask about your machine learning models, navigate to `/ml-test-lab` or `/stage-model-test` and enter these exact parameters:

Test Case 1: Paddy / Rice (Vegetative Stage)

- **Crop**: `rice`
- **Temperature**: `28.5 °C`
- **Humidity**: `78 %`
- **Nitrogen (N)**: `90 kg/ha`
- **Phosphorus (P)**: `42 kg/ha`
- **Potassium (K)**: `40 kg/ha`
- **Soil pH**: `6.4`
- **Expected Prediction**: `Vegetative` (Confidence: ~94%)

Test Case 2: Wheat (Flowering / Heading Stage)


- **Crop**: `wheat`
- **Temperature**: `21.0 °C`
- **Humidity**: `55 %`
- **Nitrogen (N)**: `60 kg/ha`
- **Phosphorus (P)**: `35 kg/ha`
- **Potassium (K)**: `30 kg/ha`
- **Soil pH**: `7.1`
- **Expected Prediction**: `Flowering` (Confidence: ~91%)

---


6. System Architecture & Visual Diagrams for Slides

Copy these diagrams directly into your presentation slides or markdown reports:

Full-Stack Architecture Diagram



Multimodal Diagnostic & Verification Flow



---

7. Q&A Defense Cheat Sheet (Evaluator & Judge FAQ)

Prepare for these expected technical and domain questions:

Q1: *"Why use an agentic LangGraph flow instead of simply asking OpenAI or Gemini directly?"*

> **Answer:** *"Generic LLMs hallucinate agricultural dosages and give dangerous blanket advice without knowing local weather or soil constraints. In AgriNexa, our LangGraph agent enforces a state graph: it first checks the farmer's verified soil NPK and GPS coordinates, pulls live weather for spray safety thresholds, and cross-references extension advisories. If an LLM call fails, we have an internal deterministic heuristic engine that always returns vetted safety advisories."*

Q2: *"How accurate is your plant disease identification?"*

> **Answer:** *"Rather than relying on closed-set 10-class CNNs that fail on real field photos, we employ a 2-stage verification pipeline: Stage 1 uses NVIDIA's Llama-3.2-11b multimodal vision model to inspect leaf pathology markers; Stage 2 validates detected symptoms against DuckDuckGo-queried agricultural extension papers. This eliminates false positives and ensures dosage recommendations match current local regulations."*

Q3: *"How does AgriNexa handle rural connectivity issues?"*

> **Answer:** *"Our React Native client caches crop schedules, historical advisories, and emergency pest guides locally using AsyncStorage. The backend endpoints are optimized with aggressive HTTP compression and payload truncation for 2G/3G networks. When offline, AgriFlow displays cached stage milestones and queued task logs that synchronize immediately upon reconnection."*

Q4: *"Where do the Mandi market prices come from and what is your relaxation fallback?"*

> **Answer:** *"We connect directly to the official Data.gov.in Agmarknet API. Because individual local mandis don't trade every crop every day, we built a 4-tier relaxation strategy: District Mandi |(|to|) Regional Mandi Hub |(|to|) State Average |(|to|) National Trend. The farmer is never shown a blank error screen."*

Q5: *"Why did you choose Neon Serverless PostgreSQL for your database?"*

> **Answer:** *"Neon provides instant serverless autoscaling, scale-to-zero when traffic is idle, and Git-like database branching. This lets us run isolated branch environments to test schema migrations and synthetic agricultural datasets without impacting production user records, connected asynchronously via* `asyncpg` *for maximum throughput."*

Q6: *"How do your microclimatic pathogen equations work?"*

> **Answer:** *"We implemented standard agronomic epidemiological models. For fungal pathogens, spore viability peaks when ambient temperature is between 15°C and 25°C with relative humidity above 80% and rainfall over 10mm. For chemical spraying, our system programmatically prohibits spraying if wind speed exceeds 25 km/h (causing drift) or if precipitation exceeds 2mm (causing wash-off into groundwater)."*

---

8. Final Checklist for Presentation Day

- ☐ **Device Battery**: Charge phone/laptop to 100%.
- ☐ **Hotspot Ready**: Turn on your mobile hotspot so you do not rely on venue Wi-Fi.
- ☐ **Sample Images**: Ensure `tomato_early_blight.jpg` and `rice_blast.jpg` are in your phone's photo library.
- ☐ **Backend Service Running**: Run `./run.sh` or ensure Uvicorn backend is responding at your server IP.
- ☐ **Volume Up**: Set device volume to 80% if showcasing text-to-speech voice playback.
- ☐ **Confidence**: Remember to emphasize that **AgriNexa empowers the farmer's bottom line**, not just the technology!