
#### BASIC LOGIC NEED TO BE KNOWN

ECG monitoring systems have been developed and widely used in the healthcare sector for the past few decades and have significantly evolved over time due to the emergence of smart enabling technologies . Nowadays, ECG monitoring systems are used in hospitals , homes , outpatient ambulatory settings , and in remote contexts . They also employ a wide range of technologies such as IoT, edge computing , and mobile computing. In addition, they implement various computational settings in terms of processing frequencies, as well as monitoring schemes. They have also evolved to serve purposes and targets other than disease diagnosis and control, including daily activities , sports , and even mode-related purposes.

This massive diversity in ECG monitoring systems' contexts, technologies, computational schemes, and purposes makes it hard for researchers and professionals to design, classify, and analyze ECG monitoring systems. Some efforts attempted to provide a common understanding of ECG monitoring systems' processes, guiding the design of efficient monitoring systems. However, these studies lack comprehensiveness and completeness. They work for specific contexts, serve specific targets, or are suitable for specific technologies. This makes the available ECG monitoring system processes and architectures hard to generalize and reuse. On the other hand, some studies attempted to analyze ECG monitoring systems' attributes and provide classification taxonomies, supporting better analysis and understanding of the ECG systems reported in the literature. However, exiting reviews related to ECG monitoring in the literature can be intuitive and incomprehensive. They do not consider the latest technological trends, and they target very narrow research niches, such as wearable sensors, mobile sensors, disease diagnosis, heartbeat detection, emotion recognition, or ECG compression methods. Hence, there is a need to provide a comprehensive, expert-verified taxonomy of ECG monitoring systems, a common architecture, and a complete set of processes to guide the classification, analysis, and design of these systems.

Therefore, in this work, we propose an expert-verified taxonomy of ECG monitoring systems, a generic architectural model, and a complete, general set of processes to support better understanding, analysis, design, and validation of ECG monitoring systems from a broader perspective. Our experts' taxonomy is composed of five distinct, cohesive clusters. Each cluster focuses on one dimension of ECG monitoring systems, detailing the features and attributes of these systems in that dimension. These include monitoring contexts, technologies, schemes, targets, and futuristic monitoring systems. In addition to our experts' taxonomy, the proposed ECG monitoring systems' layered architecture depicts essential structural components and elements of ECG monitoring systems, their interfaces, and the data inputs/outputs of each layer. We also complement our experts' taxonomy and the generic architecture with a comprehensive ECG monitoring process model, highlighting the major processes, sub-processes, and supporting processes, emphasizing factors adding value to each process. Based on the proposed taxonomy, architecture, and common process model, we conduct an extensive, thorough analysis of the literature surrounding ECG monitoring systems, highlighting systems' categories, attributes, functions, challenges, and current trends, leading to a panorama of ECG monitoring systems. To our best knowledge, this is the most comprehensive, expert-verified review of ECG monitoring systems to date.



#### **SWOT ANALYSIS**

# SWOT ANALYSIS



# External

#### Helpful

#### Harmful

#### Strengths



- Biomarkers are used in and work for other diseases (for example, cancer)
- Acute insults, such as injury, infection or genetic abnormalities, enable identification of at-risk individuals
- Combinations of biomarkers could improve prediction

#### Weaknesses



- Only initial studies are currently available, with no rigorous characterization of biomarkers
- Biomarkers in categories other than diagnostic are also needed; markers of risk, susceptibility and prognosis are a priority
- The diversity of epilepsy means different biomarkers might be needed for different aetiologies
- Preparation of samples is not harmonized between centres
- Phenotypes and the quality of samples collected are not characterized well
- Competence in informatics is needed

#### **Opportunities**




- Some promising results have already been obtained
- The aims are technically feasible
- Technical improvements are on the horizon; for example, the Human Brain Project and the BRAIN Initiative
- Repositories provide an opportunity for data sharing
- Many modalities for biomarker analysis are standard of care; for example, blood tests, EEG and ECG
- Some biomarkers are ready to move to phase III studies; for example, EEG for TSC
- CDEs and quality control examples are available

#### **Threats**



- Future investments might be limited if barriers to the development of anti-epileptogenic therapies are not lowered
- Existing data repositories are of low quality and heterogeneous
- The field might not be prepared
- Acquisition of some biomarkers, such as imaging markers, could have adverse effects

#### 5W's and 1'H



#### Who:

The project can be used almost by all the people who is suffereing from heart related problems.

#### What:

BPM ,Heart rate and distance to the hospital must be noted in real time.

#### When:

This project can be implemented in all real time application and real time life of patients is connected to it.

#### Where:

Simply can also be worn by the patients in terms oa bands or also a monitoring system in environment areas.

## Why:

Patients in Hospitals who suffer from this kind of problem, can be implemented to avoid medical accidents

#### How:

There might not be a valid reason for this kind of accident occurs, it is discrete may be due to temperature or any environmental and mental issues.

# **DETAIL REQUIREMENTS**

#### **HIGH LEVEL REQUIREMENTS:**

ID	Description	Status
HLR1	Atmega AVR-16 series (x 2) microcontroller	Implemented
HLR2	Embedded C language	Implemented
HLR3	LCD display	Implemented
HLR4	Gcc avr compiler	Implemented
HLR5	Heart beat sensor (used potentiometer)	Implemented

### LOW LEVEL REQUIREMENTS:

ID	Description	Status
LLR1	SIM 900D GSM module	Implemented
LLR2	4x4 Keypad module	Implemented
LLR3	Microcontroller (Atmega328)	Implemented
LLR4	Memory (EEPROM)	Implemented