EC 425/525, Set 8

Edward Rubin 08 May 2019

# Prologue

### Schedule

#### Last time

Mathching and propensity-score methods

- Conditional independence
- Overlap

### Today

Instrumental variables (and two-stage least squares)

### **Upcoming**

- Admin: Assignment/project proposal this weekend
- Admin: Midterm very soon

#### Selection on observables and/or unobservables

We've been focusing on **selection-on-observables designs**, i.e.,

$$(\mathbf{Y}_{0i},\,\mathbf{Y}_{1i}) \perp \!\!\! \perp \mathbf{D}_i | \mathbf{X}_i$$

for **observable** variables  $X_i$ .

#### Selection on observables and/or unobservables

We've been focusing on **selection-on-observables designs**, i.e.,

$$(\mathbf{Y}_{0i},\,\mathbf{Y}_{1i}) \perp \!\!\! \perp \mathbf{D}_i | \mathbf{X}_i$$

for **observable** variables  $X_i$ .

**Selection-on-unobservable designs** replace this assumption with two new (but related) assumptions

- 1.  $(Y_{0i}, Y_{1i}) \perp Z_i$
- 2.  $Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$

#### Selection on observables and/or unobservables

Our main goal in causal-inference minded (applied) econometrics boils down to isolating **"good" variation** in  $D_i$  (exogenous/as-good-as-random) from **"bad" variation** (the part of  $D_i$  correlated with  $Y_{0i}$  and  $Y_{1i}$ ).

#### Selection on observables and/or unobservables

Our main goal in causal-inference minded (applied) econometrics boils down to isolating **"good" variation** in  $D_i$  (exogenous/as-good-as-random) from **"bad" variation** (the part of  $D_i$  correlated with  $Y_{0i}$  and  $Y_{1i}$ ).

(We want to avoid selection bias.)

#### Selection on observables and/or unobservables

Our main goal in causal-inference minded (applied) econometrics boils down to isolating **"good" variation** in  $D_i$  (exogenous/as-good-as-random) from **"bad" variation** (the part of  $D_i$  correlated with  $Y_{0i}$  and  $Y_{1i}$ ).

(We want to avoid selection bias.)

• Selection-on-observables designs assume that we can control for all bad variation (selection) in  $D_i$  through a known (observed)  $X_i$ .

#### Selection on observables and/or unobservables

Our main goal in causal-inference minded (applied) econometrics boils down to isolating **"good" variation** in  $D_i$  (exogenous/as-good-as-random) from **"bad" variation** (the part of  $D_i$  correlated with  $Y_{0i}$  and  $Y_{1i}$ ).

(We want to avoid selection bias.)

- Selection-on-observables designs assume that we can control for all bad variation (selection) in  $D_i$  through a known (observed)  $X_i$ .
- Selection-on-unobservables designs assume that we can extract part of the good variation in  $D_i$  (generally using some  $Z_i$ ) and then use this good part of  $D_i$  to estimate the effect of  $D_i$  on  $Y_i$ .

#### Selection on observables and/or unobservables

Our main goal in causal-inference minded (applied) econometrics boils down to isolating **"good" variation** in  $D_i$  (exogenous/as-good-as-random) from **"bad" variation** (the part of  $D_i$  correlated with  $Y_{0i}$  and  $Y_{1i}$ ).

(We want to avoid selection bias.)

- Selection-on-observables designs assume that we can control for all bad variation (selection) in  $D_i$  through a known (observed)  $X_i$ .
- Selection-on-unobservables designs assume that we can extract part of the good variation in  $D_i$  (generally using some  $Z_i$ ) and then use this good part of  $D_i$  to estimate the effect of  $D_i$  on  $Y_i$ . We throw away the bad variation in  $D_i$  (it's bad).

#### Which route?

#### Which route?

So set of research designs is more palatable?

1. There are plenty of bad applications of both sets.

Violated assumptions, bad controls, etc.

#### Which route?

- 1. There are plenty of bad applications of both sets. Violated assumptions, bad controls, etc.
- 2. **Selection on observables** assumes we know *everything* about selection into treatment—we can identify *all* of the good (or bad) variation in  $D_i$ .

#### Which route?

- 1. There are plenty of bad applications of both sets. Violated assumptions, bad controls, etc.
- 2. **Selection on observables** assumes we know *everything* about selection into treatment—we can identify *all* of the good (or bad) variation in  $\mathbf{D}_i$ . Tough in non-experimental settings. Difficult to validate in practice.

#### Which route?

- 1. There are plenty of bad applications of both sets. Violated assumptions, bad controls, etc.
- 2. **Selection on observables** assumes we know *everything* about selection into treatment—we can identify *all* of the good (or bad) variation in  $\mathbf{D}_i$ . Tough in non-experimental settings. Difficult to validate in practice.
- 3. **Selection on unobservables** assumes we can isolate *some* good/clean variation in  $D_i$ , which we then use to estimate the effect of  $D_i$  on  $Y_i$ .

#### Which route?

- 1. There are plenty of bad applications of both sets. Violated assumptions, bad controls, etc.
- 2. **Selection on observables** assumes we know *everything* about selection into treatment—we can identify *all* of the good (or bad) variation in  $\mathbf{D}_i$ . Tough in non-experimental settings. Difficult to validate in practice.
- 3. **Selection on unobservables** assumes we can isolate *some* good/clean variation in  $D_i$ , which we then use to estimate the effect of  $D_i$  on  $Y_i$ . Seems more plausible. Possible to validate. May be underpowered.

#### Introduction

Instrumental variables (IV)<sup>†</sup> is the canonical selection-on-unobservables design—isolating good variation in  $D_i$  via some magical instrument  $Z_i$ .

<sup>†</sup> For the moment, we're lumping together IV and two-stage least squares (2SLS) together—as many people do—even though they are technically different.

#### Introduction

Instrumental variables (IV)<sup>†</sup> is the canonical selection-on-unobservables design—isolating good variation in  $D_i$  via some magical instrument  $Z_i$ .

Consider some model (structural equation)

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{D}_i + \varepsilon_i \tag{1}$$

To guarantee consistent OLS estimates for  $\beta_1$ , want  $Cov(D_i, \varepsilon_i) = 0$ . In general, this is a heroic assumption.

<sup>†</sup> For the moment, we're lumping together IV and two-stage least squares (2SLS) together—as many people do—even though they are technically different.

#### Introduction

Instrumental variables (IV)<sup>†</sup> is the canonical selection-on-unobservables design—isolating good variation in  $D_i$  via some magical instrument  $Z_i$ .

Consider some model (structural equation)

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{D}_i + \varepsilon_i \tag{1}$$

To guarantee consistent OLS estimates for  $\beta_1$ , want  $Cov(D_i, \varepsilon_i) = 0$ . In general, this is a heroic assumption.

Alternative: Estimate  $\beta_1$  via instrumental variables.

<sup>†</sup> For the moment, we're lumping together IV and two-stage least squares (2SLS) together—as many people do—even though they are technically different.

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

1. 
$$Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$$

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

A valid **instrument** is a variable  $Z_i$  such that

1.  $Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$ our instrument correlates with treatment

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

A valid **instrument** is a variable  $\mathbf{Z}_i$  such that

1.  $\operatorname{Cov}(\mathbf{Z}_i,\,\mathbf{D}_i) \neq 0$ 

our instrument correlates with treatment (so we can keep part of  $D_i$ )

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

- 1.  $Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$ our instrument correlates with treatment (so we can keep part of  $\mathbf{D}_i$ )
- 2.  $Cov(\mathbf{Z}_i, \varepsilon_i) = 0$

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

- 1.  $Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$  our instrument correlates with treatment (so we can keep part of  $\mathbf{D}_i$ )
- 2.  $\text{Cov}(\mathbf{Z}_i, \, \varepsilon_i) = 0$  our instrument is uncorrelated with other (non- $\mathbf{D}_i$ ) determinants of  $\mathbf{Y}_i$

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

- 1.  $Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$ our instrument correlates with treatment (so we can keep part of  $\mathbf{D}_i$ )
- 2.  $Cov(\mathbf{Z}_i, \, \varepsilon_i) = 0$  our instrument is uncorrelated with other (non- $\mathbf{D}_i$ ) determinants of  $\mathbf{Y}_i$ , i.e.,  $\mathbf{Z}_i$  is excludable from equation (1).

#### Definition

For our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

- 1.  $Cov(\mathbf{Z}_i, \mathbf{D}_i) \neq 0$ our instrument correlates with treatment (so we can keep part of  $\mathbf{D}_i$ )
- 2.  $Cov(\mathbf{Z}_i, \, \varepsilon_i) = 0$  our instrument is uncorrelated with other (non- $\mathbf{D}_i$ ) determinants of  $\mathbf{Y}_i$ , i.e.,  $\mathbf{Z}_i$  is excludable from equation (1). (exclusion restriction)

#### Example

Back to the returns to a college degree,

$$\mathrm{Income}_i = \beta_0 + \beta_1 \mathrm{Grad}_i + \varepsilon_i$$

OLS is likely biased.

### Example

Back to the returns to a college degree,

$$Income_i = \beta_0 + \beta_1 Grad_i + \varepsilon_i$$

OLS is likely biased.

What if that state conducts a (random) lottery for scholarships?

### Example

Back to the returns to a college degree,

$$Income_i = \beta_0 + \beta_1 Grad_i + \varepsilon_i$$

OLS is likely biased.

What if that state conducts a (random) **lottery** for scholarships?

Let  $Lottery_i$  denote an indicator for whether i won a lottery scholarship.

### Example

Back to the returns to a college degree,

$$\mathrm{Income}_i = \beta_0 + \beta_1 \mathrm{Grad}_i + \varepsilon_i$$

OLS is likely biased.

What if that state conducts a (random) **lottery** for scholarships?

Let Lottery, denote an indicator for whether i won a lottery scholarship.

1.  $Cov(Lottery_i, Grad_i) \neq 0 \ (> 0)$  if scholarships increase grad. rates.

### Example

Back to the returns to a college degree,

$$\mathrm{Income}_i = \beta_0 + \beta_1 \mathrm{Grad}_i + \varepsilon_i$$

OLS is likely biased.

What if that state conducts a (random) **lottery** for scholarships?

Let  $Lottery_i$  denote an indicator for whether i won a lottery scholarship.

- 1.  $Cov(Lottery_i, Grad_i) \neq 0 \ (> 0)$  if scholarships increase grad. rates.
- 2.  $Cov(Lottery_i, \varepsilon_i) = 0$  since the lottery is randomized.

#### The IV estimator

The IV estimator for our model

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{D}_i + \varepsilon_i \tag{1}$$

with (valid) instrument  $Z_i$  is

$$\hat{eta}_{\mathrm{IV}} = \left( \mathrm{Z'D} \right)^{-1} \left( \mathrm{Z'Y} \right)$$

#### The IV estimator

The IV estimator for our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

with (valid) instrument  $Z_i$  is

$$\hat{eta}_{ ext{IV}} = \left( ext{Z'D} 
ight)^{-1} \left( ext{Z'Y} 
ight)$$

If you have no covariates, then

$$\hat{eta}_{ ext{IV}} = rac{ ext{Cov}(\mathbf{Z}_i,\,\mathbf{Y}_i)}{ ext{Cov}(\mathbf{Z}_i,\,\mathbf{D}_i)}$$

#### The IV estimator

The IV estimator for our model

$$Y_i = \beta_0 + \beta_1 D_i + \varepsilon_i \tag{1}$$

with (valid) instrument  $Z_i$  is

$$\hat{eta}_{ ext{IV}} = \left( ext{Z'D} 
ight)^{-1} \left( ext{Z'Y} 
ight)$$

If you have additional (exogenous) covariates  $X_i$ , then

$$\mathbf{Z} = [egin{array}{cc} \mathbf{Z}_i & \mathbf{X}_i \end{array}]$$

$$\mathbf{D} = [ \mathbf{D}_i \quad \mathbf{X}_i ]$$

### **Proof: Consistency**

With a valid instrument  $\mathbf{Z}_i$ ,  $\hat{eta}_{\mathrm{IV}}$  is a consistent estiamtor for  $eta_1$  in

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{X}_i + \varepsilon_i \tag{1}$$

$$\operatorname{plim}\!\left(\hat{\boldsymbol{\beta}}_{IV}\right)$$

#### **Proof: Consistency**

With a valid instrument  $\mathbf{Z}_i$ ,  $\hat{\boldsymbol{\beta}}_{\mathrm{IV}}$  is a consistent estiamtor for  $\boldsymbol{\beta}_1$  in

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{X}_i + \varepsilon_i \tag{1}$$

$$ext{plim} \Big( \hat{eta}_{IV} \Big)$$
 $= ext{plim} \Big( egin{pmatrix} ext{Z'D} \end{pmatrix}^{-1} egin{pmatrix} ext{Z'Y} \end{pmatrix}$ 

#### **Proof: Consistency**

With a valid instrument  $\mathbf{Z}_i$ ,  $\hat{eta}_{\mathrm{IV}}$  is a consistent estiamtor for  $eta_1$  in

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{X}_i + \varepsilon_i \tag{1}$$

$$\operatorname{plim}\left(\hat{eta}_{IV}
ight)$$

$$=\operatorname{plim}\Bigl( \left( \operatorname{Z'D} 
ight)^{-1} \left( \operatorname{Z'Y} 
ight) \Bigr)$$

$$= ext{plim}\Big(ig( ext{Z'D}ig)^{-1}ig( ext{Z'D}eta+ ext{Z'}arepsilon\Big)\Big)$$

### **Proof: Consistency**

With a valid instrument  $\mathbf{Z}_i$ ,  $\hat{eta}_{\mathrm{IV}}$  is a consistent estiamtor for  $eta_1$  in

$$Y_i = \beta_0 + \beta_1 X_i + \varepsilon_i \tag{1}$$

$$\operatorname{plim} \left( \hat{\beta}_{IV} \right)$$

$$= \operatorname{plim}\Bigl( \left( \operatorname{Z'D} 
ight)^{-1} \left( \operatorname{Z'Y} 
ight) \Bigr)$$

$$= ext{plim}\Big(ig( ext{Z'D}ig)^{-1}ig( ext{Z'D}eta+ ext{Z'}arepsilon\Big)\Big)$$

$$egin{aligned} &= \mathrm{plim}\Big(ig(\mathrm{Z'D}ig)^{-1} ig(\mathrm{Z'D}ig) eta \Big) + \mathrm{plim} \left(rac{1}{N}\mathrm{Z'D}
ight)^{-1} \mathrm{plim}\Big(rac{1}{N}\mathrm{Z'}arepsilon \Big) \end{aligned}$$

### **Proof: Consistency**

With a valid instrument  $\mathbf{Z}_i$ ,  $\hat{\boldsymbol{\beta}}_{\mathrm{IV}}$  is a consistent estiamtor for  $\boldsymbol{\beta}_1$  in

$$\mathbf{Y}_i = \beta_0 + \beta_1 \mathbf{X}_i + \varepsilon_i \tag{1}$$

$$\operatorname{plim}\!\left(\hat{\beta}_{IV}\right)$$

$$=\operatorname{plim}\Bigl( \left( \operatorname{Z'D} 
ight)^{-1} \left( \operatorname{Z'Y} 
ight) \Bigr)$$

$$= ext{plim}\Big(ig( ext{Z'D}ig)^{-1}ig( ext{Z'D}eta+ ext{Z'}arepsilon\Big)\Big)$$

$$egin{aligned} &= \operatorname{plim} \Big( egin{aligned} \left( \mathbf{Z}' \mathbf{D} 
ight)^{-1} \left( \mathbf{Z}' \mathbf{D} 
ight) eta \Big) + \operatorname{plim} \left( rac{1}{N} \mathbf{Z}' \mathbf{D} 
ight)^{-1} \operatorname{plim} \left( rac{1}{N} \mathbf{Z}' arepsilon 
ight) \end{aligned}$$

$$=\beta$$

### Setup

You'll commonly see IV implemented as a two-stage process known as two-stage least squares (2SLS).

#### Setup

You'll commonly see IV implemented as a two-stage process known as two-stage least squares (2SLS).

First stage Estimate the effect of the instrument  $Z_i$  on our endogenous variable  $D_i$  and (predetermined) covariates  $X_i$ . Save  $\widehat{D}_i$ .

$$\mathrm{D}_i = \gamma_1 \mathbf{Z}_i + \gamma_2 \mathbf{X}_i + u_i$$

#### Setup

You'll commonly see IV implemented as a two-stage process known as two-stage least squares (2SLS).

**First stage** Estimate the effect of the instrument  $Z_i$  on our endogenous variable  $D_i$  and (predetermined) covariates  $X_i$ . Save  $\widehat{D}_i$ .

$$\mathrm{D}_i = \gamma_1 \mathbf{Z}_i + \gamma_2 \mathbf{X}_i + u_i$$

**Second stage** Estimate model we wanted—but only using the variation in  $D_i$  that correlates with  $Z_i$ , *i.e.*,  $\widehat{D}_i$ .

$$\mathbf{Y}_i = \beta_1 \widehat{\mathbf{D}}_i + \beta_2 \mathbf{X}_i + \varepsilon_i$$

Note The controls  $X_i$  must match in the first and second stages.

#### IV estimation

This two-step procedure, with a valid instrument, produces an estimator  $\hat{\beta}_1$  that is consistent for  $\beta_1$ .

$$\hat{eta}_{
m 2SLS} = \left( {
m D}' {
m P}_{
m Z} {
m D} 
ight)^{-1} \left( {
m D}' {
m P}_{
m Z} {
m Y} 
ight)$$
 ${
m P}_{
m Z} = {
m Z} \left( {
m Z}' {
m Z} 
ight)^{-1} {
m Z}'$ 

where  $\mathbf{D}$  is a matrix of our treatment and predetermined covariates  $(\mathbf{X}_i)$  and Z is a matrix of our instrument and our predetermined covariates.

#### IV estimation

Important notes

- The controls  $(X_i)$  must match in the first and second stages.
- If you have exactly **one instrument** and exactly **one endogenous variable**, then 2SLS and IV are identical.
- Your second-stage standard errors are not correct.

### Table of contents

#### Admin

1. Schedule

#### Instrumental variables

- 1. Research designs
- 2. Introduction
- 3. Definition
- 4. Example
- 5. IV estimator

#### Two-stage least squares

1. Setup