

ISO/IEC 27001:2022

Annex A Compliance Audit Report

Acme Corporation

83.8%	30	21	0
WEIGHTED COMPLIANCE	CONTROLS PASSED	CONTROLS FAILED	HIGH RISKS OPEN

Weighted compliance against assessed Annex A controls



Report date	08 August 2026
Assessment timestamp	2026-08-08 01:18:06 UTC
Target system	SRV-APP-01
Operating system	Microsoft Windows Server 2022 Standard
Framework	ISO/IEC 27001:2022 Annex A (93 controls)
Assessment coverage	54.8% of Annex A controls
Maturity rating	Managed - minor gaps
Prepared by	Information Security Team
Classification	CONFIDENTIAL - Internal use only

Scope and limitations

Automated point-in-time technical assessment of a single host.

1. Executive Summary

This report presents the results of an automated gap analysis of SRV-APP-01 against all 93 controls of ISO/IEC 27001:2022 Annex A. Configuration telemetry was collected from the target system and evaluated against a defined security baseline.


Of the 93 Annex A controls, 51 were assessed using technical evidence. 30 are fully implemented, 21 are partially implemented and 0 are not implemented. A further 42 controls are organisational or procedural in nature and require documented auditor attestation, and 0 could not be evaluated because the required telemetry was not present in the submitted dataset.

The resulting weighted compliance score is 83.8% (unweighted pass rate 58.8%), placing the system in the 'Managed - minor gaps' band. Scoring weights each control by the severity of its associated risk (High 5, Medium 3, Low 1) so that a failure of a critical control depresses the score more than a failure of a minor one.

Assessment coverage was 54.8% - that is, 51 of the 93 Annex A controls produced a definitive verdict from the evidence available.

Open risk profile

0 high, 18 medium and 3 low risk findings are currently open. High risk findings represent controls whose failure could directly lead to loss of confidentiality, integrity or availability of information assets and should be treated as the immediate remediation priority.



Status distribution

Status	Controls	Meaning
PASS	30	All configured technical checks satisfied
PARTIAL	21	Some checks satisfied - control partially effective
FAIL	0	No checks satisfied - control not effective
MANUAL	42	Procedural control awaiting documented attestation
NO_DATA	0	Required telemetry absent from the submitted dataset
N/A	0	Explicitly scoped out of this assessment

2. Compliance by Annex A Theme

Annex A of ISO/IEC 27001:2022 organises its 93 controls into four themes. The table below shows how the target system performs within each.

Theme	Total	Pass	Partial	Fail	Manual	No data	Compliance
Organizational	37	9	12	0	16	0	76.5%
People	8	1	1	0	6	0	75.0%
Physical	14	0	4	0	10	0	50.0%
Technological	34	20	4	0	10	0	95.0%



Highest impact open findings

No high risk findings are currently open.

3. Annex A Control Register

Complete assessment result for every ISO/IEC 27001:2022 Annex A control. 'Mode' indicates whether the control was evaluated automatically from telemetry, by auditor attestation, or a combination of both.

Control	Title	Theme	Mode	Status	Risk	Checks
A.5.1	Policies for information security	Organizational	Manual	PASS	None	-
A.5.2	Information security roles and responsibilities	Organizational	Manual	PASS	None	-
A.5.3	Segregation of duties	Organizational	Hybrid	PARTIAL	Medium	1/1
A.5.4	Management responsibilities	Organizational	Manual	MANUAL	Medium	-
A.5.5	Contact with authorities	Organizational	Manual	MANUAL	Low	-
A.5.6	Contact with special interest groups	Organizational	Manual	MANUAL	Low	-
A.5.7	Threat intelligence	Organizational	Hybrid	PARTIAL	Medium	1/1
A.5.8	Information security in project management	Organizational	Manual	MANUAL	Medium	-
A.5.9	Inventory of information and other associated assets	Organizational	Hybrid	PASS	None	3/3
A.5.10	Acceptable use of information and other associated assets	Organizational	Hybrid	PARTIAL	Medium	2/2
A.5.11	Return of assets	Organizational	Manual	MANUAL	Medium	-
A.5.12	Classification of information	Organizational	Hybrid	PASS	None	1/1
A.5.13	Labelling of information	Organizational	Hybrid	PARTIAL	Medium	1/1
A.5.14	Information transfer	Organizational	Hybrid	PARTIAL	Medium	3/3
A.5.15	Access control	Organizational	Hybrid	PASS	None	3/3
A.5.16	Identity management	Organizational	Hybrid	PASS	None	2/2
A.5.17	Authentication information	Organizational	Automated	PASS	None	8/8
A.5.18	Access rights	Organizational	Hybrid	PARTIAL	Medium	2/2
A.5.19	Information security in supplier relationships	Organizational	Manual	MANUAL	Medium	-
A.5.20	Addressing information security within supplier agreements	Organizational	Manual	MANUAL	Medium	-
A.5.21	Managing information security in the ICT supply chain	Organizational	Manual	MANUAL	Medium	-
A.5.22	Monitoring, review and change management of supplier serv..	Organizational	Manual	MANUAL	Medium	-
A.5.23	Information security for use of cloud services	Organizational	Manual	MANUAL	High	-
A.5.24	Information security incident management planning and pre..	Organizational	Manual	PASS	None	-
A.5.25	Assessment and decision on information security events	Organizational	Hybrid	PARTIAL	Medium	1/1
A.5.26	Response to information security incidents	Organizational	Manual	MANUAL	High	-
A.5.27	Learning from information security incidents	Organizational	Manual	MANUAL	Medium	-
A.5.28	Collection of evidence	Organizational	Hybrid	PARTIAL	Medium	2/2
A.5.29	Information security during disruption	Organizational	Manual	MANUAL	Medium	-
A.5.30	ICT readiness for business continuity	Organizational	Hybrid	PASS	None	2/2
A.5.31	Legal, statutory, regulatory and contractual requirements	Organizational	Manual	MANUAL	Medium	-
A.5.32	Intellectual property rights	Organizational	Hybrid	PARTIAL	Low	1/1
A.5.33	Protection of records	Organizational	Hybrid	PARTIAL	Medium	2/2
A.5.34	Privacy and protection of PII	Organizational	Hybrid	PARTIAL	Medium	2/2
A.5.35	Independent review of information security	Organizational	Manual	MANUAL	Medium	-
A.5.36	Compliance with policies, rules and standards for information	Organizational	Hybrid	PARTIAL	Medium	2/2
A.5.37	Documented operating procedures	Organizational	Manual	MANUAL	Low	-
A.6.1	Screening	People	Manual	MANUAL	Medium	-
A.6.2	Terms and conditions of employment	People	Manual	MANUAL	Medium	-
A.6.3	Information security awareness, education and training	People	Manual	PASS	None	-
A.6.4	Disciplinary process	People	Manual	MANUAL	Low	-
A.6.5	Responsibilities after termination or change of employment	People	Manual	MANUAL	Medium	-
A.6.6	Confidentiality or non-disclosure agreements	People	Manual	MANUAL	Medium	-
A.6.7	Remote working	People	Hybrid	PARTIAL	Medium	3/3

Control	Title	Theme	Mode	Status	Risk	Checks
A.6.8	Information security event reporting	People	Manual	MANUAL	Medium	-
A.7.1	Physical security perimeters	Physical	Manual	MANUAL	Medium	-
A.7.2	Physical entry	Physical	Manual	MANUAL	Medium	-
A.7.3	Securing offices, rooms and facilities	Physical	Manual	MANUAL	Low	-
A.7.4	Physical security monitoring	Physical	Manual	MANUAL	Medium	-
A.7.5	Protecting against physical and environmental threats	Physical	Manual	MANUAL	Medium	-
A.7.6	Working in secure areas	Physical	Manual	MANUAL	Low	-
A.7.7	Clear desk and clear screen	Physical	Hybrid	PARTIAL	Medium	2/2
A.7.8	Equipment siting and protection	Physical	Manual	MANUAL	Low	-
A.7.9	Security of assets off-premises	Physical	Hybrid	PARTIAL	Medium	2/2
A.7.10	Storage media	Physical	Hybrid	PARTIAL	Medium	2/2
A.7.11	Supporting utilities	Physical	Manual	MANUAL	Medium	-
A.7.12	Cabling security	Physical	Manual	MANUAL	Low	-
A.7.13	Equipment maintenance	Physical	Hybrid	PARTIAL	Low	1/1
A.7.14	Secure disposal or re-use of equipment	Physical	Manual	MANUAL	Medium	-
A.8.1	User end point devices	Technological	Automated	PASS	None	4/4
A.8.2	Privileged access rights	Technological	Automated	PASS	None	4/4
A.8.3	Information access restriction	Technological	Automated	PASS	None	3/3
A.8.4	Access to source code	Technological	Manual	MANUAL	Medium	-
A.8.5	Secure authentication	Technological	Automated	PASS	None	5/5
A.8.6	Capacity management	Technological	Automated	PASS	None	2/2
A.8.7	Protection against malware	Technological	Automated	PASS	None	5/5
A.8.8	Management of technical vulnerabilities	Technological	Automated	PASS	None	4/4
A.8.9	Configuration management	Technological	Automated	PASS	None	5/5
A.8.10	Information deletion	Technological	Hybrid	PARTIAL	Medium	1/1
A.8.11	Data masking	Technological	Manual	MANUAL	Medium	-
A.8.12	Data leakage prevention	Technological	Automated	PASS	None	3/3
A.8.13	Information backup	Technological	Automated	PASS	None	5/5
A.8.14	Redundancy of information processing facilities	Technological	Hybrid	PARTIAL	Medium	1/1
A.8.15	Logging	Technological	Automated	PASS	None	8/8
A.8.16	Monitoring activities	Technological	Automated	PASS	None	3/3
A.8.17	Clock synchronization	Technological	Automated	PASS	None	3/3
A.8.18	Use of privileged utility programs	Technological	Automated	PASS	None	3/3
A.8.19	Installation of software on operational systems	Technological	Automated	PASS	None	3/3
A.8.20	Networks security	Technological	Automated	PASS	None	5/5
A.8.21	Security of network services	Technological	Automated	PASS	None	5/5
A.8.22	Segregation of networks	Technological	Hybrid	PARTIAL	Medium	1/1
A.8.23	Web filtering	Technological	Automated	PASS	None	2/2
A.8.24	Use of cryptography	Technological	Automated	PASS	None	5/5
A.8.25	Secure development life cycle	Technological	Manual	MANUAL	Medium	-
A.8.26	Application security requirements	Technological	Manual	MANUAL	Medium	-
A.8.27	Secure system architecture and engineering principles	Technological	Manual	MANUAL	Medium	-
A.8.28	Secure coding	Technological	Manual	MANUAL	Medium	-
A.8.29	Security testing in development and acceptance	Technological	Manual	MANUAL	Medium	-
A.8.30	Outsourced development	Technological	Manual	MANUAL	Low	-
A.8.31	Separation of development, test and production environments	Technological	Manual	MANUAL	Medium	-
A.8.32	Change management	Technological	Hybrid	PASS	None	1/1
A.8.33	Test information	Technological	Manual	MANUAL	Low	-
A.8.34	Protection of information systems during audit testing	Technological	Hybrid	PARTIAL	Low	1/1

4. Remediation Roadmap

Findings are prioritised by risk level and grouped into delivery phases. Each entry lists the specific checks that failed and the technical steps required to close the gap. Phase 1 items should be scheduled immediately.

#	Control	Title	Risk	Status	Target
1	A.5.23	Information security for use of cloud services	High	MANUAL	90-180 days
2	A.5.26	Response to information security incidents	High	MANUAL	90-180 days
3	A.5.10	Acceptable use of information and other associated assets	Medium	PARTIAL	30-90 days
4	A.5.13	Labelling of information	Medium	PARTIAL	30-90 days
5	A.5.14	Information transfer	Medium	PARTIAL	30-90 days
6	A.5.18	Access rights	Medium	PARTIAL	30-90 days
7	A.5.25	Assessment and decision on information security events	Medium	PARTIAL	30-90 days
8	A.5.28	Collection of evidence	Medium	PARTIAL	30-90 days
9	A.5.3	Segregation of duties	Medium	PARTIAL	30-90 days
10	A.5.33	Protection of records	Medium	PARTIAL	30-90 days
11	A.5.34	Privacy and protection of PII	Medium	PARTIAL	30-90 days
12	A.5.36	Compliance with policies, rules and standards for information securi	Medium	PARTIAL	30-90 days
13	A.5.7	Threat intelligence	Medium	PARTIAL	30-90 days
14	A.6.7	Remote working	Medium	PARTIAL	30-90 days
15	A.7.10	Storage media	Medium	PARTIAL	30-90 days
16	A.7.7	Clear desk and clear screen	Medium	PARTIAL	30-90 days
17	A.7.9	Security of assets off-premises	Medium	PARTIAL	30-90 days
18	A.8.10	Information deletion	Medium	PARTIAL	30-90 days
19	A.8.14	Redundancy of information processing facilities	Medium	PARTIAL	30-90 days
20	A.8.22	Segregation of networks	Medium	PARTIAL	30-90 days
21	A.5.11	Return of assets	Medium	MANUAL	90-180 days
22	A.5.19	Information security in supplier relationships	Medium	MANUAL	90-180 days
23	A.5.20	Addressing information security within supplier agreements	Medium	MANUAL	90-180 days
24	A.5.21	Managing information security in the ICT supply chain	Medium	MANUAL	90-180 days
25	A.5.22	Monitoring, review and change management of supplier services	Medium	MANUAL	90-180 days
26	A.5.27	Learning from information security incidents	Medium	MANUAL	90-180 days
27	A.5.29	Information security during disruption	Medium	MANUAL	90-180 days
28	A.5.31	Legal, statutory, regulatory and contractual requirements	Medium	MANUAL	90-180 days
29	A.5.35	Independent review of information security	Medium	MANUAL	90-180 days
30	A.5.4	Management responsibilities	Medium	MANUAL	90-180 days
31	A.5.8	Information security in project management	Medium	MANUAL	90-180 days
32	A.6.1	Screening	Medium	MANUAL	90-180 days
33	A.6.2	Terms and conditions of employment	Medium	MANUAL	90-180 days
34	A.6.5	Responsibilities after termination or change of employment	Medium	MANUAL	90-180 days
35	A.6.6	Confidentiality or non-disclosure agreements	Medium	MANUAL	90-180 days
36	A.6.8	Information security event reporting	Medium	MANUAL	90-180 days
37	A.7.1	Physical security perimeters	Medium	MANUAL	90-180 days
38	A.7.11	Supporting utilities	Medium	MANUAL	90-180 days
39	A.7.14	Secure disposal or re-use of equipment	Medium	MANUAL	90-180 days
40	A.7.2	Physical entry	Medium	MANUAL	90-180 days

5. Technical Remediation Detail

A.5.10 - Acceptable use of information and other associated assets

Medium risk | PARTIAL

- Publish an Acceptable Use Policy and capture signed acknowledgement from every user.
- Enforce removable-media restrictions via Group Policy or Intune device control.
- Deploy AppLocker or WDAC in enforce mode to restrict unapproved applications.

A.5.13 - Labelling of information

Medium risk | PARTIAL

- Configure mandatory labelling so documents and email cannot be saved or sent unlabelled.
- Apply visual markings (headers, footers, watermarks) driven by the label.
- Extend labelling to physical media and printed output.

A.5.14 - Information transfer

Medium risk | PARTIAL

- Force TLS 1.2/1.3 for all transfers and disable SSL 3.0, TLS 1.0 and TLS 1.1.
- Set 'Digitally sign communications (always)' for SMB client and server.
- Remove the SMB 1.0/CIFS Windows feature entirely.
- Document approved transfer channels and require encryption for external transfers.

A.5.18 - Access rights

Medium risk | PARTIAL

- Clear the 'password never expires' flag except for documented, vaulted service accounts.
- Run a formal access recertification campaign with owner sign-off every 6 months.
- Revoke all access within 24 hours of termination and evidence the revocation.

A.5.25 - Assessment and decision on information security events

Medium risk | PARTIAL

- Forward Windows event logs to a SIEM or central collector.
- Define triage criteria that turn an event into a classified incident.
- Record the assessment decision and rationale for every escalated event.

A.5.28 - Collection of evidence

Medium risk | PARTIAL

- Increase the Security event log to 1 GB or more and set retention to 90+ days.
- Archive logs to immutable/WORM storage so they cannot be altered.
- Document a chain-of-custody procedure and identify a forensics provider in advance.

A.5.3 - Segregation of duties

Medium risk | PARTIAL

- Map high-risk activities (approve, execute, review) and ensure no single account holds all three.
- Reduce standing local administrator membership; use just-in-time elevation.
- Where separation is impossible, add compensating monitoring and document the exception.

A.5.33 - Protection of records

Medium risk | PARTIAL

- Publish a retention schedule stating how long each record type is kept and why.
- Encrypt backups and apply immutability / legal-hold where records are regulated.
- Restrict deletion rights on record repositories and log all deletions.

A.5.34 - Privacy and protection of PII

Medium risk | PARTIAL

- Map where PII is stored, processed and transmitted, and record the lawful basis.
- Enable DLP policies that detect and block unauthorised PII egress.
- Ensure full-disk encryption on every device that may hold PII.
- Define and test the data subject request and breach notification workflow.

A.5.36 - Compliance with policies, rules and standards for information security**Medium risk | PARTIAL**

- Run automated configuration compliance scans (this tool, SCM, Intune compliance policies).
- Upgrade or isolate any system running an unsupported operating system.
- Report compliance metrics to management on a fixed cadence.

A.5.7 - Threat intelligence**Medium risk | PARTIAL**

- Enable cloud-delivered protection / reputation services on endpoint security tooling.
- Subscribe to strategic, tactical and operational threat feeds relevant to your sector.
- Define who reviews intelligence, how often, and how it triggers action.

A.6.7 - Remote working**Medium risk | PARTIAL**

- Enable BitLocker (or equivalent) on every mobile and remote-working device.
- Require an always-on or managed VPN for access to internal resources.
- Enforce a 10-15 minute screen lock with password resume.
- Publish a remote working policy covering home networks, public Wi-Fi and physical security.

A.7.10 - Storage media**Medium risk | PARTIAL**

- Block unmanaged USB mass storage; allow only encrypted, registered media.
- Enable BitLocker To Go and deny write access to unencrypted removable drives.
- Log the movement of media containing classified information.

A.7.7 - Clear desk and clear screen**Medium risk | PARTIAL**

- Set the inactivity lock to 10-15 minutes and require a password on resume via GPO/Intune.
- Publish and spot-check a clear desk policy covering paper and removable media.
- Provide lockable storage and secure shredding at every desk area.

A.7.9 - Security of assets off-premises**Medium risk | PARTIAL**

- Enable BitLocker with TPM (plus PIN for high-risk roles) on all portable devices.
- Register off-site assets and record the responsible custodian.
- Enable remote lock and wipe through the MDM platform.
- Instruct users never to leave devices unattended in vehicles or public spaces.

A.8.10 - Information deletion**Medium risk | PARTIAL**

- Configure retention labels or policies that delete data at end of life automatically.
- Use secure deletion (cryptographic erase or multi-pass) for classified data.
- Record deletions for regulated data to evidence compliance.

A.8.14 - Redundancy of information processing facilities**Medium risk | PARTIAL**

- Enable Volume Shadow Copy Service on data volumes for fast local rollback.
- Design N+1 redundancy for components supporting critical services.
- Test failover of redundant components at least annually.

A.8.22 - Segregation of networks**Medium risk | PARTIAL**

- Separate user, server, management and guest traffic into distinct VLANs/subnets.
- Filter between segments with an explicit allow-list.
- Place OT, legacy and unsupported systems in isolated segments.
- Use host-based firewall rules as a second layer of isolation.

A.5.32 - Intellectual property rights	Low risk PARTIAL
- Reconcile installed software against purchased licence entitlements. - Remove or license any software flagged as unauthorised. - Block installation of unapproved software with application control.	
A.7.13 - Equipment maintenance	Low risk PARTIAL
- Follow vendor maintenance intervals and use authorised service providers. - Monitor SMART / predictive failure alerts and replace failing disks promptly. - Remove or sanitise data before equipment leaves the site for repair.	
A.8.34 - Protection of information systems during audit testing	Low risk PARTIAL
- Agree audit scope, timing and read-only access with system owners in advance. - Use read-only accounts for audit data collection and log all audit access. - Schedule intrusive testing outside business-critical windows.	

Appendix A - Telemetry Evidence

Extract of the configuration parameters ingested for this assessment. These values constitute the technical evidence underpinning the automated results.

Parameter	Observed value
asset.asset_owner	Infrastructure Operations
asset.asset_tag	ACME-SRV-0142
asset.data_classification_labels_enabled	True
asset.dlp_enabled	True
asset.installed_software	Microsoft Defender, Veeam Agent, Splunk Universal Forwarder
asset.installed_software_count	38
asset.mdm_enrolled	True
asset.unauthorized_software	(none)
asset.unauthorized_software_count	0
backup.backup_configured	True
backup.backup_encrypted	True
backup.backup_product	Veeam Backup & Replication
backup.last_backup_days	1
backup.last_backup_result	False
backup.offsite_or_immutable	True
backup.restore_tested_days	45
backup.shadow_copies_enabled	True
backup.system_restore_enabled	True
capacity.cpu_load_pct	18
capacity.memory_free_pct	61.2
capacity.memory_total_gb	128.0
capacity.system_drive_free_gb	220.4
capacity.system_drive_free_pct	43.0
capacity.system_drive_total_gb	512.0
configuration.baseline_drift_count	0
configuration.baseline_drift_items	(none)
configuration.baseline_reference	CIS Microsoft Windows Server 2022 Benchmark v2.0
data.retention_policy_configured	True
encryption.disk_encryption_enabled	True
encryption.disk_encryption_type	XtsAes256
encryption.encryption_percentage	100
encryption.fips_mode	True
encryption.key_protector_present	True
encryption.key_protector_types	Tpm, RecoveryPassword
encryption.recovery_key_escrowed	True
encryption.removable_drive_encryption_required	True
encryption.smb_signing_required	True
encryption.smbv1_enabled	False
encryption.ssl30_enabled	False
encryption.tls10_enabled	False
encryption.tls11_enabled	False
encryption.tls12_enabled	True
encryption.tls13_enabled	True
encryption.unencrypted_volume_count	0
encryption.unencrypted_volumes	(none)

Parameter	Observed value
endpoint_protection.antivirus_enabled	True
endpoint_protection.antivirus_product	Microsoft Defender Antivirus
endpoint_protection.applocker_or_wdac_enabled	True
endpoint_protection.asr_rules_enabled	14
endpoint_protection.behavior_monitoring	True
endpoint_protection.cloud_protection_enabled	True
endpoint_protection.edr_enabled	True
endpoint_protection.firewall_domain	True
endpoint_protection.firewall_private	True
endpoint_protection.firewall_public	True
endpoint_protection.firewall_rule_count	212
endpoint_protection.inbound_default_block	True
endpoint_protection.last_full_scan_days	3
endpoint_protection.network_protection_enabled	True
endpoint_protection.pua_protection_enabled	True
endpoint_protection.realtime_protection	True
endpoint_protection.screen_lock_timeout_min	10
endpoint_protection.screensaver_password_required	True
endpoint_protection.secure_boot_enabled	True
endpoint_protection.signature_age_days	0
endpoint_protection.signature_version	1.427.918.0
endpoint_protection.tamper_protection	True
endpoint_protection.tpm_present	True
endpoint_protection.tpm_ready	True
endpoint_protection.tpm_version	2.0
endpoint_protection.uac_enabled	True
endpoint_protection.usb_storage_blocked	True
hardware.battery_present	False
hardware.chassis_type	23
hardware.disk_count	4
hardware.disk_health_ok	True
identity.accounts_password_never_expires	0
identity.blank_password_accounts	0
identity.credential_guard_enabled	True
identity.default_admin_renamed	True
identity.guest_account_enabled	False
identity.inactive_accounts_90d	0
identity.laps_enabled	True
identity.local_admin_count	2
identity.local_admin_members	CORP\Domain Admins, SRV-APP-01\svc-admin
identity.local_user_count	4
identity.lockout_duration_min	15
identity.lockout_threshold	5
identity.lockout_window_min	15
identity.logon_banner_configured	True
identity.mfa_coverage_pct	100
identity.mfa_enabled	True
identity.mfa_providers	WindowsHelloForBusiness, SmartCard
identity.password_complexity_enabled	True
identity.password_history_size	24
identity.password_max_age_days	90

Parameter	Observed value
identity.password_min_age_days	1
identity.password_min_length	15
identity.standard_users_cannot_install	True
logging.audit_account_lockout	Success and Failure
logging.audit_account_management	Success and Failure
logging.audit_logoff_events	Success
logging.audit_logon_events	Success and Failure
logging.audit_object_access	Success and Failure
logging.audit_policy_change	Success and Failure
logging.audit_privilege_use	Success and Failure
logging.audit_process_creation	Success
logging.command_line_auditing	True
logging.log_forwarding_enabled	True
logging.logging_level	Verbose
logging.ntp_server	dc01.corp.acme.local
logging.powershell_module_logging	True
logging.powershell_scriptblock_logging	True
logging.security_log_max_size_mb	4096
logging.security_log_record_count	8421337
logging.security_log_retention_days	365
logging.siem_agents_detected	MDE.Windows, splunkforwarder
logging.time_offset_seconds	0.4
logging.time_sync_configured	True
metadata.collected_by	CORP\svc-audit
metadata.collected_elevated	True
metadata.collected_utc	2026-08-08T09:14:22Z
metadata.collector_version	1.0.0
metadata.domain	corp.acme.local
metadata.domain_joined	True
metadata.fqdn	srv-app-01.corp.acme.local
metadata.hostname	SRV-APP-01
metadata.is_server	True
metadata.manufacturer	Dell Inc.
metadata.model	PowerEdge R650
metadata.os_build	21H2
metadata.os_caption	Microsoft Windows Server 2022 Standard
metadata.os_version	10.0.20348
metadata.serial_number	SN-7122039
network.anonymous_share_enumeration	False
network.dns_filtering_enabled	True
network.dns_servers	10.10.1.10, 10.10.1.11
network.host_firewall_isolation	True
network.ipv6_enabled	True
network.listening_port_count	5
network.llmnr_disabled	True
network.netbios_enabled	False
network.open_listening_ports	135, 445, 3389, 5985, 8443
network.open_shares	AppData
network.open_shares_everyone	0
network.rdp_enabled	True
network.rdp_nla_required	True

Parameter	Observed value
network.rdp_port	3389
network.risky_ports_open	(none)
network.risky_ports_open_count	0

(16 further parameters omitted for brevity.)