


5.71

A)

```
#include <iostream>
using namespace std;
int main()
{
    double a = 1000;
    double b;
    for (int i = 1; i <= 10; i++)
    {
        a *= 1.02;
        b = a * 0.02;
        cout << i << " " << b << "\n";
    }
}
```



1) 20.4
2) 20.808
3) 21.2242
4) 21.6486
5) 22.0816
6) 22.5232
7) 22.9737
8) 23.4332
9) 23.9019
10) 24.3799

Б)

```
#include <iostream>
#include <cmath>
using namespace std;
int main()
{
    double a = 1000;
    double b;
    for (int i = 3; i <= 12; i++)
    {
        b = a * pow(1.02, i);
        cout << i << " " << b << "\n";
    }
}
```

```
3) 1061.21
4) 1082.43
5) 1104.08
6) 1126.16
7) 1148.69
8) 1171.66
9) 1195.09
10) 1218.99
11) 1243.37
12) 1268.24
```

5.72


A)

```
#include <iostream>
using namespace std;
int main()
{
    double a = 10;
    for (int i = 2; i <= 7; i++)
    {
        a *= 1.1;
        cout << i << " ) " << a << "\n";
    }
}
```

```
2) 11
3) 12.1
4) 13.31
5) 14.641
6) 16.1051
7) 17.7156
```

Б)

```
#include <iostream>
using namespace std;
int main()
{
    double a = 10;
    int summa = 0;
    for (int i = 2; i <= 7; i++)
    {
        a *= 1.1;
        summa += a;
    }
    cout << summa;
}
```



5.73

A)

```
#include <iostream>
using namespace std;
int main()
{
    double a = 20;
    double b;
    for (int i = 2; i <= 8; i++)
    {
        b = a * pow(1.02, i);
        cout << i << " " << b << "\n";
    }
}
```

```
2) 20.808
3) 21.2242
4) 21.6486
5) 22.0816
6) 22.5232
7) 22.9737
8) 23.4332
```

Б)

```
#include <iostream>
using namespace std;
int main()
{
    double a = 100;
    double b;
    for (int i = 4; i <= 7; i++)
    {
        b = a * pow(1.05, i);
        cout << i << " " << b << "\n";
    }
}
```

```
4) 121.551
5) 127.628
6) 134.01
7) 140.71
```

B)

```
#include <iostream>
using namespace std;
int main()
{
    double a = 20;
    double b = 0;
    for (int i = 1; i <= 6; i++)
    {
        a *= 1.02;
        b += a;
    }
    cout << b;
}
```

