

5.39


```
#include <iostream>
using namespace std;
int main()
{
    int a, b;
    int summa = 0;
    for (int i = 0; i < 5; i++)
    {
        cin >> a >> b;
        summa += a + b;
    }
    cout << summa;
}
```



A screenshot of a terminal window showing the output of the program for 5.39. The input consists of five pairs of integers (a, b). The output shows the sum of a + b for each pair, with a final line showing the total sum. The output is: 1, 1, 1, 1, 1, 10.

5.40


```
#include <iostream>
using namespace std;
int main()
{
    int n;
    float nn;
    float summa = 0;
    cin >> n;
    for (int i = 1; i <= n; i++)
    {
        cin >> nn;
        summa += nn;
    }
    cout << summa;
}
```



A screenshot of a terminal window showing the output of the program for 5.40. The input consists of an integer n followed by n floating-point numbers. The output shows the sum of the floating-point numbers. The output is: 5, 2.5, 3.5, 1.1, 2, 16, 25.1.

5.41

```
#include <iostream>
using namespace std;
int main()
{
    int nn;
    int summa = 0;
    for (int i = 1; i <= 12; i++)
    {
        cin >> nn;
        summa += nn;
    }
    cout << summa;
}
```




A screenshot of a terminal window showing the output of the program for exercise 5.41. The input values are 30, 50, 60, 60, 990, 22222, 1000, 500, 50, 60, 50, 60, 50, and 25152. The final output is 25152.

```
30
50
60
60
990
22222
1000
500
50
60
50
60
50
25152
```

5.42

```
#include <iostream>
using namespace std;
int main()
{
    int nn;
    int summa = 0;
    for (int i = 1; i <= 4; i++)
    {
        cin >> nn;
        summa += nn;
    }
    cout << summa;
}
```




A screenshot of a terminal window showing the output of the program for exercise 5.42. The input values are 90, 87, 99, and 79. The final output is 355.

```
90
87
99
79
355
```

5.43

```
#include <iostream>
using namespace std;
int main()
{
    int nn;
    int summa = 0;
    cin >> nn;
    for (int i = 1; i <= 16; i++)
    {
        cin >> nn;
        summa += nn;
    }
    cout << summa;
}
```



```
100000
100000
100000
100000
80000
80000
80000
70000
70000
70000
100000
100000
100000
90000
90000
50000
50000
1330000
```

5.45

```
#include <iostream>
using namespace std;
int main()
{
    int nn;
    int summa = 0;
    cin >> nn;
    for (int i = 1; i <= 6; i++)
    {
        cin >> nn;
        summa += nn;
    }
    cout << summa;
}
```

5
15
5
8
15
9
10
62