


5.13

```
#include <iostream>
using namespace std;
int main()
{
    int bigboss = 7;
    for (int i = 1; i <= 10; i++)
    {
        cout << i << " * " << bigboss << " = " << bigboss * i << "\n";
    }
}
```




A screenshot of a terminal window showing the output of the C++ program for example 5.13. The output consists of ten lines, each representing a multiplication of a number from 1 to 10 by the value of 'bigboss' (which is 7). The lines are: 1 * 7 = 7, 2 * 7 = 14, 3 * 7 = 21, 4 * 7 = 28, 5 * 7 = 35, 6 * 7 = 42, 7 * 7 = 49, 8 * 7 = 56, 9 * 7 = 63, and 10 * 7 = 70.

```
1 * 7 = 7
2 * 7 = 14
3 * 7 = 21
4 * 7 = 28
5 * 7 = 35
6 * 7 = 42
7 * 7 = 49
8 * 7 = 56
9 * 7 = 63
10 * 7 = 70
```

5.15

```
#include <iostream>
using namespace std;
int main()
{
    int bigboss;
    cin >> bigboss;
    for (int i = 1; i <= 10; i++)
    {
        cout << i << " * " << bigboss << " = " << bigboss * i << "\n";
    }
}
```



A screenshot of a terminal window showing the output of the C++ program for example 5.15. The user has entered the value 5 for 'bigboss'. The output consists of ten lines, each representing a multiplication of a number from 1 to 10 by the value 5. The lines are: 1 * 5 = 5, 2 * 5 = 10, 3 * 5 = 15, 4 * 5 = 20, 5 * 5 = 25, 6 * 5 = 30, 7 * 5 = 35, 8 * 5 = 40, 9 * 5 = 45, and 10 * 5 = 50.

```
5
1 * 5 = 5
2 * 5 = 10
3 * 5 = 15
4 * 5 = 20
5 * 5 = 25
6 * 5 = 30
7 * 5 = 35
8 * 5 = 40
9 * 5 = 45
10 * 5 = 50
```

2

$$1 * 2 = 2$$

$$2 * 2 = 4$$

$$3 * 2 = 6$$

$$4 * 2 = 8$$

$$5 * 2 = 10$$

$$6 * 2 = 12$$

$$7 * 2 = 14$$

$$8 * 2 = 16$$

$$9 * 2 = 18$$

$$10 * 2 = 20$$