* Practical No. 5 *

Title : Database using DDL Statements.

Objectives :
Database using DDL Statements and apply normalization on them.

Theory :
DDL or Data Definition Language actually consist of SQL Commands that can be used to define database schema.
List of Database Queries include :
1) Create Database
2) DRop Database
3) Rename Database
4) Select Database

1) Create Database –
It creates the database with the name which has been specified in the database system.

Syntax : CREATE DATABASE Database_name ;

Example : CREATE DATABASE Students ;

2) DROP Database -
This statement deletes all the views and tables if stored in the database.

Syntax : DROP Database Database_name ;

Example: DROP Database Students ;

3) Rename Database -
The rename database is used to change the name of the existing database.

Syntax : RENAME DATABASE old_database_name TO new_database_name ;

Example : RENAME DATABASE Students TO Stud ;

4) Select Database -
When users want to perform some operation on tables, views and indexes on the specific existing database in SQL firstly, they have to select database on which they want to run the database queries.

Syntax : Use Database_name ;

* CREATE TABLE :

CREATE TABLE statement is used to create table in database.

Syntax : Create table table_name
(column_1 data_type ,
column_2 data_type ,
------
column_N data_type);

* Conclusion -

We learned all the DDL queries and their use and implemented all queries on Database.

3

//Practical 5

```
Microsoft Windows [Version 10.0.19045.2965]
(c) Microsoft Corporation. All rights reserved.

C:\Users\PRECIT>mysql -u root -p
Enter password: ********
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.33 MySQL Community Server - GPL

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| mysql              |
| newone             |
| performance_schema |
| sys                |
+--------------------+
5 rows in set (0.10 sec)

mysql> create database Customer;
Query OK, 1 row affected (0.07 sec)

mysql> Use Customer;
Database changed
mysql> create table cust (Id int Primary Key, Name varchar(20),Age int NOT NULL, Address
varchar(30), Salary Decimal(18,4));
Query OK, 0 rows affected (0.15 sec)

mysql> Desc cust;
+---------+---------------+------+-----+---------+-------+
| Field   | Type          | Null | Key | Default | Extra |
+---------+---------------+------+-----+---------+-------+
| Id      | int           | NO   | PRI | NULL    |       |
| Name    | varchar(20)   | YES  |     | NULL    |       |
| Age     | int           | NO   |     | NULL    |       |
| Address | varchar(30)   | YES  |     | NULL    |       |
| Salary  | decimal(18,4) | YES  |     | NULL    |       |
+---------+---------------+------+-----+---------+-------+
5 rows in set (0.05 sec)

mysql> Insert into cust Values(1,'Naziya',20,'Shrirampur',10000.00);
Query OK, 1 row affected (0.07 sec)

mysql> Insert into cust values(2,'Hardik',20,'Loni',3000.00), (3,'Chaitali',22,'Mumbai',24000.00),
(4,'Komal',25,'Pune',43000.00), (5,'Ramesh',23,'Nashik',30000.00);
```

```
Query OK, 4 rows affected (0.03 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql> Select *from cust;
+----+---------+-----+-----------+------------+
| Id | Name    | Age | Address   | Salary     |
+----+---------+-----+-----------+------------+
|  1 | Naziya  |  20 | Shrirampur | 10000.0000 |
|  2 | Hardik  |  20 | Loni      |  3000.0000 |
|  3 | Chaitali |  22 | Mumbai    | 24000.0000 |
|  4 | Komal   |  25 | Pune      | 43000.0000 |
|  5 | Ramesh  |  23 | Nashik    | 30000.0000 |
+----+---------+-----+-----------+------------+
5 rows in set (0.00 sec)

mysql> Alter table cust DROP Salary;
Query OK, 0 rows affected (0.11 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> Select* from cust;
+----+---------+-----+-----------+
| Id | Name    | Age | Address   |
+----+---------+-----+-----------+
|  1 | Naziya  |  20 | Shrirampur |
|  2 | Hardik  |  20 | Loni      |
|  3 | Chaitali |  22 | Mumbai    |
|  4 | Komal   |  25 | Pune      |
|  5 | Ramesh  |  23 | Nashik    |
+----+---------+-----+-----------+
5 rows in set (0.00 sec)

mysql>  Update cust set Age=19 where Name='naziya';
Query OK, 1 row affected (0.04 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select* from cust;
+----+---------+-----+-----------+------------+
| Id | Name    | Age | Address   | Salary     |
+----+---------+-----+-----------+------------+
|  1 | Naziya  |  19 | Shrirampur | 10000.0000 |
|  2 | Hardik  |  20 | Loni      |  3000.0000 |
|  3 | Chaitali |  22 | Mumbai    | 24000.0000 |
|  4 | Komal   |  25 | Pune      | 43000.0000 |
|  5 | Ramesh  |  23 | Nashik    | 30000.0000 |
+----+---------+-----+-----------+------------+

mysql> DELETE From cust Where Id=4;
Query OK, 1 row affected (0.03 sec)

mysql> Select* from cust;
+----+---------+-----+-----------+
| Id | Name    | Age | Address   |
+----+---------+-----+-----------+
|  1 | Naziya  |  20 | Shrirampur |
|  2 | Hardik  |  20 | Loni      |
|  3 | Chaitali |  22 | Mumbai    |
|  5 | Ramesh  |  23 | Nashik    |
```

```
+----+---------+-----+------------+
4 rows in set (0.00 sec)

mysql> Alter table cust RENAME TO new_cust;
Query OK, 0 rows affected (0.15 sec)

mysql> Select *from new_cust;
+----+---------+-----+------------+
| Id | Name    | Age | Address    |
+----+---------+-----+------------+
|  1 | Naziya  |  20 | Shrirampur |
|  2 | Hardik  |  20 | Loni       |
|  3 | Chaitali|  22 | Mumbai     |
|  5 | Ramesh  |  23 | Nashik     |
+----+---------+-----+------------+
4 rows in set (0.00 sec)

mysql> Delete from new_cust WHERE Age=23;
Query OK, 1 row affected (0.03 sec)

mysql> Commit;
Query OK, 0 rows affected (0.00 sec)

mysql> Select* from new_cust;
+----+---------+-----+------------+
| Id | Name    | Age | Address    |
+----+---------+-----+------------+
|  1 | Naziya  |  20 | Shrirampur |
|  2 | Hardik  |  20 | Loni       |
|  3 | Chaitali|  22 | Mumbai     |
+----+---------+-----+------------+
3 rows in set (0.00 sec)

mysql> Truncate table new_cust;
Query OK, 0 rows affected (0.11 sec)

mysql> Select* from new_cust;
Empty set (0.00 sec)

mysql> Drop table new_cust;
Query OK, 0 rows affected (0.05 sec)

mysql> Desc new_cust;
ERROR 1146 (42S02): Table 'customer.new_cust' doesn't exist
mysql>
```