AKRON JAVA 5-31-2016

Started on	Tuesday, 5 July 2016, 10:38 AM
State	Finished
Completed on	Tuesday, 5 July 2016, 10:41 AM
Time taken	3 mins 6 secs
Grade	**9** out of 10 (**87**%)

Question 1

Correct

Mark 1 out of 1

Which of these HTML attributes adds watermarking of input fields?

Select one:

- ○ a. watermark
- ◉ b. placeholder ✓
- ○ c. inputtext
- ○ d. title

Question 2

Correct

Mark 1 out of 1

Which of these tags is not new to HTML from HTML5?

Select one:

- ◉ a. blockquote ✓
- ○ b. aside
- ○ c. nav
- ○ d. footer

Question 3

Correct

Mark 1 out of 1

Which of these is not an input type?

Select one:

- a. color
- b. tel
- ⦿ c. country ✓
- d. date

Question 4

Correct

Mark 1 out of 1

What CSS property creates rounded corners?

Select one:

- a. border-rounding
- ⦿ b. border-radius ✓
- c. rounded-border
- d. curved-border

Question 5

Incorrect

Mark 0 out of 1

What can you learn from a browser's user agent? (Multi-select)

Select one:

- a. Operating system
- ⦿ b. Time zone ✗ Incorrect– Time zones are not part of user agents.
- c. Browser version
- d. Browser name

Question 6

Correct

Mark 1 out of 1

Which of these apply to the CSS Box Model? (Multi-select)

Select one or more:

- ☑ a. Border edge ✓
- ☑ b. Padding edge ✓
- ☐ c. Margarine edge
- ☑ d. Content edge ✓

Question 7

Correct

Mark 1 out of 1

What are the 3 required tags for HTML?

Select one:

- ○ a. html/header/footer
- ○ b. header/body/footer
- ◉ c. html/head/body ✓
- ○ d. html/body/footer

Question 8

Partially correct

Mark 1 out of 1

Which of these are true of the id attribute? (Multi-select)

Select one or more:

- ☑ a. The id attribute must be unique for each element on the page. ✓
- ☐ b. An id attribute is commonly used with CSS.
- ☑ c. An id attribute makes it harder to use a control in JavaScript. ✗ Incorrect– JavaScript uses the id attribute when looking for elements with getElementById.
- ☐ d. The id attribute is case-sensitive.

Question 9

Correct

Mark 1 out of 1

Where can we find CSS? (Multi-select)

Select one or more:

- ☑ a. In HTML files, between <style></style> tags ✔
- ☑ b. In a style attribute ✔
- ☑ c. In an external file ✔
- ☐ d. None of the above

Question 10

Correct

Mark 1 out of 1

Which of these CSS selectors will select an HTML element with the id of MyID?

Select one:

- ○ a. .MyID
- ○ b. MyID
- ○ c. element.MyID
- ◉ d. #MyID ✔

Return to: Web UI ⇥