

Java Object-Oriented Concepts Unit

Lesson 8 Lab 1: Shapes and Perimeters

Copyright © 2016 The Learning House, Inc.

All rights reserved. No part of these materials may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of The Learning House. For permission requests, write to The Learning House, addressed "Attention: Permissions Coordinator," at the address below.

The Learning House

427 S 4th Street #300

Louisville KY 40202

Lesson 8 Lab 1: Shapes and Perimeters

Requirements

Create a set of classes to represent a square, rectangle, triangle and circle. Have these classes inherit from a base class called Shape. Each of them will implement at least two methods — one called `area()`, which will return the area of the shape; and another called `perimeter()`, which will return the perimeter of the shape.

Tips

The base class — Shape — will have a property called `color` and the two methods `area()` and `perimeter()`, but they will be empty. They are designed to be overridden by inherited shapes, so make sure that any shape that you inherit from the base class implements their own versions of `area()` and `perimeter()` based on the type of shape it is. It is suggested you start with a square because this should be the easiest to implement. Create a Shape base class, inherit a square from it, and override the two methods. If you have done this correctly, it should give you the idea for the others.