Started on	Tuesday, 5 July 2016, 9:47 AM
State	Finished
Completed on	Tuesday, 5 July 2016, 10:36 AM
Time taken	48 mins 33 secs
Grade	<b>7</b> out of 10 ( <b>73</b> %)
Question 1	
Correct	
Mark 1 out of 1	
Which of these HTML	attributes adds watermarking of input fields?
Select one:	
a. watermark	
<ul><li>b. placeholder</li></ul>	
c. inputtext	
d. title	
G. Citto	
Question 2	
Correct	
Mark 1 out of 1	
Which of these tags is	s not new to HTML from HTML5?
Select one:	
a. blockquote	$\checkmark$
b. aside	
c. nav	
d. footer	

Correct Mark 1 out of 1  Which of these is not an input type?  Select one:	
Which of these is not an input type?  Select one:	
Select one: a. color b. tel c. c. country d. d. date  Question 4  Correct Mark 1 out of 1  What CSS property creates rounded corners?  Select one: a. border-rounding b. b. border-radius c. rounded-border d. curved-border	
Select one: a. color b. tel c. c. country d. d. date  Question 4  Correct Mark 1 out of 1  What CSS property creates rounded corners?  Select one: a. border-rounding b. b. border-radius c. rounded-border d. curved-border	
a. color b. tel c. c. country ✓ d. date  Question 4  Correct Mark1 out of 1  What CSS property creates rounded corners?  Select one: a. border-rounding b. border-radius ✓ c. rounded-border d. curved-border	
<ul> <li>b. tel</li> <li>c. country</li> <li>d. date</li> </ul> Question 4 Correct Mark 1 out of 1 What CSS property creates rounded corners? Select one: <ul> <li>a. border-rounding</li> <li>b. border-radius</li> <li>c. rounded-border</li> <li>d. curved-border</li> </ul> Question 5	
© c. country   d. date  Question 4  Correct  Mark 1 out of 1  What CSS property creates rounded corners?  Select one:  a. border-rounding  b. border-radius   c. rounded-border  d. curved-border	
Question 4 Correct Mark 1 out of 1  What CSS property creates rounded corners?  Select one:  a. border-rounding  b. border-radius   c. rounded-border  d. curved-border	
Question 4 Correct Mark 1 out of 1  What CSS property creates rounded corners?  Select one:  a. border-rounding b. border-radius   c. rounded-border d. curved-border  Question 5	
Correct  Mark 1 out of 1  What CSS property creates rounded corners?  Select one:  a. border-rounding b. border-radius  c. rounded-border d. curved-border  Question 5	
Correct  Mark 1 out of 1  What CSS property creates rounded corners?  Select one:  a. border-rounding b. border-radius  c. rounded-border d. curved-border  Question 5	
Correct  Mark 1 out of 1  What CSS property creates rounded corners?  Select one:  a. border-rounding b. border-radius  c. rounded-border d. curved-border  Question 5	
What CSS property creates rounded corners?  Select one:  a. border-rounding  b. border-radius   c. rounded-border  d. curved-border  Question 5	
Select one:  a. border-rounding  b. border-radius   c. rounded-border  d. curved-border	
Select one:  a. border-rounding  b. border-radius   c. rounded-border  d. curved-border	
<ul> <li>a. border-rounding</li> <li>b. border-radius </li> <li>c. rounded-border</li> <li>d. curved-border</li> </ul> Question 5	
<ul> <li>a. border-rounding</li> <li>b. border-radius </li> <li>c. rounded-border</li> <li>d. curved-border</li> </ul> Question 5	
<ul> <li>b. border-radius</li> <li>c. rounded-border</li> <li>d. curved-border</li> </ul> Question 5	
c. rounded-border d. curved-border  Question 5	
d. curved-border  Question 5	
Question 5	
Mark 0 out of 1	
What can you learn from a browser's user agent? (Multi-select)	
Selectione:	
a. Operating system	
b. Time zone	
c. Browser version	
■ d. Browser name      ★	

Correct	
Mark 1 out of 1	
Which of these apply to the CSS Box Model? (Multi-select)	
Select one or more:	
c. Margarine edge	
☑ d. Content edge ✓	
_	
Question 7 Incorrect	
Mark 0 out of 1	
What are the 3 required tags for HTML?	
Select one:	
a. html/header/footer	
b. header/body/footer	
o c. html/head/body	
<ul> <li>d. html/body/footer X Incorrect- footer is a container that can be used in the body tag.</li> </ul>	
Question 8	
Partially correct  Mark 0 out of 1	
Mark 0 Out of 1	
Which of these are true of the id attribute? (Multi-select)	
Select one or more:	
☑ a. The id attribute must be unique for each element on the page.  ✓	
☑ b. An id attribute is commonly used with CSS.	
c. An id attribute makes it harder to use a control in JavaScript.	
d. The id attribute is case-sensitive. X Incorrect- myld, mylD, MylD, and MYID would all be considered the same ID and could not be used for 4 different HTML elements.	

Question 6

Correct	
Mark 1 out of 1	
Where can we find CSS? (Multi-select)	
Select one or more:	
a. In HTML files, between <style></style> tags      √	
Ø b. In a style attribute   ✓	
☑ c. In an external file ✓	
d. None of the above	
Question 10	
Correct	
Mark 1 out of 1	
Which of these CSS selectors will select an HTML element with the id of MyID?	
Select one:	
aMyID	
o b. MyID	
c. element.MyID	
d. #MyID    ✓	
Return to: Web UI ◆3	

Question 9