

North Coast Occupational Health

DR DG GOVENDER

PR NO: 1476971; MP NO: 0219177

MbChB (Natal); Mmed Sci (Sports Medicine) (Natal); DOH (Dip Occupational Health) (Natal)
Senior AME (CAA)(Pretoria); Certificate in Travel Medicine(Wits); Basic Underwater Medicine(Stellenbosch)

MEDICAL REPORT

NAME	SINAKHOKONKE MNGOMA
ID NUMBER	0703155887085
COMPANY	LANDSCAPERS INC
JOB DESCRIPTION	LANDSCAPER

Medical History	HT	DM	Asthma	Arthritis	PU	Allergies	TB	Epilepsy
-----------------	----	----	--------	-----------	----	-----------	----	----------

Medication: Nil

Occ. Injuries / Diseases: nil

Occupational Exposures	Noise	Dust	Radiation
	Asbestos	Heights	Heat / Cold

Social Habits	Alcohol: Yes / <u>No</u>	Smoker: <u>Yes</u> / No <u>XS</u>
---------------	--------------------------	-----------------------------------

General Examination: Healthy

Height	Weight	BMI	BP	Pulse	Urine
175	56		135 / 76	56	—

Vision: Right: 20 / 10 Left: 20 / 10 with / without Glasses Colour Vision: Normal

Special Investigations:

Spirometry:

FVC	FEV 1	FEV1 / FVC

Audiogram: PLH: 1,10 % CXR: — Resting/ Stress ECG: —

Drugs of Abuse screen: —

Working at heights evaluation: YES / NO Blood Tests: YES / NO

31 ZENITH DRIVE
UMHLANGA RIDGE
031: 566 2066

CELL: 083661 4332

16 RAILWAY STREET
TONGAAT
032: 944 7617

North Coast Occupational Health
DR DG GOVENDER
PR NO: 1476971; MP NO: 0219177
MbChB (Natal); Mmed Sci (Sports Medicine) (Natal); DOH (Dip Occupational Health) (Natal)
Senior AME (CAA)(Pretoria);Certificate in Travel Medicine(Wits);Basic Underwater Medicine(Stellenbosch)

CERTIFICATE OF FITNESS

I, DR DG GOVENDER (OMP), hereby confirm that in accordance to the contractor job specification presented to me,

NAME	SINAKHOKONKE MNGOMA
ID NUMBER	0703155887085
COMPANY	LANDSCAPERS INC
JOB DESCRIPTION	LANDSCAPER


The above mentioned has been examined according to the protocols as follows:

General medical examination	☒	Audiogram	☒
Chest x-ray	☐	Lung function test	☒
Keystone Vision testing	☐	Snellen's eye test	☒
Drugs of abuse screen	☐	Working at Heights evaluation	☒
Cannabis urine screen	☐	Stress ECG	☐
Blood tests	☐	Resting ECG	☐

And their fitness to carry out tasks required by the job follows

Fit with no restrictions	☒
Fit with the following restrictions:	☐
Temporary Unfit Until (Date)	☐
Permanently Unfit	☐

This "certificate of fitness" expires on 16/07/2027 being one year from date of examination.

(OMP) DR DG GOVENDER: 

DATE: 16/07/2026

STAMP

DR DG GOVENDER
NORTH COAST OCCUPATIONAL HEALTH
PR NO 1476971 - SAS 0454
Tel: 031 566 2066 Cell: 083 661 4332
The "on: 31 Zenith Drive, Umhlanga Ridge

31 ZENITH DRIVE
UMHLANGA RIDGE
031: 566 2066

CELL: 083661 4332

16 RAILWAY STREET
TONGAAT
032: 944 7617

North Coast Occupational Health

DR DG GOVENDER

PR NO: 1476971; MP NO: 0219177

MbChB (Natal); Mmed Sci (Sports Medicine) (Natal); DOH (Dip Occupational Health) (Natal)

Senior AME (CAA)(Pretoria);Certificate in Travel Medicine(Wits);Basic Underwater Medicine(Stellenbosch)

WORKING AT HEIGHTS EVALUATION

NAME	SINAKHOKONKE MNGOMA
ID NUMBER	0703155887085
COMPANY	LANDSCAPERS INC
JOB DESCRIPTION	LANDSCAPER

	STATUS	YES	NO
Have you ever had a blackout?			☒
Have you ever had an epileptic fit?			☒
Are you afraid of heights?			☒
Is there any reason that you should not be working at heights?			☒
Are you on any medication at the moment?			☒

If yes please elaborate

Office use only

Is this person fit to work at heights? ☒ YES / ☐ NO

If no, what are the reasons?

DATE: 16/07/2026

31 ZENITH DRIVE
UMHLANGA RIDGE
031: 566 2066

CELL: 083661 4332

16 RAILWAY STREET
TONGAAT
032: 944 7617

North Coast Occupational Health

DR DG GOVENDER

PR NO: 1476971; MP NO: 0219177

MbChB (Natal); MMed Sci (Sports Medicine) (Natal); DOH (Dip Occupational Health) (Natal)

Senior AME (C-AA)(Pretoria); Certificate in Travel Medicine(Wits); Basic Underwater Medicine(Stellenbosch)

ANNEXURE 3

OCCUPATIONAL HEALTH AND SAFETY ACT

COMPANY : LANDSCAPERS INC

NAME OF EMPLOYEE: SINAKHOKONKE MINGOMA

ID NUMBER : 0703155887085

		<u>Possible exposures</u>										<u>Job Specific Requirements</u>						<u>Protective Equipment</u>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		Heat	*	Noise	*	Working At Heights		Confined Space		Dust	*	Hazardous Chemicals		Fumes		Excavations		Scaffolding																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Declaration by the Medical Health Examiner :

I certify that I have, by examination and testing, using the above criteria specified by the employer, satisfied myself that the abovementioned employee is fit to perform the duties as described by the employer in the matrix above.

OCCUPATIONAL HEALTH PRACTITIONER:

DR DG GOVENDER

Date:

16/07/2026

Signature

Employee signature:


Employer Signature :

Patient Number: 0703155887085
Patient Name: MNGOMA, SINAKHOKONKE
Gender / ID No.: Male / 0703155887085


Date of Birth: 2007-03-15
Employment Date:
Noise Exposure:

Company:
Department:
Position:

LEFT



RIGHT



Identifier	Test Date	Type	Baseline	Serial No.	Operator	PLH	PLHD	PLHS / PD (c)	PLHS / PD (b)
Blue	2026-07-16 11:56	Screening	-	062544 (2544)	clinic user	1.10	-	-	-

Identifier	Test Date	L 500	L 1K	L 2K	L 3K	L 4K	L 6K	L 8K	R 500	R 1K	R 2K	R 3K	R 4K	R 6K	R 8K
Blue	2026-07-16 11:56	5	5	0	0	0	5	5	5	0	5	5	5	5	15

Identifier	Test Date	Age	Noise	Lo Cat	Hi Cat	CAT	PBI	RTS	DSHL ... (L/R)	ABHL	5DSHL ... (L/R)	5ABHL
Blue	2026-07-16 11:56	19	-	1	1	1	0.00	0	10 15	3.12	10 20	3.00

Acknowledgement >>

Operator:

Patient:

Date:

Date:

Audiometer	Tremetrics RA300
Serial No.	062544 (2544)
Last Calibration	2026-03-31
Next Calibration	2027-03-31
Calibrated By	Musa Nzama