

Diagram Documentation

Modify this code to update the DB schema diagram. To reset the sample schema, replace everything with two dots ('..' - without quotes).

Orders

Field	Description	Туре	Default	Other
serial_key		int		PK
order_id		varchar(20)		
creation_time		datetime		FK
item_id		varchar(20)		FK
quantity_ordered		int		
customer_id		int		FK
is_delivery		boolean		
address_id		int		FK

Customers

Field	Description	Туре	Default	Other
customer_id		int		PK, FK
first_name		varchar(50)		
last_name		varchar(50)		

Address

Field	Description	Туре	Default	Other
address_id		int		PK, FK
address		varchar(100)		
city		varchar(20)		
postal_code		varchar(10)		

Item

Field	Description	Туре	Default	Other
item_id		varchar(20)		PK, FK
prep_id		varchar(50)		FK
item_name		varchar(100)		
category		varchar(50)		
item_size		varchar(20)		
price		float		

Preparations

QuickDBD-export Page 1 of 3



Field	Description	Туре	Default	Other
serial_key		int		PK
prep_id		varchar(50)		FK
ingredient_id		varchar(20)		FK
quantity		int		

Ingredients

Field	Description	Туре	Default	Other
ingredient_id		varchar(20)		PK, FK
name		varchar(100)		
weight		float		
measure		varchar(50)		
price		float		

Inventory

Field	Description	Туре	Default	Other
inventory_id		int		PK
ingredient_id		varchar(20)		FK
quantity		int		

Employees

Field	Description	Туре	Default	Other
emp_id		varchar(20)		PK, FK
first_name		varchar(100)		
last_name		varchar(100)		
designation		varchar(100)		
hourly_wage		float		

Shifts

Field	Description	Туре	Default	Other
shift_id		varchar(20)		PK, FK
day_of_the_week		varchar(20)		
start_time		time		
end_time		time		

Schedule

Field	Description	Туре	Default	Other
serial_key		int		PK
sch_id		varchar(20)		

QuickDBD-export Page 2 of 3



Field	Description	Type Def	ault Other
date		datetime	FK
emp_id		varchar(20)	FK
shift_id		varchar(20)	FK

QuickDBD-export Page 3 of 3